

#### **BASIC ASSESSMENT REPORT**

#### **AND**

#### **ENVRIONMENTAL MANAGEMENT PROGRAMME REPORT**

SUBMITTED FOR ENVIRONMENTAL AUTHOIZATIONS IN TERMS OF NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 AND THE NATIONAL ENVIRONMENTAL MANAGEMENT WASTE ACT, 2008 IN RESPECT OF LISTED ACTIVITIES THAT HAVE BEN TRIGGERED BY APPLICATIONS IN TERMS OF THE MNERAL AND PETROLEUM RESOURCES DEVELOPMENT ACT, 2002 (MPRDA) (AS AMENDED).

NAME OF APPLICANT: DE BEERS CONSOLIDATED MINES PROPRIETARY

LIMITED

TEL NO: (053) 839 4243

FAX NO: (053) 839 4880

POSTAL ADDRESS: PO Box 616, Kimberley, 8300

PHYSICAL ADDRESS: 36 Stockdale Street, Kimberley, 8300

FILE REFERENCE NUMBER SAMRAD: LP 30/5/1/1/2/12815 PR

#### 1. IMPORTANT NOTICE

In terms of the Mineral and Petroleum Resources Development Act (Act 28 of 2002 as amended), the Minister must grant a prospecting or mining right if among others the mining "will not result in unacceptable pollution, ecological degradation or damage to the environment".

Unless an Environmental Authorisation can be granted following the evaluation of an Environmental Impact Assessment and an Environmental Management Programme report in terms of the National Environmental Management Act (Act 107 of 1998) (NEMA), it cannot be concluded that the said activities will not result in unacceptable pollution, ecological degradation or damage to the environment.

In terms of section 16(3)(b) of the EIA Regulations, 2014, any report submitted as part of an application must be prepared in a format that may be determined by the Competent Authority and in terms of section 17 (1) (c) the competent Authority must check whether the application has taken into account any minimum requirements applicable or instructions or guidance provided by the competent authority to the submission of applications.

It is therefore an instruction that the prescribed reports required in respect of applications for an environmental authorisation for listed activities triggered by an application for a right or a permit are submitted in the exact format of, and provide all the information required in terms of, this template. Furthermore please be advised that failure to submit the information required in the format provided in this template will be regarded as a failure to meet the requirements of the Regulation and will lead to the Environmental Authorisation being refused.

It is furthermore an instruction that the Environmental Assessment Practitioner must process and interpret his/her research and analysis and use the findings thereof to compile the information required herein. (Unprocessed supporting information may be attached as appendices). The EAP must ensure that the information required is placed correctly in the relevant sections of the Report, in the order, and under the provided headings as set out below, and ensure that the report is not cluttered with un-interpreted information and that it unambiguously represents the interpretation of the applicant.

# 2. Objective of the basic assessment process

The objective of the basic assessment process is to, through a consultative process—

- (a) determine the policy and legislative context within which the proposed activity is located and how the activity complies with and responds to the policy and legislative context;
- (b) identify the alternatives considered, including the activity, location, and technology alternatives;
- (c) describe the need and desirability of the proposed alternatives,
- (d) through the undertaking of an impact and risk assessment process inclusive of cumulative impacts which focused on determining the geographical, physical, biological, social, economic, heritage, and cultural sensitivity of the sites and locations within sites and the risk of impact of the proposed activity and technology alternatives on the these aspects to determine:
  - (i). the nature, significance, consequence, extent, duration, and probability of the impacts occurring to; and
  - (ii). the degree to which these impacts—

- (aa). can be reversed;
- (bba). may cause irreplaceable loss of resources; and
- (cca). can be managed, avoided or mitigated;
- (e) through a ranking of the site sensitivities and possible impacts the activity and technology alternatives will impose on the sites and location identified through the life of the activity to—
  - (i). identify and motivate a preferred site, activity and technology alternative;
  - (ii). identify suitable measures to manage, avoid or mitigate identified impacts; and
  - (iii). identify residual risks that need to be managed and monitored.

# PART A SCOPE OF ASSESSMENT AND BASIC ASSESSMENT REPORT

- 3. Contact Person and correspondence address
  - a) Details of:
    - i. Details of the EAP:

Name of the Practitioner: Theophillus Twarisani Rikhotso

Tel No.: (011) 309 3600 (071) 959 2602 Fax No.: (011) 309 3184

e-mail address: Theophillus.rikhotso@debeersgroup.com

- ii. Expertise of the EAP
- (1) The qualifications of the EAP

(with evidence).

Theophillus T. Rikhotso holds a National Diploma in Environmental Sciences from the Tshwane University of Technology including various Environmental Management certificates such as Environmental Law for Environmental Managers, Environmental Management System implementations such as Audits, Ecological Rehabilitation and Mine Closure, Water Quality Monitoring and Environmental Impact Assessment: a practical approach.

# (2) Summary of the EAP's past experience (In carrying out the Environmental Impact Assessment Procedure)

Mr Rikhotso has 7 years of experience in the environmental management field ranging from environmental consulting, both opencast and underground coal mining and diamond exploration. Since August 2013, Mr Rikhotso has been involved in the compilation of the De Beers RSA explorations' Basic Assessment and Environmental Management Programme Report (BA & EMPr) in terms of National Environmental Management Act (107/1998): 2014 Environmental Impact Assessments Regulation, including Public participation and Environmental Management Programme Report Performance Assessment (EMPR PAR).

During his time with Anglo American Thermal Coal, between 2013 and, 2009 he was involved in the implementation of Environmental Authorization conditions such as Water Use Licence conditions, EMPR conditions and commitments. He was also responsible for the development, implementation and maintenance of Environmental Management Systems for both underground and opencast coal operations.

During his time spent in the consulting field, i.e. in 2008, he was involved in the compilation of Amendment Application for environmental authorization and drafting Background Information Documents for Gautrain Rapid Rail Link. He drafted the Molopo-Nosob River-Drafting Environmental Status Quo. Grotas - Evaluation of EMP and scoping reports for compliance with legislation. Chobe/Zambezi River- Drafting Newsletters, compilation of EMP for water pipeline which runs between Botswana, Namibia and South Africa. He was organizing Focus Group Meetings for interested and affected parties. Map work-


Identification of properties that were not affected by the authorized alignment Gautrain Railway line, but affected by the horizontal and/or vertical re-alignment on plans and communicate the new impact and mitigation in terms of vibration and noise pollution to landowners.

# b) Location of the overall Activity

Farm Name:	Bristol 17 LR (Portion 5) Falmouth 26 LR (RE of portion 1) Begeman 146 MR (Farm) Zwartrand 147 MR (Farm) Westerford 148 MR (Farm)				
Application area (Ha)	5584.7442ha				
Magisterial district:	Capricorn and Waterberg District Municipalities				
Distance and	7 km south-east of Swartwater				
direction from					
nearest town					
21 digit surveyor	Bristol 17 LR(Portion 5) -T0LR0000000001700005				
General Code for	Falmouth 26 LR(RE of portion 1) -T0LR00000000000000001				
each farm portion	Begeman 146 MR(Farm) -T0MR0000000014600000				
	Zwartrand 147 MR(Farm) -T0MR0000000014700000 Westerford 148 MR(Farm) -T0MR0000000014800000				


# c) Locality map

(show nearest town, scale not smaller than 1:250000).



## d) Description of the scope of the proposed overall activity.

Provide a plan drawn to a scale acceptable to the competent authority but not less than 1: 10 000 that shows the location, and area (hectares) of all the aforesaid main and listed activities, and infrastructure to be placed on site.



Prospecting for kimberlite is a dynamic and result-driven operation which proceeds in phases, the outcome of which cannot be predicted or predetermined. The programme could be stopped at any stage during the prospecting operation if the results are negative or non-economical. Prospecting activities to be undertaken include non-invasive (i.e. desktop studies and ground geophysical surveys) and invasive (i.e. drilling) techniques.

The environmental footprint for drilling is limited to less than 0.64 Ha per site, three (3) drill sites are anticipated to be carried forward to drilling. During site setup shrubs and grass will be cleared to make space for the rig. It must be noted that no roots of both grass and shrubs are reduced to minimise erosion. Consequently the site will rapidly recover following completion of exploration activities.

Water is only required when drilling activities commence. Drilling water requirements fall within the "small industrial user" where the use of water is less than twenty cubic metres per day for prospecting. The water that will be used for the prospecting activities will be sourced on agreement from an existing authorized water user which could be either the land owner or local municipality. The department responsible for water resources shall be consulted with regards to any water related agreement with either the land owner or local municipality prior to drilling. No water will be abstracted in terms of section 21(a) of National Water Act, 1998 (Act no. 36 of 1998). Drilling may take a few days to two months to complete per site depending on the geology of the area, technical challenges and other factors.

# (i) Listed and specified activities

(i) Liotou una opoumou dottvitto			
NAME OF ACTIVITY (E.g. For prospecting - drill site, site camp, ablution facility, accommodation, equipment storage, sample storage, site office, access route etcetc  E.g. For mining - excavations, blasting, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm	Aerial extent of the Activity Ha or m <sup>2</sup>	LISTED ACTIVITY Mark with an X where applicable or affected	APPLICABLE LISTING NOTICE (GNR 983, GNR 984 or GNR 985)
water control, berms, roads, pipelines, power lines, conveyors, etcetc)  Any activity including the operation of	5584.7442ha	X	GN983, Activity 20
that activity which requires a prospecting right in terms of section 16 of the Mineral			
and Petroleum Resources Development			
Act, 2002 (Act No. 28 of 2002)  Desktop studies, Further feasibility study	5584.7442ha	-	Not listed
investigations and mineral resource estimation			
Drilling Programme - incl. Core drilling and Large diameter drilling	0.64 Ha/site	X	GN983, Activity 20
Water required for drilling *	n/a	-	Not listed
Sanitation requirements (Chemical toilets)	n/a	-	Not listed
Geological mapping and Geophysical surveying	100 Ha/site	-	Not listed

# (ii) Description of the activities to be undertaken

(Describe Methodology or technology to be employed, including the type of commodity to be prospected / mined and for a linear activity, a description of the route of the activity)

## Overview

De Beers Consolidated Mines Proprietary Limited (De Beers) has lodged an application for a prospecting right over the properties described above. De Beers proposes to conduct prospecting activities in terms of listing 20 Regulation No. 983 of the Environmental Impact Regulation Listing Notice 1 of 2014.

If this environmental authorisation is successfully granted the following activities will be undertaken in a phased approach, whereby the results of each phase determines whether the subsequent phases will be undertaken:

## **Desktop Studies**

This involves the compilation of all available geological and related information, relevant to prospecting for diamonds hosted in kimberlites, available from both public and commercial sources, for the property. This information is then assessed by the geologist and other specialists (such as a geophysicist) as required, in order to determine the best prospecting techniques to be used in order to discover and subsequently test any kimberlites on the property. Note that this activity is repeated at the end of each phase of prospecting, by the interpretation and integration of new prospecting information with the existing information set, in order to inform a decision on whether further work is warranted and if so, the specific scope of this additional work.

# **Ground Geophysical Surveys**

Ground geophysical surveys involve the systematic measurement of magnetic, gravitational and electromagnetic fields over target areas of interest within the property, using appropriate instruments. The individual survey areas vary between 500 x 500 m to 1 x 1 km depending on the inferred size of any target. Magnetic survey lines are spaced at a maximum of 50 m apart and readings will be taken at a minimum of 5 m intervals along the lines. Electromagnetic and gravity survey lines are spaced at a maximum of 100 m apart with readings taken at a maximum of 50 m along the lines. After data collection has been completed, data processing and visualization is carried out to allow the interpretation of the survey.

## **Drilling**

Core drilling will be carried out on geophysical anomalies to test for the presence of kimberlite. If kimberlite is discovered, the primary objective for core drilling is for geological logging. The exploration drilling holes may be vertical or inclined, usually at a maximum angle of 60 degrees (from the horizontal). The borehole depth will be determined by the geologist and will depend on the type of anomaly and the geological conditions, including overburden (the thickness of material that overlies the target kimberlite). The maximum depth of such holes is typically 400 meters where the cover is thin, and 600 meters where the cover is thick, and 8 boreholes are anticipated to be drilled per target.

The size of core drilled will be determined by such factors as cost, proposed core sampling, the degree of logging required and proposed geotechnical investigations. Sizes commonly used are HQ (63.5 mm diameter core) and NQ (47.6 mm diameter core) or variations on these. The orientation and depth of core holes will vary depending on the drilling objective. In the case of delineation drilling, angled core holes will be drilled to establish accurate kimberlite / country rock boundaries at depth (in other words, where the edge of the kimberlite is at depth). Vertical holes will be drilled for geological modelling and / or sampling of the core.

Core holes are also used as pilot holes for large diameter holes. The geological information provided by the core holes greatly reduces the risk of selecting inappropriate Reverse Circulation Large Diameter Drilling (RC LDD) hole locations. Core holes allow for maximum control on information such as overburden thickness, density, country rock dilution and likely kimberlite intersections, and therefore allow more accurate determinations of the position of likely RC LDD holes for diamond recoveries.

Material derived from i.e. core will be examined on site for logging purposes and sampled for a variety of analyses as described below. RC LDD currently up to 610 mm diameter provides good geological and especially grade data. RC LDD will be conducted when grade assessment is one of the primary objectives of the exercise. The sizes of the boreholes drilled will be determined by such factors as proposed sampling, availability of drilling equipment, cost and the volume of sample required. RC LDD will take place after pilot core drilling. The pilot hole will also be used as a guide for geological control and sample planning.

# e) Policy and Legislative Context

APPLICABLE LEGISLATION AND GUIDELINES USED TO COMPILE THE REPORT  (a description of the policy and legislative context within which the development is proposed including an identification of all legislation, policies, plans, guidelines, spatial tools, municipal development planning frameworks, and instruments that are applicable to this activity and are to be considered in the assessment process)	REFERENCE WHERE APPLIED	HOW DOES THIS DEVELOPMENT COMPLY WITH AND RESPOND TO THE LEGISLATION AND POLICY CONTECT.  (e.g. In terms of the National Water Act & Water Use License has / has not been applied for)
Constitution of South Africa, specifically everyone has a right;     a. to an environment that is not harmful to their health or wellbeing;     and     b. to have the environment protected, for the benefit of present and future generations, through reasonable legislative and other measures that:   i. prevent pollution and ecological degradation;     ii. promote conservation; and     iii. Secure ecologically sustainable development and use of natural resources while promoting justifiable economic and social development.	Prospecting activities	The prospecting activities shall be conducted in such a manner that significant environmental impacts are avoided, where significant impacts cannot all together avoided be minimised and mitigated in order to protect the environmental right of South Africans.
Minerals and Petroleum Development Resources Act, Act 28 of 2002 (MPRDA) section 16 ( as amended)	Prospecting activities	The conditions and requirements attached to the granting of the prospecting right will apply to the prospecting activities.
National Environmental Management Act, No 107 of 1998 (as amended) (NEMA) Listing Activity 20 of Listing Notice 1 in terms of Regulation 983 of 2014	Prospecting activities	The appropriate environmental authorisation will be obtained before proceeding with any prospecting activities.  Measures will be implemented to prevent any pollution occurring during the drilling activities.  The disturbed area shall be

	T	1
		rehabilitated in such a way that is stable, non-polluting, non-eroded, free from alien invasive species and suitable for agreed post closure land use.
National Water Act, Act 36 of 1998 (NWA):	N/A	No water use license is required for this application. Any water required for drilling activities will be obtained from a legal source within the area or brought in via a mobile water tanker.
National Environmental Management: Waste Act, Act 59 of 2008 (NEMWA)NEM: WA (as amended)	Management measures environmental awareness plan	The generation of potential waste will be minimised through ensuring employees of the drilling contractor are subjected to the appropriate environmental awareness campaign before commencement of drilling. All waste generated during the drilling activities will be disposed of in a responsible legal manner. Proof of legal disposal will be maintained on site.
National Heritage Resources Act, 25 of 1999 ("NHRA")	Management measures	Phase 1 Heritage Impact Assessment shall be conducted prior to drilling to ensure that significant impacts on heritage artefacts, heritage site and graves. No drilling activities will take place with 50m of any identified heritage resource such as a grave.
Municipal Plans and Policies		
Capricorn District Municipality IDP 2015/2016		Used to identify relevant socio-economic background information as well as spatial development information
Blouberg Local Municipality IDP, 2011/2016		Used to identify relevant socio-economic background information as well as spatial development information.
Waterbeg District Municipality IDP 2015/2016		Used to identify relevant socio-economic background information as well as spatial development information.
Lephalale Local Municipality IDP, 2011/2016		Used to identify relevant socio-economic background information as well as spatial development information.

Standards, Guidance and Spatial Tools		
BGIS (www.bgis.sanbi.org)	Baseline environmental description	Used during desktop research to identify sensitive environments within the prospecting rights area.
SANS 10103:2008 The Measurement and Rating of Environmental Noise with Respect to Land Use, Health, Annoyance and to Speech Communication	Management / monitoring measures	Used to set the standard allowable for noise generation and control during drilling.
SANS 1929:2005 Edition 1.1 – Ambient Air Quality Limits for Common Pollutants	Management / monitoring measures	Standard for dust fallout. The activity in question for this application is driving on gravel roads.

# f) Need and desirability of the proposed activities

(Motivate the need and desirability of the proposed development including the need and desirability of the activity in the context of the preferred location).

The aim of the prospecting activities is to locate and evaluate diamond deposits hosted in, or locally derived from kimberlite, which as an igneous rock can in theory be found within any other older host rocks. As the peak ages of kimberlite intrusion in northern South Africa were at roughly 1100 Ma and 500 Ma, any rocks older than these dates can host kimberlites. In addition it has been well established that diamonds are most commonly present in economic concentrations in kimberlites found within cratonic regions and related tectonic blocks. The area applied for falls within the Kaapvaal Craton and thus has the generic potential to host diamondiferous kimberlites.

Numerous kimberlites, including the diamond alluvial fields, are thus found in quite close proximity to the area applied for. The Oaks mine is located approximately 6km to the northeast and known kimberlite (Mooikloof and The Oaks kimberlites) occur in close proximity to the area (approximately 3km NE of the area); Venetia mine is also located 120km north-east of the proposed area. Kimberlites are known to occur in clusters, and hence the reason for applying for this prospecting right as it occurs in close proximity to known diamond mines, e.g. The Oaks and Venetia Mines.

Prospecting activities are therefore needed to:

- 1. Confirm and obtain additional information concerning potential targets through non-invasive activities (desktop studies and ground geophysical surveys) and invasive (drilling) activities.
- 2. Assess if the resource can be extracted through future mining in an environmentally socially and economically viable manner.

Should prospecting activities prove that there are feasible minerals to allow for mining, a new mine may be developed which would generate extensive employment opportunities in an area where employment is needed.

# g) Motivation for the overall preferred site, activities and technology alternative

Kimberlites typically occur as clusters within larger kimberlite fields. The area applied for is located within close proximity to Mooikloof and Oaks kimberlite and known diamond mines, e.g. Oaks and Venetia Mine, which is therefore considered highly prospective.

Geophysical methods have been proven to be very useful in detecting potential kimberlite targets and will therefore be used to identify optimal locations of potential bodies of economic interest within the prospecting area prior to drilling. Subsequent core drilling has been proven to be a suitable technique for sampling and recovering material from kimberlites to test for economic potential.

# h) Full description of the process followed to reach the proposed preferred alternatives within the site

(NB!! – This section is about the determination of the specific site layout and the location of infrastructure and activities on site, having taken into consideration the issues raised by interested and affected parties, and the consideration of alternatives to the initially proposed site layout).

# i) Details of the development footprint alternatives considered.

With reference to the site plan provided as Appendix 4 and the location of the individual activities on site, provide details of the alternatives considered with respect to:

- (a) the property on which or location where it is proposed to undertake the activity;
- (b) the type of activity to be undertaken;
- (c) the design or layout of the activity;
- (d) the technology to be used in the activity;
- (e) the operational aspects of the activity;
- (f) the option of not implementing the activity.

#### (a) the property on which or location where it is proposed to undertake the activity;

Until such time that the non-invasive activities have been completed the exact location of the drill sites cannot be confirmed. However the following restrictions will be applied to the final site selection:

- No drill site will be positioned within 500m of a structure.
- No drill site will be positioned within 100m of a water course.
- Where possible existing access roads will be utilised to access the drill sites.

#### (b) the type of activity to be undertaken;

The technologies that will be used to undertake the prospecting activities are based on the refinement of techniques employed previously by the company to explore and discover kimberlites. The prospecting activities proposed in the Prospecting Work Programme (PWP) follow a phased approach, whereby the preceding phase determines if further work is warranted and as a result no alternatives are available to complete the proposed prospecting activities.

# (c) the design or layout of the activity;

Alternative site layout is considered to ensure that resting place and ablution facilities are located away from the drilling activities to minimise the noise impacts. Site establishment is done with closure in mind to ensure that only the required size is disturbed. No camp site will

be erected on site, as existing establishments will be used for accommodation in the nearby town(s).

# (d) the technology to be used in the activity;

The method and techniques employed for the investigation of potential targets and deposits are suitable for the proposed prospecting activities.

# (e) the operational aspects of the activity;

Alternative time frames can be made to ensure that the impact on the day to day running of the inherent land use are minimised, example drilling on cultivated land can be rescheduled post harvesting. Prospecting activities will be conducted during daylight hours to minimize exposure to the risks. If necessary certain drill sites can be timed to occur during school terms or holidays as may be required in certain instances by stakeholders. The time of implementing drilling activities during the course of the day may also be reconsidered in consultation with landowners. Ideally drilling activities will occur continuously until such time that a hole is completed. If necessary certain holes can be drilled for a 12 hour day, with no drilling occurring during the night.

# (f) the option of not implementing the activity.

Drilling is required in order to investigate the potential and feasibility of a resource and also to generate a SAMREC compliant mineral resource statement. There is no potential for any future investment in a mine without the confirmation of the mineral resources which can only be obtained through drilling activities.

Should the prospecting right be refused, effectively a potential diamond resource will be sterilised.

The socio-economic benefit and most notably the future employment potential of a mine development will also be lost if the prospecting activities are not implemented in order to determine the feasibility of any diamondiferous deposit that may occur within the area.

#### ii) Details of the Public Participation Process Followed

Describe the process undertaken to consult interested and affected parties including public meetings and one on one consultation. NB the affected parties must be specifically consulted regardless of whether or not they attended public meetings. (Information to be provided to affected parties must include sufficient detail of the intended operation to enable them to assess what impact the activities will have on them or on the use of their land.

The following steps will be undertaken as part of the public participation process in order to notify interested and affected parties:

- a. Potential I&APs will be identified through the use of an existing I&AP databases. The existing databases include landowners, neighbouring landowners, community members and non-governmental organisations (NGOs) who have participated in previous EIA processes in the area.
- b. Potential I&APs will be notified about the project by means of:
- i. Letters of notification to directly affected landowners;
- ii. Media advertisements and site notices; and

- iii. Written notifications to other stakeholders including Local and District Municipalities (including traditional authorities where applicable).
- c. Newspaper advertisements will be placed in the relevant regional and/or local newspapers to inform stakeholders of commencement of the Basic Assessment (BA) process and invite the registration as stakeholders.
- d. I&APs will have the opportunity to review and comment on the Draft Basic Assessment Report. Focus group meetings may be held with the key stakeholders in the local area
- e. I&APs will be notified of the environmental authorisation, and if required the appeal process to be followed.

Summary of issues raised by I&APs
(Complete the table summarising comments and issues raised, and reaction to those responses)

List the names of persons consulted in this column, and mark with an X where those who must be consulted were in fact consulted.		Date Comments Received	Issues raised	EAPs response to Issues as mandated by the applicant	Section and paragraph reference in this report where the Issues and or response were Incorporated
AFFECTED PARTIES Landowner/s	Х				
Landowner/S	^				
Lawful occupier/s of the land X					
Landowners or lawful occupies					
on adjacent properties					
Municipal Councillor	X				
Municipality	Х				
Organs of state (Responsible for					
infrastructure that may be					

affected Roads Department,				
Eskom. Telkom, DWA.				
Communities				
Don't Freeinamental Affaire				
Dept. Environmental Affairs				
Department of Rural,				
Environmental and Agricultural				
Development				
Other Competent Authorities				
affected				
OTHER AFFECTED PARTIES				
	1.1	l I	1.1	

iv) The Environmental attributes associated with the alternatives (The environmental attributed described must include socio-economic, social, heritage, cultural, geographical, physical and biological aspects)


# (1) Baseline Environment

(a) Type of environmental affected by the proposed activity.

(Its current geographical, physical, biological, socio- economic and cultural character).

# Geology

The area applied for falls within the Kaapvaal Craton which has the potential to host diamondiferous kimberlites. The area is underlain entirely by the highly metamorphosed rocks of the Beitbridge Complex, mostly the Malala Drift and Mount Dowe Groups comprising leucocratic quartzo-feldspathic gneiss, metaquartzite and metapelites. In the north-western part of the area, the Messina Suite has been mapped (meta-anorthosite, metaleucogabbro and minor ultramafic rocks) has been mapped. Some calc-silicate rocks of Gumbu group were also mapped in the area. The known kimberlites in the area are Phanerozoic (Pre-Karoo kimberlites) which when not outcropping, are located beneath a thin veneer of tertiary to recent cover sediments.



(The above plan is attached in larger format under **Appendix D**).

## **Topography**


The BLM is characterized by a mountain range located to the west of the western end of the Soutpansberg mountain range, northwest of the town of Vivo. The prospecting area's average elevation is 983mamsl. While the LLB consist of varied topography which is steeper in the Waterberg on the south-east, generally flattening out towards the north, with altitude above sea level between 800 m and 1 200 m.

#### Climate


Climatic condition in the BLM is comprised of summer rainfall varying between 380 and 550mm. During rainy season evapotranspiration is very high. The area is prone to frequent drought with the only perennial river being Mogalakwena River which feed the glen Alpine Dam, the only source of pipeline water in the area. While the climate condition of LLM is varied becoming both drier and warmer south to north. The average daily temperatures vary between 17°C and 32°C in summer and between 4°C and 20°C in winter, while the long-term average annual rainfall is around 400-600 mm.

#### **Water Resources**

The proposed prospecting license areas fall within the Limpopo Water Management Area (WMA), where the Lephalale River and its catchment basin form a sub-watershed of the Limpopo River, within Quaternary Catchment Areas A50J. The Limpopo River is located 25 km southwest of the proposed prospecting right area. Neither river no wetlands exist within the proposed prospecting area.




The area under application is underlain by interangular and fractured predominantly undifferentiated rocks and various mixed lithologies. The fractured rocks are predominantly meta-arenaceous (i.e. quartzite, gneiss ad migmatite) which are also intragranular and fractured which hold water at 0.1 to 8.0l/s.




#### Soil and land capability

The landtype memoirs and associated maps indicate that the proposed prospecting application lies within the Ae285, Fa531 and Fc571 landtypes. The landtype for units Ae285 refers to red apedal, freely drained soils, high base status and approximatly >300mm deep. The soil has been formed by the formations of the Beit Bridge Complex which is sand of the quartenary system, metaquartzite of the Mount Dowe formations and marbles, calc-silicate rocks.

The landtype for units Fa531 and Fc671 referes to glenrosa and/or mispah forms, lime rare or absent in the entire landscape, minor Conglomerate, shale and shale of Wyllies Poort Formation, Soutpansberg Group, sanel and calcrete of quartenary system. The red yellow apedal that is freely drained with 15% clay. The soils has been formed by the Orthogneiss and meta- anorthosite, Serpentinite and metapyroxenite of Beit Bridge Complex.




The area in which the proposed prospecting right is located is non-arable, grazing woodlands or wildlife as it is covered by soils which have little to no hazards of erosion but have other limitations. The area is mainly limited to pasture, rangeland, forestland or wildlife habitat. The Land Capability map is provided below.



# **Biodiversity**

The proposed prospecting right is located in the Savannah Biome and dominated by the Limpopo Sweet Bushveld. There are important protected trees such as *Sclerocary Birrea*.



The Birds species that are known to naturally occur in the Capricorn region as a whole are summarized in Table 1 below. This however does not imply that all of these species will occur at any given place in the region as a whole (source: Duncan Butchart, 2001, Wildlife of the Lowveld, common animals and plants).

Species category	English name	Scientific name	Reporting rate (%)
Endangered	Saddlebilled Stork	Ephippiorhynchus senegalensis	2-8.2
	Hooded Vulture	Necrosyrtes monachus	2- 6.4
	Cape Vulture	Gyps coprotheres	2-20
	African Whitebacked Vulture	Gyps africanus	2-33
	Lappetfaced Vulture	Torgos tracheliotos	2-28
	Whiteheaded vulture	Trigonoceps occipitalis	2-22
	Tawny Eagle	Aquila rapax	2-13
	Martial Eagle	Polemaetus bellicosus	7-17
	Bateleur	Terathopius ecaudatus	2-40
Vulnerable	Stenley's Bustard	Neotis denhami	2-14
	African Marsh Harrier	Circus ranivorus	2-5
	Lesser Kestrel	Falco naumanni	> 17
	Blue Crane	Anthropoides paradiseus	7-22
	Corncrake	Crex crex	2-3.5
	African Finfoot	Podica senegalensis	2-4
	Kori Bustard	Ardeotis kori	14-28
	Whitebellied Korhaan	Eupodotis cafra	5-11
	Grass Owl	Tyto capensis	> 6
	Southern Ground Hornbill	Bucorvus leadbeateri	2-24

#### Socio-economic

The proposed prospecting right application area is located near the town of Swartwater which falls within both the Blouberg and Lephalale Local Municipalities and are part of the Capricorn and Waterberg District Municipalities respectively. Lephalale Local Municipality has a population of 115737 and it is approximately 13 784 square kilometres in extent, which equates to an average household of 3.30 people. The population distribution is at 8.3 persons per Km² average density, which reflects a very low population density and characteristic of rural area with few towns. It must however be noted that Lephalale town is highly populated due to mining and power stations including other economic activities. Blouberg Local Municipality (BLM) is approximately 9 248.44 square kilometres in extent with a population of 194 119 and 35 598 households, which equates to an average household size of 5.72 people. The population is distributed at an average density of 20 persons per km², which reflects a very low population density and is characteristic of such a rural area with a few small towns. This is because majority of African communities reside in tribal areas.

The table below reflects the age and gender distribution within the Municipalities:

		Lephalal	e Local Municipa	lity			
Age		Gen	der				
Breakdown	Male	%	Female	%	Total	Percentage	
0 to 4	6038	9.6	5844	11.0	11882	10.3	
5 to 19	14484	23.1	14037	26.5	28521	24.6	
20 to 29	17486	27.8	12092	22.8	29578	25.6	
30 to 49	17260	27.5	13152	24.8	30412	26.3	
50 to 64	5641	9.0	4911	9.3	10552	9.1	
Over 65	1887	3.0	2905	5.5	4792	4.1	
Total	62796.0	100.0	52941.0	100.0	115737	100.0	
		Blouberg	Local Municipa	lity			
Age							
Breakdown	Male	%	Female	%	Total	Percentage	
0 to 4	11022	13.6	10807	13.2	21829	13	
5 to 19	31207	38.6	32122	39.3	63329	39	
20 to 29	12170	15.0	12564	15.4	24734	15	
30 to 49	13580	16.8	13544	16.6	27124	17	
50 to 64	8608	10.6	8537	10.4	17145	11	
Over 65	4298	5.3	4170	5.1	8468	5	
Total	80885	100.0	81744	100	162629	100	

LLM has more females than man for the age group 0 to 19 years old and the rest of the population males are more than females. This can be attributed to high migrant contract workers and professional males moving to the municipality for economic opportunities. For the BLM, are more females than males for the age group 0 to 4 and above 30 years old, while from 5 to 29 years old there are more males to females. It can be clearly seen that the community is dominated by females and the majority of the community at is the youth.

The population growth for LLM from 2001 to 2011 was 35.8% which is considered phenomenally massive and can be attributed to labour influx as a result of the new power station and mining activities. The population by race comprise of majority being Africans at 58%, with whites being 37%, coloured at 3% and the rest being 2 %. BLM's population growth

from 2001 to 2011 was -0.54% for the BLM. This can be attributed to migration to economic active municipalities in search for employments. The population by race comprise of majority being Africans at 99%, with whites being 0.6% and the rest being 0.4%.

# Economic active population and economic sectors

LLM has 60% of economically active people having being viewed from 20 to 64 years old. The unemployment rate is about 27%. The dependence level is at 39% having been viewed as people below the age of 20 to above 65. The percentage of economically active peoples at BLM is 43%, having being viewed from 20 to 64 years old. The unemployment rate is about 39.2% with youth unemployment rate being 47.2%.

The employment by sector and income for the LLM is discussed below:


- Mining sector is the most contributing economic sector for the municipality at 59.21%, followed by electricity at 11.33% and other economic activities such as agriculture and tourism due to its rich pristine natural beauty and abundance of flora and fauna.
- Majority of the income earns are between R76 401 to R153 800 at 32% followed by R38 201 to R76 400 per annum at 25%. With only 6% of the population earning more than R153 800 per annum.

The employment by sector and income for the BLM is discussed below:

- Agriculture is the most dominant economic sector, comprising of livestock and game farming including crop and vegetable farming for the BLM.
- Majority of the income earns are between R9 601 to R19 600 at 27% followed by R19 601 to R38 200 per annum at 23%. With 15% of the population earning more than R38 201 per annum. The municipality is experiencing high dependency rates and poverty.

# **Education and literacy levels**

The literacy level of both municipalities is characterised by large population at 77% and 62% for BLM and LLM respectively, being considered literate due to some having secondary school to metric. Both municipalities have low levels of people who have higher education at 5 and 11% for BLM and LLM respectively. 19% and 28% the population above 20 years for BLM and LLM respectively are considered illiterate as their education level range from no formal education to only primary school.



#### **HIV/AIDS**


South Africa population is negatively affected by HIV/AIDS and poses some serious problems to the economic development, similarly the BLM has high HIV prevalence and infection rate. LLM has high HIV/AIDS prevalence at 30.4% with high infection rate.

# **Cultural Heritage**

The BLM has a rich cultural and heritage background where the Makgabeng Mountain rock art paintings and Malebogo/Boer battlefield have been declared a Provincial Heritage Site. Late Iron Age Cattle posts belonging to the Letsibogo ceramic faces and some rocks engravings at Nelsonkkop have been reported for LLM.

# (b) Description of the current land uses.


The land cover and uses associated with the proposed prospecting right application area is shown in map below. The proposed prospecting right area is dominated by woodland or open bush with low shrub cover and small patches of cultivated land.



# (c) Description of specific environmental features and infrastructure on the site.

Based on the outcomes of the initial prospecting phases (non-invasive activities), the location of any invasive activities such as drilling will be determined and the impacts on the identified water courses will subsequently be determined. The area also contains protected trees such as *Sclerocary Birrea*. It is expected that for the invasive activities (drilling), that only localised clearing of grass and shrubs are required in order to prepare a drill pad.

The farmstead dwellings other farm infrastructure these will be avoided as far as possible. The area also has a number of roads that traverse the sites, from the R572 and R35 national roads to various provincial and secondary roads as well as farm tracks. The invasive activities will seek to use existing roads in order to access properties where needed and it is not expected that any new access roads will be opened up. The map below gives an overview of the sites and the main watercourses, settlements and roads that traverse the site.



#### (d) Environmental and current land use map

(Show all environmental and current land use features)

Please refer to the Land Cover Map shown under section "(b) Description of the current land uses. "

# v) Impacts and risks identified including the nature, significance, consequence, extent, duration and probability of the impacts, including the degree to which these impacts.

(Provide a list of the potential impacts identified of the activities described in the initial site layout that will be undertaken, as informed by both the typical known impacts of such activities, and as informed by the consultations with affected parties together with the significance, probability, and duration of the impacts. Please indicate the extent to which they can be reversed, the extent to which they may cause irreplaceable loss of resources, and can be avoided, managed or mitigated).

The potential environmental and social impacts include:

- ✓ Noise caused by the drilling rig travelling to and being established on each site, the diesel engine driving the drill, vehicles going to and from the drilling site;
- ✓ Visibility of the drilling rig;
- ✓ Dust generated by vehicles travelling over unpaved areas;

- ✓ Disturbance of soil from drill pad preparation and compaction:
- ✓ Disturbance of flora and fauna;
- ✓ Disturbance or damage to cultural and heritage resources such as graves or historic ruins;
- ✓ Potential contamination of soil, surface water and groundwater with hydrocarbons;
- ✓ Friction between local residents/landowners and prospecting personnel;
- ✓ If drilling is undertaken close to any residence, lodge, guest house or game farm, receptors may experience the noise, the visual appearance, the associated traffic and the presence of the drilling crew on the property as intrusive;
- ✓ It is not anticipated that the prospecting activities will have any lasting material effects on existing land uses on the prospecting areas or any other areas in their vicinity.
- vi) Methodology used in determining and ranking the nature, significance, consequences, extent, duration and probability of potential environmental impacts and risks:

(Describe how the significance, probability, and duration of the aforesaid identified impacts that were identified through the consultation process were determined in order to decide the extent to which the initial site layout needs revision).

Please refer to Impact Assessment Methodology described below.

vii) The positive and negative impacts that the proposed activity (in terms of the initial site layout) and alternatives will have on the environment and the community that may be affected. (Provide a discussion in terms of advantages and disadvantages of the initial site layout compared to alternative layout options to accommodate concerns raised by affected parties)

The majority of the prospecting activities are non-invasive and hence will have limited environmental and social impact. The invasive activities will entail the drilling of approximately eight boreholes per drill site will have a minimal environmental and social impact as each drill site will be confined to an area of approximately 0.64 hectares.

Three drill sites are anticipated with total footprint of 1.92 ha, which need to be viewed in the context of the entire prospecting license area under application which covers 5584.7442 hectares.

All of the identified impacts will occur for a limited time and the extent of the impacts will be localised. All of the identified impacts can be suitably mitigated with the residual impact ratings being of *low* significance. After drilling activities have been completed and the drill pads rehabilitated to pre-drilling status, the impacts will cease to exist.

# viii) The possible mitigation measures that could be applied and the level of risk.

(With regard to the issues and concerns raised by affected parties provide a list of the issues raised and an assessment/ discussion of the mitigations or site layout alternatives available to accommodate or address their concerns, together with an assessment of the impacts or risks associated with the mitigation or alternatives considered).

Please refer to Impact Assessment Methodology described below.

ix) Motivation where no alternative sites were considered.

As discussed in previous sections, the proposed prospecting right area holds potential as because of the presence of known kimberlite occurrences in the area as well as the diamond mining activities. The proposed prospecting right application area is therefore regarded as the preferred site and alternative site have not been considered.

x) Statement motivating the alternative development location within the overall site. (Provide a statement motivating the final site layout that is proposed)

As discussed in previous sections, each of the prospecting phases is dependant in the results of the preceding phase. The location and layout of drill sites will be determined based on information derived from the desktop and geophysical surveys (non-invasive activities). Proposed drill sites will be selected so as to avoid known heritage sites, water courses, dwellings and infrastructure where practicable.

i) Full description of the process undertaken to identify, assess and rank the impacts and risks the activity will impose on the preferred site (In respect of the final site layout plan) through the life of the activity.

(Including (i) a description of all environmental issues and risks that were identified during the environmental impact assessment process and (ii) an assessment of the significance of each issue and risk and an indication of the extent to which the issue and risk could be avoided or addressed by the adoption of mitigation measures.)

## **Environmental Impact Assessment (EIA) Methodology:**

#### 5x5 Risk Matrices

5x5 Risk Matrix is a systematic methodology that has been adopted to evaluate the risk of each respective impacts/unwanted event. The risk of each impacts/unwanted events is determined for Safety, health and Environment.

The fundamental principle of Risk Matrices is to recognise that it is simply a tool to prioritise risks and the actions required to manage the risk to an acceptable level. It is a risk ranking tool that provides a qualitative means to determine the significance of risks and the required effort to address priorities in addressing the risk.

A minimum of two factors are considered for each risk identified:

- **Likelihood**: chance/probability that the risk will occur within a time period
  The definition of likelihood provides time based frequency guideline for evaluating risks
  associated with (repeat) events on a 5 point scale.
- **Consequence**: The impact the risk will have, should it materialise
  Given the types of headline risks that the Family of Companies encounters, the consequences/ impact of these risks are categorised across the following areas:
  - Environmental
  - Legal
  - Social /community
  - Reputational

Note: The risk are categorised into low, medium, significance and high. Anglo American has adopted a ranking approach from 1 to 25, meaning there are unique Risk Numbers for each risk rated:

Low: 1 -5: Medium: 6 to 12: Significant: 12 to 20 and High: 21 to 25

Note: When rating significance of environmental aspects the duration and extent of impact must be taken into consideration as follows:

- For Pollution impacts Toxicity, Volume and nature of the substance in question.
- For habitat disturbance sensitivity of the habitat, the size of the area affected and the ability of the environment to rehabilitate (Assimilative capacity).
- For biodiversity impact red data rating of the species and the range of the species.
- For resource use amount of resource used, resource availability and whether it is renewable or not.

lm	pact				1 - Insignificant	2 - Minor	3 - Moderate	4- Significant	5 - High	
Environmental a				Lasting days or less; affecting small area (metres); receiving environmental highly altered with no sensitive habitats and no biodiversity value (e.g. urban/industrial areas)		(kilometres); receiving environment comprising largely natural habitat and moderate biodiversity value	habitat with high bio diversity value	Permanent impact; affecting area on a whole basin or regional scale; receiving environment classified as highly sensitive natural habitat with very high biodiversity value		
Le	gal & Re	egulat	tory		Technical non compliance. No warning received; no regulatory reporting required		investigation by authority. Attracts	Breach of the law, may attract criminal prosecution, penalties/ enforcement action. Individual licence temporary revoked.	Significant breach of the law. Individual or company law suits; permit to operate substantially modified or withdrawn	
Social/ Communities			nitie	s	Minor disturbance of culture/ social structures	mostly repairable. Single stakeholder complaint in reporting period	complaints from community/ members/ stakeholders	Significant social impacts. Organised community protests threatening continuity of operations	Major widespread social impacts. Community reaction affecting business continuity. "License to operate" under jeopardy	
Re					Minor impact – public awareness may exist but no public concern	Limited impact – concern/ complaints from certain groups/ organizations (e.g. NGO's)	Local impact, public concern/ adverse publicity localised within neighboring communities	Suspected reputational damage; local/regional public concern and reactions	Noticeable reputational damage – national/ international public attention and repercussions	
					Risk Rating					
	5 Almos Certa			The unwanted event has occurred frequently; occurs in order of 1 or more x per year & is likely to reoccur within 1 year	11 (M)	16 (S)	20 (S)	23(H)	25 (H)	
ability	4 Likel	,		The unwanted event has occurred infrequently; occurs in order of less than $1  x$ per year & is likely to reoccur within 3 years	7 (M)	12 (M)	17 (S)	21(H)	24 (H)	
ood/Probability				The unwanted event has happened in the business at some time; or could happen within 10 years		8 (M)	13 (S)	18(S)	22(H)	
Likelihod	2 Unlike	,		The unwanted event has happened in the business at some time; or could happen in 30 years	2 (L)	5 (L)	9 (M)	14(S)	19(S)	
	1 Rare			The unwanted event has never been known to occur in the business; or it is highly unlikely that it will occur within 30 years	1 (L)	3 (L)	6 (M)	10(M)	15(S)	

# **Environmental Impact Assessment (EIA):**

As described earlier in this report, the prospecting activities will comprise of desktop and geophysical activities and dependant on the outcome of these phases, targets will be selected for drilling activities. The impact assessment therefore focuses only on the invasive aspects (drilling and associated activities) as these will have the potential to impact on the biophysical and social environment.

The impact assessment is furthermore separated into two distinct phases, namely:

- ✓ Site establishment (site establishment);
- ✓ Operational phase (Drilling), and.
- ✓ Decommissioning

#### Site Establishment

## Cultural and Heritage Resources

This stage entails clearing a maximum of 0.64ha per site to cater for the drill rig setup including associated equipment. The total anticipated area for this proposed prospecting application is 1.92 ha as there are three (3) anticipated drill sites. This needs to be considered in the context of the entire proposed prospecting right area of more than 5584.7442 hectares. This activity has the potential to impact on heritage artefacts, heritage sites and grave yards. The impacts could potentially be **significant** (13(S)). The following mitigation measures will be implemented to reduce the potential impact to *low* (5(L)):

- Heritage Impact Assessment shall be conducted by an independent competent specialist prior the drilling site establishment. This will ensure that all impacts on artefacts, heritage sites and graveyards in order to establish and implement mitigation measure to avoid significant impacts, where such significant impact cannot be avoided be minimised and mitigated.
- ✓ All De Beers and contractor personnel involved in the construction activities will be made aware of the locations of all identified heritage resources, the necessity of avoiding impacts on such resources and the penalties for damaging them (once drill sites have been identified, these sites will be screened by a qualified archaeologist/cultural heritage specialist);
- Personnel will be informed about the consequences of unlawful removal of cultural and historical remains and artefacts associated with heritage sites. It will be emphasised that archaeological artefacts such as potsherds, stone tools, grinding stones, etc. must be left in situ and undisturbed;
- ✓ A safe distance of at least 50 metres will be maintained between the identified heritage resource and the construction activities. The heritage feature should be cordoned off with stakes and Chevron tape; and
- If any heritage resources are discovered as a result of the construction/set-up activities, such activities will cease with immediate effect and a qualified archaeologist will be commissioned to assess their significance and determine appropriate mitigation measures. This may include obtaining authorisation (permits) from SAHRA to conduct mitigation measures if any heritage resources have been affected. Authorisation must be obtained from SAHRA before any mitigation measures are implemented.

#### Noise

Typical noise levels generated by various types of construction equipment are listed in Table 6. Conservative attenuation conditions, related to intervening ground conditions and screening, have been applied.

Table 1: Typical noise levels generated by construction equipment

Equipment	Typical operational Noise level at given offset (dBA)								
	5m	10m	25m	50m	100m	250m	500m	100m	
Air compressor	91	85	77	71	65	57	51	46	
Crane (mobile)	93	87	79	73	67	59	53	47	
Dozer	95	89	81	75	69	61	55	49	
Pump	86	80	72	66	60	52	46	40	
Rock Drill	108	102	94	88	82	74	68	62	
Trucks	87	81	73	67	64	60	57	54	

In South Africa, the noise impact on human receptors is evaluated in terms of the SANS 10103 guidelines for sound pressure levels as listed in 7.

Table 2: Noise level standards for various districts

Type of District	Equivalent continuous rating level $L_{\text{Req.T}}$ for ambient noise - dBA								
	Outdoors Indoors with windows open								
	Day-night	Daytime	Night	Day-	Daytime	Night-			
Rural districts	45	45	35	35	35	25			
Suburban district	50	50	40	40	40	30			
Urban traffic	55	55	45	45	45	35			
Urban districts	60	60	50	50	50	40			
Central business district	65	65	55	55	55	45			
Industrial district	70	70	60	60	60	50			

Daytime and night-time refer to the hours from 06h00 to 22h00 and 22h00 to 06h00 respectively.

Taking into account the existing background noise levels of the general area which is rural in nature, the significance of the noise caused by the drilling rig travelling to and being established on each site, vehicles going to and from each drilling site and the voices of the drilling crew, the impact is assessed as being **Low** (4(I)) significance before mitigation. Although mitigation measure are put in place the significance rating remains the same at low (4(I)) significance by limiting the site establishment activities to daylight hours (06h00 to 18h00) and not undertaking such activities at all on Sundays and public holidays, as well as by applying a separation distance of a minimum 500m, but preferably 1000m between drill sites and any dwellings. The vehicles on site are limited to three LDVs and one water truck. It must be noted that the speed limit for driving within a community and prospecting right shall be limited to 60Km/h.

#### Visual

The visual impact of the construction / setup activities is assessed as being of **Significant** (16(S)) significance before mitigation. The impact can be reduced to one of **medium** (12(M)) significance by taking into account available vegetation screening, the locations of

visual receptors on the prospecting areas and adjacent properties and locating the drilling rig in a way that it is screened from points of visual reception wherever possible.

#### Dust fall

Acceptable dust fall rates In terms of the National Dust Control Regulations (GN R. 827 of 1 November 2013) are presented in Table 8. In terms of these regulations, the local air quality officer may prescribe a dust fall monitoring programme, the implementation of dust control measures and continuous ambient air quality monitoring for  $PM_{10}$ .

Table 3: Acceptable dust fall rates

Restriction Areas	Dust fall rate (D) (mg/m²/Day, 30- day average)	Permitted frequency of exceeding dust fall rate
Residential area	D < 600	Two within a year, not sequential months
Non-residential area	600 < D < 1 200	Two within a year, not sequential months

The method to be used for measuring dust fall rate and the guideline for locating sampling points shall be ASTM D1739: 1970, or equivalent method.

It is important to note that people experience dust deposition as a nuisance effect, and that there are no direct human health implications because the dust is not inhaled. Heavy dust deposition can have detrimental effects on plants if the leaves are smothered to the extent where transpiration and photosynthesis are affected.

The proposed operation falls within the boundaries of the Capricorn District Municipality's and De Beers may be required to operate within the air quality requirements of the Municipality's Air Quality Management Plan.

The impact of dust generation by vehicles travelling over unpaved areas is assessed as being of medium(8(M)) significance before mitigation. The impact can be reduced to one of low(2(I)) significance by wet suppression and enforcement of low vehicle speeds.

#### Soil and vegetation disturbance

The impacts of drilling (drill pad clearing and compaction) have been assessed as being of *medium (8M)* significance before mitigation. The impact can be reduced to *low (5(L))* significance by limiting the activities and clearance to the smallest area that is necessary and rehabilitating the disturbed area as soon as possible. Furthermore, no clear scraping (dozing) will be carried out unless absolutely necessary to establish a level drill pad. Rather that surface vegetation be cleared to make way for the drilling rig leaving the roots intact so that vegetation can coppice and regrow.

# • Soil, surface water and groundwater contamination

The impact of contamination with hydrocarbons and disturbance of water resources is assessed as being of **significant** (12(M)) significance before mitigation. The impact can be reduced to one of **low** (5(m)) significance by ensuring that measures are put in place to prevent any drilling activities within 100m from a water course. Maintaining all equipment as per supplier specification and lining under the drill rig and diesel bowser with PVC plastic lining to contain any spillages, should it occur including having oil spill kit as a recovery measures.

## Conflict between local residents/landowners and construction personnel

The prospecting sites are located in a rural farming area with farm dwellings. Some landowners cherish the peaceful and quiet lifestyle of the area and friction between local residents and a crew of strangers is very possible. The potential for conflict is assessed as being of *high* (22(H)) *significance*, but it can be reduced to one of *significant* (18(S)) significance by taking appropriate social management measures as set out further below in this section.

# **Operational Phase**

#### Cultural and Heritage Resources

Drilling shall only be conducted on the target in which the heritage impact assessment was conducted and mitigation measures implemented. Therefore the impact could be of low (4(L)) significance. The significant rating will remain the same after mitigation measures at low (4(L).

- Drilling equipment moving on site will, where ever possible, be confined to established roads and tracks. Where this is not possible, access routes will be walked prior to entry of equipment to ensure that there are no graves present. Should graves be identified, the access route will be realigned to avoid such heritage resources, which will then be clearly marked with stakes and Chevron tape to minimise risk of accidental damage.
- ✓ Efforts to achieve satisfactory prospecting results will employ appropriate methodologies aimed at the protection and conservation of heritage resources;
- All De Beers and contractor personnel involved in the prospecting activities will be made aware of the locations of all identified heritage resources, the necessity of avoiding impacts on such resources and the penalties for damaging them;
- Personnel will be informed about the consequences of unlawful removal of cultural and historical remains and artefacts associated with heritage sites. It will be emphasised that archaeological artefacts such as potsherds, stone tools, grinding stones, etc. must be left in situ and undisturbed.
- ✓ A safe distance of at least 50 metres will be maintained between the identified heritage resource and drilling rig or any other infrastructure associated with the prospecting activities; and
- ✓ Where necessary, directional drilling will be practised to assess ore reserves situated below identified heritage resources, without affecting such resources;
- If any heritage resources are discovered as a result of the prospecting activities, such activities will cease with immediate effect and a qualified archaeologist will be commissioned to assess their significance and determine appropriate mitigation measures. This may include obtaining authorisation from SAHRA to conduct mitigation measures if any heritage resources have been affected. Authorisation must be obtained from SAHRA before any mitigation measures are implemented.

#### Noise

The noise impact caused by the operation of the drilling rig, vehicles travelling to and from each drilling site and the voices of the drilling crew is assessed as being of medium (8(M)) significance. The impact can be reduced to one of low (4(L)) significance by limiting the prospecting activities to daylight hours (07h00 to 18h00) and not undertaking such activities at all on Sundays and public holidays. Furthermore, a separation distance

of minimum 500m, but preferably 1000m should be maintained between drill sites and dwellings as far as possible.

#### Visual

The visual impact of the prospecting activities is assessed as being of **Significant (16(S))** significance. It can be reduced to one of **medium (12(M))** significance by appropriate location of the drilling rig as described above for the construction/setup phase.

#### Dust fall

The impact of dust generated by vehicles travelling over unpaved areas is assessed as being of *Medium (8(M))* significance, but it can be readily mitigated to one of *low (2(L))* significance by enforcement of low vehicle speeds, as well as by applying a separation distance of a minimum 500m, but preferably 1000m between drill sites and any dwellings.

#### Disturbance of soil and vegetation

Disturbance of soil and vegetation in areas where drilling is done is rated as being of **Low** (5(L)) significance. The impact can be reduced to one of **low** (2(L)) significance by prior delineation of the drill site area via geophysical characterisation and drilling in order to minimise the area that needs to be cleared. Furthermore, no clear scraping (dozing) be carried out unless absolutely necessary to establish a level drill pad. Rather that surface vegetation be cleared to make way for the drilling rig leaving the roots intact so that vegetation can coppice and regrow.

#### Soil, surface water and groundwater contamination

The potential contamination of soil, surface water and groundwater with hydrocarbons is assessed as an impact of Medium(8(M)) significance. The impact can be reduced to one of Iow(5(L)) significance by implementing the measures recommended for the construction phase. Drilling muds will contained in lined drill sumps and this material will be removed from site and disposed in a licensed disposal facility.

#### Friction between local residents/landowners and construction personnel

The potential for conflict between local residents/landowners and prospecting personnel is assessed as being of *High (22(H))* significance, but it can be reduced to one of *High (18(S))* significance by taking appropriate social management measures – see Table 6 below. **Decommissioning phase**: Decommissioning of borehole sites will take place immediately after each borehole has been completed and the drilling rig is moved to the next site.

#### **Assessment of potential cumulative impacts**

The cumulative impact assessment considers a scenario where more than one drilling rig and drill site is in operation at any point in time throughout the duration of the prospecting programme.

• The cumulative noise impact of the proposed prospecting operations on the above sensitive receptors is assessed as being of significant (17(S)) significance before mitigation. The impact can be reduced to one of Medium (8(M)) significance by limiting the construction / setup activities to daylight hours (06h00 to 18h00) and not undertaking such activities at all on Sundays and public holidays;

- The cumulative visual impact on the above sensitive receptors is assessed as being of **Significant (16(S))** significance prior to mitigation;
- Without mitigation, the potential cumulative impact of dust generation on the above sensitive receptors is assessed as being of *Medium (8(M))* significance;
- A total of 8 boreholes will potentially be drilled with the footprint of 0.64 ha per drill site. This combined footprint area would total a maximum of 1.92 hectares at the end of the prospecting programme once all holes have been drilled and then rehabilitated.
- Without mitigation, the potential cumulative impact of soil, surface water and groundwater contamination, as experienced by the sensitive receptors, is assessed as being of *medium* (8(M)) significance.

#### Proposed mitigation measures to minimise adverse impacts

• List of actions, activities, or processes that have sufficiently significant impacts to require mitigation

Although none of the unmitigated impacts have been assessed as being of **high** (above **21(H))** significance, the following potential impacts do require mitigation:

- Once drill sites have been identified, these sites will be assessed by qualified specialist in the following fields, to identify potential for significant impacts and determine measures to be put in place to prevent significant impacts, where significant impacts cannot all together prevented minimised and mitigated:
  - ✓ archaeologist/cultural heritage specialist
- Generation of noise near residential areas, lodges and guest houses must be avoided to ensure a lack of intrusive noise levels and compliance with the standards for rural areas as indicated in Table 7;
- Establishment of the drill sites or exploration camp in areas that are visually exposed when near residential areas, lodges and guest houses;
- Dust fall, particularly near residential areas, lodges, guest houses and growing crops;
- Disturbance of soil and vegetation at all the prospecting drill sites (once drill sites have been identified, then an ecology screening survey will need to be undertaken in order to identify any red data/species of concern that need to be avoided);
- Contamination of soil, surface water and groundwater at all the prospecting drill sites; and
- Friction between local residents and prospecting / drilling contractor personnel.

#### Concomitant list of appropriate technical or management options

The following mitigation measures will be implemented:

#### Cultural and heritage

- Three drill sites have been identified, these sites will be screened by a qualified archaeologist/cultural heritage specialist in order to identify any cultural/heritage features;
- ✓ Efforts to achieve satisfactory prospecting results will employ appropriate methodologies aimed at the protection and conservation of heritage resources;

- ✓ All De Beers and contractor personnel involved in the prospecting activities will be made aware of the locations of all identified heritage resources, the necessity of avoiding impacts on such resources and the penalties for damaging them;
- ✓ Personnel will be informed about the consequences of unlawful removal of cultural and historical remains and artefacts associated with heritage sites. It will be emphasised that archaeological artefacts such as potsherds, stone tools, grinding stones, etc. must be left in situ and undisturbed;
- ✓ A safe distance of at least 50 metres will be maintained between the identified heritage resource and drilling rig or any other infrastructure associated with the prospecting activities;
- ✓ Where necessary, directional drilling will be practised to assess ore reserves situated below identified heritage resources, without affecting such resources;
- If any heritage resources are discovered as a result of the prospecting activities, such activities will cease with immediate effect and a qualified archaeologist will be commissioned to assess their significance and determine appropriate mitigation measures. This may include obtaining authorisation (permits) from SAHRA to conduct mitigation measures if any heritage resources have been affected. Authorisation must be obtained from SAHRA before any mitigation measures are implemented.

Diligent implementation of the above measures is expected to reduce the potential impacts from a *significant (13 (S))* significance to a *low (5(L))* significance.

#### Noise

- Construction/setup, operational and decommissioning activities will be limited to daylight hours (07h00 to 18h00) on Mondays to Saturdays and will not be undertaken at all on Sundays and public holidays;
- ✓ A separation distance of a minimum 500m, but preferably 1000m should be maintained between drill sites and dwellings as far as possible;
- ✓ Noise abatement equipment, such as mufflers on diesel engines, will be maintained in good condition; and
- ✓ If intrusive noise levels are experienced by any person at any point, the source of the noise will be moved if practical, or it will be placed in an acoustic enclosure, or an acoustic barrier will be erected between the source and the recipient.

The above measures should reduce the significance of the potential noise impacts from Medium (8(M)) to Iow (2(L)).

#### Visual

- ✓ The drilling rig and other visually prominent items on the site will be located in consultation with the landowner;
- ✓ Make use of existing vegetation as far as possible to screen the prospecting operations from view; and
- ✓ If necessary, the operations can be screened from view by erecting a shade cloth barrier.

The above measures should reduce the significance of the potential visual impacts from *Significant* (16(S)) to *Medium* (12(M)).

#### Dust fall

- ✓ Low vehicle speeds will be enforced on unpaved surfaces;
- ✓ A separation distance of a minimum 500m, but preferably 1000m should be maintained between drill sites and dwellings as far as possible; and
- ✓ Wet suppression will be applied to ensure that no visible dust is raised by any of the prospecting operations.

The above measures should reduce the significance of the potential dust fall impacts from Medium(8(M)) to low(2(L)).

#### Disturbance of soil and vegetation

- ✓ The soil disturbance and clearance of vegetation at drill pad areas will be limited to the absolute minimum required; and
- ✓ Disturbed areas will be re-vegetated with locally indigenous species as soon as possible.
- ✓ No clear scraping (dozing) be carried out unless absolutely necessary to establish a level drill pad. Rather that surface vegetation be cleared to make way for the drilling rig leaving the roots intact so that vegetation can coppice and regrow.

The above measures are expected to reduce the significance of the potential impact from Significant (8(S)) to Low (5(L)).

#### Contamination of soil, surface water and groundwater

- ✓ Proper vehicle maintenance:
- ✓ Refuelling will be done with care to minimise the chance of spillages;
- ✓ Drilling muds will contained in lined drill sumps and this material will be removed from site and disposed in a licensed disposal facility;
- ✓ A spill kit will be available on each site where prospecting activities are in progress; and
- ✓ Any spillages will be cleaned up immediately.

The above measures should reduce the significance of the potential impacts from Significant (13(S)) to low (5(L)).

# • Friction between local residents/landowners and construction/operations personnel.

- ✓ All operations will be carried out under the guidance of a strong, experienced manager with proven skills in public consultation and conflict resolution;
- ✓ All prospecting personnel will be made aware of the local conditions and sensitivities in the prospecting area and the fact that some of the local residents may not welcome the prospecting activities in the area;

The above measures should reduce the potential for conflict between prospecting personnel and local residents from *high* (22(H)) to *low* (8(M).

## J) Assessment of each identified potentially significant impact and risk

(This section of the report must consider all the known typical impacts of each of the activities (including those that could or should have been identified by knowledgeable persons) and not only those that were raised by registered interested and affected parties).

NAME OF ACTIVITY (E.g. For prospecting - drill site, site camp, ablution facility, accommodation , equipment storage, sample storage, site office, access route etcetc	IMPACT (Including the potential impacts for	ASPECTS AFFECTED	PHASE In which impact is anticipated (E.g. Construction, commissioning, operational Decommissioning, closure, post-closure)	SIGNIFICANCE if not mitigated	MITIGATION TYPE  (modify, remedy, control, or stop) through (e.g. noise control measures, storm-water control, dust control, rehabilitation, design measures, blasting controls, avoidance, relocation, alternative activity etc. etc) E.g. Modify through alternative method. Control through noise control Control through management and monitoring through	SIGNIFICANCE if mitigated
Site establishment activities: Clearing of vegetation - Topsoil stripping & stockpiling - Drill pad compaction - Erection of office, toilets, fuel storage (if not by road tanker), water	Cultural and Heritage	Destruction and/or loss of Cultural and Heritage Resources	Construction / Set-up	13(S)	and monitoring through rehabilitation.  A heritage survey by qualified archaeologist is required prior to any site activities on undisturbed land or access routes. If any heritage resources are discovered as a result of the prospecting activities, such activities will cease with immediate effect and a qualified archaeologist will be commissioned to assess their significance and determine appropriate mitigation measures.	5(L)

tanker, core storage. - Vehicle movement - Waste management					All De Beers and contractor personnel will be made aware of the locations of all identified heritage resources, the necessity of avoiding them.	
					Personnel will be informed about the consequences of unlawful removal of cultural and historical remains and artefacts associated with heritage sites.	
					A safe distance of at least 50 metres will be maintained between the identified heritage resource and prospecting activities.	
					Where necessary, directional drilling will be practised to assess ore reserves situated below identified heritage resources.	
	Noise	Noise Generation	Construction / Set-up	4(L)	Construction/setup, operational and decommissioning activities will be limited to daylight hours on Mondays to Saturdays and no activities on Sundays and public holidays.	4(L)
					Separation of distance of minimum 500m, but	

				preferably 1000m to be maintained between drill sites and dwellings.  Noise abatement equipment, such as mufflers on diesel engines, will be maintained in good condition.  If intrusive noise levels are experienced by any person at any point, the source of the noise will be moved if practical, or it will be placed in an acoustic enclosure, or an acoustic barrier will be	
				erected between the source and the recipient.	
Visual	Visual intrusion	Construction / Set-up	16(S)	The drilling rig and other visually prominent items on the site will be located in consultation with the landowner.	12(M)
				Make use of existing vegetation as far as possible to screen the prospecting operations from view.	
				If necessary, the operations can be screened from view by erecting a shade cloth barrier.	
Dust fall	Dust fall & nuisance from activities	Construction / Set-up	8(M)	Separation of distance of minimum 500m, but preferably 1000m to be	2(L)

				maintained between drill sites and dwellings.  Low vehicle speeds will be enforced on unpaved surfaces.	
Soil and vegetation	Soil and vegetation disturbance from drill pad preparation	Construction / Set-up	13(S)	The soil disturbance and clearance of vegetation at drill pad areas will be limited to the absolute minimum required.	5(L)
				No clear scraping (dozing) will be carried out unless absolutely necessary to establish a level drill pad. Rather that surface vegetation be cleared to make way for the drilling rig leaving the roots intact so that vegetation can coppice and regrow.	
				Disturbed areas will be revegetated with locally indigenous species as soon as possible.	
Soil, surface water and groundwater	Soil, surface water and groundwater contamination from hydrocarbons	Construction / Set-up	13(S)	To ensure that measures are put in place to prevent any drilling activities within 100m from a water course.  Proper vehicle maintenance.	5(L)
				Refuelling will be done with care to minimise the chance	

	Social	Friction	Construction / Set up	22/41/	of spillages.  A spill kit will be available on each site where prospecting activities are in progress.  Any spillages will be cleaned up immediately.  Drilling muds will contained in lined drill sumps and this material will be removed from site and disposed in a licensed disposal facility.	12(M)
	Social	between local residents/land owners and construction personnel	Construction / Set-up	22(H)	All operations will be carried out under the guidance of a strong, experienced manager with proven skills in public consultation and conflict resolution.	12(M)
					All prospecting personnel will be made aware of the local conditions and sensitivities in the prospecting area and the fact that some of the local residents may not welcome the prospecting activities in the area.	
					There will be a strict requirement to treat local residents with respect and courtesy at all times.	
Exploration drilling:	Cultural and Heritage	Destruction or loss of	Operations	4(L)	All De Beers and contractor personnel will be made	4(L)

- Drilling - Drill maintenance & refuelling		Cultural and Heritage Resources			aware of the locations of all identified heritage resources, the necessity of avoiding them.	
- Core sample collection & storage - Vehicle movements - Waste generation & management					Personnel will be informed about the consequences of unlawful removal of cultural and historical remains and artefacts associated with heritage sites.	
management					A safe distance of at least 50 metres will be maintained between the identified heritage resource and prospecting activities.	
					Where necessary, directional drilling will be practised to assess ore reserves situated below identified heritage resources.	
	Noise	Noise Generation	Operations	8(M)	Construction/setup, operational and decommissioning activities will be limited to daylight hours on Mondays to Saturdays and no activities on Sundays and public holidays.	4(L)
					Separation of distance of minimum 500m, but preferably 1000m to be maintained between drill sites	

				and dwellings.  Noise abatement equipment, such as mufflers on diesel engines, will be maintained in good condition.	
				If intrusive noise levels are experienced by any person at any point, the source of the noise will be moved if practical, or it will be placed in an acoustic enclosure, or an acoustic barrier will be erected between the source and the recipient.	
Visual	Visual intrusion	Operations	16(S)	The drilling rig and other visually prominent items on the site will be located in consultation with the landowner.	12M
				Make use of existing vegetation as far as possible to screen the prospecting operations from view.	
				If necessary, the operations can be screened from view by erecting a shade cloth barrier.	
Dust fall	Dust fall & nuisance from activities	Operations	8(M)	Separation of distance of minimum 500m, but preferably 1000m to be maintained between drill sites and dwellings.	2(L)

				Low vehicle speeds will be enforced on unpaved surfaces.	
		Operations	5(L)	The soil disturbance and clearance of vegetation at drill pad areas will be limited to the absolute minimum required.	2(L)
				No clear scraping (dozing) be carried out unless absolutely necessary to establish a level drill pad. Rather that surface vegetation be cleared to make way for the drilling rig leaving the roots intact so that vegetation can coppice and regrow.	
				Disturbed areas will be revegetated with locally indigenous species as soon as possible.	
Soil, s water ground	and water and	Operations	8(M)	Proper vehicle maintenance.  Refuelling will be done with care to minimise the chance of spillages.	5(L)
				A spill kit will be available on each site where prospecting activities are in progress.  Any spillages will be cleaned up immediately; and Drilling muds will contained in lined	

					drill sumps and this material will be removed from site and disposed in a licensed disposal facility.	
	Social	Friction between local residents/land owners and construction personnel	Operations	22(H)	All operations will be carried out under the guidance of a strong, experienced manager with proven skills in public consultation and conflict resolution.	18(S)
					All prospecting personnel will be made aware of the local conditions and sensitivities in the prospecting area and the fact that some of the local residents may not welcome the prospecting activities in the area.	
					There will be a strict requirement to treat local residents with respect and courtesy at all times.	
Assessment of Potential Cumulative Impacts						
	Noise	Noise generation	Construction / set-up and Operation	17(S)	As above	8(M)
	Visual	Visual intrusion	Construction / set-up and Operation	16(S)	As above	4(L)
	Dust fall	Dust fall & nuisance from activities	Construction / set-up and Operation	8(M)	As above	2(L)
	Soil and	Soil and	Construction / set-up	8(M)	As above	5(L)

V	vegetation	vegetation	and Operation			
		disturbance				
		from drill pad				
		preparation				
	Soil, surface	Soil, surface	Construction / set-up	8(M)	As above	5(L)
	water and	water and	and Operation			
g	groundwater	groundwater				
		contamination				
		from				
		hydrocarbons				

## k) Summary of specialist reports.

(This summary must be completed if any specialist reports informed the impact assessment and final site layout process and must be in the following tabular form):

LIST OF STUDIES UNDERTAKEN	RECOMMENDATIONS OF SPECIALIST REPORTS	SPECIALIST RECOMMENDATIONS THAT HAVE BEEN INCLUDED IN THE EIA REPORT (Mark with an X where applicable)	REFERENCE TO APPLICABLE SECTION OF REPORT WHERE SPECIALIST RECOMMENDATIONS HAVE BEEN INCLUDED
No specialist studies have been undertaken. A desktop analysis has been followed that informs the compilation of this assessment.	N/A		
The EMP does however include the commitment that an independent Heritage professional be appointed to conduct a screening assessment. This will only be undertaken once non-invasive early exploration activities have been completed			

and, should the findings of those investigations determine that there is a need to progress to exploration drilling. It is only at that stage that the potential areas of drilling interest will be known.		

#### I) Environmental impact statement

#### (i) Summary of the key findings of the environmental impact assessment;

The majority of the prospecting activities are non-invasive and hence will have no environmental or social impact. The invasive activities will entail the drilling of approximately 8 exploration holes; which will have a minimal environmental and social impact as each drill site will be confined to an area of approximately 0.64 hectares. A total of targets are anticipated and therefore the total anticipated area for disturbance is anticipated at 1.92 Ha which need to be viewed in the context of the entire prospecting license area under application which covers more than 5584.7442 hectares.

The assessed impact ratings after implementation of the mitigation measures described above are as follows:

- ✓ Cultural and heritage low (5(L)) significance;
- ✓ Noise low (2(L)) significance;
- √ Visual impact medium (12(M)) significance;
- ✓ Dust fall low (2(L)) significance;
- ✓ Disturbance of soil and vegetation **medium** (8(M)), reducing to **low** (5(L)) during the decommissioning phase;
- ✓ Contamination of soil, surface water and groundwater *low (5(L))*; and
- ✓ Friction between local residents and prospecting personnel *medium* (8(M)).

All of the identified impacts will occur for a limited and the extent of the impacts will be localised. All of the identified impacts can be suitably mitigated with the residual impact ratings being of *low* significance.

After drilling activities have been completed and the drill pads rehabilitated to predrilling status, the impacts will cease to exist.

#### (ii) Final Site Map

Provide a map at an appropriate scale which superimposes the proposed overall activity and its associated structures and infrastructure on the environmental sensitivities of the preferred site indicating any areas that should be avoided, including buffers .Attach as Appendix D

Please refer to **Appendix D** for the Environmental Sensitivities Map including the area of interest (AOI) for proposed prospecting activities.

# (iii) Summary of the positive and negative impacts and risks of the proposed activity and identified alternatives;

- Possible destruction or loss of Cultural and Heritage Resources during the construction/set-up phase as well as during the operational phase as drilling commencing;
- Noise Generation from construction / set-up and operational activities of drilling;
- Visual intrusion caused by the drilling activities in the largely rural setting:

- Dust fall & nuisance from construction / drill site set-up;
- Soil and vegetation disturbance from drill pad preparation during the construction / set-up and operational phase as contractors rehabilitate one site and move to the next site and prepare it;
- Soil, surface water and groundwater contamination from hydrocarbons during the construction/set-up and operational activities which include drill rig operation and use of vehicles on site; and
- Friction between local residents/landowners and construction personnel during the course of the construction / set-up and operational drilling activities.

## m) Proposed impact management objectives and the impact management outcomes for inclusion in the EMPr;

Based on the assessment and where applicable the recommendations from specialist reports, the recording of proposed impact management objectives, and the impact management outcomes for the development for inclusion in the EMPr as well as for inclusion as conditions of authorisation.

The objectives of the EMPr will be to:

- Provide sufficient information to strategically plan the prospecting activities as to avoid unnecessary social and environmental impacts.
- Provide sufficient information and guidance to plan prospecting activities in a manner that would reduce impacts (both social and environmental) as far as practically possible.
- Ensure an approach that will provide the necessary confidence in terms of environmental compliance.
- Provide a management plan that is effective and practical for implementation.

Through the implementation of the proposed mitigation measures it is anticipated that the identified social & environmental impact s can be managed and mitigated effectively. Through the implementation of the mitigation and management measures it is expected that:

- Heritage/cultural resources can be managed by avoidance of known resources and through consultation with landowners/stakeholders. Contractor personnel will also be briefed of these sensitivities and consequences of any damage/removal of such features; Should the exploration program advance to the drilling stage, a Phase 1 Heritage Assessment will be undertaken prior to identification of drill sites, once areas of drilling interest have been determined
- Noise generation can be managed through consultation and restriction of operating hours and by maintaining equipment and applying noise abatement equipment if necessary;
- Visual intrusion can be managed through consultation with landowners/stakeholders and by suitable siting of drill pads and use of screens (natural vegetation or shade cloth etc);
- Dust fall can be managed by reducing driving speeds when driving on unpaved roads and the use of water during drilling;
- Soil disturbance and clearance of vegetation at drill pad areas will be limited to the absolute minimum required and disturbed areas will be re-vegetated with locally indigenous species as soon as possible;
- Soil, surface water and groundwater contamination by hydrocarbons can be managed by conducting proper vehicle maintenance, refuelling with care to

- minimise the chance of spillages and by having a spill kit available on each site where prospecting activities are in progress;
- Social friction with landowners can be managed by employing strong, experienced
  personnel with proven skills in public consultation and conflict resolution during
  stakeholder consultation phases. All prospecting personnel will be made aware of
  the local conditions and sensitivities in the prospecting area and that they treat local
  residents with respect and courtesy at all times.

#### n) Aspects for inclusion as conditions of Authorisation.

Any aspects which must be made conditions of the Environmental Authorisation

It is the opinion of the EAP that the following conditions should form part of the authorisation:

- Maintain a buffer of 100m from a water course;
- Maintain a minimum 500m (preferably 1000m) buffer from any infrastructure or dwelling;
- Conduct a heritage survey of the identified drill sites and access routes once these are known and prior to any activities being undertaken at these sites;
- Landowners and land occupiers should be engaged (re-consulted) at least 1 month prior to any site activities being undertaken once drill sites are known.

#### o) Description of any assumptions, uncertainties and gaps in knowledge.

(Which relate to the assessment and mitigation measures proposed)

The location of drill sites is not yet known and will be identified through the phased approach of the prospecting programme. This assessment is therefore based on a desktop approach at a broad scale and assuming that drilling could occur anywhere around the anomalies identified for this programme.

Three drill sites are anticipated, then specific focus will be given to Heritage screening and assessment along possible access routes and at potential drilling sites in order to ensure that Heritage artefacts are not inadvertently damaged. In addition, landowners will be re-engaged at this stage to communicate De Beers intent to progress to drilling and to discuss the proposed drilling activities and identified locations with the landowner at that point in time.

## p) Reasoned opinion as to whether the proposed activity should or should not be authorised

#### i) Reasons why the activity should be authorized or not.

It is the opinion of the EAP that the proposed prospecting activities should be authorised. In reaching this conclusion the EAP has considered that;

- The exploration program will be developed in a stepwise manner commencing with non-invasive activities to bring refinement to understanding of the geological anomaly.
- Should the exploration program advance to include the need for exploration drilling, the environmental impacts associated with the limited drilling activities

are deemed to be minimal provided that the proposed mitigation is implemented;

- The spatial extent of the physical impact is 0.64 hectare per drill site over a prospecting right license area of 5584.7442 hectares; a maximum of three drill sites will be established in total throughout the duration of the drilling programme and therefore the maximum anticipated footprint is 1.92 ha;
- With appropriate care and consideration the impacts resulting from drilling can be suitably avoided, minimised or mitigated;
- With implementing the appropriate rehabilitation activities, the impacts associated with the drilling activities can be reversed.
- Without implementation of prospecting activities the knowledge concerning the potential mineral resource within the prospecting right area will not be confirmed.

#### ii) Conditions that must be included in the authorisation

It is the opinion of the EAP that the following conditions should form part of the authorisation:

- Maintain a buffer of 100m from a water course;
- Maintain a 500m (preferably 1000m) buffer from any infrastructure or dwelling;
- Conduct a heritage survey of the identified drill sites and access routes across undisturbed land once these are known and prior to any activities being undertaken at these sites;
- Landowners and land occupiers should be engaged (re-consulted) at least 1 month prior to any site activities being undertaken once drill sites are known.

#### q) Period for which the Environmental Authorisation is required.

The authorisation is required for the duration of the prospecting right which is an initial 5 years plus a potential to extend the right by an additional 3 years. Therefore a total period of **8 years** may be required.

#### r) Undertaking

Confirm that the undertaking required to meet the requirements of this section is provided at the end of the EMPr and is applicable to both the Basic assessment report and the Environmental Management Programme report.

An undertaking is provided at the end of this report.

#### s) Financial Provision

State the amount that is required to both manage and rehabilitate the environment in respect of rehabilitation.

A financial provision of approximately **R 266,636** has been budgeted for the prospecting programme over 5 years, which includes rehabilitation activities for. A breakdown of these costs is presented in the Table below.

			Α	В	С	D	E=A*B*C*D
No.	Description	Unit	Quantity	Master Rate	Multiplication factor	Weighting factor 1	Amount (Rands)
1	Dismantling of processing plant and related structures (including overland conveyors and powerlines)	m3	0	13	1	1	0
2 (A)	Demolition of steel buildings and structures	m2	0	180	1	1	0
2(B)	Demolition of reinforced concrete buildings and structures	m2	0	266	1	1	0
3	Rehabilitation of access roads	m2	0.00	32	1	1	0
4 (A)	Demolition and rehabilitation of electrified railw ay lines	m	0	313	1	1	0
4 (A)	• /		0	171	1	1	0
5	Demolition of housing and/or administration facilities		0	361	1	1	0
6	Opencast rehabilitation including final voids and ramps		0	189071	1	1	0
7	Sealing of shafts adits and inclines		0	97	1	1	0
8 (A)	Rehabilitation of overburden and spoils		0	126047	1	1	0
8 (B)	Rehabilitation of processing waste deposits and evaporation ponds (non-polluting potential)		0	156989	1	1	0
8 ( C )	Rehabilitation of processing waste deposits and evaporation ponds (polluting potential)	ha	0	455971	1	1	0
9	Rehabilitation of subsided areas	ha	0	105545	1	1	0
10	General surface rehabilitation	ha	1.92	99851	1	1	191713.92
11	River diversions	ha	0	99851	1	1	0
12	Fencing	m	0	114	1	1	0
13	Water management	ha	0	37966	1	1	0
14	2 to 3 years of maintenance and aftercare	ha	0	13288	1	1	0
15 (A)	Specialist study	Sum	0			1	0
15 (B)	Specialist study	Sum				1	0
					Sub Tot	al 1	191713.92

1	Preliminary and General	23005.6704	weighting factor 2	23005.6704
•	Tromminary and Scheral	23003.0704	1	23003.0704
2	Contingencies	19171.392		19171.392
			Subtotal 2	233890.98

VAT (14%)	32744.74
Grand Total	266636

#### i) Explain how the aforesaid amount was derived.

The drilling contractor will be responsible for rehabilitating the drill pad once the drilling activities have been completed at each exploration hole. This is typically a contractual arrangement between De Beers and the drilling contractor employed to implement drilling activities which include set-up of drill pad, operational drilling activities and the rehabilitation of the drill site after drilling has ceased.

The financial guarantee was calculated using the DMR official financial quantum calculator.

# ii) Confirm that this amount can be provided for from operating expenditure. (Confirm that the amount, is anticipated to be an operating cost and is provided for as such in the Mining work programme, Financial and Technical Competence Report or Prospecting Work Programme as the case may be).

Funding for prospecting up to and including phase 5 of the work programme of approximately R 57 million is to be obtained internally and is allocated on an annual basis as part of the working cost budget of DBCM. Work is approved on a phase by phase basis, dependent on the results obtained i.e. although prospecting work may be provided for financially in the budget for a specific year, it will only take place if justified. Funding for work beyond phase 5 will be allocated on a project by project basis if investment criteria are met. The amount is also reflected in the Prospecting Work Programme submitted to the DMR.

	YEAR 1	YEAR 2	YEAR 3	YEAR 4	YEAR 5
ACTIVITY	Expenditure	Expenditure	Expenditure	Expenditure	Expenditure
AOTIVIT	(R')	(R')	(R')	(R')	(R')
PHASE 1 - Desktop Study	21,520				
(6 months)	21,520				
PHASE 2 – Target delineation	567,497				
(6 months)	301,491				
PHASE 3 - Testing of Targets & micro-					
diamond testing		4,991,971			
(12 months)					
PHASE 4 - Kimberlite delineation & micro-					
diamond testing			5,337,605		
(10 months)					
PHASE 5 - Deposit Test: First stage macro-					
diamond sampling			6,110,069	8,726,065	
(10 months)					
PHASE 6 - Deposit Assessment: Second					
stage macro-diamond sampling				12,963,478	17,870,065
(15 months)					
Prospecting Right fees (5584.7442ha)	5,585	8,377	11,169	13,962	16,754
Annual Total	594,602	5,000,348	11,458,843	21,703,505	17,886,819
				Total	
				Budget	56,644,117
				Years	55,544,117
				1 to 5	

- t) Specific Information required by the competent Authority
- i) Compliance with the provisions of sections 24(4)(a) and (b) read with section 24 (3) (a) and (7) of the National Environmental Management Act (Act 107 of 1998), the EIA report must include the:-
- (1) Impact on the socio-economic conditions of any directly affected person. (Provide the results of Investigation, assessment, and evaluation of the impact of the mining, bulk sampling or alluvial diamond prospecting on any directly affected person including the landowner, lawful occupier, or, where applicable, potential beneficiaries of any land restitution claim, attach the investigation report as an **Appendix**.

A full consultation process has been implemented during the environmental authorisation process. The purpose of the consultation was to provide affected persons the opportunity to raise any potential concerns. As part of the consultation process the land claims commissioner was contacted to identify if there were any claims on land covered by this application.

Concerns raised has been captured and addressed within the public participation section of this report to inform the decision making process. As the final positioning of the drill sites cannot be confirmed without completion of phase 1 of the prospecting work programme, a recommendation has been made to ensure that the directly affected landowners are re-consulted a minimum of 1 month prior to drilling. The purpose of the reconsultation is to allow for socio-economic impacts on directly affected persons to be raised and where possible addressed.

(2) Impact on any national estate referred to in section 3(2) of the National Heritage Resources Act. (Provide the results of Investigation, assessment, and evaluation of the impact of the mining, bulk sampling or alluvial diamond prospecting on any national estate referred to in section 3(2) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) with the exception of the national estate contemplated in section 3(2)(i)(vi) and (vii) of that Act, attach the investigation report as **Appendix** 2.19.2 and confirm that the applicable mitigation is reflected in 2.5.3; 2.11.6.and 2.12.herein).

A heritage survey of the drill sites will be conducted prior to drilling in order to identify any cultural or heritage resources of significance. No drill site will be located within 50m of any identified heritage site (which may occur during the prospecting programme). Furthermore, from desktop studies undertaken, no significant heritage artefacts have been identified to occur in the area; however these need to be confirmed by site surveys.

u) Other matters required in terms of sections 24(4)(a) and (b) of the Act.

(the EAP managing the application must provide the competent authority with detailed, written proof of an investigation as required by section 24(4)(b)(i) of the Act and motivation if no reasonable or feasible alternatives, as contemplated in sub-regulation 22(2)(h), exist. The EAP must attach such motivation as **Appendix** 4).

The proposed prospecting activities requested as part of this authorisation is the only current viable manner in which a mineral resource can be evaluated to determine its economic viability.

## PART B ENVIRONMENTAL MANAGEMENT PROGRAMME REPORT

- 1) Draft environmental management programme.
  - a) Details of the EAP, (Confirm that the requirement for the provision of the details and expertise of the EAP are already included in PART A, section 1(a) herein as required).

This has already been covered. Refer to Part A, Section 1(a) of this document.

**b) Description of the Aspects of the Activity** (Confirm that the requirement to describe the aspects of the activity that are covered by the draft environmental management programme is already included in PART A, section (1)(h) herein as required).

This has already been covered. Refer to Part A, Section 1(h) of this document.

**c) Composite Map** (Provide a map (Attached as an Appendix) at an appropriate scale which superimposes the proposed activity, its associated structures, and infrastructure on the environmental sensitivities of the preferred site, indicating any areas that any areas that should be avoided, including buffers)

This has already been covered. Refer to Part A as well as **Appendix D** of this document.

d) Description of Impact management objectives including management statements

The main management objectives for the invasive drilling activities are:

- Avoid potential impacts by positioning the drill sites in a manner which avoids / minimise potential impacts. This can be achieved by implementing appropriate buffer zones;
- Reduce impacts through implementing realistic operational management measures such as imposing restrictions on the time of day when drilling can take place and adherence to the site EMP; and
- Ensure that chemical and hydrocarbon spillages are avoided, where they cannot all together avoided minimised and mitigated.
- Establish approriate waste management system
- Restore the physical impact of drilling through implementation of concurrent rehabilitation as and when drilling at one site is completed.
- i) Determination of closure objectives. (ensure that the closure objectives are informed by the type of environment described)

After prospecting is complete each drill site will be rehabilitated to a state that is safe, stable, re-vegetated, non-polluting, non-eroded and in a state that is suitable for agreed post-closure land use.

ii) Volumes and rate of water use required for the operation.

The drilling activities will use between 5 000L to 10 000L per day which falls withing "small industrial user" where the use is less than twenty cubic metres per day for prospecting. Therefore the water that will be used for the prospecting activities will be sourced on agreement from an existing authorized water user which could be either the land owner or local municipality. No water will be abstracted in terms of section 21(a) of National Water Act, 1998 (Act no. 36 of 1998).

### iii) Has a water use licence has been applied for?

No – Based on the limited water needs of the proposed prospecting activities, water from a legal source will be brought to the drill sites by mobile water tanker as and when required.

The department responsible for water resources shall be consulted with regards to any water related agreement with either the land owner or local municipality prior to drilling.

## iv) Impacts to be mitigated in their respective phases

Measures to rehabilitate the environment affected by the undertaking of any listed activity

ACTIVITIES	PHASE	SIZE AND	MITIGATION MEASURES	COMPLIANCE	TIME PERIOD FOR
(E.g. For prospecting -	(of operation in	SCALE of	(describe how each of the	WITH	IMPLEMENTATION
drill site, site camp,	which activity will	disturbance	recommendations in herein	STANDARDS	Describe the time period
ablution facility,	take place.	(volumes,	will remedy the cause of	(A description of	when the measures in the
accommodation,	State;	tonnages and	pollution or degradation and	how each of the	environmental management
equipment storage,	Planning and	hectares or	migration of pollutants)	recommendation	programme must be
sample storage, site	design,	m²)		s herein will	implemented Measures must
office, access route	Pre-Construction'			comply with any	be implemented when
etcetcetc	Construction,			prescribed	required.
E.g. For mining,-	Operational,			environmental	With regard to Rehabilitation
excavations, blasting,	Rehabilitation,			management	specifically this must take
stockpiles, discard dumps	Closure, Post			standards or	place at the earliest
or dams, Loading, hauling	closure).			practices that	opportunityWith regard to
and transport, Water				have been	Rehabilitation, therefore state
supply dams and				identified by	either:
boreholes,				Competent	Upon cessation of the
accommodation, offices,				Authorities)	individual activity
ablution, stores,					or.
workshops, processing					Upon the cessation of mining,
plant, storm water control,					bulk sampling or alluvial
berms, roads, pipelines,					diamond prospecting as the
power lines, conveyors,					case may be.
etcetcetc.)					
Site establishment	Construction / set-	Max. 0.64 Ha	<ul> <li>Undertake heritage</li> </ul>	Heritage Act	Before and during drilling
activities:	up phase &	per drill site	survey prior to site		activities
- Vegetation clearance - Topsoil stripping &	Operational phase		activities in order to		
- Topsoil stripping & stockpiling			identify cultural/heritage		
- Drill pad compaction			features.		
- Placement of temporary			Avoid cultural/heritage		

holidays.  • Maintain a buffer of 500m between drill sites and dwellings.  • The resting place shall be located outside of the 82dB zone of the drill site.  Construction / setup phase & Operational phase   Operational phase	Drilling     Drill maintenance & refuelling     Core sample collection & storage     Vehicle movements     Waste generation & management      Construction / set-up phase & Operational phase      Operational phase      Any buried artefacts that may be uncovered during site activities will require such activities to stop and a qualified archaeologist will be commissioned to assess their significance and determine appropriate mitigation measures.      Construction / set-up phase & Operational phase      Operational phase      Any buried artefacts that may be uncovered during site activities will require such activities will activities will require such activities will activities will require such activities will ac
---	---

Construction / set- up phase & Operational phase	0.64 Ha per drill site	landowner;  • Make use of existing vegetation as far as possible to screen the prospecting operations from view; and  • If necessary, the operations can be screened from view by erecting a shade cloth barrier.  • Low vehicle speeds will be enforced on unpaved surfaces.  • Maintain a buffer of	GN R. 827 (NEM:AQA)	Before and during activities	drilling
Construction / set- up phase & Operational phase	0.64 Ha per drill site	500mbetween drill sites and dwellings.  The soil disturbance and clearance of vegetation at drill pad areas will be limited to the absolute minimum required and will not be dozed or scraped with vegetation	n/a	Before and during activities	drilling
Construction / set- up phase & Operational phase	0.64 Ha per drill site	roots left intact for later re-growth.  • All chemicals and hydrocarbons shall be stored within 110% bund wall capacity  • Underneath the drill rig or any equipment with	GN R. 704 (NWA)	Before and during activities	drilling

Construction / set- up phase & Operational phase	potential oil spillages shall be lined with plastic liner to prevent soil and water contamination.  Avoid hydrocarbon spills by employing proper vehicle maintenance; Refuelling will be done with care to minimise the chance of spillages; A spill kit will be available on each site where prospecting activities are in progress; and Any spillages will be cleaned up immediately. Drill muds to be contained in lined sump and disposed of off-site at licensed facility.  All operations will be carried out under the guidance of a strong, experienced manager with proven skills in public consultation and conflict resolution, including environmental	NEMA	Before and during drilling activities
--	--	------	---------------------------------------

will be made aware of the	
local conditions and	
sensitivities in the	
prospecting area and the	
fact that some of the local	
residents may not	
welcome the prospecting	
activities in the area;	
There will be a strict	
requirement to treat local	
residents with respect	
and courtesy at all times.	

## e) Impact Management Outcomes

(A description of impact management outcomes, identifying the standard of impact management required for the aspects contemplated in paragraph);

ACTIVITY	POTENTIAL IMPACT	ASPECTS	PHASE	MITIGATION	STANDARD TO BE
(whether listed or not	(e.g. dust, noise,	AFFECTED	In which impact is	TYPE	ACHIEVED
listed).	drainage surface		anticipated	(modify, remedy, control, or	(Impact avoided,
(E.g. Excavations,	disturbance, fly rock,		(e.g. Construction,	stop)	noise levels, dust
blasting, stockpiles,	surface water		commissioning,	through	levels, rehabilitation
discard dumps or dams,	contamination,		operational	(e.g. noise control	standards, end use
Loading, hauling and	groundwater		Decommissioning,	measures, storm-water	objectives) etc.
transport, Water supply	contamination, air		closure, post-closure)	control, dust control,	
dams and boreholes,	pollution etcetc)			rehabilitation, design	
accommodation, offices,				measures, blasting controls,	
ablution, stores,				avoidance, relocation,	
workshops, processing				alternative activity etc. etc)	

plant, storm water control, berms, roads, pipelines, power lines, conveyors, etcetcetc.).				E.g Modify through alternative method Control through noise control - Control through management and monitoring - Remedy through rehabilitation.	
Site establishment activities:  - Vegetation clearance  - Topsoil stripping & stockpiling  - Drill pad compaction  - Erection of office, toilets, fuel storage (if not by road tanker), water tanker, core storage.  - Vehicle movements  - Waste management  Exploration drilling:  - Drill maintenance & refuelling  - Core sample collection & storage  - Vehicle movements  - Waste generation & management	Cultural and Heritage	Destruction or loss of Cultural and Heritage Resources	Construction / set-up phase & Operational phase	<ul> <li>Heritage screening assessment along possible access routes and at potential drilling sites in order to ensure Heritage artefacts are not inadvertently damaged.</li> <li>Avoid cultural/heritage impacts by maintaining 50m buffer from any identified heritage feature.</li> <li>Any buried artefacts that may be uncovered during site activities will require such activities to stop and a qualified archaeologist will be commissioned to assess their significance and determine appropriate mitigation measures.</li> </ul>	Heritage Act

Noise	Noise Generation	Construction / set-up phase & Operational phase	<ul> <li>Control noise generation by maintaining equipment.</li> <li>Limited to daylight hours on Mondays to Saturdays and no activities on Sundays and public holidays.</li> <li>Maintain a buffer of 500m-1000m between drill sites and dwellings.</li> <li>If intrusive noise levels are experienced by any person at any point, the source of the noise will be moved if practical, or it will be placed in an acoustic enclosure, or an acoustic barrier will be erected between the source and the recipient.</li> </ul>	SANS 10103
Visual	Visual intrusion	Construction / set-up phase & Operational phase	<ul> <li>The drilling rig and other visually prominent items on the site will be located in consultation with the landowner;</li> <li>Make use of existing vegetation as far as possible to screen the prospecting operations from view; and</li> <li>If necessary, the</li> </ul>	n/a

Г					
				operations can be screened from view by erecting a shade cloth barrier.	
	Dust fall	Dust fall & nuisance from activities	Construction / set-up phase & Operational phase	<ul> <li>Low vehicle speeds will be enforced on unpaved surfaces.</li> <li>Maintain a buffer of 500m-1000m between drill sites and dwellings.</li> </ul>	GN R. 827  (NEM:AQA)
	Soil and vegetation	Soil and vegetation disturbance from drill pad preparation	Construction / set-up phase & Operational phase	<ul> <li>The soil disturbance and clearance of vegetation at drill pad areas will be limited to the absolute minimum required and will not be dozed or scraped with vegetation roots left intact for later re-growth; and</li> <li>Disturbed areas will be re-vegetated with locally indigenous species as soon as possible.</li> </ul>	
	Soil, surface water and groundwater	Soil, surface water and groundwater contamination from hydrocarbons	Construction / set-up phase & Operational phase	<ul> <li>Avoid hydrocarbon spills by employing proper vehicle maintenance;</li> <li>Refuelling will be done with care to minimise the chance of spillages;</li> <li>A spill kit will be available</li> </ul>	GN R. 704 (NWA)

	Friction between local residents/land owners and construction personnel	Construction / set-up phase & Operational phase	on each site where prospecting activities are in progress;  Any spillages will be cleaned up immediately and contaminated material will be disposed as licenced hazardous waste site;  Drill muds to be contained in lined sump and disposed of off-site at licensed facility.  All operations will be carried out under the guidance of a strong, experienced manager with proven skills in public consultation and conflict resolution;  All prospecting personnel will be made aware of the local conditions and sensitivities in the prospecting area and the fact that some of the local residents may not welcome the prospecting activities in the area;  There will be a strict requirement to treat local	NEMA
--	---	---	--	------

		residents with	respect	
		and courtesy at	all times.	

## f) Impact Management Actions

(A description of impact management actions, identifying the manner in which the impact management objectives and outcomes contemplated in paragraphs (c) and (d) will be achieved).

ACTIVITY	POTENTIAL	MITIGATION	TIME PERIOD FOR	COMPLIANCE WITH
(whether listed or not	IMPACT	TYPE	IMPLEMENTATION	STANDARDS
listed).	(e.g. dust, noise,	(modify, remedy, control, or stop)	Describe the time period	(A description of how each
(E.g. Excavations,	drainage surface	through	when the measures in the	of the recommendations in
blasting, stockpiles,	disturbance, fly	(e.g. noise control measures, storm-	environmental	2.11.6 read with 2.12 and
discard dumps or	rock, surface water	water control, dust control,	management programme	2.15.2 herein will comply
dams, Loading, hauling	contamination,	rehabilitation, design measures,	must be implemented	with any prescribed
and transport, Water	groundwater	blasting controls, avoidance,	Measures must be	environmental
supply dams and	contamination, air	relocation, alternative activity etc. etc)	implemented when	management standards or
boreholes,	pollution	E.g.	required.	practices that have been
accommodation,	etcetc)	Modify through alternative method.	With regard to	identified by Competent
offices, ablution,		Control through noise control	Rehabilitation specifically	Authorities)
stores, workshops,		Control through management and	this must take place at the	
processing plant, storm		monitoring	earliest opportunityWith	
water control, berms,		Remedy through rehabilitation.	regard to Rehabilitation,	
roads, pipelines, power			therefore state either:	
lines, conveyors,			Upon cessation of the	
etcetcetc.).			individual activity	
			or.	
			Upon the cessation of	
			mining, bulk sampling or	
			alluvial diamond	
			prospecting as the case	

			may be.	
Site establishment activities:  - Vegetation clearance  - Topsoil stripping & stockpiling  - Drill pad compaction  - Erection of office, toilets, fuel storage (if not by road tanker), water tanker, core storage.  - Vehicle movements  - Waste management  Exploration drilling:  - Drilling  - Drill maintenance & refuelling  - Core sample collection & storage  - Vehicle movements  - Waste generation & management	Noise	<ul> <li>Heritage screening assessment along possible access routes and at potential drilling sites in order to ensure heritage artefacts is not inadvertently damaged.</li> <li>Avoid cultural/heritage impacts by maintaining 50m buffer from any identified heritage feature.</li> <li>Any buried artefacts that may be uncovered during site activities will require such activities to stop and a qualified archaeologist will be commissioned to assess their significance and determine appropriate mitigation measures.</li> <li>Control noise generation by maintaining equipment.</li> <li>Limited to daylight hours on Mondays to Saturdays and no activities on Sundays and public holidays.</li> <li>Maintain a buffer of 500m-1000m between drill sites and dwellings.</li> <li>If intrusive noise levels are experienced by any person at any point, the source of the noise will be moved if practical, or it will be placed in an acoustic enclosure, or an acoustic barrier will be erected between the source and the</li> </ul>	Before and during drilling activities  Before and during drilling activities	

	recipient.		
Visual	<ul> <li>The drilling rig and other visually prominent items on the site will be located in consultation with the landowner;</li> <li>Make use of existing vegetation as far as possible to screen the prospecting operations from view; and</li> <li>If necessary, the operations can be screened from view by erecting a shade cloth barrier.</li> </ul>	1 · · · · · · · · · · · · · · · · · · ·	n/a
Dust fall	Low vehicle speeds will be enforced on unpaved surfaces.	Before and during drilling activities	GN R. 827 (NEM:AQA)
Soil and vegetat	The soil disturbance and clearance of vegetation at drill pad areas will be limited to the absolute minimum required and will not be dozed or scraped with vegetation roots left intact for later re-growth; and     Disturbed areas will be re-vegetated with locally indigenous species as soon as possible.	activities disturbed areas to be re-vegetated as soon as possible	n/a
Soil, surface wa and groundwate	ter • Avoid hydrocarbon spills by		GN R. 704 (NWA)

	<ul> <li>immediately; and</li> <li>Drill muds to be contained in lined sump and disposed of off-site at licensed facility.</li> </ul>		
Social	<ul> <li>All operations will be carried out under the guidance of a strong, experienced manager with proven skills in public consultation and conflict resolution;</li> <li>All prospecting personnel will be made aware of the local conditions and sensitivities in the prospecting area and the fact that some of the local residents may not welcome the prospecting activities in the area;</li> <li>There will be a strict requirement to treat local residents with respect and courtesy at all times.</li> </ul>	1	NEMA

#### i) Financial Provision

- (1) Determination of the amount of Financial Provision.
  - (a) Describe the closure objectives and the extent to which they have been aligned to the baseline environment described under the Regulation.

After prospecting is complete at each drill site, the land will be rehabilitated to be safe, stable, non-eroded, non-polluting and suitable for agreed post closure land use

(b) Confirm specifically that the environmental objectives in relation to closure have been consulted with landowner and interested and affected parties.

The closure objectives were reported in the draft BAR and was made available to all registered interested and affected parties.

(c) Provide a rehabilitation plan that describes and shows the scale and aerial extent of the main mining activities, including the anticipated mining area at the time of closure.

After drilling has been completed in one area, the drilling team will ensure the site is reverted back to its original state by carrying out the following:

- Removing all infrastructures, including the drill rig, the mobile diesel tank, the mobile water tank and the chemical toilet.
- Capping the boreholes as per legal requirements.
- Ensure that no foreign matter is left behind on the drill site.
- Refilling the sump required for the drilling activities. Initially the plastic lining will be removed and disposed of in a registered landfill site and the soil returned to in order to rehabilitate the area.
- The whole drill site will be inspected for any signs of hydrocarbon pollution. Any identified soil which has been polluted as a result of the drilling activities will be removed and disposed of in a registered landfill site.
- Any area compacted as a result of the drill rig will be ripped and any ruts
  created by accessing or leaving the site for the drilling activity will be
  filled in to ensure that no future erosion shall occur on site.
- Applicable landowner will be requested to inspect the rehabilitated area.

# (d) Explain why it can be confirmed that the rehabilitation plan is compatible with the closure objectives.

The closure objectives are to return the land disturbed by drilling activities back to its original condition. The rehabilitation plan above provides the detail on how this will be achieved. Through experience, we can confirm that effective rehabilitation of drill sites is possible and achievable with the rehabilitation plan set out above.

(e) Calculate and state the quantum of the financial provision required to manage and rehabilitate the environment in accordance with the applicable guideline.

As per Part A, Section (s) (i) of this report.

(f) Confirm that the financial provision will be provided as determined.

As per Part A, Section (s) (ii) of this report.

# Mechanisms for monitoring compliance with and performance assessment against the environmental management programme and reporting thereon, including

- g) Monitoring of Impact Management Actions
- h) Monitoring and reporting frequency
- i) Responsible persons
- j) Time period for implementing impact management actions
- k) Mechanism for monitoring compliance

SOURCE ACTIVITY	IMPACTS REQUIRING MONITORING PROGRAMMES	FUNCTIONAL REQUIREMENTS FOR MONITORING	ROLES AND RESPONSIBILITIES (FOR THE EXECUTION OF THE MONITORING PROGRAMMES)	MONITORING AND REPORTING FREQUENCY and TIME PERIODS FOR IMPLEMENTING IMPACT MANAGEMENT ACTIONS
All Prospecting	N/A	Ensure that the prospecting	De Beers Geologist	Submit an annual
Activities		programme is being implemented		prospecting progress report
		in line with the approved prospecting works programme		to DMR
	All commitments contained	Ensure commitments made within	Internal Environmental	Undertake and submit an
	in the BA Report and	the approved BAR and EMPr are	Coordinator and	environmental performance
	accompanying EMPr	being adhered to.	independent EAP	audit every two years to DMR
Drilling Activities	Cultural Heritage		Appointed drilling	Weekly inspection and
	Resources	level within 500m from a drill site	contractor	reporting
	Noise	(If any).		
	Dust fall	Weekly inspections will cover the		
	Visual	following:		
	Soil & Vegetation	- Implementation of effective		
	Soil, Surface Water &	waste management		
	Groundwater	- Establish and implement a		
	Social	stakeholder compliant register		
	Housekeeping &	on site and ensure that all		
	maintenance	complaints are responded to		

	Waste management	promptly.		
	Rehabilitation	- Ensure that an oil spill kit is		
		readily available.		
		- Ensure that all chemicals and		
		hydrocarbons are stored within		
		bundwalls		
		- Ensure that the fire brake is		
		maintained.		
		- Rehabilitation of drill pads		
		- Records of water intersections		
		on borehole logs		
		- Control and minimise the		
		development of new access		
		tracks		
		- Appropriate storage and		
		handling of topsoil		
Post Drilling	Groundwater	Monitor the external boreholes	Internal Environmental	Monitoring report
	Revegetation	within 500m from drill post drilling	Coordinator	
	Stability	(if any).		
	Soil erosion	The drill site shall be monitored six		
	Alien invasive species	monthly until a closure certificate		
		is obtained.		

## I) Indicate the frequency of the submission of the performance assessment/ environmental audit report.

An external environmental performance audit and the BA & EMPr performance assessment shall be conducted annually interchangeably by an independent environmental assessment practitioner and internal environmental assessment practitioner, respectively.

#### m) Environmental Awareness Plan

De Beers Environmental Awareness Training is part of its Induction process and environmental Management System (EMS). The induction includes:

- Awareness training for contractors and employees;
- Job specific training training for personnel performing tasks which could cause potentially significant environmental impacts;
- EMS training;
- Comprehensive training on emergency response, spill management, etc;
- Specialised skills; and
- Training verification and record keeping.

# (1) Manner in which the applicant intends to inform his or her employees of any environmental risk which may result from their work.

Before commencement of the prospecting activities all employees and contractors who are involved with such activities should attend relevant induction and training. It is standard practice for employees and the employees of contractors that will be working on a new project or at a new site to attend an induction course where the nature and characteristics of the project and the site are explained.

The training course should include key information abstracted from the EMP pertaining to the potential environmental impacts, the mitigation measures that will be applied, the monitoring activities that will be undertaken and the roles and responsibilities of contractors' and De Beers personnel.

The full EMP document is also made available to attendees.

# (2) Manner in which risks will be dealt with in order to avoid pollution or the degradation of the environment.

Environmental risks and how to manage them are dealt with in the induction course referred to in section (m) (i) above. If an incident of environmental pollution or damage does occur it is analysed and appropriate prevention and/or mitigation measures are developed. These measures are added to the EMP and conveyed to the relevant personnel.

All unplanned incidents with the potential to cause pollution or environmental degradation or conflict with local residents will be reported to the Mineral Resources Manager within 24 hours.

#### **Hydrocarbon Spills**

Hydrocarbon spills that are considered to be emergency incidents are large-scale spills (cover a surface area >1m<sup>2</sup>), resulting from situations such as; a leaking diesel bowser, an oil drum that is knocked over, large spillages from equipment, etc. Activities that are involved in the clean-up of such instances include:

- The containment of the spill,
- The removal of all contaminated material, and
- The disposal (at a licenced hazardous disposal facility) or bioremediation (at a licenced facility) of this material.

#### Fire

There is the potential for fire to occur in the following locations of the drill site:

- Veld fires across vegetated areas; and
- Vehicles and equipment.

**Veld fires**: Any person who observes the fire must report it to the fire brigade immediately and then to their supervisor. If possible, additional personnel may be sent to contain the fire, but only if the lives of the personnel will not be endangered.

**Vehicles and Equipment**: Fire extinguishers will be available at the site where drilling activities will take place and in the vehicles. All staff members will be trained in the use of fire-fighting equipment.

#### n) Specific information required by the Competent Authority

(Among others, confirm that the financial provision will be reviewed annually).

Not applicable at this stage.

UNDERTAKING The EAP herewith confirms  a) the correctness of the information provided in the reports
b) the inclusion of comments and inputs from stakeholders and I&APs
c) the inclusion of inputs and recommendations from the specialist reports where relevant and
d) that the information provided by the EAP to interested and affected parties and any responses by the EAP to comments or inputs made by interested and affected parties are correctly reflected herein.
Signature of the environmental assessment practitioner:
Name of company:
Date