


| AREA: BUSH BUCKRIDGE        | PROJECT NUMBER: XANTHIA     |
|-----------------------------|-----------------------------|
| FEEDER: NA                  | ITEM OF: /:/                |
| SUPPLY TO: XANTHIA VILLAGE  |                             |
| ESKOM REPRESENTATIVE: ASTAR | Tel no: 013 755 9000        |
| *DISTRIBUTION/*TRANSMISSION | Email: Seloweab @cokomlo:29 |
|                             | Fax no:                     |

# WAYLEAVE CONTRACT POWERLINE AND/OR CABLE AND ASSOCIATED INFRASTRUCTURE

#### 1. GENERAL

| 1.1 | Identification | of | parties: |
|-----|----------------|----|----------|
|-----|----------------|----|----------|

| 1.1.1 | Contractor means any entity appointed as an independent contractor to execute works on the Property in the exercise of the Rights.   |
|-------|--|
| 1.1.2 | Eskom means Eskom Holdings SOC Ltd, a public company with registration number 2002/015527/30 with its head office at Megawatt Park, 2 Maxwell Drive, Sunninghill, Sandton. |
| 1.1.3 | Lessee means the holder of a lease registered against the title deed of the Property and is  |
| 1.1.4 | Owner means is   |
| 115   | Droporty moone:  |



### THE RIGHTS

- To the extent necessary to give effect hereto, the Owner's spouse, Lessee and/or Usufructuary agrees to the granting of the Rights by signing below.
- 2.3 The Rights, specifically, include the rights to:
  - 2.3.1 convey electricity and telecommunication across the Property;
  - erect structures, conductors, cables, appliances and, without limitation, everything else as may be necessary or convenient in exercising the Rights (herein referred to as the "Goods") and the Owner agrees that structure-supporting mechanisms may reasonably extend beyond the Wayleave Area where it is necessary to safely secure the Goods;
  - enter and be upon the Property at any time in order to construct, erect, operate, use, maintain, repair, re-erect, alter or inspect the Goods or in order to gain access to any adjacent property in the exercise of rights similar to the Rights;
  - 2.3.4 have these Goods remain on the Property for so long as either Eskom or the Owner requires them to;
  - 2.3.5 extend the Goods to other customers, suppliers or contracting parties of Eskom, over the Property;
  - 2.3.6 use existing roads and gates giving access to and running across the Property and to erect in any fence such gates as may be necessary or convenient to gain access to or exit from the Property and the Goods or in order to gain access to any adjacent property in the exercise of rights similar to the Rights;
  - 2.3.7 remove any material or structures, and cut or trim any tree, bush or grass within the Wayleave Area or to the extent necessary where the Goods extends beyond the Wayleave Area, in order to comply with the restrictions referred to in paragraph 3.2 hereof;
  - 2.3.8 every ancillary right necessary or convenient for the proper exercise of the Rights granted to Eskom; and

January 2016

- 2.3.9 At Eskom's election, have this wayleave registered as a servitude against the title deed of the Property.
- 2.4 The Rights will apply to all electricity infrastructure on the Property and the area which such infrastructure covers will be deemed to be included in the Wayleave Area and/or Restricted Area. It is agreed that the Owner herewith grants permission for all electricity infrastructure on the Property to remain on the Property.
- 2.5 Any expenses to be incurred, which are necessitated by a change to or removal of the Goods in the Wayleave Area required by the Owner, are for the Owner's account and must be paid for by the Owner in advance. Eskom will effect such changes or removals after receipt of such payment, if such changes or removal are technically possible.
- 2.6 The Contractor may exercise any of the Rights.
- 2.7 Eskom may:
  - 2.7.1 let any portion of the Goods to any third party on such conditions as Eskom may deem fit;
  - 2.7.2 cede all or any of the Rights granted in terms of this Wayleave to any third party.

#### 3. THE OBLIGATIONS

- 3.1 Eskom must:
  - 3.1.1 ensure that any of Eskom's gates that it had used is closed after use;
  - 3.1.2 pay reasonable compensation for intentional damage or damage caused through a negligent act or omission, caused by Eskom, its employees or agents in pursuit of the Rights, save where Eskom is acting in accordance with sub-clause 2.3.7 of this document; and
  - 3.1.3 where a Contractor exercises the Rights, ensure that the Contractor complies with the obligations contained in this sub-clause 3.1.1.

The Owner must ensure that no:

- 3.2.1 building or structure is erected or installed above or below the surface of the ground within the Wayleave Area and no tree or bush is planted within the Wayleave Area or within .......9.............. metres from any structure-supporting mechanism (the "Restricted Area");
- 3.2.2 tree, which could grow to a height in excess of the horizontal distance of that tree from the nearest conductor of any power line is planted or allowed to continue growing, regardless if it is outside of the Wayleave or Restricted Area:
- 3.2.3 material which may in the opinion of Eskom endanger any electricity infrastructure is placed within the Wayleave or Restricted Area.

33.2 A

- 3.3 The Owner must bring the existence of this wayleave contract to the attention of any purchaser or other transferee of the Property (or of any portion of the Property) before the Property (or any portion thereof) is sold and/or transferred to such purchaser or transferee, or if the Owner grants any further rights in or to the Property to any other third party, to such third Party.
- 3.4 The Owner must inform Eskom in writing if it is going to sell the Property.
- 3.5 The Owner's attention is drawn to the provisions of section 10.17.1 of the regulations promulgated in terms of the Explosives Act 26 of 1956, which prescribes that when blasting is to be done within 500 (five hundred) metres of any electricity infrastructure, written confirmation must first be obtained from Eskom concerning the protection of electricity infrastructure.

| Signed at 2 | (ANTHA on 2020-12-01                  |
|-------------|---------------------------------------|
| The Owner   | Bet.                                  |
| Witnesses:  | Market                                |
| 1.          | para stronged 23%                     |
| ·           | 2020 -12- 0 1                         |
| 2           | Bushbuckridge 1090                    |
| Signed at   | PAPUWALANGA (SECON)                   |
|             | · · · · · · · · · · · · · · · · · · · |

Spouse of the Owner if married in community of property

| Witness | ses: |      |      |
|---------|------|------|------|
| 1.      |      | <br> | <br> |
|         |      |      |      |
| 2       |      |      |      |

| Signed at                  | on |  |
|----------------------------|----|--|
|                            |    |  |
| The Usufructary            |    |  |
|                            |    |  |
| Witnesses:                 |    |  |
| 1.                         |    |  |
|                            |    |  |
| 2                          |    |  |
| Signed at                  |    |  |
|                            |    |  |
| •                          |    |  |
| The Lessee                 |    |  |
| Witnesses:                 |    |  |
| 1.                         |    |  |
|                            |    |  |
| 2                          |    |  |
|                            |    |  |
| Signed at                  | on |  |
|                            |    |  |
|                            |    |  |
| Takam Haldinga COO Limited |    |  |
| Eskom Holdings SOC Limited |    |  |
| Witnesses:                 |    |  |
| 1                          |    |  |
|                            |    |  |
| 2                          |    |  |
| ,                          |    |  |

ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

18 of 70

### Annex B - Distribution Environmental Screening Document (DESD) (Informative)

#### **Reticulation Powerlines and Ancillary Services**

Ratified and accepted by

**Environmental Practitioner** 

**Environmental Specialist** 

Head of Engineering Survey

(one signature please)

Accepted by Land Owner/s/Users

I have seen the completed document and accept the

recommendations made

S.M. / JAMPALAR

Assessor/s

Form completed by

Astar

.....Signature: ..

in consultation with: Xanthia

.Signature:

H

CAPACITY (e.g. land owner, specialist): ..

DATE COMPLETED: PI- 13

Instructions

- 1. Fill the report in as neatly and completely as possible.
- 2. Where the question / statement is not applicable mark N/A.
- 3. Indicate sensitive areas on a map and/or spanning plans.
- 4. When in doubt, consult the Environmental Practitioner in your region.

The purpose of this DESD is to:

- Determine whether or not the project should be subject to R543-7, published in terms of the National Environmental management Act 107 of 1998.
- Identify and mitigate the negative impact of Eskom's activities to a minimum in line with both Legislation and Eskom's Environmental Policies.
- This report is a guide to Route Selection, Construction and Field Services.

NOTE Complete the report before the survey!!!

This is not an office exercise.

Extra sheets of paper may be added and referenced if insufficient space has been provided.

mucha Membal 2.3.

Xanthia

2020 -12- 0 1

E.G. BOX

Bushbuckehige 1280

# ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

19 of 70

# Annex B (continued)

### 1 Project description

| Project name/Survey Request Xanthia Area Bushbucknidge Project number Xanthia electrification File number  |
|--|
| Project number Xanthia electrification File number   |
| Rural scheme/  |
| Feeder NA Voltage 22 kun<br>Supply from NAS1 203 / 8   |
| Supply from NAS1 203 / 8   |
|  |
| (scheme name, pole numbers for tee-off) Supply to Xanthia 253 ky   |
| (Farm name, etc.)  |
| 2 Properties traversed   |
| Farm name  **Registration number and Division  |
| Registration number and Division   |
| Compilation numberLine length (m)  |
| Farm name  |
| Registration number and Division Sub-division Sub-division   |
| Compilation number Line length/Site area (m²)  |
|  |
| 3 Brief description of the surrounding area  The are is surrounded by trees, hower and Schools   |
|  |
|  |
| Could the proposed project have an impact on or be constrained by any of the following environmental aspects?  |
| Encircle the appropriate aspect, giving a description of the present state as well as an indication of the possible negative impact. Note that mitigating measures for these impacts are to be included in the Environmental Management Programme. |

### ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

20 of 70

### Annex B (continued)

| 4 Physical environment   |  |
|--|--|
| 4.1 Water: streams rivers dams wetlands springs floodplains OTHER9   |  |
| Present condition: 10 Condition  |  |
| Potential impact (e.g. threat of pollution):   |  |
|  |  |
| 4.2 Soil: sandy rocky clayey OTHER   |  |
| Present condition: Soil is Covered by grans and Potential impact (e.g. of erosion)  4.3 Topography mountains ridges hills valleys ravines dongas OTHER N. (re) |  |
| Present condition:   |  |
| Potential impact (e.g. of erosion)   |  |
| Comments/mitigating measures:  |  |
|  |  |
| $\int \int \int g dx$  |  |
|  |  |

# ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

21 of 70

# Annex B (continued)

| 5 Natural env                           | vironment                   |   |             |          |   |                       |
|---|-----------------------------|---|-------------|----------|---|-----------------------|
| 5.1 Flora:                              | indigenous                  | protecte                                | ed)         | exotic   | ОТ                                      | HER                   |
| Brief description                       | ned to<br>(e.g. permit appl |   |             |          |   |                       |
| 5.2 Fauna:                              | mamm                        | als                                     | birds       |          | OTHER                                   | none                  |
| Brief description<br>(e.g. rare, protec | ted, etc., mention          | n giraffe, elephar                      |             |          | •••••                                   |                       |
|   |                             | • | /           |          | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |                       |
| Comments/mitiga                         | ating                       |   | (la)        | <u> </u> | ************                            | measures              |
|   |                             |   | }·[···//··· | .,,      |   |                       |
| 6 Social env                            | ironment                    |   |             |          | **************                          |                       |
| 6.1 Restricted areas:                   | nature/game<br>reserves     | hiking trails                           | tourism     | routes   | parks                                   | recreational<br>areas |
| Residential-<br>areas                   | green belts                 | sacred/holy<br>grounds                  | OTHER       | ·····    |   |                       |
| Brief description                       | Residen                     | Alal as                                 | regb.       | f Xan    | Aliga.                                  |                       |

### ENVIRONMENTAL IMPACT ASSESSMENT FOR

DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

22 of 70

|  |  | Annex B<br>(continued)                    |                                       |   |
|--|--|---|---------------------------------------|---|
| Potential impact e.g.                  | . threat of encroach                       | nment, etc                                | mane                                  |   |
| 6.2 Visual aestheti                    | cs easily seen                             | hidden                                    |                                       | partially   |
| Brief description                      | il easi                                    | y Seen                                    | When yo                               | u ore on Site   |
| Potential impact                       | During Cor                                 | rstruction (                              | 1<br>roles mus                        | 4 Le Covered  |
| 6.3 Natural heritag                    | e: cultural<br>significance                | archaeological<br>objects                 | monuments                             | palaeontological<br>objects   |
|  | graves                                     | meteorites                                | ruins                                 | OTHER Pone  |
| Resource Act, No 25 the SAHRA. If line | 5 of 1999 be identif<br>or access road lei | ied, the requirement<br>ngth exceeds 300m | s of Act 25 of 1999<br>SAHRA shall be | ned in the National Heritage<br>shall be followed by notifying<br>notified. |
|  |  |   |                                       |   |
| Comments/mitigating                    | •  |   | 1 w3                                  |   |
|  |  | ·····                                     |                                       |   |
| 7 Economic en                          | vironment                                  |   |                                       |   |
| 7.1 Land use:                          | crops<br>game farming                      | orchards<br>forestry areas                | grazing<br>mining                     | crop spraying OTHER Residential   |
| Brief description                      | Papidentil                                 | M. errey D                                | Santhig                               |   |
|  |  |   |                                       |   |

### ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

23 of 70

| Annex     | В  |
|-----------|----|
| (continue | d) |

| Potential impact                     |   |                                       | ••••••••••••••••• | •••••                                   |                                       |             |
|--------------------------------------|---|---------------------------------------|-------------------|---|---------------------------------------|-------------|
| 7.1.1 Commercial:                    | factories                               | <                                     | shops             | C                                       | THER                                  |             |
| Brief descriptiont Potential impactt | Le one<br>Burx Pout                     | shops on                              | 4 Le              | d best done d                           | money G                               | feeting the |
| 7.1.2 Infrastructure                 | roads pipelines                         | railways<br>sewage                    | communica         | ntions powe                             | er lines air f                        | ïelds       |
| Brief description:                   | 12 KVA<br>15 ave<br>availab             | povere<br>viabre e                    | line w            | 1000 m                                  | all be                                |             |
| Potential impact                     | 70 in                                   | aperet:                               |                   | ······································  |                                       |             |
| Comments/mitigatir                   | ng measures:                            |                                       |                   |   |                                       |             |
|                                      |   | Nor                                   | re                |   |                                       |             |
|                                      | • | · · · · · · · · · · · · · · · · · · · |                   | • | · · · · · · · · · · · · · · · · · · · |             |

#### **ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES**

Unique Identifier:

240-72597722

Revision:

1

Page:

24 of 70

| Annex     | В   |
|-----------|-----|
| /aantinua | ٦١, |

| Annex B (continued)   |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| What impact will this project have on elements 4 to 7?  1. Physical   |  |  |  |  |  |  |
| No impact (0) Medium impact (2) High impact (4)   |  |  |  |  |  |  |
| 2. Natural  |  |  |  |  |  |  |
| No impact (0) Medium impact (2) High impact (4)   |  |  |  |  |  |  |
| 3. Social   |  |  |  |  |  |  |
| No impact (0) Medium impact (2) High impact (4)   |  |  |  |  |  |  |
| Overall impact: This section addresses the overall environmental impact of the project. The impacts as assessed in the above three spheres (physical, natural and social) need to be considered to determine the overall impact |  |  |  |  |  |  |
| No impact Medium impact High impact   |  |  |  |  |  |  |
| If the overall impact is between 2 and 4, contact the Environmental Management Officer or the Environmental Senior Superintendent.  |  |  |  |  |  |  |
| Alternatives  |  |  |  |  |  |  |
| Have alternative routes been discussed with the relevant land owner/s or users?   |  |  |  |  |  |  |
| Yes No  |  |  |  |  |  |  |
| Detailed study  |  |  |  |  |  |  |
| Is an environmental assessment required in terms of Regulation R543?  |  |  |  |  |  |  |
| YesNo   |  |  |  |  |  |  |
| Should a permit application be made to DWA?   |  |  |  |  |  |  |
| Yes No  |  |  |  |  |  |  |
| Should the SAHRA be notified?   |  |  |  |  |  |  |
| Yes<br>No   |  |  |  |  |  |  |
|   |  |  |  |  |  |  |

### ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

25 of 70

#### Annex C - Environmental Management Plan

(Normative)

#### 1 General conditions

- 1.1 The Eskom project manager or co-ordinator shall be responsible for ensuring that the land owners have been informed before any work is carried out on site. Contractors shall find out if the landowners have been informed before moving onto site.
- 1.2 No fences, gates or locks shall be damaged to obtain access onto a line route. Arrangements shall be made in advance to obtain permission for access.
- 1.3 Use of private roads shall be arranged in advance. Any damage to private roads shall be repaired at the contractor's expense and to the satisfaction of the landowner. This shall be the responsibility of the project manager or co-ordinator.
- Gates shall be left as they are found, i.e. closed gates shall be kept closed and open gates shall be left open. Gates to adjacent properties or onto public roads shall be closed at all times. Any Eskom gates installed on the line route shall be kept closed and locked except while stringing is taking place. Open gates shall be guarded to prevent animals straying and unauthorised persons and vehicles entering into adjacent camps or properties.
- 1.5 Permission shall be obtained from landowners before any water is used.
- 1.6 No fires shall be lit on private property. If fires are lit on Eskom's property or in the construction camp, provision shall be made that no accidental fires are started. No firewood shall be collected in the veld.
- 1.7 If activities that can cause a fire are carried out, fire extinguishers shall be available on site and in the construction camp.
- 1.8 No property may be accessed after normal working hours except with the permission of the landowner. Privacy shall be respected at all times.
- 1.9 Eskom, Eskom's contractors and their employees shall at all times be courteous towards landowners, tenants and the local community.
- 1.10 Eskom, Eskom's contractors and their employees shall not cause damage to property, crops or animals. Activities that may cause conflict with landowners, tenants, the local work force or the local community shall be avoided. Should conflict arise it shall be immediately reported to the Eskom project manager or co-ordiator.
- 1.11 Vehicles shall be driven at a moderate speed on private roads and stay within the statutory speed limit on public roads.
- 1.12 All movement of vehicles shall take place on the established Eskom servitude road or on private roads as agreed in advance. Keep to existing tracks. No movement shall take place through the veld. Special care shall be taken to prevent excess damage during wet weather.

### ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

26 of 70

### Annex C

(continued)

- 1.13 If any vehicle should get stuck, the damage shall be repaired immediately so that no deep ruts remain.
- Any damage to private property shall immediately be reported to Eskom and the owner. The damage shall be rectified immediately if possible and/or appropriate compensation shall be paid to the owner at the discretion of the project manager/co-ordinator in consultation with the property owner. A record of damages and rectifying action shall be kept. The landowner's satisfaction with the outcome of rectifying action shall be obtained in writing.
- 1.15 A proper system of waste management shall be instituted in the construction camp. This entails that sufficient waste bins are available on site and in the construction camp. The waste shall be dumped at an approved waste disposal site. No containers, scrap metal, conductor etc. shall be left on site.
  - All scrap shall be removed and taken to an appropriate disposal site. No oil, diesel or other chemicals shall be spilled or discarded anywhere. If an accidental spill occurs, it shall be reported immediately and cleaned to the satisfaction of Eskom and the landowner. No waste shall be left in the veld or on the line route.
- 1.16 Washing and toilet facilities shall be provided on site and in the construction camp. The facilities shall comply with Eskom standards and shall have the approval of the landowner.
- 1.17 No human excrement shall be left in the veld. If no toilet facilities are available such waste shall be buried *immediately*.
- **1.18** Herbicides shall only be applied with Eskom's permission and in accordance with the Eskom Policy on Herbicides ESKPBAAD4.
- 1.19 Camp and office sites shall be dismantled and removed after completion of the construction phase of the project. The site shall be rehabilitated to as close as possible to its original condition to the satisfaction of the landowner, which shall be in writing.
- 1.20 All excavations shall be enclosed to prevent animals or people from accidentally falling into excavations.
- No trees shall be cut or removed without prior permission from the landowner. Permits shall be obtained for the cutting and removal protected trees (protected trees shall be dealt with in 2, Special conditions).
- 1.22 Should any natural heritage object be found, or exposed during excavations, all work shall be terminated immediately and the finding reported to the Project Manager who shall inform the Eskom Environmental Practitioner and the SAHRA.

# ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

27 of 70

# Annex C (continued)

| 2 Spec              | cial co | nditions                                |        |     |         |    |         |           |             |                                    |        |      |          |
|---------------------|---------|---|--------|-----|---------|----|---------|-----------|-------------|------------------------------------|--------|------|----------|
| (Specific protected |         | identified<br>etc.).                    | during | the | scoping | as | needing | attention | i.e.        | erosion                            | berms, | bird | flappers |
|                     |         |   |        |     |         |    |         |           |             |                                    |        |      | ••••     |
|                     |         |   |        |     |         |    |         |           | • • • • • • |                                    |        |      |          |
|                     |         |   |        |     |         |    |         |           | . ,         | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |        |      |          |
|                     |         | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |        |     |         |    |         |           |             |                                    |        |      |          |

### TYPICAL MITIGATION MEASURES

| ENVIRONMENTAL CONCERNS  | MITIGATION MEASURES  |
|---|--|
| AGRICULTURE   |  |
| Loss of standing crop due to access road and tower work site. | <ul> <li>limit width of access and size of tower site.</li> <li>avoidance of crop areas.</li> <li>monetary compensation for crop loss.</li> <li>time construction to avoid growing season.</li> </ul>  |
| Soil Compaction   | <ul> <li>scheduling activities to times of the year when soils are least susceptible to compaction.</li> <li>stop activities when ground conditions are poor.</li> <li>use of equipment with low bearing capacity.</li> <li>chisel ploughing.</li> </ul>   |
| Construction of new lines                                     | - locate access roads along existing traffic routs.  |
| Topsoil – subsoil mixing/soil rutting                         | <ul> <li>scheduling activities.</li> <li>stop activity when ground conditions are poor.</li> <li>use of equipment with low bearing capacity.</li> <li>use of gravel roads.</li> <li>addition of manures to offset fertility loss.</li> <li>compensation for reduced soil pEAuctivity.</li> <li>removal of spoil and/or bentonite from foundation operations.</li> <li>Segregation of topsoil and subsoil.</li> </ul> |
| Disturbance to farm operations                                | - maintain contact with landowner/tenant regarding preferences.  |
| Loss of livestock   | <ul> <li>employ noise control measures near sensitive livestock.</li> <li>Construction of farm gates.</li> <li>Securing farm gates.</li> <li>Clean-up construction materials which could be ingested.</li> <li>Compensation for lost, injured livestock.</li> </ul>  |
| SOCIAL IMPACTS  |  |
| Mud and Dust  | <ul> <li>wetting down dry soils.</li> <li>chemical control of dust.</li> <li>cleaning roads to remove mud.</li> <li>temporary planting of grasses.</li> </ul>  |

# ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

28 of 70

# Annex C (continued)

| Aesthetics   | - screen with natural of planted vegetation restoration.                              |
|--|---|
| ***************************************  | - avoid linear access down the right-of-way.  |
|  | - addition of topsoil to gravel access roads.   |
|  | - hoarding construction sites.  |
|  | - installation of landscaping in advance of site                                      |
|  | completion.   |
| Inconvenience  | - select route and method of installation to suit                                     |
|  | landowners' conditions.   |
|  | - select timing of activity.  |
| Heritage resources   | - avoidance/isolation.  |
|  | - design measures to make facility less obtrusive.                                    |
|  | - screening.  |
|  | - alternate methods of equipment.   |
|  | - protection by use of enclosures, barrier fencing,                                   |
|  | covering.   |
|  | - salvage in conjunction with SAHRA.  |
|  | - relocation in conjunction with SAHRA.   |
| Tourism and recreation resources   | - design measures to make facility less obtrusive of                                  |
|  | disruptive.   |
|  | - screening and restoration.  |
|  | - minimise noise and dust,  |
|  | - safety precautions to protect the public.   |
|  | - scheduling to avoid peak use periods.   |
| WATER QUALITY  |   |
| Sedimentation of streams due to  | - minimise use of slopes adjacent to streams during soils                             |
| erosion from the right-of way.   | testing, construction and maintenance.  |
|  | - maintain a cover crop.  |
|  | - retain buffers.   |
| Stream bank erosion.   | mechanical erosion control.     retain shrubby stream bank vegetation and selectively |
|  |   |
|  | cut or prune trees during line clearing/maintenance.                                  |
|  | - selective spraying of herbicides.   |
| land de la servicio del servicio de la servicio de la servicio del servicio de la servicio del servicio de la servicio de la servicio del servicio | Mechanical erosion control.     use and maintenance of appropriate stream crossing    |
| Impedance of natural flow  | •   |
| streams/others surface waters.   | device timing activities to stable ground conditions.                                 |
| Ponding or channelization of surface   |   |
| waters due to rutting.   |   |
| Contamination of surface or ground   |   |
| waters through spills or leaks of toxic  | - site selection where possible.  |
| substances.  |   |
| Soil compaction/topsoil-subsoil mixing.  | - avoidance of rutting by vehicles where possible.                                    |
|  | - construction timing.  |
|  | - use of gravel roads.  |
|  | - use of vehicles with low bearing pressures.   |
|  | - stop activities when ground conditions are poor.                                    |
| Wind/water erosion.  | - avoidance of areas with high erosion potential.                                     |
|  | - timing activities to the most stable ground conditions.                             |
|  | - slope stabilisation.  |
|  | - mechanical erosion control.   |
|  | - vegetation erosion control.   |
|  | - recompaction of trenches.   |
|  | - avoid trenching parallel to the fall of a slope.                                    |

### ENVIRONMENTAL IMPACT ASSESSMENT FOR DISTRIBUTION ACTIVITIES

Unique Identifier:

240-72597722

Revision:

1

Page:

29 of 70

# Annex C (continued)

| FAUNA & FLORA Loss of habitat, breeding and/or food source for terrestrial wildlife.  - environmental mapping to identify sensitive areas avoidance of areas containing rare/endangered species construction and maintenance activities to be timed where possible to avoid peak breeding periods the creation of "edge" (may be considered a positive impact.) - promotion of wildlife habitat through vegetation control avoid the filling of small wetlands use design with low risk to wildlife electrocution or collision - fit bird flight divertors to powerlines in bird migration areas.  Changes in composition of vegetation as a result of disturbance Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  IntEAuction of exotic plant species resulting from vegetation of such plant species resulting from vegetation and use to soil due to soil disturbance to migration rouses are result of soil deterioration.  Changes in vegetation due to soil disturbance are solon control.  - avoid filing of serior wild fire habitat through vegetation or soil to a stable condition.  - minimise erosion from the right-of-way by maintaining a cover crop.  - minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses installation of sectiment traps when necessary avoid filing small wetlands servings as staging areas for waterfowl migration Installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of nerbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise classified for the application of nerbicides near watercourses Preserve and/  |   |  |
|--|---|--|
| FAUNA & FLORA Loss of habitat, breeding and/or food source for terrestrial wildlife.  - environmental mapping to identify sensitive areas. avoidance of areas containing rare/endangered species.  - construction and maintenance activities to be timed where possible to avoid peak breeding periods.  - the creation of "edge" (may be considered a positive impact.) - promotion of wildlife habitat through vegetation control avoid the filling of small wetlands use design with low risk to wildlife electrocution or collision - fit bird flight divertors to powerlines in bird migration areas.  - construction timing to minimise soil disturbance restoration of soils to a stable condition minimise erosion from the right-of-way by maintaining a cover crop mechanical erosion control minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses installation of sediment traps when necessary avoid filling small wetlands servings as stagling areas for waterfowl migration Installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  - lost Changes in vegetation due to soil - time construction/clearing to take advantage of  | Contamination by petrochemicals.              | available.   |
| Loss of habitat, breeding and/or food source for terrestrial wildlife.  - avoidance of areas containing rare/endangered species construction and maintenance activities to be timed where possible to avoid peak breeding periods the creation of "edge" (may be considered a positive impact.) - promotion of wildlife habitat through vegetation control avoid the filling of small wetlands use design with low risk to wildlife electrocution or collision - fit bird flight divertors to powerlines in bird migration areas construction liming to minimise soil disturbance restoration of soils to a stable condition minimise erosion from the right-of-way by maintaining a cover crop mechanical erosion control minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses installation of sediment traps when necessary avoid filling small wettands servings as staging areas for waterfowl migration Installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation use of native species for erosion control vegetation stress due to nutrient loss as a result of soil deterioration Changes in vegetation due to soil - time construction/clearing to take advantage of  |   | - restoration metrods investigated.                      |
| for terrestrial wildlife.  - avoidance of areas containing rare/endangered species construction and maintenance activities to be timed where possible to avoid peak breeding periods the creation of "edge" (may be considered a positive impact.) - promotion of wildlife habitat through vegetation control avoid the filling of small wetlands use design with low risk to wildlife electrocution or collision - fit bird flight divertors to powerlines in bird migration areas.  Changes in composition of vegetation as a result of disturbance Removal or burial of stream bottom habitat and increased turbidity due to sedimentation minimise erosion from the right-of-way by maintaining a cover crop mechanical erosion control minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  |   |  |
| timed where possible to avoid peak breeding periods.  the creation of "edge" (may be considered a positive impact.) promotion of wildlife habitat through vegetation control. avoid the filling of small wetlands. use design with low risk to wildlife electrocution or collision fit bird flight divertors to powerlines in bird migration areas.  Changes in composition of vegetation as a result of disturbance.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Possible loss of wildlife/fish migration/travel routes.  Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  |   | - avoidance of areas containing rare/endangered species. |
| positive impact.) - promotion of wildlife habitat through vegetation control avoid the filling of small wetlands use design with low risk to wildlife electrocution or collision - fit bird flight divertors to powerlines in bird migration areas.  Changes in composition of vegetation as a result of disturbance Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  - Installation and maintenance of a proper stream crossing device It ime construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   | timed where possible to avoid peak breeding periods.     |
| Changes in composition of vegetation as a result of disturbance.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  Changes in composition of vegetation as a result of disturbance.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Example 1   |   |  |
| - avoid the filling of small wetlands use design with low risk to wildlife electrocution or collision - fit bird flight divertors to powerlines in bird migration areas.  Changes in composition of vegetation as a result of disturbance.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  IntEAuction of exotic plant species resulting from vegetative erosion control.  IntEAuction stress due to nutrient loss as a result of soil deterioration.  - avoid the filling of small wetlands use design with low risk to wildlife electrocution or collision - fit bird flight divertors to powerlines in bird migration areas construction timing to minimise soil disturbance restoration of soils to a stable condition minimise serosion from the right-of-way by maintaining a cover crop mechanical erosion control minimise stream bank erosion from the right-of-way by maintaining a cover crop mechanical erosion control minimise serosion from the right-of-way by maintaining a cover crop mechanical erosion from the right-of-way by maintaining a cover crop mechanical erosion from the right-of-way by maintaining a cover crop mechanical erosion from the right-of-way by maintaining a cover crop mechanical erosion from the right-of-way by maintaining a cover crop minimise stream bank erosion prom the right-of-way by maintaining a cover crop minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses installation of sediment traps when necessary avoid filling small wellands servings as staging areas for waterfowl migration Installation of sediment traps when necessary avoid filling small wellands servings as traps areas for waterfowl migration Installation of sediment traps when necessary avoid filling small wellands  |   |  |
| Changes in composition of vegetation as a result of disturbance.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Possible loss of wildlife/fish migration/travel routes.  Changes in vegetation of vegetation as a result of soil deterioration.  Changes in vegetation at a result of disturbance.  - construction timing to minimise soil disturbance.  - construction timing to minimise soil disturbance.  - restoration of soils to a stable condition.  - minimise erosion from the right-of-way by maintaining a cover crop.  - minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  - avoid filling small wetlands servings as staging areas for waterfowl migration.  - Installation and maintenance of a proper stream crossing device.  - time construction activities to avoid disturbance to migrating fish and wildlife or during breeding.  - Follow Eskom standards for the application of herbicides near watercourses.  - Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  - use of native species for erosion control.  - erosion control measures.   |   | - avoid the filling of small wetlands.                   |
| Changes in composition of vegetation as a result of disturbance.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Possible loss of wildlife/fish migration/travel routes.  Changes in vegetation as a result of soil deterioration.  IntEAuction of exotic plant species resulting from vegetation expectation of understanding to the proper stream to soil deterioration.  Interview of the proper stream to powerlines in bird migration areas.  Changes in vegetation due to soil of the powerlines in bird migration areas.  Fill bird flight divertors to powerlines in bird migration areas.  Construction timing to minimise soil disturbance.  restoration of soils to a stable condition.  minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  avoid filling small wetlands servings as staging areas for waterfowl migration.  Installation and maintenance of a proper stream crossing device.  time construction activities to avoid disturbance to migrating fish and wildlife or during breeding.  Follow Eskom standards for the application of herbicides near watercourses.  Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  Interview of the proper stream crossing for erosion control.   |   |  |
| Changes in composition of vegetation as a result of disturbance.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Iminimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  Installation of sediment traps when necessary.  Installation of sediment traps when necessary.  Installation and maintenance of a proper stream crossing device.  Iminimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  Installation and maintenance of a proper stream crossing device.  Iminimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  Installation and maintenance of a proper stream crossing device.  Iminimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  Installation and maintenance of a proper stream crossing device.  Iminimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  Installation and maintenance of a proper stream crossing device.  Iminimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  Installation and maintenance of a proper stream crossing device.  Iminimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  Installation and maintenance of a proper stream crossing de |   | - fit bird flight divertors to powerlines in bird        |
| result of disturbance.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of stream bottom habitat and increased turbidity due to sedimentation.  Removal or burial of sedimentation.  Recharcian gacover crop.  Removal or burial of sedimentation.  Replaced a valuation of sediment traps when necessary.  Ravoid filling small wetlands servings as staging areas for waterfowl migration.  Installation and maintenance of a proper stream crossing device.  Rimciant gacover crop.  Recharcian gacover crop.  Recharcian gacover crop.  Recharcian gacover crop.  Recharcian gacover crop.  Recharcianing a cover crop.  Recharcian gacover crop.  Recharcian gacorer crop |   |  |
| maintaining a cover crop.  maintaining a cover crop.  mechanical erosion control.  minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses.  installation of sediment traps when necessary.  Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  Installation of sediment traps when necessary.  avoid filling small wetlands servings as staging areas for waterfowl migration.  Installation and maintenance of a proper stream crossing device.  time construction activities to avoid disturbance to migrating fish and wildlife or during breeding.  Follow Eskom standards for the application of herbicides near watercourses.  Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  | result of disturbance.                        |  |
| - mechanical erosion control minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses installation of sediment traps when necessary avoid filling small wetlands servings as staging areas for waterfowl migration Installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  | Removal or burial of stream bottom habitat    | - minimise erosion from the right-of-way by              |
| - mechanical erosion control minimise stream bank erosion by retaining shrubby bank vegetation and selective cutting, pruning of trees near watercourses installation of sediment traps when necessary avoid filling small wetlands servings as staging areas for waterfowl migration Installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  | and increased turbidity due to sedimentation. | maintaining a cover crop.                                |
| bank vegetation and selective cutting, pruning of trees near watercourses.  - installation of sediment traps when necessary.  - avoid filling small wetlands servings as staging areas for waterfowl migration.  - Installation and maintenance of a proper stream crossing device.  - time construction activities to avoid disturbance to migrating fish and wildlife or during breeding.  - Follow Eskom standards for the application of herbicides near watercourses.  - Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   |  |
| bank vegetation and selective cutting, pruning of trees near watercourses.  - installation of sediment traps when necessary.  - avoid filling small wetlands servings as staging areas for waterfowl migration.  - Installation and maintenance of a proper stream crossing device.  - time construction activities to avoid disturbance to migrating fish and wildlife or during breeding.  - Follow Eskom standards for the application of herbicides near watercourses.  - Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   | - minimise stream bank erosion by retaining shrubby      |
| Possible loss of wildlife/fish migration/travel routes.  Possible loss of wildlife/fish migration/travel routes.  - avoid filling small wetlands servings as staging areas for waterfowl migration.  - Installation and maintenance of a proper stream crossing device.  - time construction activities to avoid disturbance to migrating fish and wildlife or during breeding.  - Follow Eskom standards for the application of herbicides near watercourses.  - Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   |  |
| Possible loss of wildlife/fish migration/travel routes.  - avoid filling small wetlands servings as staging areas for waterfowl migration Installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  |   | trees near watercourses.                                 |
| Possible loss of wildlife/fish migration/travel routes.  - avoid filling small wetlands servings as staging areas for waterfowl migration Installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  |   | - installation of sediment traps when necessary.         |
| - Installation and maintenance of a proper stream crossing device time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  |   | - avoid filling small wetlands servings as staging       |
| - time construction activities to avoid disturbance to migrating fish and wildlife or during breeding Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  | routed.                                       | - Installation and maintenance of a proper stream        |
| migrating fish and wildlife or during breeding.  - Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   |  |
| - Follow Eskom standards for the application of herbicides near watercourses Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  |   |  |
| - Preserve and/or augment existing natural corridor crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   | - Follow Eskom standards for the application of          |
| crossings; investigate tower placement to optimise clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   |  |
| clearances to preserve existing vegetation.  IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of  |   |  |
| IntEAuction of exotic plant species resulting from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   |  |
| from vegetative erosion control.  Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   | IntEAuction of evotic plant species resulting |  |
| Vegetation stress due to nutrient loss as a result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   | - use of flative species for efficient control.          |
| result of soil deterioration.  Changes in vegetation due to soil - time construction/clearing to take advantage of   |   | erosion control measures                                 |
| Changes in vegetation due to soil - time construction/clearing to take advantage of  |   | - Grosion Control micasciles.                            |
|  |   | - time construction/clearing to take advantage of        |
| \\\\\\\\   | disturbance (topsoil-subsoil mixing).         | stable soil conditions.                                  |

