

DU SAHRIS  
ID 986

Our Reference:  
T7073 Brakfontein

Your Reference:  
17/2/3/GS-84



7 May 2012

**South African Heritage Resources Agency**  
P O Box 4637  
Cape Town  
8000

Attention: Mr. Phillip Hine

**Via Registered Mail**

Reg. No. 2001/080535/23

PO Box 32017, Totiusdal, 0134

414 Rustic Road  
Silvertondale, 0184  
Pretoria

Tel: (012) 804 1504/ 6

Fax: (012) 804 7072

e-mail: admin@torbiousolutions.co.za

Dear Sir,

**DRAFT BASIC ASSESSMENT REPORT FOR AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 ("NEMA") AS AMENDED TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION MAST ON PORTION 12 OF FARM BRAKFORTEIN 522 IS**

Kindly receive the draft Basic Assessment Report for the above mentioned application.

We request you to evaluate the attached report on the proposed project and provide us and the Mpumalanga Department of Economic Development, Environment and Tourism with your written comments and / or inputs, if any, by faxing or e-mailing such within 40 days from the date of this letter. It will be assumed that you do not have any comments on the Basic Assessment Report of the proposed project on the expiry of the 40 day response period.

Should you have any further queries please do not hesitate to contact us

Kind Regards,

A handwritten signature in black ink, appearing to read "MN", is written over a horizontal line.

**Monica Niehof**

For: Torbious Solutions cc



**Comments:**

---

---

---

10 MAY 2015  
REC'D  
RECEIVED



# the dedet

Department:  
Economic Development, Environment and Tourism  
MPUMALANGA PROVINCIAL GOVERNMENT


Basic assessment report in terms of the  
Environmental Impact Assessment Regulations, 2010, promulgated in terms of the National  
Environmental Management Act, 1998(Act No. 107 of 1998), as amended.

File Reference Number:	(For applicant / EAP to complete) 17/2/3/GS-84
Project Title:	The establishment of a telecommunication mast – T7073 Brakfontein
Name of Responsible Official:	Mr. Bheki Mndawe

NEAS Reference Number:	(For official use only)
Date Received:	

#### Kindly note that:

1. Required information must be typed within the spaces provided in the form. The size of the spaces provided is not necessarily indicative of the amount of information to be provided. Tables can be extended as each space is filled with typing.
2. Where applicable **black out** the boxes that are not applicable in the form.
3. An incomplete report may be returned to the applicant for revision.
4. The use of "not applicable" in the report must be done with circumspection because if it is used in respect of material information that is required by the competent authority for assessing the application, it may result in the rejection of the application as provided for in the regulations.
5. All reports (draft and final) must be submitted to the Department at the address of the relevant **DISTRICT OFFICE** given below or by delivery thereof to the relevant **DISTRICT OFFICE**. Should the reports not be submitted at the relevant district office, they will not be considered.
6. No faxed or e-mailed reports will be accepted.
7. One copy of the draft version of this report must be submitted to the relevant district office. The case officer may request more than one copy in certain circumstances.
8. **Copies of the draft report must be submitted to the relevant State Departments / Organs of State for comment.** In order to give effect to Regulation 56(7), proof of submission/delivery of the draft documents to the State Departments / Organs of State must be attached to the draft version of this report.
9. Unless protected by law, all information in the report will become public information on receipt by the competent authority. Any interested and affected party should be provided with the information contained in this report on request, during any stage of the application process.
10. All specialist reports must be appended to this document, and all specialists must complete a declaration of independence, which is obtainable from the Department.





**SECTION A: BACKGROUND INFORMATION**

Project applicant:	MTN (Pty) Ltd		
Trading name (if any):	MTN (Pty) Ltd		
Contact person:	Ms. Maria van Tonder		
Physical address:	Building 1, Commerce Square, 39 Rivonia Road, Sandton		
Postal address:	-		
Postal code:	-	Cell:	083 209 1169
Telephone:	-	Fax:	011 911 5460
E-mail:	Vanton_m@mtn.co.za		

Environmental Assessment Practitioner:	Torbiose Solutions cc		
Contact person:	Monica Niehof		
Postal address:	P.O. Box 32017, Totiusdal		
Postal code:	0134	Cell:	072 607 8719
Telephone:	(012) 804 1504	Fax:	0866900441 / 0866900468
E-mail:	admin@torbiouseolutions.co.za		
Qualifications:	10 Years Environmental Impact Assessment evaluations		
Professional affiliations (if any):	-		

**SECTION B: DETAILED DESCRIPTION OF THE PROPOSED ACTIVITY**

Describe the activity, which is being applied for, in detail. The description must include the size of the proposed activity (or in the case of linear activities, the length) and the size of the area that will be transformed by the activity.

**Regulation 546 Activity 3: Construction of a 54m high lattice mast painted red and white with antennae and a 81m<sup>2</sup> MTN (Pty) Ltd telecommunication base station with equipment containers enclosed by a 2,4 m high steel palisade fence on Portion 12 of the Farm Brakfontein 522 IS.**

**SECTION C: PROPERTY/SITE DESCRIPTION**

Provide a full description of the preferred site alternative (farm name and number, portion number, registration division, erf number etc.):

**Portion 12 of the Farm Brakfontein 522 IS**



Indicate the position of the activity using the latitude and longitude of the centre point of the preferred site alternative. The co-ordinates should be in degrees and decimal minutes. The minutes should have at least three decimals to ensure adequate accuracy. The projection that must be used in all cases is the WGS84 spheroid in a national or local projection. The position of alternative sites must be indicated in Section B of this document.

Latitude (S):		Longitude (E):	
26°	59.475'	29°	36.847'

**In the case of linear activities:**

- Starting point of the activity
- Middle point of the activity
- End point of the activity

Latitude (S):		Longitude (E):	
o	'	o	'
o	'	o	'
o	'	o	'

### SITE OR ROUTE PLAN

A detailed site or route plan(s) must be prepared for each alternative site or alternative activity. It must be attached as an appendix to this document.

The site or route plans must be at least A3 and must include the following:

- 6.1 a reference no / layout plan no., date, and a legend / land use table
- 6.2 the scale of the plan which must be at least a scale of 1:2000;
- 6.3 the current land use as well as the land use zoning of each of the properties adjoining the site or sites;
- 6.4 the exact position of each element of the application as well as any other structures on the site;
- 6.5 the position of services, including electricity supply cables (indicate above or underground), water supply pipelines, boreholes, street lights, sewage pipelines, storm water infrastructure and telecommunication infrastructure;
- 6.6 all indigenous trees taller than 1.8 metres and all vegetation of conservation concern (protected, endemic and/or red data species);
- 6.8 servitudes indicating the purpose of the servitude;
- 6.9 sensitive environmental elements within 100 metres of the site or sites including (but not limited thereto):
  - watercourses and wetlands;
  - the 1:100 year flood line;
  - ridges;
  - cultural and historical features;
- 6.9 10 metre contour intervals

### SITE PHOTOGRAPHS

Colour photographs from the centre of the site must be taken in at least the eight major compass directions with a description of each photograph. Photographs must be attached as an appendix to this form.

### FACILITY ILLUSTRATION

A detailed illustration of the activity must be provided at a scale of 1:200 as an appendix for activities that include structures. The illustrations must be to scale and must represent a realistic image of the planned activity. The illustration must give a representative view of the activity.





**SECTION D: BASIC ASSESSMENT REPORT**

Prepare a basic assessment report that complies with Regulation 22 of the Environmental Impact Assessment Regulations, 2010. The basic assessment report must be attached to this form and must contain all the information that is necessary for the competent authority to consider the application and to reach a decision contemplated in Regulation 25, and must include:

(Checklist for official use only)

1. A description of the environment that may be affected by the proposed activity and the manner in which the geographical, physical, biological, social, economic and cultural aspects of the environment may be affected by the proposed activity.	
2. An identification of all legislation and guidelines that have been considered in the preparation of the basic assessment report.	
3. Details of the public participation process conducted in terms of Regulation 21(2)(a) in connection with the application, including – (i) the steps that were taken to notify potentially interested and affected parties of the proposed application; (ii) proof that notice boards, advertisements and notices notifying potentially interested and affected parties of the proposed application have been displayed, placed or given; (iii) a list of all persons, organisations and organs of state that were registered in terms of regulation 55 as interested and affected parties in relation to the application; and (iv) a summary of the issues raised by interested and affected parties, the date of receipt of and the response of the EAP to those issues;	
4. A description of the need and desirability of the proposed activity;	
5. A description of any identified alternatives to the proposed activity that are feasible and reasonable, including the advantages and disadvantages that the proposed activity or alternatives will have on the environment and on the community that may be affected by the activity;	
6. A description and assessment of the significance of any environmental impacts, including— (i) cumulative impacts, that may occur as a result of the undertaking of the activity or identified alternatives or as a result of any construction, erection or decommissioning associated with the undertaking of the activity; (ii) the nature of the impact; (iii) the extent and duration of the impact; (iv) the probability of the impact occurring; (v) the degree to which the impact can be reversed; (vi) the degree to which the impact may cause irreplaceable loss of resources; and (vii) the degree to which the impact can be mitigated;	
7. Any environmental management and mitigation measures proposed by the EAP;	
8. Any inputs and recommendations made by specialists to the extent that may be necessary;	
9. A draft environmental management programme containing the aspects contemplated in regulation 33;	
10. A description of any assumptions, uncertainties and gaps in	





knowledge;	
11. A reasoned opinion as to whether the activity should or should not be authorised, and if the opinion is that it should be authorised, any conditions that should be made in respect of that authorisation	
12. Any representations, and comments received in connection with the application or the basic assessment report;	
13. The minutes of any meetings held by the EAP with interested and affected parties and other role players which record the views of the participants;	
14. Any responses by the EAP to those representations, comments and views;	
15. Any specific information required by the competent authority; and	
16. Any other matters required in terms of sections 24(4)(a) and (b) of the Act.	

**The basic assessment report must take into account -**

- (a) any relevant guidelines; and
- (b) any departmental policies, environmental management instruments and other decision making instruments that have been developed or adopted by the competent authority in respect of the kind of activity which is the subject of the application.

\* In terms of Regulation 22(4), the EAP managing the application must provide the competent authority with detailed, written proof of an investigation as required by section 24(4)(b)(i) of the Act and motivation if no reasonable or feasible alternatives, as contemplated in subregulation 22(2)(h), exist.

Have reasonable and feasible alternatives been identified, described and assessed?	<input type="checkbox"/>	<input checked="" type="checkbox"/> <b>NO</b>
If NO, the motivation and investigation required in terms of Regulation 22(4) must be attached as an Appendix to this document – <b><i>Please refer to Appendix G6</i></b>		

**1. A DESCRIPTION OF THE ENVIRONMENT**

This section describes the environment that may be affected by the proposed activity and the manner in which the geographical, physical, biological, social, economic and cultural aspects of the environment may be affected by the proposed activity in terms of *Regulation 22 sub-regulation 2 (d) of the EIA Regulations, 2010.*


**1.1 PHYSICAL ENVIRONMENT**

**Gradient of the Site**

Indicate the general gradient of the site.


**Alternative S1:**

<b>Flat</b>	1:50	1:20	1:15	1:10	1:7,5	Steeper than 1:5
	1:20	1:15	1:10	1:7,5	1:5	




## Location in landscape

Indicate the landform(s) that best describes the site:



### 2.7 Undulating plain / low hills




## Groundwater, Soil and Geological stability of the site

Is the site(s) located on any of the following (tick the appropriate boxes)?

### Alternative S1:

Shallow water table (less than 1.5m deep)	YES	NO
Dolomite, sinkhole or doline areas	YES	NO
Seasonally wet soils (often close to water bodies)	YES	NO
Unstable rocky slopes or steep slopes with loose soil	YES	NO
Dispersive soils (soils that dissolve in water)	YES	NO
Soils with high clay content (clay fraction more than 40%)	YES	NO
Any other unstable soil or geological feature	YES	NO
An area sensitive to erosion	YES	NO

If you are unsure about any of the above or if you are concerned that any of the above aspects may be an issue of concern in the application, an appropriate specialist should be appointed to assist in the completion of this section. (Information in respect of the above will often be available as part of the project information or at the planning sections of local authorities. Where it exists, the 1:50 000 scale Regional Geotechnical Maps prepared by the Council for Geo Science may also be consulted).





## 1.2 BIOLOGICAL ENVIRONMENT - Alternative S1:

### Groundcover

Indicate the types of groundcover present on the site:

The location of all identified rare or endangered species or other elements should be accurately indicated on the site plan(s).

Natural veld <sup>E</sup> Very disturbed overgrazed.	Natural veld with scattered aliens <sup>E</sup>	Natural veld with heavy alien infestation <sup>E</sup>	Veld dominated by alien species <sup>E</sup>	Gardens
Sport field	<b>Cultivated land</b>	Paved surface	Building or other structure	Bare soil

If any of the boxes marked with an "E" is ticked, please consult an appropriate specialist to assist in the completion of this section if the environmental assessment practitioner doesn't have the necessary expertise.

## 1.3 SOCIO-ECONOMIC ENVIRONMENT

### Land use character of surrounding area

Indicate land uses and/or prominent features that does currently occur within a 500m radius of the site and give description of how this influences the application or may be impacted upon by the application:

- 1.3.1 Natural area
- 1.3.2 Low density residential**
- 1.3.3 Medium density residential
- 1.3.4 High density residential
- 1.3.5 Informal residential<sup>A</sup>
- 1.3.6 Retail commercial & warehousing
- 1.3.7 Light industrial
- 1.3.8 Medium industrial<sup>AN</sup>
- 1.3.9 Heavy industrial<sup>AN</sup>
- 1.3.10 Power station
- 1.3.11 Office/consulting room
- 1.3.12 Military or police base/station/compound
- 1.3.13 Spoil heap or slimes dam<sup>A</sup>
- 1.3.14 Quarry, sand or borrow pit
- 1.3.15 Dam or reservoir
- 1.3.16 Hospital/medical centre
- 1.3.17 School
- 1.3.18 Tertiary education facility
- 1.3.19 Church
- 1.3.20 Old age home
- 1.3.21 Sewage treatment plant<sup>A</sup>
- 1.3.22 Train station or shunting yard<sup>N</sup>
- 1.3.23 Railway line<sup>N</sup>
- 1.3.24 Major road (4 lanes or more)<sup>N</sup>
- 1.3.25 Airport<sup>N</sup>
- 1.3.26 Harbour
- 1.3.27 Sport facilities



- 1.3.28 Golf course
- 1.3.29 Polo fields
- 1.3.30 Filling station<sup>H</sup>
- 1.3.31 Landfill or waste treatment site
- 1.3.32 Plantation
- 1.3.33 Agriculture**
- 1.3.34 River, stream or wetland
- 1.3.35 Nature conservation area
- 1.3.36 Mountain, koppie or ridge
- 1.3.37 Museum
- 1.3.38 Historical building
- 1.3.39 Protected Area
- 1.3.40 Graveyard
- 1.3.41 Archaeological site
- 1.3.42 Other land uses (describe) – Farmland**

If any of the boxes marked with an "N" are ticked, how will this impact / be impacted upon by the proposed activity? **No**

If any of the boxes marked with an "An" are ticked, how will this impact / be impacted upon by the proposed activity? **No**

If YES, specify and explain:

If YES, specify:

If any of the boxes marked with an "H" are ticked, how will this impact / be impacted upon by the proposed activity? **No**

If YES, specify and explain:

If YES, specify:





**Waste, effluent, emission and noise management**

**(a) Solid waste management**

Will the activity produce solid construction waste during the construction/initiation phase?

YES	NO
-----	----

If yes, what estimated quantity will be produced per month?

2m <sup>3</sup> (6 weeks construction period only)
--

How will the construction solid waste be disposed of (describe)?

**Loaded and transported by a suitable, roadworthy commercial vehicle to the nearest registered landfill site.**

Where will the construction solid waste be disposed of (describe)?

**At a suitable registered landfill site within the immediate area.**

Will the activity produce solid waste during its operational phase?

YES	NO
-----	----

If yes, what estimated quantity will be produced per month?

m <sup>3</sup>
----------------

How will the solid waste be disposed of (describe)?

-

Where will the solid waste be disposed if it does not feed into a municipal waste stream (describe)?

-

If the solid waste (construction or operational phases) will not be disposed of in a registered landfill site or be taken up in a municipal waste stream, then the applicant should consult with the competent authority to determine whether it is necessary to change to an application for scoping and EIA.

Can any part of the solid waste be classified as hazardous in terms of the relevant legislation?

YES	NO
-----	----

If yes, inform the competent authority and request a change to an application for scoping and EIA.

Is the activity that is being applied for a solid waste handling or treatment facility?

YES	NO
-----	----

If yes, then the applicant should consult with the competent authority to determine whether it is necessary to change to an application for scoping and EIA.

**(b) Liquid effluent**

Will the activity produce effluent, other than normal sewage, that will be disposed of in a municipal sewage system?

YES	NO
-----	----

If yes, what estimated quantity will be produced per month?

m <sup>3</sup>
----------------

Will the activity produce any effluent that will be treated and/or disposed of on site?

YES	NO
-----	----

If yes, the applicant should consult with the competent authority to determine whether it is necessary to change to an application for scoping and EIA.

Will the activity produce effluent that will be treated and/or disposed of at another facility?

YES	NO
-----	----

If yes, provide the particulars of the facility:


Facility name:	-		
Contact person:	-		
Postal address:	-		
Postal code:	-		
Telephone:	-	Cell:	-
E-mail:	-	Fax:	-

Describe the measures that will be taken to ensure the optimal reuse or recycling of waste water, if any:

--







**(c) Emissions into the atmosphere**

Will the activity release emissions into the atmosphere?

YES	NO
YES	NO

If yes, is it controlled by any legislation of any sphere of government?

If yes, the applicant should consult with the competent authority to determine whether it is necessary to change to an application for scoping and EIA.

If no, describe the emissions in terms of type and concentration:

**Non-ionised electromagnetic fields with power density < 10W/m<sup>2</sup> (Department of Health Guidelines based on International Commission on Non-Ionising Radiation Protection (ICNIRP) and World Health Organisation (WHO) guidelines.**

**(d) Generation of noise**

Will the activity generate noise?

YES	NO
YES	NO

If yes, is it controlled by any legislation of any sphere of government?

If yes, the applicant should consult with the competent authority to determine whether it is necessary to change to an application for scoping and EIA.

If no, describe the noise in terms of type and level:

**Minimum noise generation will emanate from the installed air conditioners at a <60dB noise level. The level of noise generation is well within the acceptable norm and will not cause a disturbance to the surrounding environment.**

**(e) Water Use**

Please indicate the source(s) of water that will be used for the activity by ticking the appropriate box(es)

municipal	water board	groundwater	river, stream, dam or lake	other	<b>the activity will not use water</b>
-----------	-------------	-------------	----------------------------	-------	--

If water is to be extracted from groundwater, river, stream, dam, lake or any other natural feature, please indicate

the volume that will be extracted per month:

litres	
YES	NO

Does the activity require a water use permit from the Department of Water Affairs?

If yes, please submit the necessary application to the Department of Water Affairs and attach proof thereof to this application if it has been submitted.


**(f) Energy Efficiency**

Describe the design measures, if any, that have been taken to ensure that the activity is energy efficient:

**High technological mobile telecommunication operating systems are in principle designed for minimum, cost effective energy consumption in order to preserve resources and to optimise the financial yield generated by the base station.**

Describe how alternative energy sources have been taken into account or been built into the design of the activity, if any:

**Alternative energy sources have not been taken into account in the design of the activity.**



## 1.4 CULTURAL ENVIRONMENT

### Cultural/Historical Features


Are there any signs of culturally or historically significant elements, as defined in section 2 of the National Heritage Resources Act, 1999, (Act No. 25 of 1999), including Archaeological or palaeontological sites, on or close (within 20m) to the site?	YES	NO
	Uncertain	
If YES, explain:		
If uncertain, conduct a specialist investigation by a recognised specialist in the field to establish whether there is such a feature(s) present on or close to the site.		
Briefly explain the findings of the specialist:		
Will any building or structure older than 60 years be affected in any way?	YES	NO
Is it necessary to apply for a permit in terms of the National Heritage Resources Act, 1999 (Act 25 of 1999)?	YES	NO
If yes, please submit or, make sure that the applicant or a specialist submits the necessary application to SAHRA or the relevant provincial heritage agency and attach proof thereof to this application if such application has been made.		

## 2. APPLICABLE LEGISLATION, POLICIES AND/OR GUIDELINES – IN TERMS OF *Regulation 22 sub-regulation 2 (e) of the EIA Regulations, 2010*

List all legislation, policies and/or guidelines of any sphere of government that are applicable to the application as contemplated in the EIA regulations, if applicable:

Title of legislation, policy or guideline:	Administering authority:	Date:
National Environmental Management Act (NEMA) No. 107 of 1998 & related regulations & guidelines	Mpumalanga Province Department of Economic Development, Environment and Tourism	27/11/1998
Civil Aviation Act, 2009 (Act No. 13 of 2009)	South African Civil Aviation Authority	2009
Approval in terms of town planning schemes and/or National Building Regulations	Gert Sibande District Municipality (Lekwa Local Municipality)	Unknown
Occupational Health and Safety Act (No. 85 of 1993)	Department of Labour	1993
National Veld and Forest Fire Act (No. 101 of 1998)	Department of Water and Environmental Affairs	1998
National Heritage Resources Act (No. 25 of 1999)	South African Heritage Resources Agency	1999







### 3. PUBLIC PARTICIPATION – IN TERMS OF *Regulation 22 sub-regulation 2 (f) of the EIA Regulations, 2010*


The person conducting a public participation process must take into account any guidelines applicable to public participation as contemplated in section 24J of the Act and must give notice to all potential interested and affected parties of the application which is subjected to public participation by—

- (a) fixing a notice board (of a size at least 60cm by 42cm; and must display the required information in lettering and in a format as may be determined by the competent authority) at a place conspicuous to the public at the boundary or on the fence of—
  - (i) the site where the activity to which the application relates is or is to be undertaken; and
  - (ii) any alternative site mentioned in the application;
- (b) giving written notice to—
  - (i) the owner or person in control of that land if the applicant is not the owner or person in control of the land;
  - (ii) the occupiers of the site where the activity is or is to be undertaken or to any alternative site where the activity is to be undertaken;
  - (iii) owners and occupiers of land adjacent to the site where the activity is or is to be undertaken or to any alternative site where the activity is to be undertaken;
  - (iv) the municipal councillor of the ward in which the site or alternative site is situated and any organisation of ratepayers that represent the community in the area;
  - (v) the municipality which has jurisdiction in the area;
  - (vi) any organ of state having jurisdiction in respect of any aspect of the activity; and
  - (vii) any other party as required by the competent authority;
- (c) placing an advertisement in—
  - (i) one local newspaper; or
  - (ii) any official *Gazette* that is published specifically for the purpose of providing public notice of applications or other submissions made in terms of these Regulations;
- (d) placing an advertisement in at least one provincial newspaper or national newspaper, if the activity has or may have an impact that extends beyond the boundaries of the metropolitan or local municipality in which it is or will be undertaken: Provided that this paragraph need not be complied with if an advertisement has been placed in an official *Gazette* referred to in subregulation 54(c)(ii); and
- (e) using reasonable alternative methods, as agreed to by the competent authority, in those instances where a person is desiring of but unable to participate in the process due to—
  - (i) illiteracy;
  - (ii) disability; or
  - (iii) any other disadvantage.

#### 3.1 Content of Advertisements and Notices

A notice board, advertisement or notices must:

- (a) indicate the details of the application which is subjected to public participation; and
- (b) state—



- (i) that the application has been submitted to the competent authority in terms of these Regulations, as the case may be;
- (ii) whether basic assessment or scoping procedures are being applied to the application, in the case of an application for environmental authorisation;
- (iii) the nature and location of the activity to which the application relates;
- (iv) where further information on the application or activity can be obtained; and
- (iv) the manner in which and the person to whom representations in respect of the application may be made.

### **3.2 Placement of Advertisements and Notices**

Where the proposed activity may have impacts that extend beyond the municipal area where it is located, a notice must be placed in at least one provincial newspaper or national newspaper, indicating that an application will be submitted to the competent authority in terms of these regulations, the nature and location of the activity, where further information on the proposed activity can be obtained and the manner in which representations in respect of the application can be made, unless a notice has been placed in any *Gazette* that is published specifically for the purpose of providing notice to the public of applications made in terms of the EIA regulations.

Advertisements and notices must make provision for all alternatives.

### **3.3 Determination of Appropriate Measures**

The practitioner must ensure that the public participation is adequate and must determine whether a public meeting or any other additional measure is appropriate or not based on the particular nature of each case. Special attention should be given to the involvement of local community structures such as Ward Committees, ratepayers associations and traditional authorities where appropriate. Please note that public concerns that emerge at a later stage that should have been addressed may cause the competent authority to withdraw any authorisation it may have issued if it becomes apparent that the public participation process was inadequate.

### **3.4 Comments and response report**

The practitioner must record all comments and respond to each comment of the public before the application is submitted. The comments and responses must be captured in a comments and response report as prescribed in the EIA regulations and be attached to this application. The comments and response report must be attached under Appendix E.

### **3.5 Authority Participation**

**Please note that a complete list of all organs of state and or any other applicable authority with their contact details must be appended to the basic assessment report or scoping report, whichever is applicable.**

Authorities are key interested and affected parties in each application and no decision on any application will be made before the relevant local authority is provided with the opportunity to give input.







List of authorities informed:

South African Heritage Resources Agency (SAHRA)  
 Lekwa Local Municipality  
 Gert Sibande District Municipality  
 Mpumalanga Tourism and Parks Agency (MTPA)

List of authorities from whom comments have been received:

None

**3.6 Consultation with other Stakeholders**

Note that, for linear activities, or where deviation from the public participation requirements may be appropriate, the person conducting the public participation process may deviate from the requirements of that subregulation to the extent and in the manner as may be agreed to by the competent authority.

Proof of any such agreement must be provided, where applicable.

Has any comment been received from stakeholders? **YES** **NO**

If "YES", briefly describe the feedback below (also attach copies of any correspondence to and from the stakeholders to this application):

-

**4. NEED AND DESIRABILITY- IN TERMS OF Regulation 22 sub-regulation 2 (g) of the EIA Regulations, 2010**

**ACTIVITY MOTIVATION**

**1(a) Socio-economic value of the activity**

What is the expected capital value of the activity on completion?	<b>R 500 000</b>
What is the expected yearly income that will be generated by or as a result of the activity?	<b>Unknown</b>
Will the activity contribute to service infrastructure?	<b>YES</b> <b>NO</b>
Is the activity a public amenity?	<b>YES</b> <b>NO</b>
How many new employment opportunities will be created in the development phase of the activity?	<b>0</b>
What is the expected value of the employment opportunities during the development phase?	<b>R0</b>
What percentage of this will accrue to previously disadvantaged individuals?	<b>0%</b>
How many permanent new employment opportunities will be created during the operational phase of the activity?	<b>0</b>
What is the expected current value of the employment opportunities during the first 10 years?	<b>R0</b>
What percentage of this will accrue to previously disadvantaged individuals?	<b>0%</b>

**(b) Need and desirability of the activity**

Motivate and explain the need and desirability of the activity (including demand for the activity):


<b>NEED:</b>		
1.	Was the relevant provincial planning department involved in the	<b>YES</b> <b>NO</b>





	application?		
2.	Does the proposed land use fall within the relevant provincial planning framework?	YES	NO
3.	<p>If the answer to questions 1 and / or 2 was NO, please provide further motivation / explanation:</p> <p><b>Cellular telecommunication technology is an integral part of modern daily life and licensed cellular telecommunication service operators have an obligation in terms of their license agreements, as stipulated by national government, to provide the services throughout South Africa within the allocated bandwidth spectrum. The cellular telecommunication user base is still increasing (quantitative growth) and users must be enabled to choose the services rendered by any of the licensed operators anywhere in South Africa (choice and availability). The expansion of service types and content (content &amp; technology growth) furthermore requires continuous equipment and network fine-tuning, upgrades and expansion. The user base also expects a continuous quality service to be provided and therefore network capacity and capabilities are under constant review to maintain or improve quality coverage (qualitative growth).</b></p> <p><b>MTN (Pty) Ltd network and radio planners have identified an essential requirement in terms of the above objectives in the immediate surroundings of the planned base station in this area. MTN (Pty) Ltd is committed to preventing the proliferation of telecommunication installations and the sharing of the infrastructure by other telecommunication service providers is promoted wherever possible and existing structures will be utilized if such supports and is suitable for the establishment of a required base station.</b></p>		

<b>DESIRABILITY:</b>			
1.	Does the proposed land use / development fit the surrounding area?	YES	NO
2.	Does the proposed land use / development conform to the relevant structure plans, SDF and planning visions for the area?	YES	NO
3.	Will the benefits of the proposed land use / development outweigh the negative impacts of it?	YES	NO
4.	<p>If the answer to any of the questions 1-3 was NO, please provide further motivation / explanation:</p> <p>-</p>		
5.	Will the proposed land use / development impact on the sense of place?	YES	NO
6.	Will the proposed land use / development set a precedent?	YES	NO
7.	Will any person's rights be affected by the proposed land use / development?	YES	NO
8.	Will the proposed land use / development compromise the "urban edge"?	YES	NO
9.	<p>If the answer to any of the question 5-8 was YES, please provide further motivation / explanation.</p> <p>-</p>		





5. **ALTERNATIVES– IN TERMS OF Regulation 22 sub-regulation 2 (h) of the EIA Regulations, 2010**

**FEASIBLE AND REASONABLE ALTERNATIVES – Please refer to the motivation that no feasible and reasonable alternatives exists for this particular activity attached in Appendix G of this Basic Assessment Report.**

**“alternatives”**, in relation to a proposed activity, means different means of meeting the general purpose and requirements of the activity, which may include alternatives to—

- (a) the property on which or location where it is proposed to undertake the activity;
- (b) the type of activity to be undertaken;
- (c) the design or layout of the activity;
- (d) the technology to be used in the activity;
- (e) the operational aspects of the activity; and
- (f) the option of not implementing the activity.

Describe alternatives that are considered in this application. Alternatives should include a consideration of all possible means by which the purpose and need of the proposed activity could be accomplished in the specific instance taking account of the interest of the applicant in the activity. The no-go alternative must in all cases be included in the assessment phase as the baseline against which the impacts of the other alternatives are assessed. The determination of whether site or activity (including different processes etc.) or both is appropriate needs to be informed by the specific circumstances of the activity and its environment. After receipt of this report the competent authority may also request the applicant to assess additional alternatives that could possibly accomplish the purpose and need of the proposed activity if it is clear that realistic alternatives have not been considered to a reasonable extent.

**5.1 ACTIVITY POSITION**


Indicate the position of the activity using the latitude and longitude of the centre point of the site for each alternative site. The co-ordinates should be in degrees and decimal minutes. The minutes should have at least three decimals to ensure adequate accuracy. The projection that must be used in all cases is the WGS84 spheroid in a national or local projection.  
List alternative sites, if applicable.

<b>Alternative:</b>	<b>Latitude (S):</b>		<b>Longitude (E):</b>	
Alternative S1 <sup>1</sup>	26°	59.475'	29°	36.847'

**In the case of linear activities:**

<b>Alternative:</b>	<b>Latitude (S):</b>		<b>Longitude (E):</b>	
Alternative S1 (preferred or only route alternative)				
• Starting point of the activity	0	'	0	'
• Middle/Additional point of the activity	0	'	0	'
• End point of the activity	0	'	0	'
Alternative S2 (if any)				
• Starting point of the activity	0	'	0	'

<sup>1</sup> "Alternative S" refer to site alternatives.



- Middle/Additional point of the activity
  - End point of the activity
- Alternative S3 (if any)
- Starting point of the activity
  - Middle/Additional point of the activity
  - End point of the activity

0	1	0	1
0	1	0	1

0	1	0	1
0	1	0	1
0	1	0	1

For route alternatives that are longer than 500m, please provide an addendum with co-ordinates taken every 250 meters along the route for each alternative alignment.

## 5.2 PHYSICAL SIZE OF THE ACTIVITY

Indicate the physical size of the preferred activity/technology as well as alternative activities/technologies (footprints):

**Alternative:**

Alternative S1

**Size of the activity:**

81m<sup>2</sup>

or, for linear activities:

**Length of the activity:**

**Alternative:**

Alternative A1<sup>2</sup> (preferred activity alternative)

Alternative A2 (if any)

Alternative A3 (if any)

m
m
m

Indicate the size of the alternative sites or servitudes (within which the above footprints will occur):

**Alternative:**

Alternative S1

**Size of the site/servitude:**

142.8598 H

## 5.3 SITE ACCESS

~~Does ready access to the site exist?~~

If NO, what is the distance over which a new access road will be built

YES	NO
-	

Describe the type of access road planned:

-
---


Include the position of the access road on the site plan and required map, as well as an indication of the road in relation to the site.

## 5.4 SITE OR ROUTE PLAN

A detailed site or route plan(s) must be prepared for each alternative site or alternative activity. It must be attached as Appendix A to this document.

The site or route plans must indicate the following:

<sup>2</sup> "Alternative A" refers to activity, process, technology or other alternatives.





- 5.4.1 the scale of the plan which must be at least a scale of 1:500;
- 5.4.2 the property boundaries and numbers of all the properties within 50 metres of the site;
- 5.4.3 the current land use as well as the land use zoning of each of the properties adjoining the site or sites;
- 5.4.4 the exact position of each element of the application as well as any other structures on the site;
- 5.4.5 the position of services, including electricity supply cables (indicate above or underground), water supply pipelines, boreholes, street lights, sewage pipelines, storm water infrastructure and telecommunication infrastructure;
- 5.4.6 all trees and shrubs taller than 1.8 metres;
- 5.4.7 walls and fencing including details of the height and construction material;
- 5.4.8 servitudes indicating the purpose of the servitude;
- 5.4.9 sensitive environmental elements within 100 metres of the site or sites including (but not limited thereto):
  - rivers;
  - the 1:100 year flood line (where available or where it is required by DWA);
  - ridges;
  - cultural and historical features;
  - areas with indigenous vegetation (even if it is degraded or invested with alien species);
- 5.4.10 for gentle slopes the 1 metre contour intervals must be indicated on the plan and whenever the slope of the site exceeds 1:10, the 500mm contours must be indicated on the plan; and
- 5.4.11 the positions from where photographs of the site were taken.

## 5.5 SITE PHOTOGRAPHS


Colour photographs from the centre of the site must be taken in at least the eight major compass directions with a description of each photograph. Photographs must be attached under Appendix B to this form. It must be supplemented with additional photographs of relevant features on the site, if applicable.

## 5.6 FACILITY ILLUSTRATION

A detailed illustration of the activity must be provided at a scale of 1:200 as Appendix C for activities that include structures. The illustrations must be to scale and must represent a realistic image of the planned activity. The illustration must give a representative view of the activity.

## 5.7 ADVANTAGES AND DISADVANTAGES OF THE PROPOSAL AND ALTERNATIVES

5.7.1 ADVANTAGES:			
1.	Will the land use / development have any benefits for society in general? <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="background-color: #cccccc;">YES</td><td>NO</td></tr></table>	YES	NO
YES	NO		
2.	Explain: <b>The immediate benefits of the activity to society in general can be summarized as follows:</b> <ul style="list-style-type: none"> <li>• Increased and improved national MTN coverage footprint enabling users to communicate on the MTN network wherever they are.</li> <li>• Additional fulfilment of one of government's objectives to ensure the establishment of national communication network grids and services</li> </ul>		



	as part of a sustainable economic growth pattern.		
	-		
	-		
3.	Will the land use / development have any benefits for the local communities where it will be located?	YES	NO
4.	Explain: The motivation and benefits to society in general above apply to the local community directly. It will furthermore ensure that the communication capability and capacity of the local community will keep pace with the ever growing and availability of communication facilities nationwide.		
	-		
	-		
<b>5.7.2 DISADVANTAGES:</b>			
1.	Will the land use / development have any disadvantages for society in general?	YES	NO
2.	Explain: The area has a very low population density and the proposed activity will also be located on a road that is not used by many motorists, therefore the possible negative impacts such health concerns and visual impact have no significance for society in general and in the EAP's opinion is not a disadvantage to them.		
	-		
	-		
3.	Will the land use / development have any disadvantages for the local communities where it will be located?	YES	NO
4.	Explain: The area has a very low population density and the proposed activity will also be located on a road that is not used by many motorists, therefore the possible negative impacts such health concerns and visual impact have a very low significance for local communities and in the EAP's opinion is not a disadvantage to them.		
	-		
	-		

## 6 & 7. IMPACT ASSESSMENT AND MITIGATION MEASURES – IN TERMS OF Regulation 22 sub-regulation 2 (i) – (j) of the EIA Regulations, 2010

The assessment of impacts must adhere to the minimum requirements in the EIA Regulations, 2010, and should take applicable official guidelines into account. The issues raised by interested and affected parties should also be addressed in the assessment of impacts.


### ISSUES RAISED BY INTERESTED AND AFFECTED PARTIES

List the main issues raised by interested and affected parties.

-

Response from the practitioner to the issues raised by the interested and affected parties (A full response must be given in the Comments and Response Report that must be attached to this report as Annexure E):

-





**IMPACTS THAT MAY RESULT FROM THE PLANNING AND DESIGN, CONSTRUCTION, OPERATIONAL, DECOMMISSIONING AND CLOSURE PHASES AS WELL AS PROPOSED MANAGEMENT OF IDENTIFIED IMPACTS AND PROPOSED MITIGATION MEASURES**

List the potential direct, indirect and cumulative property/activity/design/technology/operational alternative related impacts (as appropriate) that are likely to occur as a result of the planning and design phase, construction phase, operational phase, decommissioning and closure phase, including impacts relating to the choice of site/activity/technology alternatives as well as the mitigation measures that may eliminate or reduce the potential impacts listed.

**IMPACTS THAT MAY RESULT FROM THE PLANNING AND DESIGN PHASE**


List the potential site alternative related impacts (as appropriate) that are likely to occur as a result of the planning and design phase, including impacts relating to the choice of site alternatives.

**Alternative S1:**

**Direct impacts:**

**PHYSICAL:**

1. **Safety aspects:** The following safety aspects were taken into consideration in planning the base station:
  - Position & height in terms of official airports, helipads and air traffic routes as determined by SACAA. Mitigated in terms of the SACAA prescribing day & night markings.
  - General installation safety for the general public, owners, technicians etc.: Engineering services incorporated in the design of the mast, foundations and other design and construction safety aspects of the base station;
  - Base station to be surrounded with a 2.4m high galvanised steel palisade fence to prevent unauthorised access to the base station area and mast.
2. **Visual impact:** Evaluation of structure type, height & position, taking into consideration the purpose and objective of the planned activity in terms of mobile telecommunication coverage area and quality of coverage. New base station with 54m lattice telecommunication mast painted red and white selected as most appropriate based on:
  - Investigation of sharing existing infrastructure: No existing facility or infrastructure within range that can fulfil the required capacity in terms of the coverage objectives.
  - 54m height required to achieve maximum coverage objectives in the specific environment and therefore reducing the need for additional base stations to achieve/maintain the same coverage within the coverage target area;
  - Facility sharing capacity incorporated in design to make provision for and promote the sharing of infrastructure in order to prevent the proliferation of masts;
  - Lattice type structure most suitable to fulfil the coverage objectives of the base station due to the coverage range required and the high flexibility of utilising the mast height for varying antennae installation configurations due to the specific characteristics of the area;
  - Lattice design mast painted red & white provides maximum mitigation with maximum visibility from the air to prevent aircraft accidents (day & night markings prescribed by the SACAA for masts above 45m height). Red & white lattice mast provides low mitigation of the visual impact on the short range viewpoints from the ground due to the high visibility of





the colour of the mast and the technical appearance of the mast structure. The population density of the area is low and therefore this impact is of very low significance. Red & white lattice mast provides high mitigation of the medium to long range visual impact from the ground due to the blending capability of the more transparent type mast against the sky background, but not maximum mitigation due to the red and white colour of the mast being visible over a longer distance.

- 2.4m high galvanised steel palisade fence to provide maximum mitigation of the short to long range visual impact of the telecommunication base station due to the blending capability with the surrounding environment and against the sky background.

**BIOLOGICAL:**

The vegetation of the study area is disturbed by agriculture and other human activities. No tall trees or sensitive vegetation will be removed from the study area.

**SOCIO-ECONOMIC:**

Site position has been determined based on the requirement to deliver mobile telecommunication signal coverage and availability within the target area enabling the residents, business entities and the general public within the area to select and maintain quality telecommunication services and connectivity via the MTN mobile telecommunication network. MTN (Pty) Ltd is obliged to fulfil their licence terms and conditions, as determined by government, in providing mobile telephony and related services on a reliable national network grid.

***Indirect impacts:***

The property coverage and development potential has been taken into consideration in selecting the position of the activity. The exact position of the activity on the property was determined, in consultation with the property owner, to minimise the possible impact on existing operations and future development plans or phases. Therefore the commercial value of the property is maintained.

Electricity will be supplied from the existing electricity grid. Minimum usage due to economical and energy efficient design.

***Cumulative impacts:***

No cumulative impacts relating to the design and planning phases are applicable.

Indicate mitigation measures that may eliminate or reduce the potential impacts listed above:

**Alternative S1**

1. Prescribed SACAA day and night markings.
2. Transparent lattice type mast painted red and white.
3. Galvanised steel palisade fence enclosure.
4. Provision for infrastructure sharing.

List the potential activity/technology alternative related impacts (as appropriate) that are likely to occur as a result of the planning and design phase:

**Alternative A1**

***Direct impacts:***

There are no activity or technology alternatives for the establishment of mobile telecommunication base stations.





**Indirect impacts:**

-

**Cumulative impacts:**

-

Indicate mitigation measures that may eliminate or reduce the potential impacts listed above:

**Alternative S1:**

There are no activity or technology alternatives for the establishment of mobile telecommunication base stations.

**No-go alternative (compulsory)**

**Direct impacts:**

Status quo.

**Indirect impacts:**

Status quo.

**Cumulative impacts:**

Status quo.

**IMPACTS THAT MAY RESULT FROM THE CONSTRUCTION PHASE**

List the potential site alternative related impacts (as appropriate) that are likely to occur as a result of the construction phase:

**Alternative S1:**

**Direct impacts:**

Construction of the telecommunication base station will extend over a period of approximately 6 weeks only;

1. Increased activity and traffic at the property including material delivery and work team movements.
2. Minimum disruption of operations within the vicinity as the base station is located in an area with low activity.
3. Increased workplace accident risk due to the mere occurrence of the activity.
4. Creation of dust and disturbance of specific soil layers due to earthwork activities.
5. Erosion and contamination of topsoil.
6. Generation of standard building rubble & the transportation thereof to the appropriate licensed landfill site.
7. Generation of construction noise created by earthwork machinery and other applicable tooling used for the establishment of the base station.

**Indirect impacts:**

Additional waste at appropriately certified dumping site.

**Cumulative impacts:**

Construction activity.

Indicate mitigation measures that may eliminate or reduce the potential impacts listed above:

**Alternative S1:**

1. & 2. Specific arrangements with property owner to minimise disruption of normal activities.
3. Implement & maintain specific construction site safety measures in accordance with the applicable clauses of the OHS Act.
4. Implement specific construction measures to prevent dust e.g. regular sprinkling bare areas with water as needed.



5. Prevent and minimise construction waste generation. Transport construction waste on a regular basis to the appropriate landfill site.
6. Store topsoil separately for appropriate landscaping distribution on completion of construction. Prevent pollution and contamination and erosion of topsoil by covering it with water proof covering when experiencing rainy or windy conditions. Service construction vehicles and machinery before construction to ensure that no oil or fuel will leak onto soil.
7. Minimise noise generation to absolute minimum. Service vehicles and machinery before start of construction to ensure proper working condition. Construction activities should not be allowed outside normal working hours or on Sundays and Public Holidays.

List the potential activity/technology alternative related impacts (as appropriate) that are likely to occur as a result of the construction phase:

**Alternative A1**

**Direct impacts:**

There are no activity or technology alternatives for the establishment of mobile telecommunication base stations.

**Indirect impacts:**

-

**Cumulative impacts:**

-

Indicate mitigation measures that may eliminate or reduce the potential impacts listed above:

**Alternative A1:**

There are no activity or technology alternatives for the establishment of mobile telecommunication base stations.

**No-go alternative (compulsory)**

**Direct impacts:**

Status quo.

**Indirect impacts:**

Status quo.

**Cumulative impacts:**

Status quo.

**IMPACTS THAT MAY RESULT FROM THE OPERATIONAL PHASE**

List the potential site alternative related impacts (as appropriate) that are likely to occur as a result of the operational phase:

**Alternative S1**

**Direct impacts:**


1. Increased electricity consumption on the existing supply grid.
2. Noise generation by air conditioning units and by backup generator if electricity supply fails.
3. Non-ionised electromagnetic fields emissions on allocated frequency.
4. Increase in potential air traffic obstacles.
5. Visual impact of the 54m lattice mast painted red and white on short, medium and long distance observation.
6. Increased mobile telecommunication network capacity.

**Indirect impacts:**

1. Minute increase in electricity generation base material usage.
2. Increased use of quality telecommunication services with the appropriate revenue increase and potential increased economic activity and financial returns.

**Cumulative impacts:**

1. Increased telecommunication infrastructure availability and quality.





Indicate mitigation measures that may eliminate or reduce the potential impacts listed above:

**Alternative S1**

1. Economical electricity consumption design.
2. Scheduled preventative maintenance program implementation and control.
3. Maintain level of non-ionised electromagnetic field emissions within International Commission on Non-Ionising Radiation Protection (ICNIRP) & World Health Organisation (WHO) guidelines.
4. Installation/application and maintenance of day & night markings as prescribed by SACAA to reduce potential air traffic safety impact. Civil Aviation Association application submitted. Required for all masts higher than 45m. (Refer to Appendix G5).
5. Red & white lattice mast provides low mitigation of the visual impact on the short range viewpoints due to the high visibility of the colour of the mast and its technical appearance. The population density of the area is low and therefore this impact is of very low significance. Red & white lattice mast provides high mitigation of the medium to long range visual impact due to the blending capability of the more transparent type mast against the sky background, but not maximum due to the red and white colour of the mast being visible over a longer distance.
6. 2.4m high galvanised steel palisade fence to provide maximum mitigation of the short to long range visual impact of the telecommunication base station due to the blending capability with the surrounding environment and against the sky background.

List the potential activity/technology alternative related impacts (as appropriate) that are likely to occur as a result of the operational phase:

**Alternative A1**

**Direct impacts:**

There are no activity or technology alternatives for the establishment of mobile telecommunication base stations.

**Indirect impacts:**

-

**Cumulative impacts:**

-

Indicate mitigation measures that may eliminate or reduce the potential impacts listed above:

**Alternative A1:**

There are no activity or technology alternatives for the establishment of mobile telecommunication base stations.

**No-go alternative (compulsory)**

**Direct impacts:**

Status quo.

**Indirect impacts:**

Status quo.

**Cumulative impacts:**

Status quo.



## IMPACTS THAT MAY RESULT FROM THE DECOMMISSIONING AND CLOSURE PHASE

List the potential site alternative related impacts (as appropriate) that are likely to occur as a result of the decommissioning or closure phase:

### Alternative S1

**Direct impacts:**

1. Establishment of new mobile telecommunication infrastructure elsewhere to fill the network coverage gap caused by decommissioning.
2. Creation of waste due to decommissioning.
3. Disturbed area.

**Indirect impacts:**

Potential waste of resources.

**Cumulative impacts:**

None

Indicate mitigation measures that may eliminate or reduce the potential impacts listed above:

### Alternative S1

1. Ensure planned base station fulfils planned and required network parameters i.e. prevent decommissioning.
2. If decommissioning is required the site area must be rehabilitated to its original state.

List the potential activity/technology alternative related impacts (as appropriate) that are likely to occur as a result of the decommissioning and closure phase:

### Alternative A1

**There are no activity or technology alternatives for the establishment of mobile telecommunication base stations.**

**Direct impacts:**

-

**Indirect impacts:**

-

**Cumulative impacts:**

-

Indicate mitigation measures that may eliminate or reduce the potential impacts listed above:

### Alternative A1

**There are no activity or technology alternatives for the establishment of mobile telecommunication base stations.**

### No-go alternative (compulsory)

**Direct impacts:**


Status quo.

**Indirect impacts:**

Status quo.

**Cumulative impacts:**

Status quo.





## ENVIRONMENTAL IMPACT STATEMENT

Taking the assessment of potential impacts into account, please provide an environmental impact statement that summarises the impact that the proposed activity and its alternatives may have on the environment after the management and mitigation of impacts have been taken into account, with specific reference to types of impact, duration of impacts, likelihood of potential impacts actually occurring and the significance of impacts.

### Alternative S1

The positive impact of the proposed activity will, taking into consideration the implementation of mitigating measures to minimise the negative impacts on the environment, have a positive overall impact.

#### Physical impacts:

1. The planning & design of the telecommunication base station is considerate of operational and public demand needs and is done on the principle of minimising any negative impacts on the receiving environment.
2. The negative impacts during the construction phase, as indicated earlier in the assessment report, are temporary and will not have a long term effect on the proposed development or immediate area. These impacts will last for a maximum of approximately 6 weeks only.
3. The permanent visual impact of a lattice mast painted red and white is the most contributing negative impact of the proposed activity on the receiving environment. Red & white lattice mast provides low mitigation of the visual impact on the short range viewpoints due to the high visibility of the colour of the mast and the technical appearance of the mast structure. The population density of the area is low and therefore this impact is of very low significance. Red & white lattice mast provides high mitigation of the medium to long range visual impact due to the blending capability of the more transparent type mast against the sky background, but not maximum due to the red and white colour of the mast being visible over a longer distance.
4. 2.4m high galvanised steel palisade fence to provide maximum mitigation of the short to long range visual impact of the telecommunication base station due to the blending capability with the surrounding environment and against the sky background.
5. The site is designed for use by additional telecommunication service providers. This mitigation measure will possibly prevent the establishment of additional base stations by other operators within the immediate area.


#### BIOLOGICAL:

The vegetation of the study area is disturbed agriculture and other human activities. No tall trees or sensitive vegetation will be removed from the study area.

#### Socio-economic impacts:

The local electricity supply grid can accommodate the additional load required by the base station. The base station design requires a 3-phase electricity supply at a maximum demand of 80A.

No other feasible for the objective of the proposed mast exists. Motivation for exemption from assessing alternatives attached as *Appendix G6*.





8. ANY INPUTS AND RECOMMENDATIONS MADE BY SPECIALISTS TO THE EXTENT THAT MAY BE NECESSARY – IN TERMS OF *Regulation 22 sub-regulation 2 (k) of the EIA Regulations, 2010* - Not in the scope of this application
9. THE EMPR IS ATTACHED AS APPENDIX F - IN TERMS OF *Regulation 22 sub-regulation 2 (l) of the EIA Regulations, 2010*
10. ASSUMPTIONS, UNCERTAINTIES AND GAPS IN KNOWLEDGE – IN TERMS OF *Regulation 22 sub-regulation 2 (m) of the EIA Regulations, 2010*

The information in this report is sufficient for the purposes of providing the department with sufficient information to make an informed decision to grant approval or not.

The nature of an impact study is always based on predicting the impacts of a proposed activity / development based on knowledge that can be substantiated and where there are gaps in knowledge, there are uncertainties and assumptions are also made.

There are no significant gaps in knowledge in this impact study. The only uncertainty due to a gap in knowledge in this impact study includes the health effects of non-ionised electromagnetic fields with power density  $< 10\text{W/m}^2$  emitted from telecommunication antennae, but not the listed activity i.e. the mast. The EAP is not aware of any authenticated studies existing currently and therefore we refer to the Department of Health Guidelines based on the International Commission on Non-Ionising Radiation Protection (ICNIRP) and the World Health Organisation (WHO) guidelines. According to these guidelines the non-ionised electromagnetic fields emitted by antennae mounted on telecommunication masts are well below the recommended level and is therefore improbable to have harmful effects on the health of human beings.

11. A REASONED OPINION AS TO WHETHER THE ACTIVITY SHOULD OR SHOULD NOT BE AUTHORISED, AND IF THE OPINION IS THAT IT SHOULD BE AUTHORISED, ANY CONDITIONS THAT SHOULD BE MADE IN RESPECT OF THAT AUTHORISATION – IN TERMS OF *Regulation 22 sub-regulation 2 (n) of the EIA Regulations, 2010*

The Environmental Assessment Practitioner is of the opinion that the activity may be authorised due to:

- Should the activity not be authorised it will result in an incomplete network hampering and restricting communication quality and quantity on the network.
- The negative impacts on the surrounding environment are not significant.

Recommended conditions, including mitigation measures that should be considered for inclusion in any authorisation that may be granted by the competent authority in respect of the application:

1. Telecommunication base station with a 54m lattice mast *painted red and white (Alternative 1)* to be established on the Alternative 1 proposed position indicated on attached plans.
2. Measures to be implemented for the duration of the construction period to prevent unauthorised access to the construction site.





3. Dust suppression measures to be implemented during earthworks.
4. Construction only to take place within normal daytime working hours.
5. The contractor must provide chemical toilets during the construction phase.
6. Telecommunication base station to be enclosed with a 2.4m high galvanised steel palisade fence.
7. Required electricity connection point to be established in consultation with the property owner and electricity supplier.
8. Topsoil to be stored separately for appropriate landscaping distribution on completion of construction.
9. All the prevention and mitigation measures described in this report and in the EMPR must be implemented and monitored.

12. Any representations, and comments received in connection with the application or the basic assessment report;	<i>Refer to Appendix E</i>
13. The minutes of any meetings held by the EAP with interested and affected parties and other role players which record the views of the participants;	<b>No meeting was held during the public participation process.</b>
14. Any responses by the EAP to those representations, comments and views;	<i>Refer to Appendix E</i>
15. Any specific information required by the competent authority; and	<b>The EAP received no request for specific information from the department.</b>
16. Any other matters required in terms of sections 24(4)(a) and (b) of the Act.	<b>No other matters required to the EAP's knowledge.</b>

**SECTION E: CONSULTATION WITH OTHER STATE DEPARTMENTS – IN TERMS OF Regulation 22 sub-regulation 2 (f) (iii) of the EIA Regulations, 2010**

Provide a list of all State Departments / Organs of State that have been consulted and registered as interested and affected parties, and to whom draft reports have been submitted for comment. **Proof of submission / delivery of the draft report to all State Department / Organs of State must be attached to this document.**

<b>Department:</b>	Lekwa Local Municipality, Environmental Management Section		
<b>Contact person:</b>	Mr. J Sindane		
<b>Postal address:</b>	P.O.Box 66, Standerton 2430		
<b>Postal code:</b>	2430	<b>Cell:</b>	-
<b>Telephone:</b>	(017) 712 9600	<b>Fax:</b>	(017) 712 6808
<b>E-mail:</b>	admin@lekwalm.gov.za		

<b>Department:</b>	Gert Sibande District Municipality		
<b>Contact person:</b>	Mr. M.A. Ngcobo		
<b>Postal address:</b>	P O Box 550, Secunda		
<b>Postal code:</b>	2302	<b>Cell:</b>	-
<b>Telephone:</b>	-	<b>Fax:</b>	(017) 631 1607
<b>E-mail:</b>	-		



Department:	South African Heritage Resources Agency		
Contact person:	Dumisani Sibayi / Phillip Hine		
Postal address:	P O Box 4637, Cape Town		
Postal code:	8000	Cell:	-
Telephone:	(021) 462 4502	Fax:	(021) 462 4509
E-mail:	dsibayi@sahra.org.za / phine@sahra.org.za		

Department:	Mpumalanga Tourism and Parks Agency		
Contact person:	Ms. Kholofelo		
Postal address:	Private Bag X11338, Nelspruit		
Postal code:	1200	Cell:	-
Telephone:	(013) 759 5445	Fax:	(013) 755 4014
E-mail:	kholo@mtpa.co.za		

## SECTION F: APPENDICES

The following appendices must be attached to the basic assessment report as appropriate:

Appendix A: Site plan(s) – **IN TERMS OF Regulation 22 sub-regulation 2 (c) of the EIA Regulations, 2010**

Appendix B: Photographs – **IN TERMS OF Regulation 22 sub-regulation 2 (c) of the EIA Regulations, 2010**

Appendix C: Facility illustration(s) – **IN TERMS OF Regulation 22 sub-regulation 2 (c) of the EIA Regulations, 2010**

Appendix D: Specialist reports – **IN TERMS OF Regulation 22 sub-regulation 2 (k) of the EIA Regulations, 2010 – No specialist input required**

Appendix E: Comments and Response Report – **IN TERMS OF Regulation 22 sub-regulation 2 (f) (iv) and 2 (o) and (q) of the EIA Regulations, 2010**

Appendix F: Environmental Management Programme (EMPR) – **IN TERMS OF Regulation 22 sub-regulation 2 (l) of the EIA Regulations, 2010**

Appendix G: Other information

G1: Public Participation – **IN TERMS OF Regulation 22 sub-regulation 2 (f) of the EIA Regulations, 2010**

G1 – Public Participation – Proof of Site Notice

G2 – Public Participation – Proof of Written Notices to I&AP

G3 – Public Participation – Proof of Newspaper Advertisement

G4 – Public Participation – Register of I&APs

G5 – South African Civil Aviation Authority Approval







G6 – Motivation for exemption from assessing reasonable or feasible alternatives, as contemplated in subregulation 22 (2) (h) - **IN TERMS OF Regulation 22 sub-regulation 4 of the EIA Regulations, 2010**



**Appendix A: Site Plans**







SITE

T7073  
BRAKFORTEIN



1257 Pretorius Street  
Block B, Waterfalls Complex  
Halfway 0983  
Tel: +27 (12) 342 2900  
Fax: +27 (12) 342 9208  
Postnet Suite 149  
Private Bag X15  
Meyers Park

SITE NAME: BRAKFORTEIN

BASE STATION NUMBER: T7073

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES:  
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL  
PROPERTY DESCRIPTION:  
PORTION 12 OF THE FARM BRAKFORTEIN 522 IS

COORDINATES:  
LAT. 26° 59' 28.50" S  
LONG. 29° 36' 50.80" E

PROJECT:  
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A  
54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS:  
THE FARM BRAKFORTEIN,  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MPUMALANGA



414 Rivier Road  
Silvertondale  
0154  
Tel: +27 (12) 804 1554/6  
Fax: +27 (12) 804 7072  
admin@infplan.co.za  
P.O. Box 32017  
Tortusdal  
0134

RFQ NO.: 94939

PROJECT NUMBER: 84813

DRAWINGS MUST NOT BE SCALED, ONLY FIGURED DIMENSIONS TO BE USED, DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.  
ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE INFRASTRUCTURE SPECIFICATION R01/11001 ISSUE 1 REVISION 0 NOVEMBER 2007

DRAWN: MELISSA YOUNG DATE: 19/01/2012

SCALE: NTS REF. NO: 812/T7073

LOCALITY MAP  
SHEET 1 OF 9



SITE


Amersfoort

Platrand

Perdekop








LG. No A 4998/2012

STATION	BEARING	DISTANCE	EASTING	NORTHING
BB 1700.0	90° 00' 00"	100.00	100.00	0.00
BC 1700.0	0° 00' 00"	100.00	200.00	0.00
CD 1700.0	90° 00' 00"	100.00	300.00	0.00
DE 1700.0	0° 00' 00"	100.00	400.00	0.00
EF 1700.0	90° 00' 00"	100.00	500.00	0.00
FG 1700.0	0° 00' 00"	100.00	600.00	0.00
GH 1700.0	90° 00' 00"	100.00	700.00	0.00
HI 1700.0	0° 00' 00"	100.00	800.00	0.00
IJ 1700.0	90° 00' 00"	100.00	900.00	0.00
JK 1700.0	0° 00' 00"	100.00	1000.00	0.00



1:1000

PROVINSE TRANVAAL

BRAKFONTEIN N° 49

145/144



1267 Phynoxa Street  
Block B, TradeFuels Complex  
Halfway, 5093

Tel: +27 (12) 342 2900  
Fax: +27 (12) 342 9208

Postal Suite 146  
Private Bag 215  
Medunsa Park

SITE NAME: **BRAKFONTEIN**

BASE STATION NUMBER: **T7073**

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES:

OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL

PROPERTY DESCRIPTION:  
PORTION 12 OF THE FARM BRAKFONTEIN 522 IS

COORDINATES:  
LAT: 26° 59' 28.50" S  
LONG: 29° 36' 50.80" E

PROJECT:  
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS:  
THE FARM BRAKFONTEIN,  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MPUMALANGA



414 Ruste Road  
Silvertondale  
1846

Tel: +27 (12) 804 1504/6  
Fax: +27 (12) 804 7072  
admin@infoplan.co.za

P.O. Box 22017  
Tollfree  
0134

RFQ NO.: **94939**

PROJECT NUMBER: **84813**


DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.

ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE INFRASTRUCTURE SPECIFICATION R5011001 ISSUE 1 REVISION 0 NOVEMBER 2007


DRAWN: MELISSA YOUNG DATE: 19/01/2012

SCALE: NTS REF. NO: 812/T7073

CADASTRAL INFO  
SHEET 2 OF 9







1267 Pretoria Street  
Block B, Hadsfield Complex  
Hatfield, 0083  
Tel: +27 (12) 342 9900  
Fax: +27 (12) 342 9208  
Postal Suite 149  
Private Bag X15  
Moria Park

SITE NAME: **BRAKFONTEIN**

BASE STATION NUMBER: **T7073**

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES:  
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL  
PROPERTY DESCRIPTION:  
PORTION 12 OF THE FARM BRAKFONTEIN 522 IS

COORDINATES:  
LAT: 26° 59' 28.50" S  
LONG: 29° 36' 50.80" E

PROJECT:  
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS:  
THE FARM BRAKFONTEIN  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MPUMALANGA



414 Rubic Road  
Silverdale  
0184  
Tel: +27 (12) 804 1504/5  
Fax: +27 (12) 804 1072  
admin@infoplan.co.za  
P.O. Box 32017  
Touwsrivier  
0134

RFQ NO.: 94939


PROJECT NUMBER: 84813

DRAWINGS MUST NOT BE SCALED, ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.  
ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE INFRASTRUCTURE SPECIFICATION R61011001 ISSUE 1 REVISION 0 NOVEMBER 2007

DRAWN: MELISSA YOUNG DATE: 19/01/2012  
SCALE: 1:500 REF. NO: 812/T7073

SITE DEVELOPMENT PLAN  
SHEET 3 OF 9

PORTION 12 OF  
THE FARM  
BRAKFONTEIN  
522 IS





1327 Pretoria Street  
Block B, Harare Office  
Harare 2003  
Tel: +27 (12) 342 2000  
Fax: +27 (12) 342 2006  
Project No: 148  
Phase: Sig 215  
Mtno Trak

**BRAKFONTEIN**

BASE STATION NUMBER: T7073

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES:  
OWNER: WILEM ADRIAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL  
PROPERTY DESCRIPTION:  
PORTION 12 OF THE FARM BRAKFONTEIN 522 IS

COORDINATES:  
LAT: 28° 59' 28.50" S  
LONG: 29° 35' 50.80" E

PROJECT:  
NEW 999m TELECOMMUNICATION BASESTATION WITH A  
54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS:  
THE FARM BRAKFONTEIN,  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MUDMALANGA




414 Ruimsig Road  
Harare  
Tel: +27 (12) 804 1554/8  
Fax: +27 (12) 804 7072  
www.ipsafrica.com  
P.O. Box 20917  
Harare  
0104  
0124

PROJECT NUMBER:  
M4813

DRAWN: MELISSA YOUNG  
DATE: 19/01/2012  
SCALE: 1:500  
REF. NO: 812/T7073

DRAWINGS MUST NOT BE SCALED. ONLY DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT.  
ALL WORK TO BE PERFORMED ACCORDING TO MTN B7S SITE INFRASTRUCTURE SPECIFICATION R01/1001 (ISSUE 1 REVISION 0 NOVEMBER 2007)

CURRENT LAND USE  
SHEET 4 OF 9



GRAVEL ROAD

ACCESS GATE

HOUSE

WIRE FENCE

POLE TRANSFORMER

GARDEN

OVERHEAD POWER LINES

OVERHEAD POWER LINES

OPEN FIELD

WIRE FENCE

WIRE FENCE

NEW MTN AC POWER SUPPLY ROUTE (247m)

NEW MTN 999m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST (PAINTED RED & WHITE)

GRAVEL ROAD


OPEN FIELD

PORTION 12 OF THE FARM BRAKFONTEIN 522 IS

AGRICULTURAL







1287 Pretoria Street  
Block B, Sandhurst Complex  
Halfway, 0081

Tel: +27 (12) 342 2900  
Fax: +27 (12) 342 9208

Postnet Suite 145  
Private Bag X15  
Menlo Park

SITE NAME: **BRAKFONTEIN**

BASE STATION NUMBER: **T7073**

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES:  
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL

PROPERTY DESCRIPTION:  
PORTION 12 OF THE FARM BRAKFONTEIN 522 IS

COORDINATES:  
LAT: 26° 59' 28.50" S  
LONG: 29° 36' 50.80" E

PROJECT:  
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A  
54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS:  
THE FARM BRAKFONTEIN,  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MPUMALANGA



414 Duik Road  
Shaftsville  
0184

Tel: +27 (12) 804 1006  
Fax: +27 (12) 804 7072  
admin@infraplan.co.za

P.O. Box 32017  
Tlokoeng  
0134

RFQ NO.:  
94939


PROJECT NUMBER:  
84813


DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE  
USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT  
OF WORK.  
ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE  
INFRASTRUCTURE SPECIFICATION R101/1001  
ISSUE 1 REVISION 0 NOVEMBER 2007

DRAWN: MELISSA YOUNG      DATE: 19/01/2012

SCALE: NTS      REF. NO: 812/T7073

CONTOUR INTERVAL  
SHEET 5 OF 9





1267 Pretorius Street  
Block B, Hatfield Complex  
Hatfield, 0083

Tel: +27 (12) 342 2900  
Fax: +27 (12) 342 9208

Postal Suite 146  
Private Bag X15  
Merlo Park

**SITE NAME:** BRAKFONTein

**BASE STATION NUMBER:** T7073

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

**NOTES:**  
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL

**PROPERTY DESCRIPTION:**  
PORTION 12 OF THE FARM BRAKFONTein 522 IS

**COORDINATES:**  
LAT: 26° 50' 28.50" S  
LONG: 29° 36' 50.80" E

**PROJECT:**  
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

**ADDRESS:**  
THE FARM BRAKFONTein,  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MPUMALANGA



414 Ruelo Road  
Silvertondale  
0184

Tel: +27 (12) 804 15045  
Fax: +27 (12) 804 7072  
admin@infoplan.co.za

P.O. Box 32017  
Tlokweng  
0134

**RFQ NO.:** 94939


**PROJECT NUMBER:** 84813

**DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.**  
ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE INFRASTRUCTURE SPECIFICATION R011/1001 ISSUE 1 (REVISION 0 NOVEMBER 2007)

**DRAWN:** MELISSA YOUNG **DATE:** 19/01/2012


**SCALE:** 1:500 **REF. NO.:** 812/T7073

**SITE PHOTOGRAPHS SHEET 6 OF 9**






Appendix B: Site Photographs




## SITE PHOTOGRAPHS



1. Panoramic view from the site direction North




2. Panoramic view from the site direction North East






## SITE PHOTOGRAPHS



3. Panoramic view from the site direction East



4. Panoramic view from the site direction South East



## SITE PHOTOGRAPHS



5. Panoramic view from the site direction South



6. Panoramic view from the site direction South West





## SITE PHOTOGRAPHS




7. Panoramic view from the site direction West




8. Panoramic view from the site direction North West




## SITE PHOTOGRAPHS



9. View on basestation position direction North



10. View on base station position direction East





## SITE PHOTOGRAPHS




11. View on base station position direction South



12. View on base station position direction West




Appendix C: Facility Illustrations







PORTION 12 OF THE FARM BRAKFRONTEIN 522 IS



NEW MTN: Ø110mm UNDERGROUND NEXTUBE SLEEVE FOR AC POWER SUPPLY POLE (±±7m)

WIRE FENCE



1287 Pretorius Street, Block B, Hadelstels Complex, Halfway, 0983  
Tel: +27 (12) 342 2900, Fax: +27 (12) 342 9208  
Plotnet Suite 149, Private Bag X15, Menlo Park

SITE NAME <b>BRAKFRONTEIN</b>			
BASE STATION NUMBER: <b>T7073</b>			
REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES:  
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL

PROPERTY DESCRIPTION:  
PORTION 12 OF THE FARM BRAKFRONTEIN 522 IS

COORDINATES:  
LAT: 26° 59' 28.50" S  
LONG: 29° 36' 50.80" E

PROJECT:  
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS:  
THE FARM BRAKFRONTEIN,  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MPUMALANGA

**INFRASTRUCTURE PLANNING SERVICES** 

414 Rustic Road, Silverdale, 0184  
Tel: +27 (12) 804 1504/6, Fax: +27 (12) 804 7072, admin@infraplan.co.za  
P.O. Box 32017, Tlokoeng, 0134


RFO NO.: 94939

PROJECT NUMBER: 84813


DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.  
ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE INFRASTRUCTURE SPECIFICATION R10/11/01, ISSUE 1 REVISION 0 NOVEMBER 2007

DRAWN: MELISSA YOUNG DATE: 19/01/2012  
SCALE: 1:75 REF. NO.: 812/T7073

SITE DETAIL  
SHEET 7 OF 9



MTN ANTENNAE KEY							
SECTOR	AZIMUTH	ANTENNA	HEIGHT - BOTTOM (m)	MECH TILT	ELEC. TILT	FEEDER SIZE	FEEDER LENGTH (m)
1	0°	TBC	TBC			7/8"	TBC
2	120°	TBC	TBC			7/8"	TBC
3	240°	TBC	TBC			7/8"	TBC



1267 Pretorius Street Block B, Hadebeville Complex Hatfield, 0083 Tel: +27 (12) 342 9000 Fax: +27 (12) 342 9208 Pabnet Suite 146 Private Bag X15 Menlo Park

SITE NAME: **BRAKFONTEIN**

BASE STATION NUMBER: **T7073**

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES:  
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL  
PROPERTY DESCRIPTION:  
PORTION 12 OF THE FARM BRAKFONTEIN 522 IS

COORDINATES:  
LAT: 26° 59' 28.50" S  
LONG: 29° 36' 50.80" E

PROJECT:  
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS:  
THE FARM BRAKFONTEIN,  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MPUMALANGA



414 Riehl Road Skynetville 0184 Tel: +27 (12) 804 15046 Fax: +27 (12) 804 7072 admin@infraplan.co.za P.O. Box 32017 Totterdell 0124

RFQ NO.: 94939

PROJECT NUMBER: 84813

DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.  
ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE INFRASTRUCTURE SPECIFICATION R101/1001 ISSUE 1 REVISION 0 NOVEMBER 2007


DRAWN: MELISSA YOUNG DATE: 19/01/2012

SCALE: 1:100 REF. NO. 812/T7073

ELEVATION SHEET 8 OF 9







TYPICAL 3-LEGGED LATTICE MAST  
(PAINTED RED & WHITE)



1267 Pretorius Street Tel: +27 (12) 342 2900 Postnet Suite 148  
Block B, Hedebeeds Complex Fax: +27 (12) 342 9208 Private Bag 215  
Hatfield, 0083 Menlo Park

SITE NAME: **BRAKFONTEIN**

BASE STATION NUMBER: **T7073**

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES:  
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL  
PROPERTY DESCRIPTION:  
PORTION 12 OF THE FARM BRAKFONTEIN 522 IS

COORDINATES:  
LAT: 26° 59' 28.50" S  
LONG: 29° 36' 50.80" E

PROJECT:  
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A  
54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS:  
THE FARM BRAKFONTEIN,  
OFF DIRT ROAD BETWEEN  
STANDERTON AND AMERSFOORT,  
MPUMALANGA



414 Ruste Road Tel: +27 (12) 804 155/6 P.O. Box 32017  
Somersetdale Fax: +27 (12) 804 7072 Tzaneen  
0184 admin@infplan.co.za 0134

RFQ NO.:  
94939


PROJECT NUMBER:  
84813

DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE  
USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT  
OF WORK.


ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE  
INFRASTRUCTURE SPECIFICATION R01/1001  
ISSUE 1 REVISION 6 NOVEMBER 2007

DRAWN: MELISSA YOUNG DATE: 19/01/2012  
SCALE: NTS REF. NO: 812/T7073

FACILITY ILLUSTRATION  
SHEET 9 OF 9




Appendix D: Specialist Reports - Not Applicable






Appendix E: Comments and responses



**Interested & Affected Parties Register / Comments and Responses Report**

Site number: T7073  
 Site Name: Brakfontein  
 EIA reference no.: 17/2/3/GS - 84

Interested and Affected Parties Register							Comments and Responses Report	
No.	Date	Name	Address	Contact detail	Reacted to:	Record of initial I&AP registration	Issues raised / Comments received	EAP Response
1	01/03/2012	The Municipal Manager, Lekwa Local Municipality, Mr. J. Sindane, Environmental Management Section	PO Box 66, Standerton, 2430	Fax: (017) 712 6808	NA	Auto I&AP	No comments received	No comments received
2	06/03/2012	The Ward Councillor, Clr Sishoni, Ward 13	PO Box 66, Standerton, 2430	Fax: (017) 712 6808	NA	Auto I&AP	No comments received	No comments received
3	06/03/2012	The Municipal Manager, Gert Sibande District Municipality, Mr. A M Ngcobo, Environmental Management Section	PO Box 3475, Standerton, 2430	Fax: (017) 712 6808	NA	Auto I&AP	No comments received	No comments received
4	03/01/2012	South African Civil Aviation Authority (SACAA)	Private Bag x73, Halfway House 1685	Tel: (011) 545 1000 Fax: (011) 545 1451	NA	Auto I&AP	No approval received yet	Submitted application
5	29/02/2012	South African Heritage Resources Agency (SAHRA)	PO Box 4637, Cape Town, 8000	Tel: (021) 462 4502 Fax: (021) 462 4509	NA	Auto I&AP	No comments received	No comments received
6	29/02/2012	Mpumalanga Tourism and Parks Agency	Private Bag x11338, Nelspruit, 1200	Tel: (013) 759 5445 Fax: (013) 755 4014	NA	Auto I&AP	No comments received	No comments received





Appendix F: EIRs





## **Environmental Management Programme (EMPR)**

(Compiled and Submitted in terms of the National Environmental Management Act (Act 107 of 1998))

### **MobileTelephone Networks (Pty) Ltd**

Project Reference Number:

**T7073 Brakfontein**

**May 2012**






### DOCUMENT APPRAISAL


Reference No.		Responsible Person	Signature	Date
Stage of Document	Final			
Document Compilation				
Document Review				
Document Authorisation				

Department Reference Number: 17/2/3/GS - 84



## CONTENTS PAGE

<b>1</b>	<b>INTRODUCTION</b>	<b>1-1</b>
1.1	BACKGROUND AND BRIEF PROJECT DESCRIPTION	1-1
1.1.1	<i>Aims of the EMPR</i>	1-1
1.1.2	<i>Contents of the EMPR</i>	1-1
<b>2</b>	<b>ADMINISTRATION AND REGULATION OF ENVIRONMENTAL OBLIGATIONS</b>	<b>2-1</b>
2.1	ENVIRONMENTAL SITE AGENT	2-1
2.2	ENVIRONMENTAL AWARENESS TRAINING FOR SITE PERSONNEL	2-1
2.3	ON SITE COMMUNICATION PROCEDURE	2-2
2.3.1	<i>Environmental Awareness Training for Site Personnel</i>	2-2
2.3.2	<i>ESA Diary Entries</i>	<b>Error! Bookmark not defined.</b>
2.3.3	<i>Method Statements</i>	<b>Error! Bookmark not defined.</b>
2.3.4	<i>Record Keeping</i>	2-2
2.3.5	<i>Photographs</i>	2-2
2.3.6	<i>Environmental Completion Statement</i>	2-2
2.4	BASIC RULES OF CONDUCT	2-2
2.5	INTERNAL REVIEW AND AUDITING	2-3
<b>3</b>	<b>ENVIRONMENTAL SPECIFICATIONS: CONSTRUCTION PHASE</b>	<b>3-1</b>
3.1	SITE DEMARCATION	3-1
3.2	CONSTRUCTION FACILITIES	3-1
3.2.1	<i>Construction Camp</i>	3-1
3.2.2	<i>Toilet Facilities</i>	3-1
3.2.3	<i>Water Provision</i>	3-2
3.2.4	<i>General Aesthetics</i>	3-2
3.3	SITE CLEARING	3-2
3.3.1	<i>Vegetation Clearing</i>	3-2
3.3.2	<i>Site Access</i>	3-2
3.3.3	<i>Trenching</i>	3-3
3.4	MATERIALS HANDLING AND STORAGE	3-3
3.4.1	<i>Handling</i>	3-3
3.4.2	<i>Storage of Construction Materials</i>	3-3
3.4.3	<i>Storage of Equipment</i>	3-3
3.5	REFUELLING AND MAINTENANCE	3-3
3.5.1	<i>Refuelling</i>	3-3
3.5.2	<i>Maintenance</i>	3-4
3.6	ACCIDENTAL LEAKS AND SPILLS	3-4
3.7	WASTE MANAGEMENT	3-4
3.7.1	<i>Solid Waste</i>	3-4
3.8	EROSION CONTROL	3-5
3.9	FIRE CONTROL	3-5
3.10	PROTECTION OF NATURAL FEATURES, FLORA AND FAUNA	3-5
3.10.1	<i>Protection of Natural Features</i>	3-5
3.10.2	<i>Protection of Flora</i>	3-6
3.10.3	<i>Protection of Fauna</i>	3-6
3.11	PROTECTION OF HERITAGE AND CULTURAL FEATURES	3-6
3.12	DUST CONTROL	3-6
3.13	NOISE CONTROL	3-7
3.14	CEMENT	3-7
3.15	MAST COLOUR	3-7





3.16	COMPLAINTS REGISTER	3-7
3.17	SITE REHABILITATION AND LANDSCAPING	3-8
<b>4</b>	<b>ENVIRONMENTAL SPECIFICATIONS: OPERATIONAL PHASE</b>	<b>4-1</b>
4.1.1	<i>Maintenance</i>	4-1
<b>5</b>	<b>ENVIRONMENTAL SPECIFICATIONS: DECOMMISSIONING PHASE</b>	<b>5-1</b>
5.1.1	<i>Procedure</i>	5-1
<b>6</b>	<b>EMERGENCY RESPONSE PLAN</b>	<b>6:1</b>
6.1	TYPICAL REMEDIAL WORK OPTIONS	6:1




## **EXECUTIVE SUMMARY**

The proponent, MTN (Pty) Ltd, intends **the establishment of a telecommunication mast.**

The Department of [insert department details] requested that an Environmental Management Plan (EMPR) be prepared for the proposed project, which addresses all phases of the proposed project, for submission to them [for approval]. The scope of environmental management described in this EMPR pertains to the project as a whole and aims to integrate environmental planning, design, construction and operational activities on the site.

The EMPR has as its basis the recommendations listed in the Basic Assessment Report. It is important to note that the project and the implementation of environmental specifications is an ongoing process that is dynamic in nature. This EMPR forms part of the contractual obligation between the Contractor and the proponent, MTN (Pty) Ltd.





## 1 INTRODUCTION

### 1.1 Background and Brief Project Description

The proposed project involves **the establishment of a telecommunication mast.**

**Torbiose Solutions cc** was appointed to compile the Environmental Management Plan in respect of the proposed project.

#### 1.1.1 Aims of the EMPR

The purpose of the EMPR is to set environmental targets for the Contractor and reasonable standards against which the Contractor's performance in this regard can be measured during construction. This document will form the basis for the environmental specifications that the Contractor is obliged to comply with during construction of the proposed project. This document will thus form a binding agreement between the Contractor and MTN (Pty) Ltd.

The EMPR addresses issues in order to ensure that all environmental aspects are carefully considered and monitored and adverse impacts managed. It is important to note that the development and implementation of environmental specifications is ongoing and the EMPR is typically dynamic in nature.

#### 1.1.2 Contents of the EMPR

The EMPR consists of the following sections:

**Chapter 1: Introduction:** This section includes the project background, aims of this EMPR and describes the contents of this EMPR.

**Chapter 2: Administration and regulation of environmental obligations:** This section identifies the proposed mechanisms for monitoring compliance with the EMPR and reporting thereof.


**Chapter 3: Environmental Specifications: Construction Phase:** This section includes environmental specifications relating to the construction phase of the project.

**Chapter 4: Environmental Specifications: Operational Phase:** This section includes environmental specifications relating to the operational phase of the project.

**Chapter 5: Environmental Specifications: Decommissioning Phase:** This section includes environmental specifications relating to the decommissioning of the site.



**Chapter 6: Emergency Response Plan:** This section provides a summary of responses to emergency situations





## **2 ADMINISTRATION AND REGULATION OF ENVIRONMENTAL OBLIGATIONS**

### **2.1 Environmental Site Agent**


The Environmental Site Agent (ESA) is the person, appointed by the Contractor on behalf of the Applicant or the Environmental Consultant appointed on behalf of the Applicant, involved with the project and all projects within the operational region of the Contractor and who is responsible for the implementation of the environmental management plan. This person is therefore responsible for the environmental issues involved with the construction phase of the project. The ESA will be required to oversee a number of sites at any given time and is required to manage his/her time effectively to ensure that he/she fulfils his/her environmental obligations in respect of all sites.

The ESA must be a person with adequate environmental knowledge to understand and implement this management plan. It is required that the ESA reports to the Applicant (MTN (Pty) Ltd) irrespective of who appointed the ESA. The ESA has the authority to stop works if in his/her opinion there is a serious threat to or impact on the environment, caused directly from the construction operations. This authority is to be limited to emergency situations where consultation with the HOD Implementation and/or Property Supervisor and/or National Property Manager is not immediately available. In all such work stoppage situations, the ESA is to inform the HOD Implementation and/or Property Supervisor and/or National Property Manager of the reasons for the stoppage as soon as possible thereafter.

Upon failure by the Contractor and/or his employees to show adequate consideration to the environmental aspects of this EMPR, the ESA may recommend the suspension of works pending an investigation by the HOD Implementation and/or Property Supervisor and/or National Property Manager.

### **2.2 Environmental Awareness Training for Site Personnel**

All Contractor teams involved in work on the project are to be briefed on their obligations towards environmental controls and methodologies in terms of this EMPR prior to the commencement of work. The briefing will take the form of an on site talk, when an RFQ (Request for Quotation) site survey is set up, and shall be demonstrated by the ESA. The education / awareness programme should be aimed at all levels of employees within the Contractor team. (See "Do's and Don'ts" summary sheet).



## **2.3 On Site Communication Procedure**

### **2.3.1 Environmental Awareness Training for Site Personnel**

The Site Instruction book entries will be used for the recording of general site instructions as they relate to the work taking place on site. It will also be used for the issuing of stop work orders for the purposes of immediately halting any particular activities of the Contractor in lieu of the environmental risk that they may pose.

### **2.3.2 Record Keeping**

All records relating to the implementation of this EMPR must be kept on site; on the MTN Operating System and archived at an adequate archive facility where it is safe and can be retrieved easily. These records should be kept for two years and should at any time be available for scrutiny by any relevant authorities.

### **2.3.3 Photographs**


It is recommended that photographs are taken on the site prior to, during and immediately after construction as a visual reference. These photographs should be stored with other records related to this EMPR and on the MTN Operating System. If captured in digital format, hard copies must be kept with all other records relevant to the implementation of this EMPR. In particular, the Contractor and ESA are responsible for taking photographs of the environmental aspects of environmentally sensitive areas for use in rehabilitation processes.

### **2.3.4 Environmental Audit Report**

An Environmental Audit Report is a report completed by the ESA and signed off by the HOD Implementation and/or the Property Supervisor and/or National Property Manager, and then sent to the relevant authorities, by the ESA, stating the completion of the project and compliance with the EMPR and conditions.

## **2.4 Basic Rules of Conduct**

The following list represents the basic "Do's and Dont's" towards environmental awareness, which all participants in this project must consider whilst carrying out their tasks and duties. These are not exhaustive and serve as a quick reference aid. NOTE: **All new site personnel must attend an**





**environmental awareness presentation.** Please inform your foreman or manager if you have not attended such a presentation alternatively contact the ESA.

**DO:**


- ✓ Use the toilet facilities provided – report dirty or full facilities;
- ✓ Clear your work areas of litter and building rubbish at the end of each day – use the waste bins provided and ensure that litter will not blow away;
- ✓ Report all fuel or oil spills immediately and stop the spill continuing;
- ✓ Dispose of cigarettes and matches carefully. (Littering is an offence);
- ✓ Confine work and storage of equipment to the immediate work area and within the site boundary;
- ✓ Where possible use a drip tray under vehicles and machinery and empty drip trays after rain and throw away where instructed;
- ✓ Use all safety equipment and comply with all safety procedures;
- ✓ Ensure a working fire extinguisher is immediately at hand if any "HOT WORK" is undertaken e.g. welding, grinding, gas cutting etc;
- ✓ Try to avoid producing dust – wet dry ground and soil;

**DONT:**

- × Make any fires;
- × Enter any fenced off or marked area;
- × Allow cement or cement bags to blow around;
- × Allow waste, litter, oils or foreign materials into the stormwater channels;
- × Litter or leave food laying around;
- × Make loud noises around the site. Report or repair noisy vehicles
- × Damage or cut down any trees or plants without permission.

## **2.5 Internal Review and Auditing**

The Contractor and ESA shall establish an internal review procedure to monitor the progress and implementation of the EMPR during the construction phase. All audits will be signed off by the HOD Implementation and/or Property Supervisor and/or National Property Manager.



Where necessary, and upon the recommendation of the ESA and/or the Contractor, procedures that require modification will be changed to improve the efficiency of the EMPR. All modifications to the EMPR shall be approved by the Department before; if possible, any changes or adjustments to the EMPR are implemented. Any material changes or adjustments to the EMPR shall be registered accordingly on MTN's operating system.. Adjustment and update of the original EMPR document is not required when these *ad hoc* changes are made.

At the conclusion of the project an environmental audit report shall be compiled by the ESA, and signed off by HOD Implementation and/or Property Supervisor and/or National Property Manager and submitted to the Department by the ESA. This report shall be compiled by the ESA, in collaboration with the Contractor and/or the Environmental Consultant and/or the Applicant.. It shall, as a minimum, outline the implementation of the EMPR during the construction phase, and highlight any problems and issues that arose during the construction period to report, on a formal basis, the lessons learnt from this project.

