

3 ENVIRONMENTAL SPECIFICATIONS: CONSTRUCTION PHASE

3.1 Site Demarcation

The "site" refers to the total area where the contract will take place and any other area reasonably required by the Contractor to undertake the construction activities in order to fulfil the contract. Areas where construction is prohibited are referred to as 'no-go' areas. 'No-go' areas identified on site include all areas outside of the footprint of the base station as well as environmentally sensitive sites. The environmental sensitivity of the area should be ascertained and then the position and orientation of the BTS site as per the approved drawings should be pegged out. 'No-go' areas should be demarcated to prevent environmental degradation thereto. This responsibility rests with the ESA and/or the Contractor.

The Contractor shall be responsible for any clean-up and/or rehabilitation of all areas impacted outside the site and within the 'no-go' areas.

3.2 Construction Facilities


3.2.1 Construction Camp

Construction crews may not stay on site overnight unless special permission has been obtained from the landowner. In the event that the landowner has given such permission, the position of the construction camp shall be agreed by the ESA and Contractor.

3.2.2 Toilet Facilities

The Contractor shall provide suitable sanitary arrangements (chemical toilets), which shall be located within the construction camp and/or in the construction footprint (where applicable) of the BTS. The siting of toilets shall be done in consultation with the ESA to ensure ease of access. Where required, toilet/s shall be secured to prevent them blowing over.

The Contractor shall be responsible for ensuring that all ablution facilities are maintained in a clean and sanitary condition to the satisfaction of the ESA. The Contractor shall provide toilet paper. The Contractor shall appoint a suitable sub-contractor to empty toilets on a regular basis. The sub-contractor and Contractor shall ensure that there is no spillage when the chemical toilets are cleaned and that the contents are properly removed from site.



The Contractor shall be responsible for enforcing the use of these facilities. Performing ablutions outside of established toilet facilities is strictly prohibited.

3.2.3 Water Provision

The Contractor shall be responsible for ensuring that there is access to clean drinking water for all employees on site. The use of water in rivers, dams, ponds etc. as drinking water is strictly forbidden.

3.2.4 General Aesthetics

All construction areas must be kept neat and tidy at all times. Different materials and equipment must be kept in designated areas and storing/stockpiling shall be kept orderly.


3.3 Site Clearing

3.3.1 Vegetation Clearing

Before clearing of vegetation, the Contractor shall ensure that all litter and non-organic material is removed from the area to be cleaned. All vegetation that may not be removed must be clearly identified and demarcated. Where the surrounding flora is required to be protected from traffic, the entire construction area should be fenced off with a temporary 1.8m fence. The fence should be removed upon completion of construction. This responsibility rests with the Contractor and the ESA. The use of herbicides is prohibited.

3.3.2 Site Access

All access to and from the BTS shall be on demarcated roads (where possible). The route for permanent access to the site shall be determined prior to construction, and shall be pegged out accordingly. Photographs shall be taken indicating the route detail. Rehabilitation of secondary roads must be conducted by the Contractor. No machinery may disturb any vegetation along side any road.



3.3.3 Trenching

All trenching must be completed in such a manner as to limit damage to the surrounding environment. If required in the authorisation, trenching is to be done by hand.

3.4 Materials Handling and Storage

3.4.1 Handling

The Contractor shall ensure that all suppliers and their delivery drivers are aware of procedures and restrictions in terms of this EMPR. The Contractor (and suppliers) shall ensure that all materials are appropriately secured to ensure safe passage between destinations. Loads shall have appropriate cover to prevent spillage from the vehicle during transit. The Contractor shall be responsible for any clean-up resulting from the failure by his employees or suppliers to properly secure transported materials. The Contractor shall ensure that delivery drivers are supervised during offloading.

3.4.2 Storage of Construction Materials

The Contractor shall ensure that areas for storage of construction materials are determined in consultation with the ESA and adequately demarcated. All construction materials including but not limited to building material shall be stored on such demarcated areas.


3.4.3 Storage of Equipment

Drip trays shall be provided for stationary plant (such as compressors, pumps, generators etc.) and for "parked" plant (e.g. mechanised equipment).

3.5 Refuelling and Maintenance

3.5.1 Refuelling

Where reasonably practicable, plant and vehicles shall be refuelled using suitable equipment (e.g. funnels) and the necessary drip trays.



3.5.2 Maintenance

All vehicles and equipment shall be kept in good working order and serviced regularly. Leaking equipment shall be removed from the site. All maintenance of equipment and vehicles shall be performed off site. No washing of plant and equipment shall be undertaken on site.

3.6 Accidental Leaks and Spills

The Contractor shall ensure that his employees are aware of the procedure to be followed for dealing with spills and leaks. Any accidental leak or spill of fuel, oil or any other hazardous substance must be reported immediately to the ESA to ensure that the best remediation method is quickly implemented.

In the event of a hydro-carbon spill, the source of the spillage shall be isolated and the spillage contained. The area shall be cordoned off and secured. The Contractor shall ensure that there is always a supply of absorbent material readily available to absorb / breakdown spills.


The Contractor shall be liable to arrange for professional service providers to clear the area affected by the spill, if required.

3.7 Waste Management

3.7.1 Solid Waste

Solid waste includes all construction waste (cement bags, tags, wrapping materials, cans, wire, nails, etc.) and surplus food, food packaging, organic waste etc. The Contractor shall be responsible for the establishment of a solid waste control and removal system that is acceptable to the ESA in order to prevent the spread of waste in, and beyond, the construction area. An integrated waste management approach shall be used, based on the principles of waste minimisation, reduction, reuse and recycling of materials. Containers for glass, paper, metals and plastics shall be provided, if sufficient solid waste is generated. The construction camp area (if applicable) is particularly suited for this purpose.

The Contractor shall provide vermin and weatherproof bins (with lids) of sufficient number and capacity to store solid waste produced on a daily basis. The lids shall be kept firmly on the bins at all times. Bins shall be located in areas where there is a concentration of labour and shall be easily



accessible. Bins shall be emptied regularly as required, preferably every second day. The general cleanliness of the site shall form part of the ESA inspections.

All solid waste may be temporarily stored on site in a demarcated area, which meets the satisfaction of the ESA. All solid waste shall be disposed of off site at a licensed landfill site. The stockpiling of construction rubble, cut vegetation or other material shall only be permitted in areas approved by the ESA. No waste material or litter shall be burnt or buried on site.

Erosion Control

The Contractor shall, as an ongoing exercise, provide erosion control to the satisfaction of the ESA. During construction, the Contractor shall protect areas susceptible to erosion by installing necessary temporary and permanent draining works as soon as possible.

Any runnels or erosion channels developed during the construction period shall be backfilled and compacted, and the areas restored to an acceptable condition (as determined by the ESA). Stabilisation of cleared areas to prevent and control erosion shall be actively managed.

During construction, the Contractor shall implement measures to prevent the migration of materials (fines) from the construction site into river courses, drainage lines, stormwater and sewerage systems.


3.8 Fire Control

No fires shall be allowed on site. At least one 12.5kg type ABC (all purpose) fire extinguisher shall be kept on the construction site.

3.9 Protection of Natural Features, Flora and Fauna

3.9.1 Protection of Natural Features

The Contractor shall not deface, paint, damage or mark any natural features outside the site for any purpose unless agree beforehand with the ESA. The Contractor shall not permit his employees to make use of any natural water sources situated on or near the site for purposes of swimming, personal washing and/or the washing of machinery or clothes.



3.9.2 Protection of Flora

The removal, damage or disturbance of flora, fauna or avifauna is forbidden. The clearing of vegetation within the construction area shall be undertaken in accordance with that specified in section 3.3.1.

The Contractor shall be familiar with any Ordinances, Acts, By-laws and/or regulations pertaining to the protection of natural features, flora and fauna on site. Where applicable, the Contractor shall apply for the necessary permits prior to removing any plants listed in the relevant schedules promulgated in terms of the legislation.

3.9.3 Protection of Fauna

The Contractor shall ensure that no hunting, trapping, shooting, poisoning or other disturbance of any fauna takes place. The feeding of wild animals is prohibited. No domestic pets or livestock are permitted on site.

3.10 Protection of Heritage and Cultural Features

The Contractor shall not, without a permit issued by the relevant heritage resources authority, destroy, damage, excavate, alter, deface or otherwise disturb archaeological finds. Archaeological finds can take the form of buried walls, old bottles, porcelain fragments, earthenware fragments, accumulations of bone and ash dumps.

If any archaeological or paleontological artefacts and/or human burials or remains are uncovered during construction, work in the vicinity of the find shall cease. The Contractor shall immediately notify the HOD Implementation and/or Property Supervisor and/or National Property Manager, who shall contact the South African Heritage Resources Agency (SAHRA). The Contractor will be required to abide by the specifications as set out by SAHRA or the heritage specialist appointed to investigate the find or burial.

3.11 Dust Control

The Contractor shall ensure that the generation of dust is minimised and shall implement a dust control programme to maintain a safe working environment, minimise nuisance and protect damage to natural vegetation.



The Contractor shall ensure that all exposed soil and material stockpiles are adequately protected against the wind. Where possible, dust suppression shall take place by way of spraying.

3.12 Noise Control

The Contractor shall be familiar with and adhere to, any local by-laws and regulations regarding the generation of noise and hours of operation. Working hours shall be confined to the hours between [insert time as per EA/ROD] and [insert time as per EA/ROD]. The Contractor shall be held responsible for any complaints received from the department and/or public with respect to any contravention of agreed noise conditions.

3.13 Cement

Cement and concrete mixing directly on the ground shall not be allowed. Where possible, ready mix concrete shall be utilised in all site construction. Mixing of cement, if applicable, shall take place on impermeable surfaces to the satisfaction of the ESA.

Unused cement bags shall be stored out of the rain where they will not be affected by run-off. Used (empty) cement bags shall be collected and stored in weatherproof containers to prevent wind blown cement dust and water contamination. Used cement bags shall not be used for any other purpose and shall be disposed of on a regular basis via the solid waste management system.


All excess concrete shall be removed from site on completion of concrete works and disposed of at a licensed landfill site. Washing of the excess concrete or washing of concrete pump trucks into the ground is prohibited.

3.14 Mast Colour

The mast shall be painted [insert details in accordance with that stated in ROD/EA and in accordance with Civil Aviation Authority requirements].

3.15 Complaints Register

The ESA shall have accessible on the construction site a complaints register in terms of which all complaints received from interested and affected parties shall be recorded. The Complaints register shall be kept on site for the duration of construction activities and all complaints received shall be reported to the ESA.




3.16 Site Rehabilitation and Landscaping

On completion of the project, the Contractor shall ensure that all structures, equipment, materials, waste, rubble, notice boards and temporary fences used during the construction operation are removed with minimum damage to the surrounding area. The Contractor shall clean and clear the site to the satisfaction of the ESA.

In the case of accidental spills of oils, the affected soils shall be dug out and removed from the site for disposal at a licensed hazardous waste site and replaced with fresh topsoil.

Rehabilitation shall especially focus on all scarred and open areas, in order to reduce visual impacts as a result of the construction phase. Stored topsoil, if applicable, shall be used for rehabilitation purposes.



4 ENVIRONMENTAL SPECIFICATIONS: OPERATIONAL PHASE


The following responsibilities will be met to prevent negative environmental impacts:

- Providing a budget for maintenance;
- Maintaining all approved infrastructure in good working order to effectively fulfill its intended purpose and to prevent negative environmental impacts;
- Not construct any additional buildings, infrastructure etc. contrary to the approved Environmental Authorization, without performing an environmental impact assessment to evaluate alternatives and environmental impacts;
- To immediately remedy any factors that contribute to negative environmental impacts;
- [Where the ROD requires this – insert this clause]To do an annual environmental audit and to have the results in writing available at the administration offices of MTN.


4.1.1 Maintenance

Procedure to be followed to ensure the high standards of appearance and quality are maintained on the BTS sites to ensure that environmental issues are adequately addressed and that BTS sites are effectively maintained.

1. All BTS sites must be maintained and cleaned as per the schedule set by the Field Maintenance Supervisor responsible;
2. The items that must be checked will be as per the list below and as reflected in detail in the Site Maintenance Report and Statement of Work reference documentation;
 - a. Fence and Gate: Secure and rust treat as necessary;
 - b. Signage: Check all signs as per the BTS Site Infrastructure Specification;
 - c. Terrain:
 - i. Clean and de-weed inside and outside the BTS site and clean a 1m perimeter area around the fence. In areas susceptible to soil erosion, cut weed perimeter in such a way as to protect soil from erosion;
 - ii. De-weed invasive vegetation in the surrounding area of the BTS site;
 - iii. Check for any rubble that could have accumulated from previous maintenance work or during the BTS site build and remove and dump at a registered waste disposal site.
 - d. Equipment Room: De-rust, wash walls and floor and dust interior;



- e. BTS Cabinet: Replace filter
 - f. Container: Replace blown fluorescent lights (discard used lights in safe manner to ensure no mercury exposure), clean roof and cut away branches hanging over the site;
 - g. Air Conditioner: Wash, dry and seal;
 - h. Mast Navigation Lights: Replace blown globes
 - i. Mast: Check foundation, bolts, bolt torque, cable tray, cage and contact specialist to remove nests;
 - j. Road: Check condition i.e. check for signs of soil erosion, potholes and general sturdiness;
 - k. Power Source: Check condition i.e. still safe and insulated;
 - l. Maintenance Waste: All waste generated from the maintenance work must be removed from the area and disposed of at an approved landfill.
3. Invasive vegetation can easily be recognized as it is found in the immediate vicinity surrounding the site, but does not grow in the natural environment in the surrounding area. Normally the seeds of invasive vegetation are brought in an area with sand used during BTS site construction. Every effort must be made to remove invasive vegetation before it produces seeds.
4. In non environmentally sensitive areas, MTN approved weed killers may be used, under controlled conditions, to minimize weed growth. Soil erosion must be considered and prevented prior to using any weed killers.
5. Problems or non-compliance, such as poor road maintenance or erosion, mast paint peeling and poor mast condition, must be reported immediately. The necessary corrective action must be implemented to rectify the situation.



5 ENVIRONMENTAL SPECIFICATIONS: DECOMMISSIONING PHASE

The objective to provide guidelines is to prevent structures being left to deteriorate. Therefore it is imperative that non-functional structures are removed as soon as possible and the area is rehabilitated. If non-functional structures are no longer required, it must be maintained as if it is in use to prevent the environmental degradation of the area.

The Applicant will be responsible for the following:

- Removal of the construction building rubble to a suitable licensed disposal facility;
- Ensuring that suitable arrangements are made to protect the environment against long term negative impacts;
- Minimize negative visual impacts;
- Maintain the storm water channels in a working condition;
- Clean up contaminants of the environment;
- Prevent erosion through regular monitoring and rehabilitation of degraded areas.

5.1.1 Procedure

Procedure to be followed when decommissioning a BTS site.

1. A Work Authorisation must be issued by the Planning and Optimisation Division instructing the Implementation Division to decommission a particular site. In most cases, there will be a replacement BTS site issued at the same time. This may involve more than one BTS site to achieve the same coverage, largely depending on the site location and the Planning Engineer;
2. The BTS site will only be decommissioned once the replacement site has been activated (this is preferred, but not always possible), otherwise the replacement site must have at least been approved by the Property division and an instruction to proceed with the replacement BTS site build has been given to the Implementation Division;
3. When the site is decommissioned, the following areas should be considered as detailed further below:
 - a. Slab and concrete work;
 - b. Tower;
 - c. Antennas;
 - d. Feeder System;
 - e. Fencing and Guardrails;



- f. Container;
- g. Site Rehabilitation;
- h. Dumping
- i. Power connection to be disconnected

Slab and Concrete Work

- 4. All the concrete, cement and reinforcing on site must be removed and disposed of in a Registered dump by the Contractor. All land must be filled with landfill and compacted as necessary. (refer to owners requirements). If the landlord agrees, the concrete, cement and reinforcing can remain as is.
- 5. All stone or site fill must be removed and disposed of in an approved landfill by the Contractor.

Tower

- 6. The tower must be dismantled in a controlled manner and transported to the original tower manufacturer for inspection. The tower must be inspected for conformance to the current MTN specification. If the tower meets MTN's current tower specifications it must be packed for redistribution to another BTS site.
- 7. If the tower does not meet MTN's current tower specification it must be sent to the central warehouse or a location specified by the warehouse. The tower will then be retained until it can be removed (depreciated) from the asset register and sold as scrap metal.
- 8. All accessories associated with the tower such as booms, antenna poles, cat ladders, cables etc must be inspected and returned to the central warehouse for inspection, packaging and redistribution to another BTS site.
- 9. All antennas shall be returned to the warehouse for testing to ensure that they still meet the manufacturers specification. The central warehouse will identify whether they are on MTN's accepted antenna list. If so, they will be placed back in stock and redistributed to another BTS site.
- 10. If the antenna is not on MTN's current accepted antenna list, it will be sent to the central warehouse until it is removed from the asset register (depreciated) and scrapped.
- 11. Antenna brackets will be returned to the central warehouse for inspection and redistribution.

Feeder System

- 12. Connectors will be cut off the feeder cable, the open ends will be weather sealed, rolled and sent to the central warehouse for inspection, evaluation and redistribution.
- 13. The warehouse will dispose of unusable feeder cable according to the approved disposal procedure.



14. All feeder brackets and clamps must be packed and sent to the central warehouse for distribution.
15. Earthing materials must be returned to the central warehouse for redistribution or disposal. Waterproofing should be disposed of by the Contractor in an approved landfill.

Fencing and Guardrails

16. All fencing must be removed in a controlled manner for reuse. Concrete must be removed and dumped in an approved landfill by the Contractor.
17. Gates and access ways must be returned to the central warehouse for inspection and redistributed to another BTS site.
18. All electric fencing must be removed and returned to the central warehouse for inspection and redistribution.

Container

19. The container must be stripped of all equipment, returned to the manufacturer for inspection and refurbished if necessary. The container is then redistributed to another BTS site, preferably in the same region.
20. All other equipment must be sent to the Central Warehouse for evaluation and redistribution, if applicable.
21. All the equipment above must go through acceptance testing as per the acceptance procedure relating to that specific piece of equipment.

Site Rehabilitation

22. The BTS site, access roads and any trenches must be rehabilitated, conforming to ISO standards and to a level accepted by both the ESA and the landlord and must meet legal obligations that may be imposed or apply to that particular BTS site.

Dumping

23. No Contractor or Sub-contractor will dispose of any (dump) material or product without the approval from the responsible ESA.
24. All materials or products must be disposed of in the correct manner, in approved dumping site by the Contractor or Sub-Contractor. MTN must ensure that this procedure is followed for all sites decommissioned.

Records

Records of such decommissioning shall be kept electronically on the MTN Operating System.




6 EMERGENCY RESPONSE PLAN

The objective of this section is to provide a brief summary of options available to the ESA. The details of the design will reside with the designers, but cognizance should be taken of the design philosophy and key aspects given in the guidelines to problem solving given below.

6.1 Typical remedial work options

The following table is provided to assist the Contractor and ESA with problem solving:

Observation or Event	Action by ESA	Action by Contractor
Spillage of diesel or hydrocarbons on soil	Report to ESA and continue observations. Also check: ➤ That the source causing the spillage is decommissioned, and that the affected area is isolated to prevent spreading of the hazardous substance	Action will be required asap by following the next steps: ➤ Dig down into the soil to see how far down the pollution has penetrated; ➤ If penetration is less than 300mm: a. Turn the soil over to expose it to the air; b. Apply Mono Ammonium Phosphate (MAP) at a rate of 58gr/m ² to the dug up soil c. Water enough to keep the soil moist ➤ If penetration is greater than 300mm: a. Remove the affected soil and spread in a layer not more than 300mm thick; b. Apply MAP at a rate of 50gr/m ² c. Water enough to keep the soil moist ➤ Repeat the above steps every 6 weeks or until the soil is clean
General Surface Erosion	Report to ESA and continue observations. Also check: ➤ In respect of erosion of roads that all vehicular movement is restricted to the existing access routes to prevent criss-crossing of tracks through undisturbed areas.	Action will be required asap: ➤ Implement erosion protection works at identified problem areas; ➤ Implement remedial works to be done at affected areas in order to restore the area to its previous or better status.



This EMPR has been assessed/reviewed and agreed with:

HOD – Implementation

Name: _____

Region: _____

Date: _____

SUPERVISOR – Property

Name: _____

Region: _____

Date: _____

Environmental Consultant (ESA)

Name: _____

Company: _____


Date: _____

HOD - Maintenance

Name: _____


Region: _____

Date: _____




Appendix G


- G1 – Public Participation - Proof of Site Notice**
- G2– Public Participation – Proof of Written Notices to I&AP**
- G3 – Public Participation – Proof of Newspaper Advertisement**
- G4 – Public Participation – Register of I&APs**
- G5- South African Civil Aviation Authority Information**
- G6 – Motivation for exemption from assessing alternatives**




GI Proof of Sales Method




Proof of Site Notice



Site Notice 1 affixed to stand next to road.




Site Notice 1 affixed to stand next to road.



Proof of Site Notice



Site Notice 1 affixed to stand next to road.



Site Notice 2 affixed to fence next to gate




Proof of Site Notice




Site Notice 2 affixed to fence next to gate



Site Notice 2 affixed to fence next to gate



Proof of Site Notice



Site Notice 3 affixed to stand next to road at a T-junction



Site Notice 3 affixed to stand next to road at a T-junction




Proof of Site Notice



Site Notice 3 affixed to stand next to road at a T-junction



82 - [illegible]



Destination	Start Time	Time	Prints	Result	Note
0177126808	03-01 12:34	00:02:45	010/010	OK	

Note TXR: Timer TX, POL: Polling, ORG: Original Size, BATTING, FME: Frame Erase TX,
MIX: Mixed Original TX, CALL: Manual IS, CSAC: CSAC, FWD: Forward, PC: PC-FAX,
BND: Double-Sided Binding Direction, SP: Special Original, FCODE: F-code, RTX: Re-TX,
RLV: Relay, MBI: Confidential, BUL: Bulletin, SIP: SIP Fax, IPADR: IP Address Fax,
I-FAX: Internet Fax

Result OK: Communication OK, S-OK: Stop Communication, PW-OFF: Power Switch OFF,
TEL: RX from TEL, NG: Other Error, Cont: Continue, No Ans: No Answer,
Refuse: Receipt Refused, Busy: Busy, M-Full: Memory Full,
LOVR: Receiving length Over, POVER: Receiving page Over, FIL: File Error,
DC: Decode Error, MDN: MDN Response Error, DSN: DSN Response Error.

Our Reference:
T7073 / 17/2/3/GS - 84

Your Reference:

The Municipal Manager
Lekwa Local Municipality
P O Box 88
Standerton
2430

Attention: Mr J Sindane
Environmental Management Section

Facsimile: (017) 712 8808
E-mail:



Reg. No. 2001/080838/23
PO Box 22017, Tlovedal, 0154
414 Rustic Road
Silvertondale, 0186
Pretoria
Tel: (012) 804 1504/5
Fax: (012) 804 7072
e-mail: admin@torbiousolutions.co.za

Dear Sir / Madam,

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1996 ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 (a) & (b) : (a) II (cc) and (ee) IN REGULATION 540: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFRONTEIN 522 IS.

In terms of the Act and related regulations and guidelines Local Authorities are identified as key interested and affected parties (I&AP).

We request you to evaluate the attached information on the proposed project and provide us with your written comments and/or inputs, if any, by faxing or e-mailing such within 30 days from the date of this notification. It will be assumed that you do not have any comments on the Environmental Application of the proposed project on the expiry of the 30 day response period.

Should you have any further queries please do not hesitate to contact us.

Kind Regards,


MONICA NIEHOF
For: Torbious Solutions cc

Comments:



Our Reference:
T7073 / 17/2/3/GS - 84

Your Reference:



The Municipal Manager
Lekwa Local Municipality
P O Box 66
Standerton
2430

Reg. No. 2001/080535/23

PO Box 32017, Totiusdal, 0134

414 Rustic Road
Silvertondale, 0184
Pretoria

Attention: Mr J Sindane
Environmental Management Section

Tel: (012) 804 1504/ 6

Fax: (012) 804 7072

e-mail: admin@torbiousesolutions.co.za

Facsimile: (017) 712 6808

E-mail:

Dear Sir / Madam,

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 (a) & (b) : (a) ii (cc) and (ee) IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFONTein 522 IS.

In terms of the Act and related regulations and guidelines Local Authorities are identified as key interested and affected parties (I&AP).

We request you to evaluate the attached information on the proposed project and provide us with your written comments and/or inputs, if any, by faxing or e-mailing such within 30 days from the date of this notification. It will be assumed that you do not have any comments on the Environmental Application of the proposed project on the expiry of the 30 day response period.

Should you have any further queries please do not hesitate to contact us.


Kind Regards,


A handwritten signature in black ink, appearing to read "M. Niehof".

MONICA NIEHOF
For: Torbiouse Solutions cc

Comments:

Members: KW Anholts; GA Anholts





Our Reference:
T7073 / 17/2/3/GS-84

Your Reference:



The Ward Councillor
Lekwa Local Municipality
P O Box 66
Standerton
2430

Reg. No. 2001/080535/23

PO Box 32017, Totiusdal, 0134

Attention: Clr Sishoni
Councillor: Ward 13

414 Rustic Road
Silvertondale, 0184
Pretoria

Facsimile: (017) 712 6808
E-mail:

Tel: (012) 804 1504/ 6
Fax: (012) 804 7072
e-mail: admin@torbiousesolutions.co.za

Dear Sir / Madam,

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 (a) & (b) : (a) ii (cc) and (ee) IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFORTEIN 522IS.

In terms of the Act and related regulations and guidelines ward councillors are identified as key interested and affected parties (I&AP).

We request you to evaluate the attached information on the proposed project and provide us with your written comments and/or inputs, if any, by faxing or e-mailing such within 30 days from the date of this notification. It will be assumed that you do not have any comments on the Environmental Application of the proposed project on the expiry of the 30 day response period.

Please forward the attached documentation to the relevant Resident Association or provide us with their contact details.


Should you have any further queries please do not hesitate to contact us.


Kind Regards,


WA VAN'T FOORT
For: Torbiouse Solutions cc

Comments:

Members: KW Anholts; GA Anholts







The Municipal Manager
Gert Sibande District Municipality
O Box 3475
Standerton
2430

Reg. No. 2001/080535/23

PO Box 32017, Totlusdal, 0134

Attention: Mr A M Ngcobo
Environmental Management Section

414 Rustic Road
Silvertondale, 0184
Pretoria

Facsimile: (017) 811 1169
E-mail:

Tel: (012) 804 1504/ 6
Fax: (012) 804 7072
e-mail: admin@torblousesolutions.co.za

Dear Sir / Madam,

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 (a) & (b) : (a) ii (cc) and (ee) IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFORTEIN 522 IS.

In terms of the Act and related regulations and guidelines Local Authorities are identified as key interested and affected parties (I&AP).


We request you to evaluate the attached information on the proposed project and provide us with your written comments and/or inputs, if any, by faxing or e-mailing such within 30 days from the date of this notification. It will be assumed that you do not have any comments on the Environmental Application of the proposed project on the expiry of the 30 day response period.

Should you have any further queries please do not hesitate to contact us.

Kind Regards,

WA VAN'T FOORT
For: Torbious Solutions cc

Comments:





1267 Protea Street
Block B, Highveld Campus
Johannesburg, 2001

Tel: +27 (0) 11 243 7000
Fax: +27 (0) 11 243 7001

Postal Suite 1
Private Bag 21
Marko Park

SITE NAME
BRAKFORTEIN

BASE STATION NUMBER
T7073

REV	DATE	BY	DESCRIPTION
A	18/01/2012	MV	FIRST ISSUE

NOTES
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL
PROPERTY DESCRIPTION
PORTION 12 OF THE FARM BRAKFORTEIN 522 IS

COORDINATES
LAT: 28° 50' 28.50" S
LONG: 29° 36' 50.80" E

PROJECT
NEW 9x9m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
THE FARM BRAKFORTEIN
OFF DIRT ROAD BETWEEN
STANDERTON AND AMERSFOORT
MPUMALANGA

INFRASTRUCTURE PLANNING SERVICES



414 Protea Road
Edenburg
9754

Tel: +27 (0) 28 924 1804
Fax: +27 (0) 28 924 7075
info@infrastructure.co.za

P.O. Box 3201
Tollund
0154




RPO NO
84030


PROJECT NUMBER
84813


DIMENSIONS MUST NOT BE SCALED, ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORKS.
ALL WORK TO BE PERFORMED ACCORDING TO MTN BTS SITE INFRASTRUCTURE SPECIFICATION R8111001
ISSUE 1 REVISION 3 NOVEMBER 2007

DRAWN MELISSA YOUNG **DATE** 18/01/2012
SCALE NTS **REF NO** 812/T7073

LOCALITY MAP
SHEET 1 OF 9







1387 Piedmont Avenue
 Suite 2, Marietta, Georgia
 Phone: 770.421.2121
 Fax: 770.421.2000
 Website: www.mn.com

SITE NAME: BRAKFRONTEN
BASE STATION NUMBER: T7073

REV	DATE	BY	DESCRIPTION
A	1901/2012	MY	FIRST ISSUE

NOTES:
 OWNER: WILHELM KORNHAYN JACOUBUS LE ROUX

PROPERTY DESCRIPTION:
 PORTION 12 OF THE FARM BRAKFRONTEN 522 16
 STRICTLY COMPANY CONFIDENTIAL

COORDINATES:
 LAT 29° 29' 59.2850" S
 LONG 29° 26' 50.60" E

PROJECT:
 NEW 900MHz TELECOMMUNICATION BASESTATION WITH A
 50m LATTICE MAST FOR NTN (PTY) LTD

ADDRESS:
 THE FARM BRAKFRONTEN,
 OFF DIRT ROAD BE TWENEN
 STANDERTON AND ABERSDORF,
 MPUMALANGA

INFRASTRUCTURE PLANNING SERVICES
IPS


414 Packer Road
 Sandown, Durban
 Tel: +27 (11) 804 12049
 Fax: +27 (11) 804 2072
 Email: info@ipsafrica.com

PROJECT NUMBER: 04929
SCALE: 1:1000
DATE: 19/01/2012
DRAWN BY: MEUBSA YOUNG
REF NO: 812/T7073



CADASTRAL INFO:
 SHEET 2 OF 9

LG No A 4898/44


STATION	COORDINATES	MARK	HEIGHT
1	29 29 59.2850 S	+	1.500
2	29 26 50.6000 E	+	1.500
3	29 29 59.2850 S	+	1.500
4	29 26 50.6000 E	+	1.500
5	29 29 59.2850 S	+	1.500
6	29 26 50.6000 E	+	1.500
7	29 29 59.2850 S	+	1.500
8	29 26 50.6000 E	+	1.500
9	29 29 59.2850 S	+	1.500
10	29 26 50.6000 E	+	1.500
11	29 29 59.2850 S	+	1.500
12	29 26 50.6000 E	+	1.500
13	29 29 59.2850 S	+	1.500
14	29 26 50.6000 E	+	1.500
15	29 29 59.2850 S	+	1.500
16	29 26 50.6000 E	+	1.500
17	29 29 59.2850 S	+	1.500
18	29 26 50.6000 E	+	1.500
19	29 29 59.2850 S	+	1.500
20	29 26 50.6000 E	+	1.500



PROJECT INFORMATION:
 PROJECT NAME: BRAKFRONTEN
 PROJECT NUMBER: 04929
 DRAWN BY: MEUBSA YOUNG
 DATE: 19/01/2012
 SCALE: 1:1000







1287 Pretorius Street
Black & White Computer
Hatfield, 0081

94, 4th FLOOR
Tel: +27 (0) 12 341 12 34
Private Bag 11
Maboneng, 001

SITE NAME
BRAKFONTein

BASE STATION NUMBER
T7073

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES
OWNER: YULLEM ADRIAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL
PROPERTY DESCRIPTION
PORTION 12 OF THE FARM BRAKFONTein 522 IS

COORDINATES
LAT 28° 59' 28 50" S
LONG 29° 36' 50 80" E

PROJECT
NEW 8x9m TELECOMMUNICATION BASE STATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
THE FARM BRAKFONTein
OFF DRY ROAD BETWEEN
STANDERTON AND AMERSFOORT
MPUMALANGA

INFRASTRUCTURE PLANNING SERVICES

414 Pacific Road
Somerburg
0184

Tel: +27 (12) 854 1504/6
Fax: +27 (12) 854 2072
info@infrastructure.com.za

P.O. Box 20011
Tulworth
0154

RFC NO
84839


PROJECT NUMBER
84813


DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.
ALL WORK TO BE PERFORMED ACCORDING TO MTN SITE INFRASTRUCTURE SPECIFICATION R8011-1001
REVISION 1 NOVEMBER 2011

DRAWN MELISSA YOUNG	DATE 19/01/2012
SCALE 1:500	REF NO 812/T7073

SITE DEVELOPMENT PLAN
SHEET 3 OF 9

PORTION 12 OF
THE FARM
BRAKFONTein
522 IS







1267 Pretorius Street
 Suite 2, Sandton City
 Johannesburg 2008
 Tel: +27 (12) 542 2900
 Fax: +27 (12) 542 8708
 Product Suite 1
 Private Bag 211
 Midvale Park

GITE NAME
BRAKFONTEIN

BASE STATION NUMBER
T7073

REV	DATE	BY	DESCRIPTION
A	18/01/2012	MY	FIRST ISSUE

NOTES
 OWNER: VALLEM ADRIAAN JACOBS'S LR ROUTE

STRICTLY COMPANY CONFIDENTIAL
 PROPERTY DESCRIPTION
 PORTION 12 OF THE FARM BRAK FONTEIN 522 15

COORDINATES
 LAT 26° 50' 28 50" S
 LONG 28° 36' 50 80" E

PROJECT
 NEW 9x9m TELECOMMUNICATION BASE STATION WITH A
 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
 THE FARM BRAK FONTEIN
 OFF DIRT ROAD BETWEEN
 STANDERTON AND AMERSFOORT
 MPUMALANGA

INFRASTRUCTURE PLANNING SERVICES

414 Pacific Reef
 Edendale
 2018
 Tel: +27 (12) 804 12048
 Fax: +27 (12) 804 7072
 info@ipsplanning.co.za
 P.O. Box 3201
 Tumbull
 2154

RFG NO
 84939


PROJECT NUMBER
 84813


DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE
 USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT
 OF WORK.
 ALL WORK TO BE PERFORMED ACCORDING TO MINET'S SITE
 INFRASTRUCTURE SPECIFICATION R801/2001
 ISSUE 1 REVISION 9 NOVEMBER 2007

DRAWN: MELISSA YOUNG DATE: 18/01/2012

SCALE: NTR REF NO: 812/T7073

CONTOUR INTERVAL
 SHEET 5 OF 9







1367 Protea Street
 Sandton, Johannesburg
 2008
 Tel: +27 (0)11 432 2000
 Fax: +27 (0)11 432 2000
 Postal Suite 1
 Private Bag 27
 Midrand, 2008

SITE NAME
BRAKFONTEIN
 BASE STATION NUMBER
T7073

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES
 OWNER: VALLEH ADRIAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL
 PROPERTY DESCRIPTION
 PORTION 12 OF THE FARM BRAKFORTEIN 522 IS

COORDINATES
 LAT 26° 59' 28.50" S
 LONG 29° 36' 50.80" E

PROJECT
 NEW 9x9m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
 THE FARM BRAKFORTEIN
 OFF DIRT ROAD BETWEEN
 STANDERTON AND AMERSFOORT,
 MPMALANGA

INFRASTRUCTURE PLANNING SERVICES

414 Protea Road
 Sandton
 2008
 Tel: +27 (0)11 804 1200
 Fax: +27 (0)11 804 7072
 info@ipsplanning.co.za
 P.O. Box 3701
 Midrand
 2008

RFC NO
 84939


PROJECT NUMBER
 84813

DRAWINGS MUST NOT BE SCALED. ONLY DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.

ALL WORK TO BE PERFORMED ACCORDING TO MTN SITE SITE INFRASTRUCTURE SPECIFICATION 80011001 ISSUE 1 REVISION 0 NOVEMBER 2007

DRAWN: MELISSA YOUNG DATE: 19/01/2012
 SCALE: 1:500 REF NO: 812/T7073

SITE PHOTOGRAPHS
 SHEET 6 OF 9





PORTION 12 OF THE FARM BRAKFORTEIN 522 IS





PORTION 12 OF THE FARM BRAKFONTEIN 522 IS



NEW MTN: Ø110mm UNDERGROUND NEXTUBE SLEEVE FOR AC POWER SUPPLY POLE (±07m)

WIRE FENCE



INT'l Protocol Based
 World's Best Infrastructure Company
 Hottelink 0800
 27 112 304 13048
 Fax +27 (12) 854 7073
 www.mtn.co.za
 Protocol Suite
 Private Reg #1
 Media Post

SITE NAME
BRAKFONTEIN

BASE STATION NUMBER
T7073

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIR&T ISSUE

NOTES
 OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL
 PROPERTY DESCRIPTION
 PORTION 12 OF THE FARM BRAKFONTEIN 522 IS

COORDINATES
 LAT 26° 59' 28.50" S
 LONG 29° 36' 50.80" E

PROJECT
 NEW 9m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
 THE FARM BRAKFONTEIN
 OFF DIRT ROAD BETWEEN
 STANDERTON AND AMERSFOORT
 MPMALANGA

INFRASTRUCTURE PLANNING SERVICES 

#14 Rennie Road
 Edinburgdale
 5154
 Tel: +27 (12) 304 13048
 Fax: +27 (12) 854 7073
 www@infrastructure.co.za
 P.O. Box 5001
 Tzaneen
 0534


RFC NO
 84938

PROJECT NUMBER
 84813

DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.
 ALL WORK TO BE PERFORMED ACCORDING TO MTN SITE SPECIFICATIONS BY INFRASTRUCTURE SPECIFICATION BY 01/10/07 ISSUE 1 REVISION 8 NOVEMBER 2007


DRAWN MELISSA YOUNG DATE 19/01/2012
 SCALE 1:75 REF NO 812/T7073

SITE DETAIL
 SHEET 7 OF 9



MTN ANTENNAE KEY

SECTOR	AZIMUTH	ANTENNA	HEIGHT - BOTTOM (m)	MECH TILT	ELEC. TILT	FEEDER SIZE	FEEDER LENGTH (m)
1	0°	TBC	TBC			7/8"	TBC
2	120°	TBC	TBC			7/8"	TBC
3	240°	TBC	TBC			7/8"	TBC



1267 Protea Blvd
Block B Madibela Campus
Hatfield, 0081

Tel: +27 (12) 342 2900
Fax: +27 (12) 342 8208

Private Bag 11
Mundo Park

SITE NAME
BRAKFOEIN

BASE STATION NUMBER
T7073

REV	DATE	BY	DESCRIPTION
A	19/01/2012	MY	FIRST ISSUE

NOTES
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL

PROPERTY DESCRIPTION
PORTION 12 OF THE FARM BRAKFOEIN 522 IS

COORDINATES
LAT 28° 50' 28 50" S
LONG 29° 36' 50 80" E

PROJECT
NEW 970m TELECOMMUNICATION BASE STATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
THE FARM BRAKFOEIN
OFF DIRT ROAD BETWEEN
STANDERTON AND AMERSFOORT
MPUMALANGA

INFRASTRUCTURE PLANNING SERVICES



414 Riebeeck Road
Sandton
0184

Tel: +27 (11) 804 1804
Fax: +27 (11) 804 7072
info@infrastructure.co.za

P.O. Box 3301
Tolworth
0154

RFG NO

94939

PROJECT NUMBER

54813


DRAWINGS MUST NOT BE SCALED. ONLY DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.


ALL WORK TO BE PERFORMED ACCORDING TO MTN SITE INFRASTRUCTURE SPECIFICATION 89011001 ISSUE 1 REVISED 0 NOVEMBER 2007

DRAWN MELISSA YOUNG **DATE** 19/01/2012

SCALE 1:100 **REF NO** 812/T7073

ELEVATION SHEET 8 OF 9





1387 Protea Street
Black & Malibon Campus
Midrand 2009
Tel: +27 (11) 542 2000
Fax: +27 (11) 542 2006
Project Site 1
Private Bag 21
Midrand Park

SITE NAME

BRAKFORTEIN

BASE STATION NUMBER

T7073

REV	DATE	BY	DESCRIPTION
A	10/01/2012	MY	FIRST ISSUE

NOTES
OWNER: WILLEM ADRIAAN JACOBUS DE ROOY

STRICTLY COMPANY CONFIDENTIAL
PROPERTY DESCRIPTION
PORTION 12 OF THE FARM BRAKFORTEIN 522 IS

COORDINATES
LAT 26° 59' 28.60" S
LONG 29° 36' 50.80" E

PROJECT
NEW 600m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
THE FARM BRAKFORTEIN,
OFF DIRT ROAD BETWEEN
STANDERTON AND AMERSFOORT
MPUMALANGA

INFRASTRUCTURE PLANNING SERVICES 

414 Riebeeck Road
Silverton 2104
P.O. Box 3304
Telokwa
0154

RFG NO.
04930


PROJECT NUMBER
04813

DRAWINGS MUST NOT BE SCALED. ONLY FIGURED DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.
ALL WORK TO BE PERFORMED ACCORDING TO MTN SITE INFRASTRUCTURE SPECIFICATION #901-1001
ISSUE 1 REVISION 0 NOVEMBER 2007


DRAWN: MELISSA YOUNG DATE: 18/01/2012

SCALE: NTS REF NO: 012/T7073

FACILITY ILLUSTRATION
SHEET 9 OF 9



TYPICAL 3-LEGGED LATTICE MAST
(PAINTED RED & WHITE)



REGISTERED LETTER
GEREGISTREERDE BRIEF

(with an insurance option/met 'n versekeringsopsie)

T7073



Full tracking and tracing/Volledige volg en spoor

Addressed to/Geadresseer aan

South African Heritage Resources Agency
P.O. Box 4637

Cape Town

8000

Postcode/Poskode

The value of the contents of this letter is as indicated and compensation is not payable for a letter received unconditionally. Compensation is limited to R100.00. No compensation is payable without documentary proof. Optional insurance up to R2 000.00 is available and applies to domestic registered letters only.

Die waarde van die inhoud van hierdie brief is soos aangedui en vergoeding sal nie betaal word vir 'n brief wat sonder voorbehoud ontvang word nie. Vergoeding is beperk tot R100.00. Geen vergoeding is sonder dokumentêre bewys betaalbaar nie. Opsionele versekering tot R2 000.00 is beskikbaar en is niegt op binnelandse geregistreerde briewe van toepassing.

Postage paid R _____ c
Service fee / Diensgeld R _____ c
Insurance / Versekering R _____ c
Total / Totaal R _____ c

Insured value of contents

Versekerde waarde van inhoud R _____ c


Enquiries/Navrae

Toll-free number

Tolvry nommer

0800 111 502

Initial of accepting officer




RD 538 940 576 ZA
CUSTOMER COPY 301928R

klientafskrif

Paraal van saam-beampte

Datumstempel



Our Reference:
T7073 / 17/2/3/GS - 84

Your Reference:

29 February 2012

South African Heritage Resources Agency
P O Box 4637
Cape Town
8000



Reg. No. 2001/080535/23
PO Box 32017, Totiusdal, 0134
414 Rustic Road
Silvertondale, 0184
Pretoria

Tel: (012) 804 1504 / 6
Fax: (012) 804 7072
e-mail: admin@torbiousolutions.co.za

Via Registered Mail

DEAR SIR/MADAM

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 AS AMENDED ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 (a) & (b) : (a) ii (cc) & (ee) IN REGULATION 546: ESTABLISHMENT OF A VODACOM (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAK FONTEIN 522 IS.

We are acting on behalf of MTN (Pty) Ltd in order to apply to the Mpumalanga Department of Economic Development, Environment and Tourism to establish a telecommunication base station on Portion 12 of the Farm Brakfontein 522 IS.

Attached hereto find:

1. Public Participation notice
2. Site Development plan
3. Facility Illustration

Should you have any further queries, please do not hesitate to contact us.

Yours faithfully

MONICA NIEHOF
For: Torbious Solutions CC



PUBLIC PARTICIPATION PROCESS

REFERENCE NUMBER: 17/2/3/GS - 84

Regulation 546 activity 3 (a) & (b) : (a) ii (cc) & (ee): Establishment of an enclosed telecommunication base station with a 54m mast for MTN (Pty) Ltd: T7073 Brakfontein

Location: Portion 12 of the Farm Brakfontein 522 IS

Co-ordinates (WGS84 format) of the alternatives on the above property.

Alternative 1: Latitude: 26° 59' 28.5" S Longitude: 29° 36' 50.8" E
(Lattice type mast painted red and white)

Notice is hereby given of a public participation process in terms of the Environmental Impact Assessment Regulations 2010 (R543) as amended promulgated in terms of the National Environmental Management Act 1998 (Act No. 107 of 1998) as amended ("NEMA").

Basic assessment procedures will be applied in accordance with regulation 543 and an application was submitted to the Mpumalanga Department of Economic Development, Environment and Tourism.

The applicant furthermore intends to apply to the Mpumalanga Department of Economic Development, Environment and Tourism for exemption in terms of Chapter 5 of the Environmental Impact Assessment Regulations 2010 (R543) to assess alternatives with regard to the planned activity.

Applicant:

MTN (Pty) Ltd, P.O. Box 4559, Northcliff, 2115.

Environmental Assessment Practitioner (EAP):

Torbouse Solutions CC.

P.O. Box 32017, Totiusdal, 0134

Attention: Monica Niehof

Telephone: (012) 804 1504/6; Facsimile: (012) 804 7072

E-mail: admin@torbousesolutions.co.za

Further information regarding the proposed activity can be obtained from the EAP.

Any interested and affected party may, in writing, make representations on the proposed activity or request to be registered as an interested and affected party, by submitting the written representations or registration request, including their name, physical & postal addresses (including facsimile & e-mail where possible) and contact number(s) and quoting the activity reference number, to the EAP within 30 calendar days from the publication of this notice.

Notice publication date: 16 February 2012

UHLELO LOKUHLANGANYELA KOMPHAKATHI

INOMBOLO YEREFERENSI: 17/2/3/GS - 84

Umyalelo womthetho 546 umsebenzi 3 (a) & (b) : (a) ii (cc) & (ee): Isakhiwo eslyisizinda sezokuxhumana ngocingo esivalekile se-MTN (Pty) Ltd ene-mast engama-54m kanye nendawo (nezindawo) yokubeka impahla: T7073 Brakfontein

Indawo: Portion 12 of the farm Brakfontein 522 IS

Ezinye izindawo zezizinda ezihlukile ezifana nalesi esingenhla (WGS84 isimo sokwakheka):

Eshlukile 1: Ububanzi: 26° 59' 28.5" S Ubushe: 29° 36' 50.8" E
Induku ye-lattice ependwe ngokubomvu nokumhlophe

Ngalokhu kunikezwa isaziso senqubo yokubamba iqhaza komphakathi ngokuhambisana Nemithetho Yokuhlola Umthelela Wamandla Kwezenhlalo (i-Environmental Impact Assessment Regulations) ka-2010 (R543) njengoba ichibiyelwe yamenezelwa ngokuhambisana Nomthetho Wokuphatha Ezenhlalo Kuzwelonke (i-National Environmental Management Act) ka-1998 (Umthetho weNombolo-107 ka-1998) njengoba uchibiyelwe (i-"NEMA").

Izinqubo eziyisisekelo zokuhlola zizosetshenziswa ngokuvumelana nemiyalelo yomthetho 543 bese kufakwa isicelo eMnyangweni Wezolimo, Ukunakekwa kanye neZemvelo WaseMpumalanga. Umenzi wesicelo uhlose futhi ukwenza isicelo kuMnyango Wezollimo waseMpumalanga, Ukulondolozwa Kwamagugu Nezemvelo ukuze akhululwe ngokwemibandela yomthetho 5 weMithetho Yokuhlola Kokuthinteka Kwemvelo ka-2010 (R543) ukuze ahlole ezinye izindlela zokuqhubeka nomsebenzi ohleliwe.

Umuntu ofaka isicelo:

MTN (Pty) Ltd, P.O. Box 4559, Northcliff, 2115.

Isisebenzi Esihlola Ezemvelo (Environmental Assessment Practitioner (EAP)):

Torbouse Solutions CC., P.O. Box 32017, Totiusdal, 0134

kuqondiswe ku- Monica Niehof

Ucingo: (012) 804 1504/6, Ifeksi: (012) 804 7072,

i-e-meyili: admin@torbousesolutions.co.za

Olunye ulwazi maqondana nalo msebenzi ohlongozwayo lungatholakala ku-EAP. Nanoma ubani omunye othandayo nothintekayo, ngokubhala, mackenze isitatimende ngomsebenzi ohlongozwayo noma isicelo sokubhaliswa njengomuntu onothando noma othintekayo, ngokuthi alethe isitatimende esibhaliwe noma isicelo sokubhalisa, namagama abo, ikheli lendawo neleposi (kufakwe ifeksi ne-e-meyili uma kunokwenzeka) kanye nezombolo zokubathinta futhi basho nenombolo yereferensi yomsebenzi, ku-EAP ezinsukwini zekhalenda ezingama-30 kusukela ekushicilelweni kwalesi saziso.


Usuku lokushicilelwa kweSaziso:

16 February 2012





PORTION 12 OF
THE FARM
BRAKFONTEIN
522 IS



GRAVEL ROAD

ACCESS GATE

HOUSE

GARDEN

OVERHEAD POWER LINES

POLE TRANSFORMER

NEW MTN AC
POWER SUPPLY
ROUTE (MTH)

NEW MTN: SIMA TELECOMMUNICATION
MAST (PAINTED RED & WHITE)
BASKETRY WITH A SIM LATTICE

OPEN FIELD

GRAVEL ROAD

OVERHEAD POWER LINES

OPEN FIELD

WIRE FENCE

WIRE FENCE

MTN

1877 Pretoria Road
Pretoria 0001
Phone: 011 431 2411
Fax: 011 431 2411
www.mtn.co.za

BRAKFONTEIN
DABE STATION NUMBER: 77073

REV	DATE	BY	DESCRIPTION
A	18/12/12	MV	FIRST ISSUE

OWNER: WILLEM ADRIANUS MOORE LE MOUK

PROJECT DESCRIPTION: DIRECTLY COMPANY CONFIDENTIAL

COORDINATES: PORTION 12 OF THE FARM BRAKFONTEIN 522 IS
LAT: 28° 58' 28.94" S
LONG: 28° 34' 50.80" E

PROJECT: NEW SIMA TELECOMMUNICATION BASKETRY WITH A SIM LATTICE MAST FOR MTH (P) LTD

ADDRESSES: THE FARM BRAKFONTEIN, STANFORD AND AMERPOORT, RURAL AREA

INFRASTRUCTURE PLANNING SERVICES
IPS

101 Peka Road
Peka, 0181
Tel: 011 731 8811
Fax: 011 731 8811
Email: info@ips.co.za
Web: www.ips.co.za

PROJECT NUMBER: 54928

DATE: 18/12/12

SCALE: 1:500

REF: NO: 12/12/12

SITE DEVELOPMENT PLAN

SHEET 3 OF 9








Date stamp of delivery  Datumstempel van aflewering	REGISTERED LETTER GEREGISTREERDE BRIEF (with an insurance option/met 'n verskeringsopsie) No <u>T7073</u>  Post Office	Date stamp of delivery  Datumstempel van aflewering
Initial of delivery officer Paraaf van aflewingsbeample	Addressed to/Geadresseer aan <u>Mrs. A. van der Westhuizen</u> <u>P.O. Box 2346</u> <u>Brankborspruit</u> <u>1020</u> Postcode Poskode	Signature of recipient Handtekening van ontvanger  REGISTERED LETTER <small>(with a domestic insurance option)</small> <small>ShareCall 0860 111 502 www.sapo.co.za</small> RD 604 396 977 ZA CUSTOMER COPY 301028R
Official proof of identification essential Amptelike bewys van identifikasie noodsaaklik		Initial of receiving officer Paraaf van ontvangsbeample 
Please collect at Haal asseblief af by _____ within 30 days of date received at delivery office/ binne 30 dae vanaf datum ontvang by afleweringkantoor		Post Office, counter No Poskantoor, toonbanknr _____ 701282






Masqhame Printers & Stationery


Date stamp of delivery  Datumstempel van aflewering	REGISTERED LETTER GEREGISTREERDE BRIEF (with an insurance option/met 'n verskeringsopsie) No <u>T7073</u>  Post Office	Date stamp of delivery  Datumstempel van aflewering
Initial of delivery officer Paraaf van aflewingsbeample	Addressed to/Geadresseer aan <u>Mr. W. d Le Roux</u> <u>P.O. Box 209</u> <u>Morgenzon</u> <u>2315</u> Postcode Poskode	Signature of recipient Handtekening van ontvanger  REGISTERED LETTER <small>(with a domestic insurance option)</small> <small>ShareCall 0860 111 502 www.sapo.co.za</small> RD 604 396 901 ZA CUSTOMER COPY 301028R
Official proof of identification essential Amptelike bewys van identifikasie noodsaaklik		Initial of receiving officer Paraaf van ontvangsbeample 
Please collect at Haal asseblief af by _____ within 30 days of date received at delivery office/ binne 30 dae vanaf datum ontvang by afleweringkantoor		Post Office, counter No Poskantoor, toonbanknr _____ 701282

Masqhame Printers & Stationery

Date stamp of delivery  Datumstempel van aflewering	REGISTERED LETTER GEREGISTREERDE BRIEF (with an insurance option/met 'n verskeringsopsie) No <u>T7073</u>  Post Office	Date stamp of delivery  Datumstempel van aflewering
Initial of delivery officer Paraaf van aflewingsbeample	Addressed to/Geadresseer aan <u>National Government of</u> <u>The Republic of South Africa</u> <u>Private Bag X3</u> <u>Brankfontein</u> <u>2017</u> Postcode Poskode	Signature of recipient Handtekening van ontvanger  REGISTERED LETTER <small>(with a domestic insurance option)</small> <small>ShareCall 0860 111 502 www.sapo.co.za</small> RD 604 396 915 ZA CUSTOMER COPY 301028R
Official proof of identification essential Amptelike bewys van identifikasie noodsaaklik		Initial of receiving officer Paraaf van ontvangsbeample 
Please collect at Haal asseblief af by _____ within 30 days of date received at delivery office/ binne 30 dae vanaf datum ontvang by afleweringkantoor		Post Office, counter No Poskantoor, toonbanknr _____ 701282

Masqhame Printers & Stationery

Date stamp of delivery  Datumstempel van aflewering	REGISTERED LETTER GEREGISTREERDE BRIEF (with an insurance option/met 'n verskeringsopsie) No <u>T7073</u>  Post Office	Date stamp of delivery  Datumstempel van aflewering
Initial of delivery officer Paraaf van aflewingsbeample	Addressed to/Geadresseer aan <u>Dorsfontein Coal mines</u> <u>P.O. Box 2344</u> <u>Saxonworld</u> <u>Janaburg</u> <u>0130</u> Postcode Poskode	Signature of recipient Handtekening van ontvanger  REGISTERED LETTER <small>(with a domestic insurance option)</small> <small>ShareCall 0860 111 502 www.sapo.co.za</small> RD 604 396 929 ZA CUSTOMER COPY 301028R
Official proof of identification essential Amptelike bewys van identifikasie noodsaaklik		Initial of receiving officer Paraaf van ontvangsbeample 
Please collect at Haal asseblief af by _____ within 30 days of date received at delivery office/ binne 30 dae vanaf datum ontvang by afleweringkantoor		Post Office, counter No Poskantoor, toonbanknr _____ 701282



17 February 2012

**Owner of Remaining Extent Portion 1 and Portion 13
of the farm Brakfontein 522 IS**
Mrs A. Van der Westhuizen
P.O. Box 2346
Bronkhorstspuit
1020



Reg. No. 2001/080535/23
PO Box 32017, Totiusdal, 0134
414 Rustic Road
Silvertondale, 0184
Pretoria

Tel: (012) 804 1504 / 6
Fax: (012) 804 7072
e-mail: admin@torbiousolutions.co.za

Via Registered Mail

DEAR SIR/MADAM

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 AS AMENDED ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 (a) & (b) : (a) ii (cc) & (ee) IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFONTein 522 IS.

We are acting on behalf of MTN (Pty) Ltd in order to apply to the Mpumalanga Department of Economic Development, Environmental and Tourism to establish a telecommunication base station on **Portion 12 of the Farm Brakfontein 522 IS**

Attached hereto find:

1. Public Participation notice
2. Site Development plan
3. Facility Illustration

Should you have any further queries, please do not hesitate to contact us.

Yours faithfully

P.P. 

M NIEHOF
For: Torbious Solutions CC



17 February 2012

Owner of Remaining Extent Portion 4
of the farm Brakfontein 522 IS
Mr. W. A. J. Le Roux
P.O. Box 309
Morgenzon
2315



Reg. No. 2001/080535/23
PO Box 32017, Totiusdal, 0134
414 Rustic Road
Silvertondale, 0184
Pretoria

Tel: (012) 804 1504 / 6
Fax: (012) 804 7072
e-mail: admin@torbiousolutions.co.za

Via Registered Mail

DEAR SIR/MADAM

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 AS AMENDED ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 (a) & (b) : (a) ii (cc) and (ee) IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFORTEIN 522 IS.

We are acting on behalf of MTN (Pty) Ltd in order to apply to the Mpumalanga Department of Economic Development, Environmental and Tourism to establish a telecommunication base station on **Portion 12 of the Farm Brakfontein 522 IS**

Attached hereto find:

1. Public Participation notice
2. Site Development plan
3. Facility Illustration

Should you have any further queries, please do not hesitate to contact us.

Yours faithfully

p.p. 
M NIEHOF
For: Torbious Solutions CC



17 February 2012

**Owner of Remaining Extent Portion 13
of the farm Grootvley 51 HS**
National Government of The Republic of South Africa
Private Bag x3
Braamfontein
2017



Reg. No. 2001/080535/23
PO Box 32017, Totiusdal, 0134
414 Rustic Road
Silvertondale, 0184
Pretoria

Tel: (012) 804 1504 / 6
Fax: (012) 804 7072
e-mail: admin@torbiousolutions.co.za

Via Registered Mail

DEAR SIR/MADAM

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 AS AMENDED ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 (a) & (b) : (a) ii (cc) and (ee) IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFORTEIN 522 IS.

We are acting on behalf of MTN (Pty) Ltd in order to apply to the Mpumalanga Department of Economic Development, Environmental and Tourism to establish a telecommunication base station on **Portion 12 of the Farm Brakfontein 522 IS**

Attached hereto find:

1. Public Participation notice
2. Site Development plan
3. Facility Illustration

Should you have any further queries, please do not hesitate to contact us.

Yours faithfully

P.P. Niehof

M NIEHOF
For: Torbious Solutions CC



REGISTERED LETTER T7073 GEREGISTREERDE BRIEF <i>(with an insurance option/met 'n versekeringsopsie)</i>		Postage paid R _____ c Service fee / Diensgeld R _____ c Insurance / Versekering R _____ c Total / Totaal R _____ c	
Full tracking and tracing/Volledige volg en spoor		Insured value of contents Versekerde waarde van inhoud R _____ c	
Addressed to/Geadresseer aan WAJ le Roux P O Box 309 Morgenster 2315 Postcode Poskode		Enquiries/Navrae Toll-free number Tolvry nommer 0800 111 502	
The value of the contents of this letter is as indicated and compensation is not payable for a letter received unconditionally. Compensation is limited to R100.00. No compensation is payable without documentary proof. Optional insurance up to R2 000.00 is available and applies to domestic registered letters only. Die waarde van die inhoud van hierdie brief is soos aangedui en vergoeding sal nie betaal word vir 'n brief wat sonder voorbehoud ontvang word nie. Vergoeding is beperk tot R100,00. Geen vergoeding is sonder dokumentêre bewys betaalbaar nie. Opsionele versekering tot R2 000,00 is beskikbaar en is slegs op binnelandse geregistreerde briewe van toepassing.		Affix Track and Trace REGISTERED LETTER <i>(with a domestic insurance option)</i> ShareCall 0800 111 502 www.saps.co.za RD 748 009 674 ZA	
		Initial of accepting officer Date Stamp 2012-03-28 0734	
		CUSTOMER COPY 301028R Paraaf van aanneemsampie Datumstempel	

REGISTERED LETTER T7073 GEREGISTREERDE BRIEF <i>(with an insurance option/met 'n versekeringsopsie)</i>		Postage paid R _____ c Service fee / Diensgeld R _____ c Insurance / Versekering R _____ c Total / Totaal R _____ c	
Full tracking and tracing/Volledige volg en spoor		Insured value of contents Versekerde waarde van inhoud R _____ c	
Addressed to/Geadresseer aan ND Malinga P O Box 258 Amersfoort 21490 Postcode Poskode		Enquiries/Navrae Toll-free number Tolvry nommer 0800 111 502	
The value of the contents of this letter is as indicated and compensation is not payable for a letter received unconditionally. Compensation is limited to R100.00. No compensation is payable without documentary proof. Optional insurance up to R2 000.00 is available and applies to domestic registered letters only. Die waarde van die inhoud van hierdie brief is soos aangedui en vergoeding sal nie betaal word vir 'n brief wat sonder voorbehoud ontvang word nie. Vergoeding is beperk tot R100,00. Geen vergoeding is sonder dokumentêre bewys betaalbaar nie. Opsionele versekering tot R2 000,00 is beskikbaar en is slegs op binnelandse geregistreerde briewe van toepassing.		Affix Track and Trace REGISTERED LETTER <i>(with a domestic insurance option)</i> ShareCall 0800 111 502 www.saps.co.za RD 748 009 688 ZA	
		Initial of accepting officer Date Stamp 2012-03-28 0734	
		CUSTOMER COPY 301028R Paraaf van aanneemsampie Datumstempel	

REGISTERED LETTER T7073 GEREGISTREERDE BRIEF <i>(with an insurance option/met 'n versekeringsopsie)</i>		Postage paid R _____ c Service fee / Diensgeld R _____ c Insurance / Versekering R _____ c Total / Totaal R _____ c	
Full tracking and tracing/Volledige volg en spoor		Insured value of contents Versekerde waarde van inhoud R _____ c	
Addressed to/Geadresseer aan JW Payne P O Box 1684 Sturcken 21430 Postcode Poskode		Enquiries/Navrae Toll-free number Tolvry nommer 0800 111 502	
The value of the contents of this letter is as indicated and compensation is not payable for a letter received unconditionally. Compensation is limited to R100.00. No compensation is payable without documentary proof. Optional insurance up to R2 000.00 is available and applies to domestic registered letters only. Die waarde van die inhoud van hierdie brief is soos aangedui en vergoeding sal nie betaal word vir 'n brief wat sonder voorbehoud ontvang word nie. Vergoeding is beperk tot R100,00. Geen vergoeding is sonder dokumentêre bewys betaalbaar nie. Opsionele versekering tot R2 000,00 is beskikbaar en is slegs op binnelandse geregistreerde briewe van toepassing.		Affix Track and Trace REGISTERED LETTER <i>(with a domestic insurance option)</i> ShareCall 0800 111 502 www.saps.co.za RD 748 009 705 ZA	
		Initial of accepting officer Date Stamp 2012-03-28 0734	
		CUSTOMER COPY 301028R Paraaf van aanneemsampie Datumstempel	



Our Reference:
T7073 / 17/2/3/GS – 84

Your Reference:

29 March 2012

**Owner of the Remaining Extent of Portion 1 of
The Farm Potfontein 55 HS**
Mr N D Malinga
P O Box 288
Amersfoort
2490



Reg. No. 2001/080535/23
PO Box 32017, Totiusdal, 0134
414 Rustic Road
Silvertondale, 0184
Pretoria

Tel: (012) 804 1504 / 6
Fax: (012) 804 7072
e-mail: admin@torbiousolutions.co.za

Via Registered Mail

DEAR SIR/MADAM

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 AS AMENDED ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFORTEIN 522 IS.

We are acting on behalf of MTN (Pty) Ltd in order to apply to the Mpumalanga Department of Economic Development, Environmental and Tourism to establish a telecommunication base station on **Portion 12 of the Farm Brakfontein 522 IS**


Attached hereto find:

1. Public Participation notice
2. Site Development plan
3. Facility Illustration

Should you have any further queries, please do not hesitate to contact us.

Yours faithfully

M NIEHOF
For: Torbious Solutions CC



Our Reference:
T7073 / 17/2/3/GS – 84

Your Reference:

29 March 2012

**Owner Remaining Extent of Portion 2 of
The Farm Potfontein 55 HS**
Mr J W Payne
P O Box 1684
Standerton
2430



Reg. No. 2001/080535/23
PO Box 32017, Totiusdal, 0134
414 Rustic Road
Silvertondale, 0184
Pretoria

Tel: (012) 804 1504 / 6
Fax: (012) 804 7072
e-mail: admin@torbiousolutions.co.za

Via Registered Mail

DEAR SIR/MADAM

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 AS AMENDED ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFORTEIN 522 IS.

We are acting on behalf of MTN (Pty) Ltd in order to apply to the Mpumalanga Department of Economic Development, Environmental and Tourism to establish a telecommunication base station on **Portion 12 of the Farm Brakfontein 522 IS**

Attached hereto find:

1. Public Participation notice
2. Site Development plan
3. Facility Illustration


Should you have any further queries, please do not hesitate to contact us.

Yours faithfully

A handwritten signature in black ink, appearing to read 'M Niehof', is written above the printed name.

M NIEHOF

For: Torbious Solutions CC



Our Reference:
T7073 / 17/2/3/GS – 84

Your Reference:

29 March 2012

Owner Portion 4 of The Farm Potfontein 55 HS
Mr W A J Le Roux
P O Box 309
Morgenzon
2315



Reg. No. 2001/080535/23
PO Box 32017, Totiusdal, 0134
414 Rustic Road
Silvertondale, 0184
Pretoria

Tel: (012) 804 1504 / 6
Fax: (012) 804 7072
e-mail: admin@torbousesolutions.co.za

Via Registered Mail

DEAR SIR/MADAM

INTENTION TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 AS AMENDED ("NEMA") TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION BASE STATION ON PORTION 12 OF THE FARM BRAKFontein 522 IS.

We are acting on behalf of MTN (Pty) Ltd in order to apply to the Mpumalanga Department of Economic Development, Environmental and Tourism to establish a telecommunication base station on **Portion 12 of the Farm Brakfontein 522 IS**


Attached hereto find:

1. Public Participation notice
2. Site Development plan
3. Facility Illustration

Should you have any further queries, please do not hesitate to contact us.

Yours faithfully

M NIEHOF
For: Torbouse Solutions CC



PUBLIC PARTICIPATION PROCESS

REFERENCE NUMBER: 17/2/3/GS - 84

Regulation 546 activity 3 (a) & (b) : (a) ii (cc) & (ee): Establishment of an enclosed telecommunication base station with a 54m mast for MTN (Pty) Ltd: T7073 Brakfontein

Location: Portion 12 of the Farm Brakfontein 522 IS

Co-ordinates (WGS84 format) of the alternatives on the above property.

Alternative 1: Latitude: 26° 59' 28.5" S Longitude: 29° 36' 50.8" E
(Lattice type mast painted red and white)

Notice is hereby given of a public participation process in terms of the Environmental Impact Assessment Regulations 2010 (R543) as amended promulgated in terms of the National Environmental Management Act 1998 (Act No. 107 of 1998) as amended ("NEMA").

Basic assessment procedures will be applied in accordance with regulation 543 and an application was submitted to the Mpumalanga Department of Economic Development, Environment and Tourism.

The applicant furthermore intends to apply to the Mpumalanga Department of Economic Development, Environment and Tourism for exemption in terms of Chapter 5 of the Environmental Impact Assessment Regulations 2010 (R543) to assess alternatives with regard to the planned activity.

Applicant:

MTN (Pty) Ltd, P.O. Box 4559, Northcliff, 2115.

Environmental Assessment Practitioner (EAP):

Torbiose Solutions CC.

P.O. Box 32017, Totiusdal, 0134

Attention: Monica Niehof

Telephone: (012) 804 1504/6; Facsimile: (012) 804 7072

E-mail: admin@torbiosesolutions.co.za

Further information regarding the proposed activity can be obtained from the EAP.

Any interested and affected party may, **in writing**, make representations on the proposed activity or request to be registered as an interested and affected party, by submitting the written representations or registration request, including their name, physical & postal addresses (including facsimile & e-mail where possible) and contact number(s) and quoting the activity reference number, to the EAP within 30 calendar days from the publication of this notice.

Notice publication date: 29 March 2012

UHLELO LOKUHLANGANYELA KOMPHAKATHI

INOMBOLO YEREFERENSI: 17/2/3/GS - 84

Umyalelo womthetho 546 umsebenzi 3 (a) & (b) : (a) ii (cc) & (ee): Isakhiwo esiyisizinda sezokuxhumana ngocingo esivalekile se-MTN (Pty) Ltd ene-mast engama-54m kanye nendawo (nezindawo) yokubeka impahla: T7073 Brakfontein

Indawo: Portion 12 of the farm Brakfontein 522 IS

Ezinye izindawo zezizinda ezihlukile ezifana nalesi esingenhla (WGS84 isimo sokwakheka):

Esihlukile 1: Ububanzi: 26° 59' 28.5" S Ubuside: 29° 36' 50.8" E
Induku ye-lattice ependwe ngokubomvu nokumhlophe

Ngalokhu kunikezwa isaziso senqubo yokubamba iqhaza komphakathi ngokuhambisana Nemithetho Yokuhlola Umthelela Wamandla Kwezenhlalo (i-Environmental Impact Assessment Regulations) ka-2010 (R543) njengoba ichibiyelwe yamenezelwa ngokuhambisana Nomthetho Wokuphatha Ezenhlalo Kuzwelonke (i-National Environmental Management Act) ka-1998 (Umthetho weNombolo-107 ka-1998) njengoba uchibiyelwe (i-"NEMA").

Izinqubo ezizisisekelo zokuhlola zizosetshenziswa ngokuvumelana nemiyalelo yomthetho 543 bese kufakwa isicelo eMnyangweni Wezolimo, Ukunakekelwa kanye neZemvelo WaseMpumalanga. Umenzi wesicelo uhlose futhi ukwenza isicelo kuMnyango Wezolimo waseMpumalanga, Ukulondolozwa Kwamagugu Nezemvelo ukuze akhululwe ngokwemibandela yomthetho 5 weMithetho Yokuhlola Kokuthinteka Kwemvelo ka-2010 (R543) ukuze ahlole ezinye izindlela zokuqhubeka nomsebenzi ohleliwe.

Umuntu ofaka isicelo:

MTN (Pty) Ltd, P.O. Box 4559, Northcliff, 2115.

Isisebenzi Esihlola Ezemvelo (Environmental Assessment Practitioner (EAP)):

Torbiose Solutions CC., P.O. Box 32017, Totiusdal, 0134

kuqondiswe ku- Monica Niehof

Ucingo: (012) 804 1504/6, Ifeksi: (012) 804 7072,


i-e-meyili: admin@torbiosesolutions.co.za


Olunye ulwazi maqondana nalo msebenzi ohlongozwayo lungatholakala ku-EAP.

Nanoma ubani omunye othandayo nothintekayo, **ngokubhala**, makenze isitatimende ngomsebenzi ohlongozwayo noma isicelo sokubhaliswa njengomuntu onothando noma othintekayo, ngokuthi alethe isitatimende esibhalwe noma isicelo sokubhalisa, namagama abo, ikheli lendawo neleposi (kufakwe ifeksi ne-e-meyili uma kunokwenzeka) kanye nezindawo zokubathinta futhi basho nenombolo yereferensi yomsebenzi, ku-EAP ezinsukwini zekhalenda ezingama-30 kusukela ekushicilelweni kwalesi saziso.

Usuku lokushicilelwa kweSaziso:

29 March 2012





1287 Pretorius Street
Block 8, Hillside Centre
Johannesburg 2001

Tel: +27 (0) 11 943 9100
Fax: +27 (0) 11 243 9199

Market Suite 1-10
Pretorius Building
Market Park

SITE NAME
BRAKFORTEIN

BASE STATION NUMBER
T7073

REV	DATE	BY	DESCRIPTION
A	18/01/2012	MY	FIRST ISSUE

NOTES
OWNER: WILLEM ADRIAAN JACOBUS LE ROUX

STRICTLY COMPANY CONFIDENTIAL
PROPERTY DESCRIPTION
PORTION 12 OF THE FARM BRAKFORTEIN 522 IS

COORDINATES
LAT: 28° 58' 28.50" S
LONG: 29° 31' 30.90" E

PROJECT
NEW 24m TELECOMMUNICATION BASESTATION WITH A 54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
THE FARM BRAKFORTEIN,
OFF DIRT ROAD BETWEEN
STANDERTON AND AMERSFOORT,
MPMALANGA

INFRASTRUCTURE PLANNING SERVICES

404 Bantu Road
Bloubaanville
9564

Tel: +27 (0) 21 964 13049
Fax: +27 (0) 21 964 7972
info@ips-engineering.co.za

P.O. Box 13017
Tombura
9554

RFC NO
84939

PROJECT NUMBER
84813


DRAWINGS MUST NOT BE SCALED, ONLY DIMENSIONS TO BE USED. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.
ALL WORK TO BE PERFORMED ACCORDING TO MTN SITE SITE INFRASTRUCTURE SPECIFICATION P/01/10/01, SCALE 1 REVISION 9 NOVEMBER 2007


DRAWN: MELISSA YOUNG **DATE:** 18/01/2012

SCALE: 1:800 **REF. NO:** 812/T7073

SITE DEVELOPMENT PLAN
SHEET 3 OF 9

PORTION 12 OF
THE FARM
BRAKFORTEIN
522 IS





TYPICAL 3-LEGGED LATTICE MAST
(PAINTED RED & WHITE)



1287 Pretoria Street
Block B, 1st Floor Corner
Hautbos, 2003
Tel: +27 (11) 241 9200
Fax: +27 (11) 242 9200
Postal Code: 2001
North Park

SITE NAME
BRAKFORTEIN

BASE STATION NUMBER
T7073

REV	DATE	BY	DESCRIPTION
A	18/01/2012	MY	FIRST ISSUE

NOTES
OWNER: WILLEM ADRIAAN JACOBS LE NOUË

STRICTLY COMPANY CONFIDENTIAL
PROPERTY DESCRIPTION
PORTION 12 OF THE FARM BRAKFORTEIN 822 18

COORDINATES
LAT: 28° 58' 28.50" S
LONG: 28° 36' 50.80" E

PROJECT
NEW 190m TELECOMMUNICATION BASE STATION WITH A
54m LATTICE MAST FOR MTN (PTY) LTD

ADDRESS
THE FARM BRAKFORTEIN
OFF DIRT ROAD BETWEEN
STANDERTON AND AMERSFOORT,
MPUMALANGA

INFRASTRUCTURE PLANNING SERVICES 

214 Punt Road
Brynerton,
0154
Tel: +27 (7) 854 1204
Fax: +27 (11) 854 7872
www.infrastructure.co.za
P.O. Box 23217
Toll-free
0164

RFS NO
8458


PROJECT NUMBER
84813

DISCLAIMER
DRAWINGS MUST NOT BE SCALED, ONLY DIMENSIONS TO BE
USED, DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCEMENT
OF WORK.
ALL WORK TO BE PERFORMED ACCORDING TO MTN SITE
INFRASTRUCTURE SPECIFICATION (REV17/09)
BLUE 1 REVISION 8 NOVEMBER 2007


DRAWN MELISSA YOUNG **DATE** 18/01/2012

SCALE NTS **REF. NO** 812/T7073


FACILITY ILLUSTRATION
SHEET 9 OF 9



G3 – Proof of Newspaper Advertisement




G4 - Register of I&APs




Interested & Affected Parties Register / Comments and Responses Report

Site number: T7073
 Site Name: Brakfontein
 EIA reference no.: 17/2/3/GS - 84

Interested and Affected Parties Register							Comments and Responses Report	
No.	Date	Name	Address	Contact detail	Reacted to:	Record of initial I&AP registration	Issues raised / Comments received	EAP Response
1	01/03/2012	The Municipal Manager, Lekwa Local Municipality, Mr. J. Sindane, Environmental Management Section	PO Box 66, Standerton, 2430	Fax: (017) 712 6808	NA	Auto I&AP	No comments received	No comments received
2	06/03/2012	The Ward Councillor, Clr Sishoni, Ward 13	PO Box 66, Standerton, 2430	Fax: (017) 712 6808	NA	Auto I&AP	No comments received	No comments received
3	06/03/2012	The Municipal Manager, Gert Sibande District Municipality, Mr. A M Ngcobo, Environmental Management Section	PO Box 3475, Standerton, 2430	Fax: (017) 712 6808	NA	Auto I&AP	No comments received	No comments received
4	03/01/2012	South African Civil Aviation Authority (SACAA)	Private Bag x73, Halfway House 1685	Tel: (011) 545 1000 Fax: (011) 545 1451	NA	Auto I&AP	No approval received yet	Submitted application
5	29/02/2012	South African Heritage Resources Agency (SAHRA)	PO Box 4637, Cape Town, 8000	Tel: (021) 462 4502 Fax: (021) 462 4509	NA	Auto I&AP	No comments received	No comments received
6	29/02/2012	Mpumalanga Tourism and Parks Agency	Private Bag x11338, Nelspruit, 1200	Tel: (013) 759 5445 Fax: (013) 755 4014	NA	Auto I&AP	No comments received	No comments received



G5 - Civil Aviation Information



SOUTH AFRICAN



CIVIL AVIATION
AUTHORITY

Physical Address:
Ikheya Lokundlza
Treur Close
Waterfall Park
Bekker Street
Midrand

Postal Address:
Private Bag X 73
Halfway House
1685

Telephone Number:
+27 11 545 1000

Fax Number:
+27 11 545 1465

E-mail address:
mail@caa.co.za

Website address:
www.caa.co.za

Enquiry's: Lizell Ströh
strohl@caa.co.za
Tel. 011 545 1232
Fax. 011 545 1451

23 April 2007

Turbouse Solutions
P O Box 32017
Totiosdal
0134

To: Mr Wim Anholts

Communication structure,


Day and night markings apply to all structures exceeding 45m above the ground in South Africa by default (refer SA-CAR Part 139.01.33),

Paint markings (Day markings) shall be in compliance with ICAO Annex 14 chapter 6 and shall consist of seven painted bands, each one seventh of the length of the structure, and shall consist of bands of International Orange (or Post Office red) alternated by brilliant white, starting and ending in orange/red, to a maximum length of 30 meters per band (i.e. a 210m mast). Thereafter it becomes 9 bands, each one ninth of the length of the mast up to 270m, 11 bands up to 330m etc.

Lights (Night marking) to be used shall consist of a pair of steady burning approved red aeronautical obstruction lights of at least 32 candela each at the highest practical point of the structure. This may be substituted by a medium intensity Type B flashing red light (20 - 60 flashes per minute), of 2000 candela ($\pm 25\%$) intensity in accordance with ICAO Annex 14 table 6-3.

Intermediate lights shall be placed at a position midway between the top of the structure and the ground and shall consist of at least three steady burning red aeronautical obstruction lights of at least 32 candela each, on the same vertical plane and spaced not more than 120 degree horizontally. At least two lights shall be visible through any azimuth of 360 degree and no light shall be spaced more than 30m apart, on the horizontal plane of any structure. Multiple lights may be required to satisfy this requirement. The vertical spacing of lights shall be as far as practical be evenly spaced and shall not exceed 45m between vertical levels.


Board Members: Mr D Moorosi (Chairman), Mr J Morrison, Ms M Magasa, Ms B Mohlala, Maj Gen T Ntsibande, Mr Z Myeza (CEO)



Note-

Structures of 45 to 90m heights shall have dual lights on top and not less than a set of three lights at the intermediate level.


Kindly contact the writer if more information is required.




Lizell Stroh

AERODROME SAFETY OVERSIGHT

Board Members: Mr D Moorosi (Chairman), Mr J Morrison, Ms M Magasa, Ms B Mohlala, Maj Gen T Ntsibande, Mr Z Myeza (CEO)



G6 – Motivation for exemption from assessing alternatives



Our Reference:

Your Reference:

T7073 Brakfontein

17/2/3/GS-84

7 May 2012

Mpumalanga Department of Economic Development,
Environment & Tourism
Gert Sibande District
Ermelo
Attention: Bheki Mndawe



Reg. No. 2001/080535/23
PO Box 32017, Totiusdal, 0134
414 Rustic Road
Silvertondale, 0184
Pretoria

Tel: (012) 804 1504 / 6
Fax: (012) 804 7072

e-mail: admin@torbiousesolutions.co.za

Dear Sir,

MOTIVATION FOR EXEMPTION FROM ASSESSING ALTERNATIVES IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT 1998 ("NEMA") AS AMENDED TO THE COMPETENT AUTHORITY FOR LISTED ACTIVITY 3 IN REGULATION 546: ESTABLISHMENT OF A MTN (PTY) LTD TELECOMMUNICATION MAST ON PORTION 12 OF FARM BRAKFORTEIN 522 IS

In terms of Chapter 5 of the EIA Regulations, August 2010 as amended we hereby apply for exemption from assessing alternatives in this application.

Motivation:

(a) The property on which or location where it is proposed to undertake the activity:

The property where the establishment is proposed was identified by the radio planners of MTN as the best position to place the mast to achieve coverage objectives for the area on the MTN network.

Other site alternatives reviewed for feasibility:


1. Sharing:

Investigation of sharing existing infrastructure:

The specific site requirements needed by MTN are:

- Physical space for two sets of antennae, two microwave dishes and 14 feeder cables;
- Wind load capacity for above mentioned equipment;
- Minimum height of 54m; and
- Space and load capacity for future upgrading or advances in technology.

No existing facility or infrastructure within range that can fulfil the required capacity in terms of the coverage objectives.



2. Most other possible areas / sites on the same property would have more or less the same environmental impacts as the proposed site as they have similar environmental features and qualities i.e. biological sensitivity, viewpoints and physical incline.
3. The neighbouring properties were not regarded as feasible site alternatives due to more limitations on the network coverage.

(b) The type of activity to be undertaken:

There are no type alternatives available or feasible to replace the establishment of telecommunication masts.

(c) The design or layout of the activity:

The proposed design of the activity is a 54m high lattice telecommunication mast. The 54m height is required to reach the network coverage on the MTN network. The lattice type mast is the only design alternative that provides the required equipment capacity and wind-load capacity. Should other operators wish to share this mast in future, more weight would be added to the mast. A monopole type mast is not considered a feasible option for this specific development because of more restrictions with regard to the equipment and wind-load capacity. Further disadvantage of a monopole type mast is increased visibility due to the more solid type structure against the sky background. The SACAA (South African Civil Aviation Authority) prescribed day and night markings for all masts higher than 45m, meaning the mast has to be painted red and white with red lights on top for maximum visibility to prevent aircraft accidents. Therefore, no other colour alternatives are considered to be feasible due to the red and white colour requirement of the SACAA.

(d) The operational aspects of the activity:


- Increased electricity consumption on the existing supply grid: The infrastructure is designed to operate on economical electricity consumption. A generator will be installed as a backup electricity supply in the event of a power failure. There are no feasible alternatives available to replace electrical power supply.
- Noise generation by air conditioning units and by backup generator if electricity supply fails: The air conditioning units and backup generator operate at very low and well accepted noise levels. There are no feasible alternatives to replace the air conditioning units or the backup generator.
- Non-ionising electromagnetic fields on allocated frequency: The electromagnetic fields are well below the accepted level to prevent any damage to living organisms (within International Commission on Non-ionising Radiation Protection, ICNIRP, and World Health Organisation, WHO, guidelines) and are restricted within the allocated frequency. There are no feasible alternatives to obtain the required network coverage within the allocated frequency.
- Increase in potential air traffic obstacles: Lower mast options are not feasible alternatives to reach the required network coverage as this would require multiple mast applications to reach the same network coverage with increased environmental impact on the footprint area of several masts as well as increased visual impact on each separate mast development.
- Visual impact of the 54m lattice mast painted red & white on short, medium and long distance observation: Other design, height or colour alternatives are not feasible as prescribed above.

We trust that the above motivation is sufficient to consider and approve this application for exemption.

Kind Regards,


MC Niehof

For: Torbious Solutions cc



Mpumalanga Classifieds

CLASSIFIED ADVERT BOOKINGS - TEL 013-754-1669 OR FAX: 013-753-2422

Deadlines

Tuesday Edition:
 Classified Display -Thursday 14:00
 Classified Blocks -Friday 12:00
 Classified Lineage -Friday 13:00
 Classified Motoring -Friday 12:00

Friday Edition:
 Classified Display -Monday 14:00
 Classified Blocks -Tuesday 14:00
 Classified Lineage -Tuesday 16:00
 Classified Property -Tuesday 13:00

Thursday Edition:
 Classified Display -Monday 12:00
 Classified Blocks -Tuesday 14:00
 Classified Lineage -Tuesday 16:00

How to advertise

Step 1
Prepare the outline of your wording.

Step 2
Have your telephone number, address, ID and postal details ready.

Step 3
Our consultants will assist you in the placing of important details regarding your item for sale, vacancy, or service.

Classified consultants
Classified Manager
Roche Esterhuizen: 013-754-1667
Classified switchboard: 013-754-1669
 Fax: 013-753-2422.
Irene Rogers: 013-754-1671

Notices
Nerisa Brunette: 013-754-1664
Maryann Lombard: 013-754-1670
 Business/Holiday Accommodation/
 Home Improvements/Property
Laurika Meiring: 013-754-1695
 Services, Motoring
Alida Stassen: 013-754-1665
Sonita Steyn: 013-754-1666
 Vacancies, For Sale
Beulah Vermeulen: 013-754-1669

Legals

Cost of advert

The cost of the advertisement will depend on the number of lines and the number of insertions. eg: The first four lines are R54,40 and thereafter R10,88 per line (two to three words per line). So if your ad costs R54,40 per insert and you have four inserts (four editions of the newspaper) - your advert will cost R217,60. All VAT incl.

Remember: For private advertisers, the more you tell, the more you sell!
Payment: First time advertisers are required to pay cash at Lowveld Media or directly into Lowveld bank account.

Payment:
 Can also be made by credit card or cheque. Once you have advertised you are automatically allocated an account number and can advertise on a thirty-day account basis.

Adjustments & errors

Display adverts:
 Although every effort is made to place display ads next to relevant columns, we cannot guarantee that this will be done. All display ads will be placed as close to the relevant column as possible.

Errors:
 The newspaper accepts no responsibility for more than one incorrect insertion of any classified advertisement or any costs beyond the costs of the space occupied by the error. All queries on advertisements and accounts must be made in writing and must reach Lowveld within 14 days of publication of advertisement. Failure to do so will result in the order and advertisement being accepted as correct. No further discussions will be entered into.

The use of the letter "A":
 For the purpose of bringing an advert to the top of a classification, this is strictly prohibited. The right is reserved to withhold advertisement from publication and to cancel any order that has been accepted.

Cancellations

When cancelling an advert you must receive a cancellation reference number - no queries can be dealt with if you do not quote it. Cancellation of adverts will be accepted only in writing or per fax.

Services

- 0303 Beauty & Health
- 0306 Bridal
- 0309 Building Consultants/ Designs/ Plans
- 0312 Catering
- 0315 Cellular Telephones
- 0318 Child Care
- 0321 Cleaning
- 0324 Computer
- 0327 Curtaining & Blinds
- 0330 Dressmaking
- 0331 Dancing Classes
- 0333 Driving Schools
- 0336 Entertainment Party Planning
- 0339 Financial/ Loans
- 0342 For Hire
- 0345 Furniture Restorations
- 0348 General Repairs
- 0350 Hobbies/ Crafts
- 0351 Home Industry
- 0354 House Sitters
- 0355 Insurance
- 0357 Locksmiths
- 0360 Miscellaneous
- 0363 Personal
- 0366 Pest Control
- 0369 Pets Accommodation
- 0372 Photographic
- 0375 Professional & Business
- 0378 Removals & Storage
- 0381 Security
- 0384 Transport/ Taxis/ Couriers
- 0387 Tuition/ Education
- 0390 TV & video Rentals
- 0393 TV/ Video/ Aerials
- 0396 Typing/ Secretarial
- 0399 Upholstery

0339 Financial / Loans

LOANS
 R1000 - R100 000
 Black listed welcome
Contact Thulani:
 076-855-7991
 LM008533

Classified Marketplace

Phone
 013-754-1669

Brooklyn City College

DEPT OF EDUCATION
 Reg No 2009/FE07/018
 Umalusi Accreditation No FET 0061 PA
2012 REG NOW OPEN

- Traffic & Police
- Engineering N4 - N6
- Mechanical Engineering
- Civil Engineering
- Mining Engineering
- PC Engineering
- Computer Studies
- Information & Technology
- Financial Management
- Fashion Design N4 - N6
- Financial Accounting N4 - N6
- Office Administration N4 - N6
- Human Resources N4 - N6
- Business Management N4 - N6
- Travel & Tourism N4 - N6
- Call Centre N4 - N6

MATRIC REWRITE
Nelspruit Campus:
 24 Anderson cnr, Voortrekker
 013-752-8264 • 072-366-8913
 Pretoria Central Head Office: 012-324-0206
 • 071-648-4222; JHB: Braamfontein: 011-339-8741
 • 076-049-5043; Rustenburg: 014-592-6704 • 076-049-5042;
 Polokwane: 015-291-5559 • 076-138-6727;
 Vereeniging: 016-422-8558 • 076-889-4509;
 East London 043-722-1829; Durban 082-225-5372
 www.brooklyncccollege.co.za LM6704

0363 Personal

LIFE SOLUTIONS FOR WOMEN
 • Menstrual problems
 • Unwanted pregnancy
 • Vaginal tightening
Call Dr Faith
 079-180-2263
 Nelspruit
 LM008472

0381 Security

ELECTRONIC SECURITY SOLUTIONS
 • CCTV Systems
 • Intruder Alarm Systems
 • Fire alarm Installations
 • Access Controls
Pierre 082-845-2565
 LM008458

For Sale

- 0405 Arms & Ammunition
- 0410 Baby & Children's Corner
- 0415 Building Materials
- 0420 Businesses
- 0425 Carpets/ Furniture & Equipment
- 0430 Cellular Telephones
- 0435 Clothing
- 0440 Computers
- 0445 Collectibles/ Antiques
- 0447 Farm Equipment
- 0450 Food & Beverages
- 0451 Hobbies/ Crafts
- 0452 Gardening/ Plants accessories
- 0455 Jewellery
- 0460 Miscellaneous
- 0465 Musical/ Sound Equipment
- 0470 Office Furniture & Equipment
- 0475 Pets & Livestock
- 0480 Plant & Machinery
- 0485 Sports & Leisure
- 0487 Swop
- 0490 Under R200
- 0495 Wanted to Buy

0420 Business

URGENT SALE
 A fully licensed take away and bottle store for sale. Price negotiable
Jaco: 082-387-4975
 AS048736

0455 Jewellery

CASH FOR Jewellery
 * Famous watches
 ** In any condition **
 We buy & sell Krugerrands, Gold & old coins
NELSPRUIT JEWEL EXCHANGE
 Stats House Building
 Henshall St
 Next to Match Motors
Best prices guaranteed
 084-370-2878

Property for Sale

- 0605 Farms & Plots
- 0610 Flats & Units
- 0615 Houses
- 0620 Industrial Premises
- 0625 Offices & shops
- 0630 Retirement Villages
- 0635 Stands
- 0640 Time Sharing
- 0645 Town houses/ Cluster Homes
- 0650 Wanted to Buy

0615 Houses

WEST ACRES

3 Bed, 2 bath, d/garage
 R630,000

Contact
 082-819-5822
 NB018826

0635 Stands

KAMAGUGU

With approved plans
 R120,000

Contact
 084-389-2770
 NB018825

Classifieds

Phone:
 013-754-1669

0645 Townhouses / Cluster Homes

SPACIOUS HOUSES IN SECURE COMPLEX
 1.) House -301sqm. Dbl stand -1200sqm
 4 Bed with builtin Saligna cupboards, 4 bath, open plan living area dining room & kitchen with separate scullery, laundry, electrical d/garage, wooden deck. High quality finishes
 R1 850 000

2.) House -336sqm Dbl stand -1317sqm
 4 Bed with builtin Saligna cupboards, 4 bath, open plan living area dining room & kitchen with separate scullery, sun room, laundry, 3 x electrical garages, alarm system (Hi Tech), wooden deck. High quality finishes - R2 100 000

3.) House - 173sqm Corner stand - 486sqm
 3 Bed with builtin cupboards, 2 bath, open plan living area dining room & kitchen with separate scullery, laundry, outside braai, d/garage. High quality finishings
 R920 000

Johan
 082-557-6199 / 082-829-7912
 • Private sale
 • No agents •
 ML009940

Vacancies

- 0803 Accounting
- 0806 Banking & Insurance
- 0809 Businesses
- 0812 Business Opportunities
- 0814 Working Holiday/ Overseas
- 0815 Computers
- 0818 CV's
- 0821 Drivers & Messengers
- 0824 Employment Wanted
- 0827 General
- 0830 Hairdressing & Beauty
- 0833 Hotel & Catering
- 0836 Legal
- 0839 Management
- 0841 Medical
- 0844 Part Time/ Temps
- 0847 Personnel/ HR
- 0850 Professional Reception/ Switchboard
- 0856 Sales/ Marketing
- 0859 Security
- 0862 Secretaries/ PA's
- 0865 Senior Citizens
- 0868 Technical
- 0871 Trade
- 0874 Training
- 0877 Domestic
- 0880 Domestic Employment Agencies

0856 Sales / Marketing

LOWVELD BUILDING SUPPLIES WHITE RIVER
 Require AGENTS in the following areas:
 Mbonisweni, Dwaleni, Bhuga, Malekutu, Msholoz, Newscom, Clau-Clau, Teka-Takho, Mielieland, Makoko, Sfunindlela, Mshadza, Mgcobanini, Chewni.
 Training will be provide and the sales agent will only work on commission. Basic knowledge of building material will be an advantage, most products will be sold through finance houses.

Fax CV to:
 086-559-2832
 SS065892

Legals

- 0905 Auctioneers
- 0910 Public & Legal Notices
- 0915 Sales In Execution
- 0920 Tenders
- 0925 Estates
- 0930 Liquidations
- 0935 Town Planning

0910 Public / Legal Notices

NOTICE
 PUBLIC PARTICIPATION PROCESS
 REFERENCE NUMBER: 17/2/3/GS-81
 Regulation 546 activity 3 (a) & (b) (a) ii (gg) Establishment of an enclosed telecommunication base station with a 54m mast for MTN (Pty) Ltd. T8949 - Boesmanspruit
 Location: Portion 1 of the farm Boesmanspruit 9 IT Co-ordinates (WGS84 format) of the alternatives on the above property
 Alternative 1
 Latitude 26° 01' 06.40" S
 Longitude 30° 02' 49.70" E
 Lattice type mast painted red and white
 Notice is hereby given of a public participation process in terms of the Environmental Impact Assessment Regulations 2010 (R543) as amended promulgated in terms of the National Environmental Management Act 1998 (Act No 107 of 1998) as amended ("NEMA").
 Basic assessment procedures will be applied in accordance with regulation 543 and an application is to be submitted to the Mpumalanga Department of Economic Development, Environment and Tourism. The applicant furthermore intends to apply to the Mpumalanga Department of Economic Development, Environment and Tourism for exemption in terms of chapter 5 of the Environmental Impact Assessment Regulations 2010 (R543) to assess alternatives with regard to the planned activity.
 Applicant: MTN (Pty) Ltd, P.O. Box 4559, Northcliff, 2115
 Environmental Assessment Practitioner (EAP): Torbouse Solutions CC
 Attention: Monica Niehof P.O. Box 32017, Totiusdal, 0134
 Telephone: 012-804-1504/6
 Facsimile: 012-804-7072
 E-mail: admin@torbousesolutions.co.za
 Further information regarding the proposed activity can be obtained from the EAP. Any interested and affected party may, in writing, make representations on the proposed activity or request to be registered as an interested and affected party, by submitting the written representations or registration request, including their name, physical & postal addresses (including facsimile & e-mail where possible) and contact number(s) and quoting the activity reference number, to the EAP within 30 calendar days from the publication of this notice.
 Notice publication date: 16 February 2012
 BV002939

Phone our friendly Classifieds Consultants Tel 013-754-1669 Fax 013-753-2422

