

NATIONAL TREASURE MINERALS (PTY) LTD

Lynplaats Prospecting Right Project

DRAFT

Basic Assessment Report (BAR) and Environmental Management Programme (EMPR)

**Compiled in terms of Appendix 1 and Appendix 4 of the amended
Environmental Impact Assessment Regulations, 2014 (Government Notice No.
326) (EIA Regulations, 2014) and submitted as contemplated in Regulation 19
of Chapter 4 of the EIA Regulations, 2014**

For

**The application for an Environmental Authorization in terms of the National
Environmental Management Act, 1998 (Act No. 107 of 1998), Environmental
Impact Assessment Regulations 2014, Government Notice No. 327 - Listing
Notice 1 of 2014**

DMRE Reference No.: NW 30/5/1/1/2/13496 PR

October 2022

Basic Assessment Report (BAR) and Environmental Management Programme (EMPR)

**National Treasure Minerals (Pty) Ltd:
Lynplaats prospecting Area**

BAR AND EMPR FOR THE LYNPLAATS PROSPECTING AREA

October 2022

CONTENTS PAGE

PART A

EXECUTIVE SUMMARY	1
1. INTRODUCTION	4
1.1 Who is Developing the BAR and EMPR?.....	4
1.1.1 Name and contact details of the EAP who prepared the BAR and EMPR.....	4
1.1.2 Expertise of the EAP who prepared the BAR and EMPR	4
1.2 Who will Evaluate and Approve the BAR and EMPR?.....	5
1.3 DETAILS OF THE APPLICANT	6
1.3.1 Name of the Applicant	6
1.3.2 Name of the Area	6
1.3.3 Postal Address of Applicant	6
1.3.4 Responsible Person	6
1.3.5 Contact Person.....	6
1.4 DESCRIPTION OF THE PROPERTY (LOCATION OF THE AREA)	6
1.4.1 Regional Setting	6
1.4.2 Physical Address and Farm Name of the Prospecting Area	6
1.4.3 Magisterial District & Regional Services Council	6
1.4.4 Direction and Distance to Nearest Towns.....	6
1.4.5 Land Tenure and Use of Immediate and Adjacent Land.....	7
2. DESCRIPTION OF THE SCOPE OF THE PROPOSED AREA.....	12
2.1 Listed Activities and Specified Activities.....	12
2.2 Description of the proposed Lynplaats prospecting AREA.....	12
2.2.1 Target Mineral.....	13
2.2.2 Prospecting Method Used at the Lynplaats prospecting area.....	13
2.2.3 Planned Life of Area	14
2.3 Lynplaats prospecting Right project Surface Infrastructure Description.....	14
2.3.1 Access Roads.....	14
2.3.2 Power Supply	14
2.3.3 Water Supply Infrastructure.....	14
2.3.4 Workshops and Buildings.....	14
2.3.5 Waste Management	14

2.4	Lynplaats prospecting right project Method Statement	15
2.4.1	Construction Phase	15
2.4.2	Operational Phase.....	16
2.4.3	Decommissioning phase	16
2.4.4	After Closure Phase	17
3.	POLICY AND LEGISLATIVE CONTEXT	19
3.1	Constitution of the Republic of South Africa, 1996 (Act No. 108 of 1996).....	19
3.2	National Environmental Management Act, 1998 (Act No. 107 of 1998)	19
3.3	National Environmental Management Air Quality Act, 2004 (Act No. 39 of 2004).....	20
3.4	The National Heritage Resources Act, 1999 (Act No. 25 of 1999).....	20
3.5	National Environmental Management Biodiversity Act, 2004 (Act No. 10 of 2004) (NEMBA)	21
3.4	North West Biodiversity Management Act (Act 4 of 2016)	21
3.5	Mineral and Petroleum Resources Development Act, 2002 (Act 28 of 2002 MPRDA).....	21
3.6	National Water Act, 1998 (Act No. 36 of 1998 NWA).....	22
3.7	National Environmental Management, 2008 (Act No. 59 of 2008 Waste Act).....	22
3.8	EIA Guidelines	22
4.	NEED AND DESIRABILITY OF THE PROPOSED ACTIVITIES.....	25
5.	MOTIVATION FOR THE PREFERRED DEVELOPMENT FOOTPRINT	27
5.1	Consideration of Alternatives	27
5.1.1	Location Alternatives	27
5.1.2	Design/Layout Alternatives.....	28
5.1.3	Technology Alternatives	28
5.1.4	Input Material Alternatives	28
5.1.5	Operational Alternatives	28
5.1.6	Transportation.....	28
5.1.7	No Go Option.....	28
5.2	Details Of The Public Participation Process Followed and Results Thereof.....	29
5.2.1	Registration and BAR Phase	30
5.2.2	Draft Basic Assessment Report	31
5.3	Environmental Attributes (Baseline Information)	32
5.3.1	Climate.....	32
5.3.2	Regional Geological Setting.....	32

5.3.3	Topography	33
5.3.4	Current Land Use	33
5.3.5	Natural Vegetation/Plant Life.....	36
5.3.1	Animal Life	38
5.3.2	Surface Water.....	42
5.3.3	Sensitive Landscapes	43
5.3.4	Air Quality	52
5.3.5	Noise.....	52
5.3.6	Socio-Economic Status	52
6.	ENVIRONMENTAL IMPACT ASSESSMENT	56
6.1	Environmental Impact Assessment Process Followed	56
6.1.1	Approach to Environmental Impact Assessment.....	56
6.1.2	Environmental Impact Assessment Process Followed	56
6.1.3	Pre-application consultation with the Competent Authority	56
6.1.4	BAR Phase	56
6.1.5	Information Gathering.....	57
6.1.6	Decision on the BAR & EMPR application.....	57
6.2	Environmental Impact Assessment Methodology	57
6.3	Results of the Environmental Impact Assessment	59
6.3.1	Assessment of the National Treasure Minerals prospecting project impacts/risks	59
6.4	Summary of Specialist Reports.....	77
6.5	Environmental Impact Statement.....	77
6.5.1	Description of affected environment.....	77
6.5.2	Summary of key findings of the environmental impact assessment	77
6.5.3	Final Master Layout Plan.....	78
6.6	Aspects for Inclusion as conditions of the Environmental Authorisation	78
6.7	Description of Assumptions, Uncertainties and Gaps in Knowledge	79
6.8	Reasoned Opinion as to Whether the Proposed Area should or should not Continue	79
6.8.1	Reason why the activity should be authorised or not	79
6.8.2	Conditions that must be included in the authorisation	80
6.9	Period for which the Environmental Authorisation	80
6.10	Undertaking	80
6.11	Financial Provision	80

6.12	Other Information Required by the Competent Authority	80
6.13	Other Matters Required in Terms of Section 24 (4) (a) and (b) of the Act	80
1.	DETAILS OF THE EAP	83
2.	DESCRIPTION OF THE ASPECTS OF THE ACTIVITY	83
3.	COMPOSITE MAP	83
4.	DESCRIPTION OF THE MANAGEMENT OBJECTIVES INCLUDING MANAGEMENT STATEMENTS.....	83
5.	ENVIRONMENTAL MANAGEMENT PROGRAMME	85
6.	FINANCIAL PROVISION.....	96
6.1	Description of Closure Objectives and Extent to which they have been aligned to the described Baseline Environment.....	96
6.2	Confirmation that the Environmental Objectives in relation to Closure have been Consulted with Landowners and Interested and Affected Parties	96
6.3	Rehabilitation Plan for the Proposed Area.....	96
6.3.1	prospecting borehole layout	97
6.3.2	Rehabilitation standards.....	97
6.3.3	Decommissioning of the prospecting operation.....	97
6.3.3.1	Contractor Campsite	97
6.3.3.2	Roads	98
6.3.3.3	Drilling Site.....	98
6.3.4	Post Closure Land Use	98
6.4	Compatibility of the Rehabilitation Plan with the Closure Objectives	100
6.5	Determination of the Quantum of the Financial Provision Required to Manage and Rehabilitate the Environment	100
6.6	Method of Providing for the Financial Provision.....	101
7.	MECHANISM FOR MONITORING COMPLIANCE WITH AND PERFORMAMCE ASSESSMENT AGAINST THE ENVIRONMENTAL MANAGEMENT PROGRAMME AND REPORTING THEREOF	103
7.1	Inspections and Monitoring	103
7.2	Monitoring compliance with and performance assessment against the environmental management programme and reporting thereof.....	103
7.3	PROCEDURE FOR ENVIRONMENTAL RELATED EMERGENCIES AND REMEDIATION.....	104
7.4	Undertaking to Comply.....	112

TABLES

Table #	Table Description	Page
Table 1:	Direction and Distance to Nearest Towns.....	6
Table 2:	Surface ownership within and surrounding Lynplaats prospecting area	7
Table 3:	Proposed Lynplaats prospecting right project listed Activities.....	13
Table 4:	List of Mammal species that occur in the 2625AC quarter degree grid (Mammal Map, Animal Demography Unit)	38
Table 5:	List of Mammal species that occur in the 2625AD quarter degree grid (Mammal Map, Animal Demography Unit)	38
Table 6:	List of Reptile species that occur in the 2625AC quarter degree grid (Reptile Map, Animal Demography Unit).....	38
Table 7:	List of Reptile species that occur in the 2625AD quarter degree grid (Reptile Map, Animal Demography Unit).....	39
Table 8:	List of Frog species that occur in the 2625AC quarter degree grid (Frog Map, Animal Demography Unit)	39
Table 9:	List of Frog species that occur in the 2625AD quarter degree grid (Frog Map, Animal Demography Unit)	39
Table 10:	List of Butterfly and Moth species that occur in the 2625AC quarter degree grid (Lepi Map, Animal Demography Unit	40
Table 11:	List of Dungbeetle species that occur in the 2625AC quarter degree grid (Dungbeetle Map, Animal Demography Unit).....	40
Table 12:	List of Bird species that occur in the 2625_2515 ADU pentad.....	40
Table 13:	Summary of the above mentioned Quaternary drainage region	43
Table 14:	Description of biodiversity features used to define CBA map category	48
Table 15:	Results of the Environmental Impact Assessment.....	59
Table 16:	Environmental Management Programme for the proposed Lynplaats prospecting right project.	85
Table 17:	Rehabilitation schedule	98
Table 18:	Financial provision for Lynplaats Prospecting Right	102

FIGURES

Figure #	Figure Description	Page
Figure 1:	Locality Plan	9
Figure 2:	Land Tenure Plan for the Lynplaats prospecting area.....	10
Figure 3:	The mean annual precipitation (MAP) measurements, monthly rainfall and atmospheric temperature.....	32
Figure 4:	Elevation of the proposed Lynplaats Prospecting Right Area	33
Figure 5:	Land use map for Lynplaats Prospecting Area	35
Figure 6:	National Vegetation Types in the vicinity of the proposed Lynplaats Prospecting Area	36
Figure 7:	DWS quaternary drainage regions in the vicinity of the proposed Lynplaats prospecting right project area	43
Figure 8:	Threatened ecosystem status over the proposed Lynplaats prospecting right project.....	44
Figure 9:	National Freshwater Ecosystem Priority Areas (NFEPA's) – Rivers, in the vicinity of the Lynplaats prospecting right project	45
Figure 10:	Strategic Water Source Areas associated with the proposed Lynplaats Prospecting Right Area.....	46
Figure 11:	National wetland areas in the vicinity of the Lynplaats prospecting right project (SANBI, National Wetlands Map 5).....	47
Figure 12:	National wetland vegetation types in the vicinity of the Lynplaats prospecting right project	48
Figure 13:	Terrestrial Critical Biodiversity Areas and Ecological Support Areas in the vicinity of the Lynplaats prospecting right project.	51
Figure 14:	Aquatic Critical Biodiversity Areas and Ecological Support Areas in the vicinity of the Lynplaats prospecting right project.	52
Figure 15:	Proposed Prospecting Areas within the Lynplaats Prospecting Right Area in relation to the MBSP Terrestrial (MPTA) 2019	78

APPENDICES

Appendix #	
------------	--

Appendix A	Regulation 2 (2) plan
Appendix B	EAP's curriculum vitae
Appendix C	Deed's list of the direct farms
Appendix D	Layout plan
Appendix E	National Web Based Environmental Screening Tool

EXECUTIVE SUMMARY

National Treasure Minerals (Pty) Ltd applied for a prospecting right in terms of section 16 of the Mineral and Petroleum Resources Development Act, 2004 (Act 28 of 2004). National Treasure Minerals (Pty) Ltd proposes to prospect for Iron ore over portion 2, and the remaining extent of the farm Mooiplaats 9 IO, the remaining extent and portions 1, 3, 4, 6 and 7 of the farm Lynplaats 8 IO, namely the Lynplaats Prospecting Area. Refer to **Appendix A** for the Regulation 2 (2) plan.

The Lynplaats Prospecting area will be undertaken in different phases i.e., literature review (available data interpretation and deciding whether to commence with drilling), field mapping and geophysical survey, positioning of drilling sites, diamond core drilling, logging/sampling of borehole cores and rehabilitation of the drilling site.

The undertaking of the proposed Lynplaats prospecting area will result in the undertaking of activities that are considered as listed activities in terms of the National Environmental Management Act, 1998 (Act 107 of 1998) as amended (NEMA). In terms of the above-mentioned legislation, an application for an environmental authorisation must be submitted to the competent authority, which application must be granted before the commencement of the proposed listed activities. In addition to the above, an environmental impact assessment must be undertaken in support of the environmental authorisation application for the proposed listed activities. In view of the above, National Treasure Minerals (Pty) Ltd appointed Geovicon Environmental (Pty) Limited, an independent environmental consulting company, to undertake and manage the environmental authorisation application and the environmental impact assessment for the proposed Lynplaats prospecting area. An application for an environmental authorisation for the proposed Lynplaats prospecting area was submitted to the Department of Mineral Resources and Energy, North West Regional Office (Competent Authority) for their consideration.

This document (BAR and EMPR), which concerns assessment of environmental impacts and a programme for management of the environmental impacts for the proposed activities at the Lynplaats prospecting area, was compiled in terms of the EIA Regulations, 2014 for review by interested and affected parties including the commenting and competent authority.

Environmental baseline data used in this report has been obtained through desktop assessments pertaining to surface water quantities and qualities, geohydrological data, topographical analyses, soil surveys, vegetation, wetlands, geological conditions and the socio-economic aspects. Weather data was acquired from World Weather Online. The data accumulated and analysed is therefore deemed sufficient to gain a baseline indication of the present state of the environment. The use of this baseline data for impact assessments is thus justified, and reliable conclusions could be made. The impacts that could arise during and after the proposed prospecting activities at the Lynplaats prospecting area were determined and ranked according to their significance. Based on the impact assessment, recommendations were made for the mitigation of significant negative environmental impacts that will result from the proposed Lynplaats prospecting area.

PART A

SECTION ONE

Introduction

1. INTRODUCTION

1.1 WHO IS DEVELOPING THE BAR AND EMPR?

1.1.1 Name and contact details of the EAP who prepared the BAR and EMPR

EAP: Mr. Ornassis Tshepo Shakwane (Pr. Nat. Sc.)

Professional Body Registration Numbers

SACNASP: 117080

EAPASA: 2019/1763

IAIA Membership No.: 3847

Company: Geovicon Environmental (Pty) Limited

Postal Address:

P.O. Box 4050

MIDDELBURG, 1050

Tel: (013) 243 5842

Fax: (086) 632 4936

Cell No.: 0824981847

Email: tshepo@geovicon.co.za

1.1.2 Expertise of the EAP who prepared the BAR and EMPR

Geovicon Environmental (Pty) Limited is an independent geological and environmental consulting company. The company was formed during 1996, and currently has twenty-six years' experience in the geological and environmental consulting field. Geovicon Environmental (Pty) Limited has successfully completed consulting areas in the Mining sector (coal, gold, base metal and diamond), Quarrying sector (sand, aggregate and dimension stone), Industrial sector and housing sector. Geovicon Environmental (Pty) Limited has undertaken contracts within all the provinces of South Africa, Swaziland, Botswana and Zambia. During 2001 Geovicon Environmental (Pty) Limited entered the field of mine environmental management and water monitoring.

Geovicon Environmental (Pty) Limited is a Black Economically Empowered Company with the BEE component owning 60% of the company. Geovicon Environmental (Pty) Limited has three members i.e., O.T Shakwane, J.M. Bate and T.G Tefu.

Mr. O.T Shakwane obtained his BSc (Microbiology and Biochemistry) from the University of Durban Westville in 1994, and completed his honours degree in Microbiology in 1995. Mr O.T Shakwane has also completed short courses on environmental law and environmental impact assessment with the University of North West's Centre for Environmental Management. He has worked with the three state departments tasked with mining and environmental management i.e., Department of Water and Sanitation (Gauteng and Mpumalanga Region), Department of Mineral Resources and Energy (North west Region) and Department of Agriculture, Conservation and Environment (Gauteng Region). Mr.

Shakwane has been in the consulting field since 2004 and has completed various areas similar to the proposed Lynplaats prospecting area as an environmental assessment practitioner. Mr Shakwane is the registered environmental assessment practitioner for the environmental impact assessment for the proposed Lynplaats prospecting area. He is registered with the South African Council for Natural Scientific Professions as a Professional Natural Scientist in terms of the section 20(3) of the Natural Scientific Professions Act, 2003 (Act 27 of 2003) and with the Environmental Assessment Practitioner Association of South Africa as an Environmental Assessment Practitioner in terms the National Environmental Management Act, 1998 (Act 107 of 1998). He is also a member of the International Association for Impact Assessment, South Africa.

Over the past years Geovicon Environmental (Pty) Limited has formalised working relationships with companies that offer expertise in the following fields i.e., Geohydrology, Civil and Geotechnical Engineering, Geotechnical Consultancy, Survey and Mine Planning and Soil & Land Use Consultancy. Geovicon Environmental (Pty) Limited is an independent consulting company, which has no interest in the outcome of the decision regarding the Lynplaats prospecting area's basic assessment process. See **Appendix B** for the EAP's CV.

1.2 WHO WILL EVALUATE AND APPROVE THE BAR AND EMPR?

Before the proposed prospecting project can proceed, an Environmental Assessment Practitioner (EAP) must compile an application for an environmental authorisation for the proposed area. An impact assessment (basic assessment process) must be undertaken in support of the application for an environmental authorisation. The basic assessment process will determine the potential environmental impacts that may result from the proposed area and an environmental management programme will be compiled to provide measures for mitigation against the identified impacts. The above-mentioned application must be made to the competent authority and in terms of section 24D (1) of NEMA, the Minister responsible for mineral resources is the responsible competent authority for this application. In view of the above, an application for an environmental authorisation for the proposed Lynplaats prospecting area was submitted to the Department of Mineral Resources and Energy, North West Regional Office (Competent Authority) for their consideration. The application has ever since been received by the Department and a BAR together with an EMPR must be compiled and submitted in terms of the requirements of the EIA Regulations, 2014. In the spirit of co-operative governance and in compliance with the requirements of NEMA and the MPRDA, the competent authority may, during the processing for the environmental authorisation application, consult with other organs of state that administers laws that relate to matters affecting the environment relevant to this application. Note that during the public participation process for the proposed area, the EAP will also consult with the below listed state authorities.

The organs of state that are to be consulted may include the following:

Department of Mineral Resource and Energy, North West Tourism and Parks board, Department of Water and Sanitation (DWS) and North West Department of Agriculture and Rural Development. Note however that this list is not exhaustive as more organs of state may be identified by the competent authority and EAP during the public participation process.

1.3 DETAILS OF THE APPLICANT

1.3.1 Name of the Applicant

National Treasure Minerals (Pty) Ltd

1.3.2 Name of the Area

Lynplaats prospecting right project

1.3.3 Postal Address of Applicant

PO BOX 90512

Garsfontein

0042

1.3.4 Responsible Person

Mr. Mojalefa Douglas Mongwe

1.3.5 Contact Person

Cell No. 074 548 9726

1.4 DESCRIPTION OF THE PROPERTY (LOCATION OF THE AREA)

1.4.1 Regional Setting

Refer to Figure 1 for the locality plan for the Lynplaats prospecting area.

1.4.2 Physical Address and Farm Name of the Prospecting Area

Portion 2, and the remaining extent of the farm Mooiplaats 9 IO, the remaining extent and portions 1, 3, 4, 6 and 7 of the farm Lynplaats 8 IO.

1.4.3 Magisterial District & Regional Services Council

Magisterial: Ottosdal

District Municipality: Ngaka Modiri Molema

Local Municipality: Tswaing

1.4.4 Direction and Distance to Nearest Towns

Table 1: Direction and Distance to Nearest Towns.

TOWN	DIRECTION	DISTANCE (KM)
Madibogo	North East	8 km
Majaneng	South East	3 Km
Mositlane	North West	14 Km

Ga-Ralebelwane	North	16 Km
Setlagole	South East	27 km
Delareyville	South East	38 km

1.4.5 Land Tenure and Use of Immediate and Adjacent Land

Land tenure for the properties within and immediately around the proposed Lynplaats prospecting area is indicated in Figure 2 and described in Table 2. Refer **Appendix C** for the deeds list identifying direct farm owners. Within and immediately adjacent to the prospecting area, the land use includes agricultural activities (crop cultivation, grazing and poultry industry), residential (existing farmsteads, small holdings and townships), roads (N18 National Road, secondary and private gravel roads).

Table 2: Surface ownership within and surrounding Lynplaats prospecting area

FARM NAME AND NUMBER	21 DIGIT SURVEYOR GENERAL CODE	DESCRIPTION OF SUB-DIVISION	SURFACE OWNER
Direct Farms			
Lynplaats 8 IO	T0IO00000000000800001	Portion 01	MOTHOEMANG JOHANNA MONARE
Lynplaats 8 IO	T0IO00000000000800000	Portion RE	REPUBLIC OF SOUTH AFRICA
Lynplaats 8 IO	T0IO00000000000800003	Portion 03	REPUBLIC OF BOPHUTATSWANA
Lynplaats 8 IO	T0IO00000000000800004	Portion 04	REPUBLIC OF SOUTH AFRICA
Lynplaats 8 IO	T0IO00000000000800007	Portion 06	REPUBLIC OF SOUTH AFRICA
Lynplaats 8 IO	T0IO00000000000800007	Portion 07	REPUBLIC OF SOUTH AFRICA
Mooiplaats 9 IO	T0IO00000000000900000	Portion RE	REPUBLIC OF BOPHUTATSWANA
Mooiplaats 9 IO	T0IO00000000000900002	Portion 02	REPUBLIC OF SOUTH AFRICA
Adjacent Farms			
Vlakplaats 162 IO	T0IO00000000016200004	Portion 04	DANIEL THEODORIS VAN RENSBURG
Vlakplaats 162 IO	T0IO00000000016200005	Portion 05	EBEN BARNARD TRUST
Vlakplaats 162 IO	T0IO00000000016200002	Portion 02	REPUBLIC OF SOUTH AFRICA
Gwarrielaagte 158 IO	T0IO00000000015800002	Portion 02	DANIEL THEODORIS VAN RENSBURG
Maribogo 10 IO	T0IO00000000010000006	Portion 01	DANIEL THEODORIS VAN RENSBURG
Maribogo 10 IO	T0IO00000000010000007	Portion 07	ANDRE LODEWIKUS SMIT

FARM NAME AND NUMBER	21 DIGIT SURVEYOR GENERAL CODE	DESCRIPTION OF SUB-DIVISION	SURFACE OWNER
Maribogo 10 IO	T0IO0000000000100009	Portion 09	ANDRE LODEWIKUS SMIT
Maribogo 10 IO	T0IO0000000000100012	Portion 12	NATIONAL GOVERNMENT OF REPUBLIC OF SOUTH AFRICA
Kunana 133 IO	T0IO0000000000040002	Portion 02	MOLAMU & SONS AGRICULTURAL SERVICES CC
Kunana 133 IO	T0IO0000000000040005	Portion 05	REPUBLIC OF SOUTH AFRICA
Kunana 133 IO	T0IO0000000000040050	Portion 50	REPUBLIC OF SOUTH AFRICA
Hendriksdal 32 IO	T0IO0000000000080001	Portion 01	REPUBLIC OF SOUTH AFRICA
Hendriksdal 32 IO	T0IO0000000000080002	Portion 02	REPUBLIC OF SOUTH AFRICA
Hendriksdal 32 IO	T0IO0000000000080005	Portion 05	SUID-AFRIKAANSE ONTWIKKELING TRUST
Hendriksdal 32 IO	T0IO0000000000080007	Portion 07	REPUBLIC OF SOUTH AFRICA

See **Appendix A** for the Regulation 2(2) plan for the prospecting right project




Figure 1: Locality Plan




Figure 2: Land Tenure Plan for the Lynplaats prospecting area

SECTION TWO

Description of the Scope of the proposed Area

2. DESCRIPTION OF THE SCOPE OF THE PROPOSED AREA

2.1 LISTED ACTIVITIES AND SPECIFIED ACTIVITIES

Before the proposed Lynplaats prospecting activities can be commenced with, an environmental authorisation must be obtained by National Treasure Minerals (Pty) Ltd. In view the above, National Treasure Minerals (Pty) Ltd has applied for an environmental authorisation for listed activities within the proposed prospecting area. This section will indicate the activities that were included in this environmental authorisation application. Table 3 reflects all Lynplaats prospecting area's listed activities applied for.

2.2 DESCRIPTION OF THE PROPOSED LYNPLAATS PROSPECTING AREA

Lynplaats prospecting area will be undertaken in different phases i.e., literature review (available data interpretation and deciding whether to commence with drilling), field mapping and geophysical survey, positioning of drilling sites, diamond core drilling, logging/sampling of borehole cores and rehabilitation of the drilling site.

Table 3: Proposed Lynplaats prospecting right project listed Activities

NAME OF ACTIVITY	AERIAL EXTENT OF THE ACTIVITY	LISTED ACTIVITY	APPLICABLE LISTING NOTICE
PROPOSED LYNPLAATS PROSPECTING RIGHT PROJECT LISTED AND SPECIFIC ACTIVITIES			
NATIONAL ENVIRONMENTAL MANAGEMENT ACT			
Conducting prospecting activities within the Lynplaats Prospecting area for the exploration of iron ore using various prospecting methods together with all associated infrastructure and activities. These include site establishment (access to site and a campsite), pegging of drilling sites, drilling of exploration boreholes with associated sumps, logging and sampling of drilled cores and site rehabilitation.	1800 hectares	Activity 20 of Listing Notice 1: Any activity including the operation of that activity which requires a prospecting right in terms of section 16 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002), including associated infrastructure, structures and earthworks, directly related to prospecting of a mineral resource, including activities for which an exemption has been issued in terms of section 106 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002).	NO. 327

2.2.1 Target Mineral

Iron ore

2.2.2 Prospecting Method Used at the Lynplaats prospecting area

The proposed Lynplaats prospecting area will be explored in different phases i.e., literature review, field mapping and drilling. Drilling phase has a potential to impact on the environmental, hence, drilling will be described in this section of the report.

Field mapping include the description of the structural setting of the area, simultaneously conducting geophysical survey. A geological map will be produced and subsequent to that boreholes will be positioned.

Drilling phase will involve the drilling of the positioned boreholes using a diamond core drilling technique. A sump will be constructed at each drilling site for the storage of water used to cool the drill rig. The sump will be constructed to be one square meter in size and have a maximum depth of one metre. Any soils removed from the sump (approximately one cubic meters) will be placed adjacent the drilling site and used for rehabilitation of the site.

Boreholes will be drilled at pre-planned sites. The boreholes will be drilled to intersect all the expected Iron Ore horizons and will be logged by the geologist. The horizons containing iron ore will be

sampled and the samples sent to the laboratory for quality analyses. The data obtained from the laboratory will form the basis for the geological modelling and financial evaluation.

Please note that the boreholes layout plan can only be determined once certain prospecting activities has been completed. Then, the proper locations of boreholes will be determined and the said layout plan will be submitted to the Department of Mineral Resources and Energy.

2.2.3 Planned Life of Area

The timeframe of the proposed Lynplaats prospecting activities is estimated to be five years.

2.3 LYNPLAATS PROSPECTING RIGHT PROJECT SURFACE INFRASTRUCTURE DESCRIPTION

2.3.1 Access Roads

Existing roads to be used for the access to the proposed prospecting area include the N14 National Road and R 507 Provincial Road. Other secondary road and a number of private farm roads will also be used to access the proposed prospecting area. Where no roads exist, tracks will be used to access the drilling sites. No clearing of natural vegetation will be undertaken.

2.3.2 Power Supply

Power required for the drilling of boreholes, boreholes pumping and for the illumination of the site, will be generated by a diesel-powered machines.

2.3.3 Water Supply Infrastructure

Water will be supplied from the landowner's borehole or any farm dam that might exist on the property. Water will be trucked with a water cart to all drill sites. Water that will be required is for the operation of machinery and domestic use within the campsite and drilling sites.

2.3.4 Workshops and Buildings

No workshops and office buildings will be required for this area. All machinery will be maintained at an offsite workshop. Should emergency repairs be required, the repairs will be conducted on areas covered with tarpaulins.

2.3.5 Waste Management

2.3.5.1 Waste Identification and Management

Hazardous Waste

Hydrocarbon waste will be collected in 210 litre drums for storage. The removal of the drums or any other appropriate receptacle will be undertaken by a waste disposal company, for disposal at a registered licensed waste disposal site. The drums will be placed on protected ground. Chemical toilets will be used for the management of sewage waste generated on site and will be maintained by a suitable contractor. Skips will be used to temporary store scrap materials and a reputable scrap collector will deployed to collect scrap.

General Waste

The general waste that will be generated is domestic waste will be collected in 210 litre drums and disposed of at a registered domestic waste disposal site.

campsites.

2.4 LYNPLAATS PROSPECTING RIGHT PROJECT METHOD STATEMENT

In terms of DMRE BAR and EMPR template, National Treasure Minerals (Pty) Ltd must describe the methods and technology to be employed for the proposed prospecting area. In view of the above, a method statement for each phase of the proposed project is provided. This identifies all actions, activities or processes associated with the proposed prospecting operation.

2.4.1 Construction Phase

2.4.1.1 Data gathering

Relevant information regarding the potential of the identified prospecting area will be sourced from institutions like the Council for Geoscience. This information will be analysed and interpreted through computer modelling of existing data.

2.4.1.2 Field Mapping

The field mapping will include rocks description, geophysical surveys and pegging of the drilling sites.

2.4.1.3 Detailed site survey and investigation

Demarcation of sensitive and protected areas will be conducted by suitable qualified person. This should be done before establishment of campsites and location of drilling sites.

2.4.1.4 Geophysical surveys and data interpretation

Geophysical surveys will be conducted over the proposed prospecting site.

2.4.1.5 Pegging of drill sites

All exploration borehole sites will be staked by a suitably qualified person. The sites will thereafter be plotted on a plan drawn to an appropriate scale.

2.4.1.6 Data Interpretation

The interpretation of the data obtained during prospecting will be used in compiling a preliminary potential area report. The said report will give indication as to what processes (in order of priority) to follow to complete the prospecting activities.

2.4.1.7 Decision to commence with prospecting activities

The important point to note is that a decision on whether or not to proceed with prospecting depends not only on the scientific and reliability of the methods under consideration, but also upon many fewer tangible factors, such as restrictions that might be imposed by the relevant Department when granting a prospecting right.

2.4.2 Operational Phase

2.4.2.1 Diamond drilling for boreholes and sump Construction

Geological boreholes will be drilled on a predetermined grid. During drilling of each borehole, a sump of approximately 1.0 x 1.0 x 1.0 m will be excavated for collecting of excess muds (water) from the drilling operation and for recycling of the water used for the operation of the drilling machine.

2.4.2.2 Topsoil storage site

The top and sub soils removed from the sump will be stockpiled in close proximity to the sump. The sumps will be backfilled manually by spade, once drilling and sampling of boreholes is completed.

2.4.2.3 Logging and sampling of the Core

This involves the physical description of the rocks intersected by the drilling process. The interpretation of these rock descriptions will assist in establishing the general stratigraphy of the area. Sampling will be taken at the desired horizons and sent to the laboratory for analyses.

2.4.2.4 Site Rehabilitation

Concurrent rehabilitation (Plugging and reseeding) of disturbed areas will be undertaken as drilling continues.

2.4.3 Decommissioning phase

2.4.3.1 Final Rehabilitation

Except for farm roads, no tracks and infrastructure related to the prospecting operation will remain in place after the decommissioning phase. Where tracks have resulted in more damage, such tracks will be ripped at 90° to the inherent slope, and seeded with the recommended seed mix. The sumps will be rehabilitated in such a manner to return the area to as close as possible to its pre-drilling environment.

Post closure, the prospecting area will consist of re-vegetated areas with vegetation cover comparable to the surrounding areas. No prospecting related infrastructure will remain on the prospecting site. The area will conform to the pre-prospecting topography. The areas affected by prospecting will be stable and erosion free.

2.4.3.2 Pre-feasibility study

This involves the compilation of a final geological report, reserve determination and pre-feasibility studies.

2.4.3.3 Mining feasibility study

This involves the conducting of a mining feasibility study, market research, sales agreements etc.

2.4.4 After Closure Phase

The rehabilitated area will be monitored on a quarterly basis to ensure that the site returns to an acceptable state. In the event that such an acceptable state is not achieved, the area will be seeded. After the decommissioning of the site and if it can be determined that the site is stable, an environmental authorisation for the decommissioning of the site and a closure certificate will be applied for in terms of the relevant laws.

SECTION THREE

Policy and legislative context

3. POLICY AND LEGISLATIVE CONTEXT

3.1 CONSTITUTION OF THE REPUBLIC OF SOUTH AFRICA, 1996 (ACT NO. 108 OF 1996)

Section 24 of the Constitution of the Republic of South Africa (Act No. 108 of 1996) states that everyone has the right:

- a) to an environment that is not harmful to their health or well-being; and
- b) to have the environment protected, for the benefit of present and future generations, through reasonable legislative and other measures that;
 - (i) prevent pollution and ecological degradation;
 - (ii) promote conservation; and
 - (iii) secure ecologically sustainable development and use of natural resources while promoting justifiable economic and social development.

In terms of Section 24 of the Constitution of the Republic of South Africa (Act No. 108 of 1996), everyone has the right to an environment that is not harmful to their health or well-being. In addition, people have the right to have the environment protected, for the benefit of present and future generations, through applicable legislations and other measures that prevent pollution, ecological degradation and promote conservation and secure ecologically sustainable development through the use of natural resources while prompting justifiable economic and social development. The needs of the environment, as well as affected parties, should thus be integrated into the overall area in order to fulfil the requirements of Section 24 of the Constitution. In view of the above, a number of laws pertaining to environmental management were promulgated to give guidance on how the principles set out in section 24 of the Constitution of the Republic of South Africa (Act No. 108 of 1996) would be met. Below are laws applicable to the proposed area that was promulgated to ensure that section 24 of the Constitution of the Republic of South Africa (Act No. 108 of 1996) is complied with.

3.2 NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT NO. 107 OF 1998)

Section 24(1) of the NEMA states:

“In order to give effect to the general objectives of integrated environmental management laid down in this Chapter [Chapter 5], the potential consequences for or impacts on the environment of listed activities or specified activities must be considered, investigated, assessed and reported on to the competent authority or the Minister of the Department of Mineral Resources, as the case may be, except in respect of those activities that may commence without having to obtain an environmental authorisation in terms of this Act.”

In order to regulate the procedure and criteria as contemplated in Chapter 5 of NEMA relating to the preparation, evaluation, submission, processing and consideration of, and decision on, applications for environmental authorisations for the commencement of activities, subjected to environmental impact assessment, in order to avoid or mitigate detrimental impacts on the environment, and to

optimise positive environmental impacts, and for matters pertaining thereto, Regulations (EIA Regulations, 2014) were promulgated. These Regulations took effect from the 4th of December 2014.

In addition to the above, Section 28 of the NEMA includes a general “Duty of Care” whereby care must be taken to prevent, control and remedy the effect of significant pollution environmental degradation. This section stipulates the importance to protect the environment from degradation and pollution irrespective of the operations taking places or activities triggered / not triggered under NO. 327, NO. 325 and NO.324.

In view of the above, an environmental impact assessment is being undertaken to comply with the requirements of the NEMA and the NEMA EIA Regulations, 2014. The NEMA EIA Regulations of December 2014 determines requirements to be met in order to obtain an environmental authorisation. This report has therefore been compiled in compliance with the above regulations.

3.3 NATIONAL ENVIRONMENTAL MANAGEMENT AIR QUALITY ACT, 2004 (ACT NO. 39 2004)

The National Environmental Management: Air Quality Act (Act No. 39 of 2004) (NEM: AQA) focuses on reforming the law regulating air quality in South Africa in order to protect the environment through the provision of reasonable measures protecting the environment against air pollution and ecological degradation and securing ecological sustainable development while promoting justifiable economic and social developments. This Act provides national norms and standards regulating air quality management and control by all spheres of government. These include the National Ambient Air Quality Standards (NAAQS) and the National Dust Control Regulations (NDCR). The standards are defined for different air pollutants with different limits based on the toxicity of the pollutants to the environment and humans, number of allowable exceedances and the date of compliance of the specific standard.

On 22 November 2013 the list of activities which result in atmospheric emissions which have or may have a significant detrimental effect on the environment, including health, social conditions, economic conditions, ecological conditions or cultural heritage was published under GN R893 in Governmental Gazette No 37054, in terms of Section 21(1)(b) of the NEM: AQA.

The proposed will not trigger any of the activities listed under the above-mentioned Regulations, however National Treasure Minerals (Pty) Ltd must ensure that emissions from their activities complies with the standards as set in the above-mentioned regulations.

3.4 THE NATIONAL HERITAGE RESOURCES ACT, 1999 (ACT NO. 25 OF 1999)

The National Heritage Resources Act (Act No. 25 of 1999) (NHRA) focuses on the protection and management of South Africa’s heritage resources. The governing authority for this act is the South African Heritage Resources Agency (SAHRA). In terms of the NHRA, historically important features such as graves, trees, archaeology and fossil beds are protected as well as culturally significant symbols, spaces and landscapes. Section 38 of the NHRA stipulates the requirements a developer must undertake prior to development. In terms of Section 38 of the NHRA, SAHRA can call for a Heritage Impact Assessment (HIA) where certain categories of development are proposed.

A Heritage Impact Assessment (HIA) is the process to be followed in order to determine whether any heritage resources are located within the area to be developed as well as the possible impact of the proposed development thereon.

The Act also makes provision for the assessment of heritage impacts as part of an EIA process and indicates that if such an assessment is deemed adequate, a separate HIA is not required. An assessment of the proposed area will be done during the drilling programme to determine if there are any sites that require protection. Any sites identified will be marked and no drilling will be undertaken in close proximity of such a site.

3.5 NATIONAL ENVIRONMENTAL MANAGEMENT BIODIVERSITY ACT, 2004 (ACT NO. 10 OF 2004) (NEMBA)

The National Environmental Management: Biodiversity Act (Act No. 10 of 2004) (NEMBA) provides for the management and protection of South Africa's biodiversity within the framework established by NEMA. The Act aims to legally provide for biodiversity conservation, sustainable, equitable access and benefit sharing and provides for the management and control of alien and invasive species to prevent or minimize harm to the environment and indigenous biodiversity. The Act imposes obligations on landowners (state or private) governing alien invasive species as well as regulates the introduction of genetically modified organisms. The Act encourages the eradication of alien species that may harm indigenous ecosystems or habitats. The NEMBA ensures that provision is made by the site developer to remove any aliens which have been introduced to the site or are present on the site.

The NEMBA also provides for listing of threatened or protected ecosystems, in one of four categories: critically endangered, endangered, vulnerable or protected. The purpose of listing protected ecosystems is primarily to conserve sites of exceptionally high conservation value.

The Act supports South Africa's obligations under sanctioned international agreements regulating international trade in specimens of endangered species, and ensures that the utilization of biodiversity is managed in an ecological sustainable way.

The BAR and EMPR has been complied to ensure that all applicable requirements prescribed in the NEMBA are complied with.

3.4 NORTH WEST BIODIVERSITY MANAGEMENT ACT (ACT 4 OF 2016)

To provide for the management and conservation of the North West's biophysical environment and protected areas within the framework of the National Environment Management Act, 1998 (Act No 107 of 1998); to provide for the protection; to provide for the sustainable use of indigenous biological resources; and to provide for matters connected therewith.

3.5 MINERAL AND PETROLEUM RESOURCES DEVELOPMENT ACT, 2002 (ACT 28 OF 2002 MPRDA)

The Department of Mineral Resources (DMR) is responsible for regulating the mining and minerals industry to achieve equitable access to the country's resources and contribute to sustainable development. The Mineral and Petroleum Resources Development Act, 2002 (Act 28 of 2002) (MPRDA) requires that an EIA be conducted and that the EMP be drafted for the mitigation of impacts identified during the environmental impact assessment for a mining area. During December 2014, the "One Environmental System" was implemented by Government which initiated the streamlining of the licensing processes for mining, environmental authorisations and water use. Under the One

Environmental System, The Minister of Mineral Resources, will issue environmental authorisations and waste management licences in terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998) (NEMA), and the National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008) (NEMWA), respectively, for mining and related activities. The Minister of Environmental Affairs will be the appeal authority for these authorisations. In view of the above the application for the environmental authorisation for the proposed area was submitted to the Department of Mineral Resources as the competent authority.

3.6 NATIONAL WATER ACT, 1998 (ACT NO. 36 OF 1998 NWA)

The National Water Act (Act No. 36 of 1998) (NWA) is the primary regulatory legislation, controlling and managing the use of water resources as well as the pollution thereof in South Africa. The NWA recognises that the ultimate aim of water resource management is to achieve sustainable use of water for the benefit of all users and that the protection of the quality of water resources is necessary to ensure sustainability of the nation's water resources in the interests of all water users. The NWA presents strategies to facilitate sound management of water resources, provides for the protection of water resources, and regulates use of water by means of Catchment Management Agencies, Water User Associations, Advisory Committees and International Water Management. The National Government has overall responsibility for and authority over water resource management, including the equitable allocation and beneficial use of water in the public interest. Further, an industry can only be entitled to use water if the use is permissible under the NWA. The enforcing authority on water users is the Department of Water and Sanitation (DWS).

Further, Regulation 704 of the NWA deals with the control and use of water for mining and related activities aimed at the protection of water resources.

No water use licence application will be submitted to the Department of Water and Sanitation for their consideration. However, measures will be undertaken to ensure that requirements in terms of the NWA and the GN 704 are complied with where necessary. Should a requirement for the drilling and any activity be undertaken within 100 meters from the watercourses an exemption for compliance with requirements of the regulations under GN 704 will be applied for.

3.7 NATIONAL ENVIRONMENTAL MANAGEMENT, 2008 (ACT NO. 59 OF 2008 WASTE ACT)

The National Environmental Management: Waste Act (NEMWA) requires that all waste management activities must be licensed. According to Section 44 of the NEMWA, the licensing procedure must be integrated with an EIA process in terms of the NEMA.

The objectives of NEMWA involve the protection of health, wellbeing and the environment. The NEMWA provides measures for the minimisation of natural resource consumption, avoiding and minimising the generation of waste, reducing, recycling and recovering waste, and treating and safely disposing of waste.

No waste management activities are triggered by the proposed area, hence no application in terms of the NEMWA was submitted to the Department of Mineral Resources.

3.8 EIA GUIDELINES

A number of national and provincial EIA guidelines were published by different departments. These guidelines are mainly aimed at assisting relevant stakeholders by providing information and guidance

and giving recommendations on a number of aspects relating to the environmental impact assessment process. The guidelines can be used by the competent authority, applicant and the EAP during the EIA process. It is therefore important that the EAP and the person compiling a specialist report must have relevant expertise when conducting the environmental impact assessments.

A number of guidelines were consulted during the compilation of this report and these include amongst them the following i.e., Guidelines on the Need and Desirability, Department of Environmental Affairs and Tourism Integrated Environmental Management Guidelines, Department of Water and Sanitation's Best Practice Guidelines and the North-West Provincial Department of Environmental Affairs and Development Planning Guidelines on Public Participation.

SECTION FOUR

Need and desirability of the proposed activities

4. NEED AND DESIRABILITY OF THE PROPOSED ACTIVITIES

In terms of the EIA Regulations the need and desirability of any development must be considered by the relevant competent authority when reviewing an application. The need and desirability must be included in the reports to be submitted during the environmental authorisation application processes.

This section of the BAR and EMPr will indicate the need and desirability for the proposed Lynplaats Prospecting Right Project.

Assessment of the geological information available has determined that the area in question may have minerals applied for. In order to ascertain the above and determine the nature, location and extent of the minerals applied for within the proposed prospecting area, it will be necessary that prospecting be undertaken. The prospecting will also determine if there are any features that may have an impact on the economic extraction of the minerals applied for.

The information that will be obtained from the prospecting to be done will be necessary to determine how and where the Iron ore will be extracted and how much economically viable the minerals applied for are available within the proposed prospecting area.

National Treasure Minerals (Pty) Limited expects that substantial benefits from the project (should minerals applied for be found) will accrue to the immediate project area, the sub-region and the Province of North West. These benefits must be offset against the costs of the project, including the impacts to land owners.

The potential benefits of the proposed project are:

Potential reduction in crime because of short-term job creation during construction (providing farm safety and security measures are implemented), but also in the long-term in the region, as a result of job creation.

Local growth in the economy of the town of Delareyville and surrounding areas, and for local businesses including those that supply accommodation, transport etc.

Economic benefits for contractors and other suppliers of goods and services.

Economic opportunities and other potential benefits for land owners from compensation for impacts.

Based on the environmental assessment conducted as described in this Report, there are no environmental impacts associated with the proposed project that cannot be mitigated.

SECTION FIVE

Motivation for the preferred development footprint

5. MOTIVATION FOR THE PREFERRED DEVELOPMENT FOOTPRINT

5.1 CONSIDERATION OF ALTERNATIVES

The National Environmental Management Act 107 of 1998, Environmental Impact Assessment Regulations, 2014 requires a BAR and EMPR to identify alternatives for areas applied for. In terms of the above-mentioned regulations an alternative in relation to a proposed activity, means different means of meeting the general purpose and requirements of the activity, which may include alternatives to the (a) the property on which or location where it is proposed to undertake the activity; (b) the type of activity to be undertaken; (c) the design or layout of the activity;(d) the technology to be used in the activity;(e) the operational aspects of the activity; and (f) the option of not implementing the activity.

National Treasure Minerals (Pty) Ltd intends on undertaking exploration for minerals applied for to determine whether or not the area consist of these commodities and if they are available whether the ore reserves are found quantities that have economic value. The proposed activity will include the drilling of exploration boreholes. The associated activities/infrastructure will include, an access to the site and a campsite.

5.1.1 Location Alternatives

The location alternative considered for the proposed project includes the prospecting sites, associated campsite location and access routes. The location alternatives were selected based on a number of criteria, which include the environmental considerations (how sensitive is the area in terms of soil, wetlands, groundwater etc.) and sensitive receptors (proximity to communities and farmsteads).

5.1.1.1 Prospecting Sites and Access Routes

No alternatives were considered for the prospecting area and the access routes, since the area where prospecting will be conducted was selected based on sound geological information.

5.1.1.2 Campsite Location

Regarding the location of the campsite, three alternatives were considered. These locations included a static location close to the entrance of the site, a mobile campsite and an offsite campsite.

Since the site closer to the farm home steads may result in undesirable impacts on the residents of the farm steads and the offsite alternative may results in unforeseen impacts due to the unavailability of other necessary services that comes with having a local campsite these two alternatives were discarded.

A mobile campsite would be used during the operational phase of the area. Note that the mobile alternatives will move with the drilling team from site to site during the execution of the drilling programme.

5.1.2 Design/Layout Alternatives

Since no complicated surface infrastructure will be required for this project no design and layout alternatives for the proposed project were determined. The plan depicting all possible drilling sites will be compiled in consultation with the landowner and submitted with the progress report to the DMRE.

5.1.3 Technology Alternatives

The mineral applied for is less cumbersome; hence normal exploration technologies will be used. In view of the above, no technology alternatives were considered for this project.

5.1.4 Input Material Alternatives

As mentioned above, current water sources used by the landowners and currently available energy will be used for the operation. In view of the above, no in-put material alternatives were considered for this project. Note that no building facilities will be constructed at the project site since movable facilities will be used for the proposed project.

5.1.5 Operational Alternatives

5.1.5.1 Exploration Drilling Methods

Drilling of boreholes is used to determine the depth, thickness and quality of the mineral applied for at any point across a prospecting area. Drilling is also used to determine the strata with which the minerals applied for are associated. Drilling can either be done by non-core drilling or core drilling techniques.

Non-Core Drilling Methods

Non-core drilling techniques mostly uses the rotary drilling methods. In this technique, a string of metal rods is rotated axially and a bit at the base of the string is forced downward, under controlled pressure, breaking up the ground and advancing the depth of the hole. Cuttings are swept away from the bit and lifted to the surface either by means of pumped circulating water or by jets of compressed air.

Logging of the hole drilled by non-core drilling methods is mainly based on the cuttings obtained as the drill progresses. In view for the difficulty and error bound logging, this method of drilling was discarded and may be used only for infill drilling wherever necessary.

Core-Drilling Methods

Core drilling techniques uses diamond drilling methods. In this technique, a hollow cylindrical drill bit impregnated with industrial diamonds is attached to a series of metal drill rods and rotated under controlled downward pressure. A cylindrical core remains in the hollow centre of the drill rig.

Core drilling is the only satisfactory means of obtaining representative samples of ores at depth for analysis.

5.1.6 Transportation

No transportation of material will take place during prospecting activities.

5.1.7 No Go Option

National Treasure Minerals (Pty) Ltd intends on exploring the proposed area in order to determine availability of Iron ore. If it can be determined that the area has Iron ore of economic value, potential mining

operations undertaken in a sustainable manner, will contribute to job creation within the Tswaing Local Municipality and beyond. Potential mining operations will also assist with the establishment of small and medium businesses and infrastructure development, community development and poverty eradication areas as well boost the local economy in the surrounding previously disadvantaged communities. Since the proposed prospecting process itself will have very low environmental impacts, as detailed in the EMPR, investigating the feasibility of future mining operations should be considered.

5.2 DETAILS OF THE PUBLIC PARTICIPATION PROCESS FOLLOWED AND RESULTS THEREOF

Public participation is the cornerstone of any EIA process. The principles of the NEMA govern many aspects of EIA's, including public participation. The general objectives of integrated environmental management laid down in the NEMA include to "ensure adequate and appropriate opportunity for public participation in decisions that may affect the environment". The National Environmental Management Principles include the principle that "The participation of all interested and affected parties in environmental governance must be promoted, and all people must have the opportunity to develop the understanding, skills and capacity necessary to achieve equitable and effective participation, and participation by vulnerable and disadvantaged persons must be ensured", which basically means that the person responsible for the application (EAP) must ensure that provision of sufficient and transparent information on an ongoing basis to stakeholders are made to allow them to comment, and to ensure that the participation of previously disadvantaged people like women and the youth are undertaken.

In terms of the amended NEMA EIA Regulations, 2014, when applying for environmental authorisation, the Environmental Assessment Practitioner managing the application must conduct at least a public participation process where all potential or registered interested and affected parties, including the competent authority, are given a period of at least 30 days to submit comments on the basic assessment report and EMPr.

This section of the BAR and EMPr will explain the public participation process to be taken in order to comply with the above-mentioned requirements. A number of public participation guidelines were published in a bid to assist persons responsible for the environmental authorisation applications. As much of the available guidelines were used in determining the public participation process, in guiding the public participation process of the proposed area.

National Treasure Minerals (Pty) Ltd is applying for an environmental authorisation for the proposed Lynplaats prospecting right project. The application for the environmental authorisation is undertaken in terms of the process as laid out in part 2 of Chapter 4 under the NEMA EIA Regulations, 2014. The above- mentioned regulations requires that an applicant for an environmental authorisation submit a BAR and EMPr to the competent authority after having subjected the reports to a public participation process.

In view of the above, a public participation process was initiated for the proposed Lynplaats Prospecting Right Project. The public participation process for the proposed area is designed to provide sufficient and accessible information to interested and affected parties (I&APs) in an objective manner to assist them to:

- raise issues of concern and make suggestions for enhanced benefits;
- contribute local knowledge and experience;

- verify that their issues have been captured;
- verify that their issues have been considered in the technical investigations; and
- comments on the findings of the EIA.

The following are and will be conducted in undertaking of the public participation process for the proposed Lynplaats prospecting right project.

5.2.1 Registration and BAR Phase

The public participation process has commenced by providing potential interested and affected parties (I&AP's) 30 days to register as interested and affected parties and to comment on the draft BAR and EMPR. The registration and commenting process starts on the 28th of October 2022 and ends on the 28th of November 2022. Note that all parties will be provided enough time (at least 30 days) to comment on the report.

5.2.1.1 Notification of potential interested and affected parties

The following methods of notification were used to notify the potential interested and affected parties of the opportunity to register during the public participation process for the proposed area:

- Notices inviting potential interested and affected parties to register and comment on the draft BAR and EMPr for the proposed Lynplaats prospecting right project were fixed at two sites. The notices were compiled to comply with the requirements of Regulation 41(3) of the amended NEMA EIA Regulations, 2014.
- Written notices were sent to all surface owners and lawful occupiers of the land on which the proposed area will be undertaken, owners/lawful occupiers of land immediately adjacent to the proposed project area.
- The draft BAR and EMPr is submitted to all the commenting authorities for their comments.
- A copy of the draft BAR and EMPr is placed in the Delareyville public library for the public to peruse and make comments on the report.
- On the 28th of October 2022, notices were posted at Platinum weekly newspaper which is also distributed in host and surrounding towns of the proposed prospecting area, informing the public that the BAR and EMPr is available for comments at the Delareyville public library. The notices were compiled in compliance with the requirements of Regulation 41(3) of the EIA Regulations, 2014.

5.2.1.2 Registered Interested and Affected Parties

The following are currently registered as interested and affected parties for the Lynplaats prospecting right project:

- Department of Mineral Resources and Energy, North West Regional Office (Competent Authority),
- Department of Water and Sanitation, North West Regional Office (Commenting Authority)

-
- National Department of Agriculture and Rural Development, North West Regional Office (Commenting Authority)
 - North West Tourism and Parks board (Commenting Authority)
 - South African Heritage Resources Agency (Commenting Authority)
 - SANRAL
 - Local Municipality
 - Ward Councillor (Tswaing Local Municipality)
 - Lynplaats Prospecting Right Area land owners and lawful occupiers

5.2.1.3 Finalisation of Interested and Affected Party Database

On expiry of registration period, the database of interested and affected parties was finalised. All parties who indicated the interest of being registered as interested and affected parties were added to the list of interested and affected parties.

Note: All organs of state, which have jurisdiction in respect of any aspect of the proposed area and the competent authority are automatically registered interested and affected parties.

5.2.2 Draft Basic Assessment Report

The draft BAR and EMPR was made available for comment to all relevant stakeholders during the above-mentioned registration phase of the proposed area public participation process.

5.2.2.4 Proof of Consultation

Proof of the above-mentioned consultation and results thereof will be included in the final BAR and EMPR.

5.2.2.5 Comments, Issues and Responses on the Draft Scoping Report

On lapsing of the commenting period, all comments and issues received from the interested and affected parties will be recorded and responses to the comments made. All reactions to the responses to the comments and issues raised will also be recorded.

The comments and issues raised by the interested and affected parties, their responses and reaction to the response will be presented in the final BAR and EMPR.

5.3 ENVIRONMENTAL ATTRIBUTES (BASELINE INFORMATION)

5.3.1 Climate

The regional climate features summer rainfall and very dry winters Tswaing Local Municipality normally receives about 550mm-650mm of rain per year, with most rainfall occurring mainly during mid-summer. Frost is fairly frequent in winter in lower-lying areas, but less so on the hills. Mean monthly maximum and minimum temperatures for Lindleyspoort-Irr weather station are 35.2°C and – 0.4°C for January and June, respectively. Corresponding values for the Marico-Irr weather station are 36.7°C and -0.4°C (Mucina & Rutherford 2006). Figure 4 shows the monthly rainfall and atmospheric temperatures measured between January 2016 and November 2017 (weatherunderground.com.)




Figure 3: The mean annual precipitation (MAP) measurements, monthly rainfall and atmospheric temperature

5.3.2 Regional Geological Setting

The area falls within the Gh 13 Klerksdorp Thornveld which consist of Shale, slate and quartzite of the Pretoria Group with interlaid diabase sills and Hekpoort lava supporting relatively shallow and rocky soils (Glenrosa and Mispah forms), typical of the Fb land type. Equally represented are eutrophic red plinthic soils (Hutton form), derived mainly from a thick succes-sion of volcanics and sediments of the Ventersdorp Supergroup (Bc land type). Bd and Ae of minor occurrence.

The area also falls within the Gh 14 Western Highveld Sandy Grassland which consists of Basaltic lavas of the Klipriviersberg Group and andesitic lavas of the Allanridge Formation (both Ventersdorp Supergroup) covered by aeolian sand (western part of the area) or calcrete, with the eutrophic plinthic soils, which are mainly yellow apedals (Avalon and Pinedene) and rarely red apedals (Hutton) or Clovelly in bottomlands. Bd land type dominant.

The Ventersdorp Supergroup is one of the least deformed late Archaean-early Proterozoic lowgrade metamorphosed supracrustal sequences in the world and can serve as a model for tectonic, geochemical and volcanological evolution. The development of the Ventersdorp Supergroup on the Kaapvaal Craton was initiated by the outflow of lava of kmatiitic affinity during an epoch of crustal extension. The Ventersdorp sequence comprises three groups namely the Klipriviersberg Group at the base followed by the Platberg Group and Pniel Sequence. The Klipriviersberg Group consists of mafic volcanics whilst the Platberg Group is composed of sediments deposited in grabens followed by a bimodal volcanic suite with intermixed sediments and tuff towards the top. The presence of stromatolitic cherty limestone and mature sedimentary material indicates an abatement in tectonic activity towards the end of Platberg times. The uppermost Pniel Sequence overlies the Platberg Group with a marked unconformity and consists of an arenaceous unit, followed by a mafic to intermediate volcanic sequence. Geochemistry and isotopes indicate a mantle origin for some of the volcanics, whilst crustal contamination probably also contributed to the evolution of the Ventersdorp volcanics. A full account of the literature pertaining to this important supergroup and the specific area of impact is also given (Van der Westhuizen *et al.*, 1991).

5.3.3 Topography

The proposed Lynplaats prospecting right project has been described based on the topography identified via desktop assessment as follows. The elevation ranges between 1442 to 1614 mamsl. A perennial tributary of the Orange River flows along the southern border of the site




Figure 4: Elevation of the proposed Lynplaats Prospecting Right Area

5.3.4 Current Land Use

The Tswaing Local Municipality covers an area of approximately 5966 km², of which more than 43% are utilised for agricultural activities. The municipal area further consists of a mixture of urban and peri-urban areas and includes the towns of Delareyville, Sanieshof and Ottosdal. In addition to these formal urban areas, there are number of villages scattered around farms in the area.

Within and immediately adjacent to the prospecting right area, the land use includes agricultural activities (crop cultivation, grazing and poultry industry), residential (existing farmsteads, small holdings and townships), roads (N18) National Road, secondary and private gravel roads.




Figure 5: Land use map for Lynplaats Prospecting Area

5.3.5 Natural Vegetation/Plant Life

The proposed Lynplaats prospecting site falls within the Grassland biome region, and savanna biome. The proposed area for the prospecting falls within the Mafikeng Bushveld (SUK.1) and the Western Highveld Sandy Grassland Grassland vegetation types /ecosystems. (Gh.14) Figure 6 below provides a visual indication of the vegetation types associated with the proposed Lynplaats prospecting right area.




Figure 6: National Vegetation Types in the vicinity of the proposed Lynplaats Prospecting Area

Western Highveld Sandy Grassland vegetation type (Gh 14)

Climate: Warm-temperate, summer-rainfall region, with overall MAP of 520 mm. Summer temperatures are high. Severe frequent frost occurs in winter.

Important Taxa:

Graminoids: *Antheophora pubescens* (d), *Aristida congesta* (d), *A. diffusa* (d), *Cymbopogon pospischilii* (d), *Cynodon dactylon* (d), *Eragrostis lehmanniana* (d), *E. trichophora* (d), *Panicum coloratum* (d), *Pogonarthria squarrosa* (d), *Setaria sphacelata* (d), *Sporobolus africanus* (d), *Themeda triandra* (d), *Aristida adscensionis*, *A. canescens*, *A. stipitata* subsp. *graciliflora*, *Brachiaria serrata*, *Digitaria argyrograpta*, *D. eriantha*, *Diheteropogon amplectens*, *Elionurus muticus*, *Eragrostis chloromelas*, *E. curvula*, *E. gummiflua*, *E. racemosa*, *Eustachys paspaloides*, *Heteropogon contortus*, *Melinis nerviglumis*, *Sporobolus discosporus*, *S. fimbriatus*, *Trichoneura grandiglumis*, *Triraphis andropogonoides*.

Herbs: *Gazania krebsiana* subsp. *Krebsiana* (d), *Stachys spathulata* (d), *Barleria macrostegia*, *Berkheya onopordifolia* var. *onopordifolia*, *Chamaecrista mimosoides*, *Chamaesyce inaequilatera*, *Dicoma anomala*, *D. macrocephala*, *Helichrysum callicomum*, *Hermannia depressa*, *H. tomentosa*, *Kyphocarpa angustifolia*, *Lippia scaberrima*, *Monsonia burkeana*, *Nolletia ciliaris*, *Osteospermum muricatum* subsp. *longiradiatum*, *Pollichia campestris*, *Rhynchosia adenodes*, *Sebaea grandis*, *Trichodesma angustifolium* subsp. *angustifolium*, *Vernonia oligocephala*.

Geophytic Herb: *Boophone disticha*.

Low Shrubs: *Anthospermum rigidum* subsp. *pumilum* (d), *Aptosimum elongatum*, *Felicia muricata*, *Gnidia capitata*, *Helichrysum paronychioides*, *Indigofera comosa*, *Leucas capensis*, *Polygala hottentotta*, *Sida dregei*, *Solanum panduriforme*, *Stoebe plumose*

Tall Shrubs: *Acacia hebeclada*, *Diospyros lycioides* subsp. *lycioides*.

Conservation: Endangered. Target 24%. Only a very small portion statutorily conserved (Barberspan Nature Reserve). More than 60% has been ploughed. Non-arable parts are on shallow aeolian soils which become easily over utilised through grazing. Erosion is very low. About 95% of this land is suitable for cultivation, but the low rainfall makes it a high-risk area for agriculture. Therefore, the natural vegetation is often restricted to non-arable bush clumps, shallow soils, aeolian sands and pans.

Remarks: Many endorheic pans (AZi 10; Highveld Salt Pans) are embedded within this grassland, especially in the north.

Mafikeng Bushveld (SVk 1)

Important Taxa:

Tall Tree: *Acacia erioloba* (d). Small Trees: *Acacia karroo* (d), *A. mellifera* subsp. *detinens* (d), *Terminalia sericea* (d), *Ziziphus mucronata* (d). Tall Shrubs: *Dichrostachys cinerea* (d), *Grewia flava* (d), *Rhus tenuinervis* (d), *Diospyros austro-africana*, *Ehretia rigida* subsp. *rigida*, *Rhigozum obovatum*, *Tarchonanthus camphoratus*.

Low Shrubs: *Acacia hebeclada* subsp. *hebeclada* (d), *Grewia retinervis* (d), *Aptosimum procumbens*, *Felicia muricata*, *Gnidia polycephala*, *Helichrysum zeyheri*, *Hoffmannseggia burchellii*, *Lantana rugosa*, *Talinum arnotii*.

Geoxylic Suffrutex: *Elephantorrhiza elephantina*.

Succulent Shrub: *Lycium cinereum*.

Woody Climber: *Asparagus africanus*.

Graminoids: *Antheophora pubescens* (d), *Cymbopogon pospischilii* (d), *Digitaria eriantha* subsp. *eriantha* (d), *Eragrostis lehmanniana* (d), *E. pallens* (d), *Schmidtia pappophoroides* (d), *Stipagrostis uniplumis* (d), *Aristida congesta*, *A. meridionalis*, *A. mollissima* subsp. *argentea*, *A. stipitata* subsp.

stipitata, *Brachiaria nigropedata*, *B. serrata*, *Cynodon dactylon*, *Digitaria argyrographa*, *Eragrostis superba*, *E. trichophora*, *Melinis repens*, *Tragus racemosus*, *Urochloa panicoides*.

Herbs: *Barleria macrostegia*, *Erlangea misera*, *Harpagophytum procumbens* subsp. *procumbens*, *Hermannia tomentosa*, *Hermbstaedtia odorata*, *Indigofera daleoides*, *Limeum fenestratum*, *Nidorella resedifolia*, *Oxygonum dregeanum* subsp. *canescens* var. *canescens*, *Senna italica* subsp. *arachoides*.

Geophytic Herb: *Ledebouria marginata*.

5.3.1 Animal Life

The proposed Lynplaats prospecting area is situated over a wide range of unique ecosystem types as mentioned above, these ecosystems serve as habitats for all sorts of animals. In accordance with the above-mentioned land uses certain species can occur within and in the surrounding areas of the proposed Lynplaats prospecting right area. All animal species lists mentioned in the tables below have been obtained from the web-accessible Virtual Museum Animal Demography Unit. The proposed Lynplaats prospecting area is situated over the 2625AC and 2625AD quarter degree square grids. The tables below represent the possible occurrence of animal species found within the perimeters of the the 2625AC and 2625AD quarter degree square grids is not restricted to the proposed Lynplaats prospecting right area.

Table 4: List of Mammal species that occur in the 2625AC quarter degree grid (Mammal Map, Animal Demography Unit)

#	Species code	Family	Scientific name	Common name	Red list category
1	198600	Canidae	<i>Canis mesomelas</i>	Black-backed Jackal	Least Concern (2016)
2	113300	Cercopithecidae	<i>Chlorocebus pygerythrus</i>	Vervet Monkey	Least Concern (2016)
3	196100	Herpestidae	<i>Cynictis penicillata</i>	Yellow Mongoose	Least Concern (2016)
4	218030	Muridae	<i>Gerbilliscus leucogaster</i>	Bushveld Gerbil	Least Concern (2016)
5	150690	Muridae	<i>Thallomys paedulus</i>	Acacia Thallomys	Least Concern (2016)
6	122610	Sciuridae	<i>Xerus inauris</i>	South African Ground Squirrel	Least Concern

Table 5: List of Mammal species that occur in the 2625AD quarter degree grid (Mammal Map, Animal Demography Unit)

#	Species code	Family	Scientific name	Common name	Red list category
1	192040	Felidae	<i>Felis nigripes</i>	Black-footed Cat	Vulnerable (2016)
2	196100	Herpestidae	<i>Cynictis penicillata</i>	Yellow Mongoose	Least Concern (2016)

Table 6: List of Reptile species that occur in the 2625AC quarter degree grid (Reptile Map, Animal Demography Unit)

#	Species code	Family	Scientific name	Common name	Red list category
1	1450	Agamidae	<i>Agama aculeata aculeata</i>	Common Ground Agama	Least Concern (SARCA 2014)

2	4560	Colubridae	Crotaphopeltis hotamboeia	Red-lipped Snake	Least Concern (SARCA 2014)
3	4660	Colubridae	Telescopus semiannulatus semiannulatus	Eastern Tiger Snake	Least Concern (SARCA 2014)
4	1620	Lacertidae	Meroles squamulosus	Common Rough-scaled Lizard	Least Concern (SARCA 2014)
5	4400	Lamprophiidae	Lycophidion capense capense	Cape Wolf Snake	Least Concern (SARCA 2014)
6	2310	Scincidae	Trachylepis capensis	Cape Skink	Least Concern (SARCA 2014)
7	5540	Testudinidae	Stigmochelys pardalis	Leopard Tortoise	Least Concern (SARCA 2014)

Table 7: List of Reptile species that occur in the 2625AD quarter degree grid (Reptile Map, Animal Demography Unit)

#	Species code	Family	Scientific name	Common name	Red list category
1	4560	Colubridae	Crotaphopeltis hotamboeia	Red-lipped Snake	Least Concern (SARCA 2014)
2	4750	Colubridae	Dasypeltis scabra	Rhombic Egg-eater	Least Concern (SARCA 2014)
3	4660	Colubridae	Telescopus semiannulatus semiannulatus	Eastern Tiger Snake	Least Concern (SARCA 2014)
4	1620	Lacertidae	Meroles squamulosus	Common Rough-scaled Lizard	Least Concern (SARCA 2014)
5	1730	Lacertidae	Nucras holubi	Holub's Sandveld Lizard	Least Concern (SARCA 2014)
6	4320	Lamprophiidae	Boaedon capensis	Brown House Snake	Least Concern (SARCA 2014)
7	4400	Lamprophiidae	Lycophidion capense capense	Cape Wolf Snake	Least Concern (SARCA 2014)
8	4970	Lamprophiidae	Psammophylax tritaeniatus	Striped Grass Snake	Least Concern (SARCA 2014)
9	2520	Scincidae	Panaspis wahlbergii	Wahlberg's Snake-eyed Skink	Least Concern (SARCA 2014)
10	2510	Scincidae	Trachylepis sp. (Transvaal varia)	Skink sp. 1	
11	2480	Scincidae	Trachylepis varia sensu lato	Common Variable Skink Complex	Least Concern (SARCA 2014)

Table 8: List of Frog species that occur in the 2625AC quarter degree grid (Frog Map, Animal Demography Unit)

#	Species code	Family	Scientific name	Common name	Red list category
1	160	Brevicipitidae	Breviceps adpersus	Bushveld Rain Frog	Least Concern
2	320	Bufonidae	Sclerophrys garmani	Olive Toad	Least Concern (IUCN, 2016)
3	660	Hyperoliidae	Kassina senegalensis	Bubbling Kassina	Least Concern
4	760	Microhylidae	Phrynomantis bifasciatus	Banded Rubber Frog	Least Concern
5	400	Pyxicephalidae	Cacosternum boettgeri	Common Caco	Least Concern (2013)
6	850	Pyxicephalidae	Pyxicephalus adpersus	Giant Bull Frog	Near Threatened
7	990	Pyxicephalidae	Tomopterna cryptotis	Tremelo Sand Frog	Least Concern

Table 9: List of Frog species that occur in the 2625AD quarter degree grid (Frog Map, Animal Demography Unit)

#	Species code	Family	Scientific name	Common name	Red list category
---	--------------	--------	-----------------	-------------	-------------------

1	660	Hyperoliidae	Kassina senegalensis	Bubbling Kassina	Least Concern
2	760	Microhylidae	Phrynomantis bifasciatus	Banded Rubber Frog	Least Concern
3	400	Pyxicephalidae	Cacosternum boettgeri	Common Caco	Least Concern (2013)
4	990	Pyxicephalidae	Tomopterna cryptotis	Tremelo Sand Frog	Least Concern

Table 10: List of Butterfly and Moth species that occur in the 2625AC quarter degree grid (Lepi Map, Animal Demography Unit)

#	Species code	Family	Scientific name	Common name	Red list category
1	471240	HESPERIIDAE	Spialia mafa mafa	Mafa sandman	Least Concern (SABCA 2013)
2	447260	LYCAENIDAE	Cnodontes penningtoni	Pennington's buff	Least Concern (SABCA 2013)
3	453530	LYCAENIDAE	Stugeta bowkeri henningi	Bowker's marbled sapphire	Least Concern (SABCA 2013)
4	464560	LYCAENIDAE	Zintha hintza hintza	Hintza pierrot	Least Concern (SABCA 2013)
5	404240	PIERIDAE	Colotis evagore antigone	Small orange tip	Least Concern (SABCA 2013)
6	404320	PIERIDAE	Colotis evenina evenina	African orange tip	Least Concern (SABCA 2013)
7	404520	PIERIDAE	Colotis lais	Kalahari orange tip	Least Concern (SABCA 2013)
8	403650	PIERIDAE	Teracolus agoye bowkeri	Speckled sulphur tip	Least Concern (SABCA 2013)
9	403710	PIERIDAE	Teracolus subfasciatus	Lemon traveller	Least Concern (SABCA 2013)

Table 11: List of Dungbeetle species that occur in the 2625AC quarter degree grid (Dungbeetle Map, Animal Demography Unit)

#	Species code	Family	Scientific name	Common name	Red list category
1	7702700	Scarabaeidae	Euoniticellus intermedius		
2	7703780	Scarabaeidae	Liatongus militaris		
3	7704330	Scarabaeidae	Metacatharsius troglodytes		
4	7704680	Scarabaeidae	Neosisyphus rubrus		
5	7705690	Scarabaeidae	Onthophagus aeruginosus		
6	7709860	Scarabaeidae	Scarabaeus damarensis		
7	7709970	Scarabaeidae	Scarabaeus goryi		
8	7710730	Scarabaeidae	Sisyphus goryi		

The bird species that occur within the proposed Lynplaats prospecting right area has been obtained through the South African Bird Atlas Project version 2 web-based application where the area is situated over pentads. With regards to the proposed Lynplaats prospecting right area the pentad id for the area is 2625_2515

Table 12: List of Bird species that occur in the 2625_2515 ADU pentad

Ref	Common_group	Common_species	Genus	Species	Status
47	Cormorant	White-breasted	<i>Phalacrocorax</i>	<i>lucidus</i>	
55	Heron	Black-headed	<i>Ardea</i>	<i>melanocephala</i>	
61	Egret	Western Cattle	<i>Bubulcus</i>	<i>ibis</i>	

81	Ibis	African Sacred	<i>Threskiornis</i>	<i>aethiopicus</i>	
85	Spoonbill	African	<i>Platalea</i>	<i>alba</i>	
86	Flamingo	Greater	<i>Phoenicopterus</i>	<i>roseus</i>	Near Threatened
87	Flamingo	Lesser	<i>Phoeniconaias</i>	<i>minor</i>	Near Threatened
88	Goose	Spur-winged	<i>Plectropterus</i>	<i>gambensis</i>	
89	Goose	Egyptian	<i>Alopochen</i>	<i>aegyptiaca</i>	
94	Shoveler	Cape	<i>Spatula</i>	<i>smithii</i>	
96	Duck	Yellow-billed	<i>Anas</i>	<i>undulata</i>	
114	Falcon	Lanner	<i>Falco</i>	<i>biarmicus</i>	Vulnerable
122	Kestrel	Greater	<i>Falco</i>	<i>rupicoloides</i>	
185	Spurfowl	Swainson's	<i>Pternistis</i>	<i>swainsonii</i>	
192	Guineafowl	Helmeted	<i>Numida</i>	<i>meleagris</i>	
237	Plover	Kittlitz's	<i>Charadrius</i>	<i>pecuarius</i>	
242	Lapwing	Crowned	<i>Vanellus</i>	<i>coronatus</i>	
245	Lapwing	Blacksmith	<i>Vanellus</i>	<i>armatus</i>	
269	Avocet	Pied	<i>Recurvirostra</i>	<i>avosetta</i>	
278	Cursorer	Double-banded	<i>Rhinoptilus</i>	<i>africanus</i>	
311	Pigeon	Speckled	<i>Columba</i>	<i>guinea</i>	
314	Dove	Red-eyed	<i>Streptopelia</i>	<i>semitorquata</i>	
317	Dove	Laughing	<i>Spilopelia</i>	<i>senegalensis</i>	
318	Dove	Namaqua	<i>Oena</i>	<i>capensis</i>	
352	Cuckoo	Diederik	<i>Chrysococcyx</i>	<i>caprius</i>	
361	Owl	Marsh	<i>Asio</i>	<i>capensis</i>	
391	Mousebird	White-backed	<i>Colius</i>	<i>colius</i>	
392	Mousebird	Red-faced	<i>Urocolius</i>	<i>indicus</i>	
418	Hoopoe	African	<i>Upupa</i>	<i>africana</i>	
432	Barbet	Acacia Pied	<i>Tricholaema</i>	<i>leucomelas</i>	
458	Lark	Rufous-naped	<i>Mirafra</i>	<i>africana</i>	
460	Lark	Sabota	<i>Calendulauda</i>	<i>sabota</i>	
465	Lark	Short-clawed	<i>Certhilauda</i>	<i>chuana</i>	Near Threatened
474	Lark	Spike-heeled	<i>Chersomanes</i>	<i>albofasciata</i>	
488	Lark	Red-capped	<i>Calandrella</i>	<i>cinerea</i>	
504	Swallow	South African Cliff	<i>Petrochelidon</i>	<i>spilodera</i>	
522	Crow	Pied	<i>Corvus</i>	<i>albus</i>	
523	Crow	Cape	<i>Corvus</i>	<i>capensis</i>	
544	Bulbul	African Red-eyed	<i>Pycnonotus</i>	<i>nigricans</i>	
561	Thrush	Short-toed Rock	<i>Monticola</i>	<i>brevipes</i>	
568	Wheatear	Capped	<i>Oenanthe</i>	<i>pileata</i>	
570	Chat	Familiar	<i>Oenanthe</i>	<i>familiaris</i>	
575	Chat	Ant-eating	<i>Myrmecocichla</i>	<i>formicivora</i>	
586	Scrub Robin	Kalahari	<i>Cercotrichas</i>	<i>paena</i>	
621	Crombec	Long-billed	<i>Sylvietta</i>	<i>rufescens</i>	
629	Cisticola	Zitting	<i>Cisticola</i>	<i>juncidis</i>	

630	Cisticola	Desert	<i>Cisticola</i>	<i>aridulus</i>	
637		Neddicky	<i>Cisticola</i>	<i>fulvicapilla</i>	
642	Cisticola	Rattling	<i>Cisticola</i>	<i>chiniana</i>	
650	Prinia	Black-chested	<i>Prinia</i>	<i>flavicans</i>	
658	Warbler	Chestnut-vented	<i>Curruca</i>	<i>subcoerulea</i>	
661	Flycatcher	Marico	<i>Melaenornis</i>	<i>mariquensis</i>	
665	Flycatcher	Fiscal	<i>Melaenornis</i>	<i>silens</i>	
686	Wagtail	Cape	<i>Motacilla</i>	<i>capensis</i>	
692	Pipit	African	<i>Anthus</i>	<i>cinnamomeus</i>	
695	Pipit	Buffy	<i>Anthus</i>	<i>vaalensis</i>	
707	Fiscal	Southern	<i>Lanius</i>	<i>collaris</i>	
780	Sparrow-Weaver	White-browed	<i>Plocepasser</i>	<i>mahali</i>	
784	Sparrow	House	<i>Passer</i>	<i>domesticus</i>	
786	Sparrow	Cape	<i>Passer</i>	<i>melanurus</i>	
789	Weaver	Scaly-feathered	<i>Sporopipes</i>	<i>squamifrons</i>	
803	Weaver	Southern Masked	<i>Ploceus</i>	<i>velatus</i>	
805	Quelea	Red-billed	<i>Quelea</i>	<i>quelea</i>	
808	Bishop	Southern Red	<i>Euplectes</i>	<i>orix</i>	
820	Finch	Red-headed	<i>Amadina</i>	<i>erythrocephala</i>	
830	Pytilia	Green-winged	<i>Pytilia</i>	<i>melba</i>	
840	Waxbill	Violet-eared	<i>Granatina</i>	<i>granatina</i>	
844		Quailfinch	<i>Ortygospiza</i>	<i>atricollis</i>	
860	Canary	Black-throated	<i>Crithagra</i>	<i>atrogularis</i>	
866	Canary	Yellow	<i>Crithagra</i>	<i>flaviventris</i>	
940	Dove	Rock	<i>Columba</i>	<i>livia</i>	
1035	Korhaan	Northern Black	<i>Afrotis</i>	<i>afraoides</i>	
1183	Lark	Eastern Clapper	<i>Mirafr</i>	<i>fasciolata</i>	
4142	Sparrow	Southern Grey-headed	<i>Passer</i>	<i>diffusus</i>	

5.3.2 Surface Water

For the purpose of the National Water Resource Strategy, a requirement of the National Water Act (Act 36 of 1998), Department of Water Affairs and Forestry has delineated the entire country into representative water management areas with respective drainage regions i.e., primary, secondary, tertiary and quaternary drainage regions. The proposed Lynplaats Prospecting Right Area is situated within the quaternary catchment D41B. Figure 7 below provides a visual indication of the quaternary drainage regions in the vicinity of the proposed Lynplaats prospecting right project area.




Figure 7: DWS quaternary drainage regions in the vicinity of the proposed Lynplaats prospecting right project area

Table 13: Summary of the above mentioned Quaternary drainage region

	D41B
Drains into	Orange River
Size in km ²	6240
Mean annual precipitation (mm)	443,80
Evaporation (mm)	2772,30
Mean annual surface runoff (mm)	11,40

5.3.3 Sensitive Landscapes

National Treasure Minerals (Pty) Ltd recognises that all streams, rivers and wetlands should be treated as sensitive landscapes. To this extent, Geovicon Environmental (Pty) Limited, an independent consultant, undertook a desktop study over the prospecting right area to determine the

presence of sensitive landscape. A screening tool report was alternatively downloaded on the DEA website and it is attached as **Appendix E** of this report.




Figure 8: Threatened ecosystem status over the proposed Lynplaats prospecting right project

The proposed Lynplaats Prospecting Right Area is situated in the following National River Freshwater Ecosystem Priority Areas:

River FEPAs achieves biodiversity targets for river ecosystems and threatened/near threatened fish species, they should remain in a good condition in order to contribute to national biodiversity goals and support sustainable use of water resources.

Upstream Management Areas, are sub-quaternary catchments in which human activities need to be managed to prevent degradation of downstream river FEPAs and Fish Support Areas.

Fish Support Areas include sub-quaternary catchments that are important for migration of threatened or near threatened fish species. A goal of NFEPA is to keep further freshwater species from becoming threatened and to prevent those fish species that are already threatened or near threatened from going extinct. In order to achieve this, there should be no further deterioration in river condition in fish sanctuaries and no new permits should be issued for stocking invasive alien fish in farm dams in the associated sub-quaternary catchment.




Figure 9: National Freshwater Ecosystem Priority Areas (NFEPA's) – Rivers, in the vicinity of the Lynplaats prospecting right project

The proposed Lynplaats Prospecting Right Area is situated entirely over a Strategic Water Source Area, of groundwater origin, namely the Eastern Kalahari B Strategic Water Source. See Figure 10 below for a visual indication.




Figure 10: Strategic Water Source Areas associated with the proposed Lynplaats Prospecting Right Area

The proposed Lynplaats Prospecting Right Area is situated in the vicinity of depression wetlands (Figure 11). The proposed Lynplaats Prospecting Right Area is situated in both the Dry Highveld Grassland Group 5 which is the dominant Wetland vegetation type and the Eastern Kalahari Bushveld Group 1, Wetland vegetation type. Figure 11 below provides a visual indication of the Wetland Vegetation Types (SANBI).




Figure 11: National wetland areas in the vicinity of the Lynplaats prospecting right project (SANBI, National Wetlands Map 5)




Figure 12: National wetland vegetation types in the vicinity of the Lynplaats prospecting right project

Table 14: Description of biodiversity features used to define CBA map category

CBA CATEGORY AND CRITERION NAME	DESCRIPTION OF BIODIVERSITY FEATURES USED TO DEFINE CBA MAP CATEGORY
Aquatic Ecological Support Areas Level 1 and Level 2 (ESA 1 and ESA 2)	
FEPA Fish Catchments	Catchments supporting FEPA fish rivers.
Wetland Clusters	Clusters of larger wetlands and pans and their collective buffer (500 m)
Peat Wetland Buffers	500 m buffer around peat wetlands.
Dolomite Recharge Area	The karst landscape of central North West around which all major eyes emerge and based on topography is the most likely area for the dolomitic aquifer recharge zone.
Terrestrial Critical Biodiversity Area Level 1 (CBA 1)	
Critical Patches: Ecosystem Status – Critically Endangered Ecosystems	Remaining patches larger than 3 ha of provincially Critically Endangered ecosystems (vegetation types), i.e., the amount of vegetation remaining intact (of these ecosystems) is less than the representation/biodiversity target, therefore all remaining patches of these vegetation units are of the highest conservation priority and further impacts on natural habitat should

	be avoided.
Irreplaceable Sites	Planning units with high irreplaceability values based on the provincial MARXAN analysis, i.e., areas or sites that are mandatory if biodiversity targets are to be achieved.
Critical Biodiversity Corridors Linkages	Critical linkages in the provincial biodiversity corridor network where existing conversion of natural landscapes to other land uses has severely restricted options for maintaining connectivity in the natural landscape. Critical linkages that are not in a natural state are categorised as ESA 2
Important Terrestrial Habitats: Expert Areas	Areas in the terrestrial environments less than 10 000 ha in extent identified by experts as being important for biodiversity conservation.
Important Terrestrial Habitats: Kloofs	All medium to large kloofs identified as an important habitat for climate change adaptation.
Terrestrial Critical Biodiversity Areas Level 2 (CBA 2)	
Critical Patches: Ecosystem Status – Endangered and Vulnerable Ecosystems	Remaining patches larger than 5 ha of provincially Endangered and Vulnerable ecosystems (vegetation types), i.e., the amount vegetation remaining intact (of these ecosystems) is less than 60%. Any further modification of these vegetation types should be limited to existing irreversibly modified or heavily degraded areas.
Critical Patches: Endemic Vegetation Types	Remaining patches larger than 10 ha of endemic vegetation types to the province. These are vegetation types whose biodiversity target can only be achieved in the NW Province.
Important Habitats: Features	Important natural features (habitats, springs, scenic landscapes) used in the 2008 biodiversity conservation assessment.
Important Habitats: Focus Wildlife Areas	Areas identified as being important for maintaining species of conservation concern (free-ranging red hartebeest (<i>Alcelaphus buselaphus</i>), black-footed cat (<i>Felis nigripes</i>), vulture nesting areas, Important Bird Areas).
Terrestrial Ecological Support Areas Level 1 and Level 2 (ESA 1 and ESA 2)	
Important Habitats: Hills and Ridges	Hills and ridges identified as sensitive habitats in the existing provincial SDF dataset. The hill and ridges layer were developed to address the special biodiversity significance of these topographic features in the province. The layer was re-developed from scratch using the GIS modelling approach used in Gauteng Province and modified for the North West.
Biodiversity Corridors	Provincial-level biodiversity corridor network aimed at retaining connectivity between all geographic areas in the province. The corridor network was identified following a least cost path analysis. The corridor network was designed as a product of the systematic biodiversity assessment and was based on the following set of design

	<p>criteria or principles agreed to by the stakeholders and experts involved in the assessment:</p> <p>The corridor network needs to incorporate all existing identified landscape or biodiversity corridors. These include:</p> <p>Madikwe-Pilanesberg-Borakalalo Heritage Park.</p> <p>Magaliesberg Protected Environment (and Biosphere Reserve).</p> <p>The corridor network needs to link core conservation landscapes through a province-wide network that covers the complete range of altitudinal and latitudinal zones, and thus favouring effective beta-diversity (i.e., ratio between gamma (regional) and alpha (local) diversities) incorporation.</p> <p>The corridor network should, where possible, incorporate most terrestrial and freshwater priority areas.</p> <p>The corridor network should not focus on one component of biodiversity (e.g., grassland) in the design but rather consider all components of biodiversity pattern and ecological process.</p> <p>Give effect to the principles and axes of landscape corridor design embodied in the National Spatial Biodiversity Assessment.</p> <p>Align with the corridor network of bordering provinces (i.e., edge-matching).</p>
<p>Existing or Proposed Protected Area Development Corridors</p>	<p>Existing protected area development corridors identified in previous studies and the provincial protected area expansion strategy. Expansion of land uses not compatible with protected areas/beneficial green economy activities can severely degrade the economic potential of this valuable resource if allowed to expand into these zones.</p> <ol style="list-style-type: none"> 1. Pilanesberg-Madikwe Heritage Park 2. Highveld Grassland corridor 3. Vredefort Dome World Heritage Site 4. Kgalagadi 5. Magaliesberg Protected Environment 6. SA Lombard/Bloemhof Lower Vaal node
<p>Protected Area Buffers</p>	<p>The 1 km radius buffer around all formal protected areas.</p>




Figure 13: Terrestrial Critical Biodiversity Areas and Ecological Support Areas in the vicinity of the Lynplaats prospecting right project.




Figure 14: Aquatic Critical Biodiversity Areas and Ecological Support Areas in the vicinity of the Lynplaats prospecting right project.

5.3.4 Air Quality

Potentially air pollution from human activities may arise as a result of particulates entering the atmosphere. The sources of air pollution from human activities comprise of three broad categories i.e., stationary sources (agriculture, mining, quarrying, manufacturing, mineral products and industries), community sources (homes or buildings, municipal waste and sewage sludge incinerators, fireplaces, cooking facilities, laundry services and cleaning plants) and mobile sources combustion-engine vehicles and fugitive emissions from vehicle traffic). Air pollutants are generally classified into suspended particulate matter (dust, fumes, mists and smokes), gaseous pollutants (gases and vapours) and odours.

Assessment of the proposed prospecting right area has determined that all three categories of air pollution sources are found at the proposed area.

5.3.5 Noise

The proposed area is predominantly a grazing area. Potential noise sources from the area may therefore be emanating from the following sources i.e.: roads and surrounding land use activities.

5.3.6 Socio-Economic Status

Tswaing Local Municipality is category B municipality situated in Ngaka Modiri Molema District Municipality in the North West Province. The municipality is one of the five local municipalities located in the Ngaka Modiri Molema District. The major towns of the municipality are Delareyville, Sannieshof and Ottosdal. The

municipality had an estimated number of 30 582 households in 2010 and is divided into 15 wards (the proposed prospecting area is situated in ward 7). Setswana is the most dominant language in the municipal area with about 81.5% of people speaking Setswana as a first language, followed by Afrikaans with 6.5%.

According to the Global Insight Regional Explorer, 2011, there were approximately 130 478 people in Tswaing Local Municipality in 2010. This is a growth of about 18 000 people when the total population is compared to the 2000 figure which was 111 712. The population of Tswaing Local Municipality grew by an estimated 2.3% between 2000 and 2010. Population is positively linked to the growth in the population density which increased from 18.69 in 2000 to 21.83 in 2010. Africans accounts for about 92% of the total population of Tswaing Local Municipality. In terms of growth in the population between 2000 and 2010, the African population group grew by 16 898, with the Asian population growing by 1 194, the number of coloureds increased by 644 and whites by 40 in the municipality of Tswaing.

The population aged between 00 – 14 increased by 71, those who are economically active (between 15 – 59) increased by 19531, those who are aged between 60 and above are the constitute the smallest part of the population 2000 and 2010. The Global Insight data indicate that the human development index in Tswaing Local Municipality was 0.39 in 2000 and it increased by 0.1 to 0.40 in 2010. The human development index is a measure used to assess the relative level of socio-economic development of an area or country, it measures the population's life expectancy, level of education and per capita income. The 0.40 score of Tswaing indicate that the municipal area is relatively underdeveloped when compared to the national figure of 0.68. This is however understandable due to the rural nature of the municipal area. Tswaing Municipality experienced increased unemployment rate estimated at 06% and the Labour force participation rate declined by almost 1% (estimate) between the year 1996 and 2010. Between 1996 and 2010 the number of people living in poverty has steadily increased with about 35%. The number of people living in poverty grew from just under 60 000 in 1996 to slightly above 90 000 in 2010.

5.3.6.1 Population density, growth and race

Tswaing Local Municipality is category B municipality situated in Ngaka Modiri Molema District Municipality in the North West Province. The municipality is one of the five local municipalities located in the Ngaka Modiri Molema District. The major towns of the municipality are Delareyville, Sannieshof and Ottosdal. The municipality had an estimated number of 30 582 households in 2010 and is divided into 15 wards (the proposed prospecting area is situated in ward 7). Setswana is the most dominant language in the municipal area with about 81.5% of people speaking Setswana as a first language, followed by Afrikaans with 6.5%.

According to the Global Insight Regional Explorer, 2011, there were approximately 130 478 people in Tswaing Local Municipality in 2010. This is a growth of about 18 000 people when the total population is compared to the 2000 figure which was 111 712. The population of Tswaing Local Municipality grew by an estimated 2.3% between 2000 and 2010. Population is positively linked to the growth in the population density which increased from 18.69 in 2000 to 21.83 in 2010. Africans accounts for about 92% of the total population of Tswaing Local Municipality. In terms of growth in the population between 2000 and 2010, the African population group grew by 16 898, with the Asian population growing by 1 194, the number of coloureds increased by 644 and whites by 40 in the municipality of Tswaing.

The population aged between 00 – 14 increased by 71, those who are economically active (between 15 – 59) increased by 19531, those who are aged between 60 and above are the constitute the

smallest part of the population 2000 and 2010. The Global Insight data indicate that the human development index in Tswaing Local Municipality was 0.39 in 2000 and it increased by 0.1 to 0.40 in 2010. The human development index is a measure used to assess the relative level of socio-economic development of an area or country, it measures the population's life expectancy, level of education and per capita income. The 0.40 score of Tswaing indicate that the municipal area is relatively underdeveloped when compared to the national figure of 0.68. This is however understandable due to the rural nature of the municipal area. Tswaing Municipality experienced increased unemployment rate estimated at 06% and the Labour force participation rate declined by almost 1% (estimate) between the year 1996 and 2010. Between 1996 and 2010 the number of people living in poverty has steadily increased with about 35%. The number of people living in poverty grew from just under 60 000 in 1996 to slightly above 90 000 in 2010.

5.3.6.2 Major economic activities and sources of employment

Formal employment is mostly dominated by agriculture at 43%, with community service at 24% and households at 20%. Informal employment is mostly dominated by trade at 43%

SECTION SIX

Environmental impact assessment

6. ENVIRONMENTAL IMPACT ASSESSMENT

6.1 ENVIRONMENTAL IMPACT ASSESSMENT PROCESS FOLLOWED

6.1.1 Approach to Environmental Impact Assessment

The term 'environment' is used in the broadest sense in an EIA. It covers the physical, biological, social, economic, cultural, historical, institutional and political environments.

An Environmental Impact Assessment is a good planning tool. It identifies the environmental consequences of a proposed area from the beginning and helps to ensure that the area, over its life cycle, will be environmentally acceptable and integrated into the surrounding environment in a sustainable way.

6.1.2 Environmental Impact Assessment Process Followed

Under Section 24 of the National Environmental Management Act (NEMA), the Minister promulgated the regulations pertaining to environmental impact assessments (EIA Regulations, 2014) under Government Notice NO. 326 in Government Gazette 38282 of 4 December 2014. These EIA regulations repealed the 2010 EIA regulations and therefore any process relating to environmental authorisations must be undertaken under the EIA Regulations, 2014.

Chapter 4 of the EIA Regulations, 2014 deals with the provisions for application for environmental authorisation. In view of the above, National Treasure Minerals (Pty) Ltd is obliged to comply with provisions of Chapter 4 for the intended environmental authorisation application for the activities (listed activities) within the proposed area.

Part 2 of chapter 4 of the EIA Regulations, 2014 contemplate process to be undertaken for the application for environmental authorisation for the proposed area, which is the BAR process. The process to be followed is describe below.

6.1.3 Pre-application consultation with the Competent Authority

In terms of section 24D (1) of the National Environmental Management Act, 1998 (Act 107 of 1998), the Minister responsible for mineral resources is the competent authority for environmental matters relating to mining and associated activities. In view of the above, the application for the environmental authorisation for the proposed area was submitted to the Department of Mineral Resources (DMR), North-West Regional Office for their consideration and decision making.

6.1.4 BAR Phase

In compliance with Regulation 19 of the EIA Regulations, 2014, the BAR and EMPR will be submitted to the competent authority within 90 days after the acknowledgement of the environmental authorisation application.

As part of the public participation, the draft BAR and EMPR is made available to the competent authority, potential and registered interested and affected parties for their comment for a period of 30 days during the EIA phase.

6.1.5 Information Gathering

Environmental baseline data has been obtained, pertaining to surface water, geohydrological data, topographical analyses, soil surveys, vegetation surveys, wetland surveys and geological conditions. Weather data was acquired from the South African Weather Service. Historic land use was determined through available data and by visual observations made during various field studies. The data accumulated and analysed is sufficient to gain a baseline indication of the present state of the environment. The use of this baseline study for impact assessments is thus justified and reliable conclusions could be made.

6.1.6 Decision on the BAR & EMPR application

In compliance with Regulation 20 of the EIA Regulations, 2014, the competent authority will within 107 days of receipt of the BAR and EMPR grant or refuse the environmental authorisation.

6.2 ENVIRONMENTAL IMPACT ASSESSMENT METHODOLOGY

The following prediction and evaluation of impacts is based on the proposed Lynplaats prospecting right project and associated activities.

The evaluation distinguishes between significantly adverse and beneficial impacts and allocates significance against national regulations, standards and quality objectives governing:

- Health & Safety;
- Protection of Environmentally Sensitive Areas;
- Land use; and
- Pollution levels.

Irreversible impacts are also identified.

The significance of the impacts is determined through the consideration of the following criteria:

Probability	: likelihood of the impact occurring
Area (Extent)	: the extent over which the impact will be experienced.
Duration	: the period over which the impact will be experienced.
Intensity	: the degree to which the impact affects the health and welfare of humans and the environment (includes the consideration of unknown risks, reversibility of the impact, violation of laws, precedents for future actions and cumulative effects).

The above criteria are expressed for each impact in tabular form according to the following definitions:

Probability	Definition
Low	There is a slight possibility (0 – 30%) that the impact will occur.
Medium	There is a 30 –70% possibility that the impact will occur.
High	The impact is definitely expected to occur (70% +) or is already occurring.
Area (Extent)	Definition
Small	0 – 40 ha
Medium	40 – 200 ha
Large	200 + ha

Duration	Definition
Short	0 – 5 years
Medium	5 – 50 years
Long	51 – 200 years
Permanent	200 + years
Intensity	Definition
Low	Does not contravene any laws. Is within environmental standards or objectives. Will not constitute a precedent for future actions. Is reversible. Will have a slight impact on the health and welfare of humans or the environment.
Medium	Does not contravene any laws. Will not constitute a precedent for future actions. Is not within environmental standards or objectives. Is not irreversible. Will have a moderate impact on the health and welfare of humans or the environment.
High	Contravene laws. May constitute a precedent for future actions. Is not within environmental standards or objectives. Is irreversible. Will have a significant impact on the health and welfare of humans or the environment.

Significance and Risk Category	Definition
Negligible	The impact/risk is insubstantial and does not require management
Low	The impact/risk is of little importance, but requires management
Medium	The impact/risk is important; management is required to reduce negative impacts to acceptable levels
High	The impact/risk is of great importance, negative impacts could render options or the entire area unacceptable if they cannot be reduced or counteracted by significantly positive impacts, and management of these impacts is essential
Positive (No risk identified)	The impact, although having no significant negative impacts, may in fact contribute to environmental or economical health

6.3 RESULTS OF THE ENVIRONMENTAL IMPACT ASSESSMENT

6.3.1 Assessment of the National Treasure Minerals prospecting project impacts/risks

Table 15: Results of the Environmental Impact Assessment

6.3.1.1 Construction Phase

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
PRE-CONSTRUCTION AND CONSTRUCTION PHASES							
Site Establishment: Establishment of the access (tracks) to the prospecting site, Establishment of the campsite, Site physical surveying and Pegging of drilling sites							
<p>The establishment of access routes, campsites and the surveying with pegging of the drilling sites may result in the stripping of soils during site establishment. Should the above not be properly conducted, the activities will result in the loss of soils and can cause erosion that may render the area unusable.</p> <p>During site establishment, machinery and vehicles used for the prospecting operation may result in hydrocarbon leakages, which may result in the contamination of the soils within the access routes (roads and tracks), campsite and drilling sites.</p>	Soil/Land capability	Without mitigation					<p>Establishment of the site will be undertaken according to the approved prospecting method statement.</p> <p>No soil stripping will be allowed during site establishment.</p> <p>Ensure minimal disturbance of soil when conducting geophysical surveys and geological mapping (if necessary).</p> <p>Any area that may result into the disturbance of the soils must be rehabilitated immediately on discovery.</p> <p>Machinery to be used for the operation will be of good working conditions. Any hydrocarbon spill from the site establishment will be remediated as soon as possible.</p>
		S	L	S	M	M	
		With mitigation					
		S	L	S	L	L	

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
PRE-CONSTRUCTION AND CONSTRUCTION PHASES							
During drilling activities, veld fires can manifest especially during the winter months from the drilling sites and their campsite. If not controlled, the fires can destroy large areas of veld and could result in the loss of vegetation to landowners and surrounding land owners. This can also lead to destruction of properties.	Land Use	Without mitigation					<p>The outbreak of any uncontrolled fire shall be reported to the site manager immediately and the necessary steps shall be taken to control and extinguish the fire.</p> <p>Smoking shall be prohibited in the vicinity of flammable substances.</p> <p>Fire precautions will be taken and fire extinguishers will be kept on site</p> <p>The contractor shall ensure that fire-fighting equipment is available on site, in particular where flammable substances are being stored or used.</p> <p>Fire precautionary measures must be taken, i.e., fire breaks and prohibiting fire making on site.</p>
		H	L	S	M	M	
		With mitigation					
		S	L	S	L	L	
Current land use over the area to be used for site establishment will cease completely. This may have an impact on the land owners' livelihood should they not be	Land use	Without mitigation					Use sites that are unused and that are in the degraded state for the proposed development. This will be done in agreement with the land owners. The sitting of the boreholes will be conducted to
		S	M	S	M	M	

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
PRE-CONSTRUCTION AND CONSTRUCTION PHASES							
<p>able to use the land.</p> <p>Drilling activities may infringe the livelihood and operations of activities occurring within and immediately adjacent the prospecting right area.</p>		With mitigation					<p>ensure that rocky ridges, sensitive grass lands, indigenous trees and shrubs, sites of geological importance and farmlands actively used for farming are avoided.</p>
		S	L	S	L	L	
<p>The establishment of the site (access, campsite and drilling sites) may result in the removal of vegetation cover if the establishment is not done correctly.</p> <p>This may render the land unusable to the land owners after completion of the area.</p> <p>During drilling activities, veld fires can manifest especially during the winter months from the drilling sites and their campsite. If not controlled, the fires can destroy large areas of veld and could result in the loss of vegetation to landowners and surrounding land owners.</p>	Natural vegetation	Without mitigation					<p>Use sites with most disturbed vegetation cover for the development.</p> <p>No strip of topsoil and vegetation will be allowed during site establishment.</p>
		S	L	S	L	L	
		With mitigation					<p>Ensure minimal disturbance of vegetation when conducting geophysical surveys and geological mapping.</p> <p>Any area that may result into the disturbance of the vegetation cover must be rehabilitated immediately on discovery.</p> <p>Pictures of possible plant species that may be present in the prospecting right area will be made available to the drilling crew for easy identification and avoidance. A species survey during the sitting of drilling boreholes will be undertaken.</p> <p>No trees or shrubs will be felled or damaged for the purpose of obtaining firewood</p> <p>The outbreak of any uncontrolled fire shall be reported to the site</p>
		S	L	S	L	N	

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
PRE-CONSTRUCTION AND CONSTRUCTION PHASES							
							<p>manager immediately and the necessary steps shall be taken to control and extinguish the fire.</p> <p>Smoking shall be prohibited in the vicinity of flammable substances.</p>
<p>Animal burrows and habitats remaining within the proposed development site may be destroyed during construction. This may result in the migration of remaining animal life away from the affected areas.</p> <p>Poaching of wild animals and livestock by the labourers will result in the loss of wild live and loss of livestock to the land owner.</p>	Animal Life	Without mitigation					<p>Establishment of the site will be undertaken according to the prospecting method statement.</p> <p>No soil stripping will be allowed during site establishment.</p> <p>Any area that may result into the disturbance of the soils must be rehabilitated immediately on discovery.</p> <p>Use sites with most degraded environment for the site development.</p> <p>Poaching will be prohibited at the prospecting site.</p>
		S	L	S	L	L	
		With mitigation					
		S	L	S	L	N	
<p>Exposure of soils during construction by the stripping of vegetation and soils may cause erosion, which may lead to increased silt loads in surface water runoff. This may result in the contamination of the clean water environment.</p> <p>Waste generated from the site may result in the contamination of surface and ground water should</p>	Surface and Ground Water	Without mitigation					<p>Site establishment will not be undertaken within sensitive landscapes, which sites will be avoided. A distance of 100 meters will be created between the sites and the sensitive landscapes.</p> <p>Avoid stripping of areas within the construction sites.</p> <p>Rehabilitate areas that may have been mistakenly stripped.</p> <p>Storm water upslope of the campsite and drill sites should be</p>
		S	L	S	M	M	
		With mitigation					
		S	L	S	L	L	

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
PRE-CONSTRUCTION AND CONSTRUCTION PHASES							
management of such waste not be undertaken.							diverted around these areas. Proper waste management facilities will be put in place at the campsite and drilling site. Any hydrocarbon spill from the site establishment will be remediated as soon as possible. Oil and diesel spills will be prevented by doing inspections on the vehicles and machinery present on site.
Construction activities during the establishment of the site will include material loading and hauling. These activities will result in the mobilisation of particulates that will migrate away from the site to the nearby local residents. This may be a nuisance to the communities and will result in aesthetic impacts associated with fugitive dust emissions. On-site dust fall may have health and nuisance implications to employees at the existing offices.	Air Quality	Without mitigation					Ensure that source specific management measures for Lynplaats prospecting project are complied with.
		S	L	S	L	L	
		With mitigation					
		S	L	S	L	N	
The noise level generated from the construction activities may exceed the SANS 10103 Levels for Residential areas and may exceed the maximum rating levels for ambient noise indoors. This may have an impact in the surrounding	Noise	Without mitigation					Ensure that proper management measures as well as technical changes are undertaken to reduce the impacts on surrounding residents and employees. This include ensuring that less noisy equipment are used, that equipment is kept in good working order and that the equipment must be fitted with correct and appropriate
		S	L	S	L	L	
		Without mitigation					

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
PRE-CONSTRUCTION AND CONSTRUCTION PHASES							
residents and employees using/delivering the machinery.		S	L	S	L	N	noise abatement measures and where possible use white-noise generators instead of tonal reverse alarms on heavy vehicles operating on roads.
The activities undertaken during construction and associated infrastructure will be visible from the nearby roads and properties. However, due to the undulating topography, visibility for the most part will most probably be restricted to short distances.	Visual Aspects	Without mitigation					Inform the land owner on the type of machinery and equipment to be used at the prospecting site. Ensure that lighting is conducted in manner that will reduce the impacts on visual aspects at night times.
		S	L	S	L	L	
		With mitigation					
		S	L	S	L	N	
The site may be located in close proximity to a heritage site and may result in the destruction of the identified heritage site.	Sites of Archaeological and Cultural Importance	Without mitigation					The establishment of the construction activities will be such that the development is always away from the any heritage sites. A buffer of more than hundred meters will be created between the grave yards and the proposed site development. A management plan will be drafted for the sustainable preservation of the grave yard should graveyards be identified on site. Any grave site must have access for descendants.
		S	M	S	H	H	
		With mitigation					
		S	L	S	L	L	
The commencement of the proposed area may result in an	Socio economic	Without mitigation					Recruitment will not be undertaken on site.

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
PRE-CONSTRUCTION AND CONSTRUCTION PHASES							
influx of 'outsiders' seeking jobs, which may be caused by increase in local unemployment levels. This may result in the have potential increase in crime. It must however be noted that prospecting activities would unlikely attract job seeker due to its small nature of its scale.	aspects	S	L	S	L	L	Farm labourers will not be employed unless agreed to with the farm owners.
		With mitigation					
		S	L	S	L	N	

6.3.1.2 Operational Phase

NATURE OF THE IMPACT	ENVIRONMENTAL COMPONENT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
OPERATIONAL PHASE							
Drilling and rehabilitation of the exploration boreholes							
Topsoil removal, storage and replacement during the excavation of the sumps will result. This will result in the disruption of the soils profile.	Soils	Without mitigation					Ensure that topsoil is properly stored, away from the streams and drainage areas. The soils must be used for the backfilling and rehabilitation of the sumps. The rehabilitated sump must be seeded with recommended seed mix.
		S	M	S	L	L	
		With mitigation					
		S	L	S	L	N	
The use of vehicles during the siting, pegging and drilling of the exploration boreholes may result in the spillages of hydrocarbon liquids from the vehicles and machinery. This will result in the contamination of the vegetation cover and soils. During drilling activities, veld fires can manifest especially during the winter months from the drilling sites and their campsite. If not controlled, the fires can destroy large areas of veld and could result in the loss of vegetation to landowners and	Natural Vegetation and Soils	Without mitigation					Ensure that the drilling of the exploration boreholes are done in such a manner that the environment is protected from probable spillages. All boreholes and sumps will be rehabilitated to pre-drilling conditions. Tarpaulins will be placed on the ground to prevent oil, grease, hydraulic fluid and diesel spills during emergency repairs. All oil spills will be remedied using approved methodologies. The contaminated soils will be removed and disposed of at a licensed waste disposal facility. Pictures of possible plant species that may be present in the
		S	M	S	M	M	
		With mitigation					
		S	L	S	L	L	

NATURE OF THE IMPACT	ENVIRONMENTAL COMPONENT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
OPERATIONAL PHASE							
surrounding land owners.							<p>prospecting right area will be made available to the drilling crew for easy identification and avoidance. Plant species identification will be undertaken during the sitting of the exploration boreholes.</p> <p>All waste generated from the drilling sites and the campsite will be collected in proper receptacles and removed to a registered disposal facility e.g., sewage treatment plant, solid waste disposal site or hydrocarbon recycling or treatment facilities.</p> <p>No trees or shrubs will be felled or damaged for the purpose of obtaining firewood</p> <p>The outbreak of any uncontrolled fire shall be reported to the site manager immediately and the necessary steps shall be taken to control and extinguish the fire.</p> <p>Smoking shall be prohibited in the vicinity of flammable substances.</p>
During drilling activities, veld fires can manifest especially during the winter months from the drilling sites and their campsite. If not controlled,	Land use	Without mitigation					The outbreak of any uncontrolled fire shall be reported to the site manager immediately and the necessary steps shall be
		H	L	S	M	M	

NATURE OF THE IMPACT	ENVIRONMENTAL COMPONENT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
OPERATIONAL PHASE							
the fires can destroy large areas of veld and could result in the loss of vegetation to landowners and surrounding land owners. This can also lead to destruction of properties.		With mitigation					<p>taken to control and extinguish the fire.</p> <p>Smoking shall be prohibited in the vicinity of flammable substances.</p> <p>Fire precautions will be taken and fire extinguishers will be kept on site</p> <p>The contractor shall ensure that fire-fighting equipment is available on site, in particular where flammable substances are being stored or used.</p> <p>Fire precautionary measures must be taken, i.e., fire breaks and prohibiting fire making on site.</p>
Animal burrows and habitats will be destroyed by the preparation of the backfilling sites. This will further result in the migration of animals away from these areas of disturbance.	Animal Life	Without mitigation					<p>The rehabilitation of the disturbed areas must be conducted such that the rehabilitated areas will encourage the migration of animals back into the rehabilitated areas.</p> <p>Poaching of wild animals and livestock will be prohibited.</p>
		S	L	S	L	L	
		Without mitigation					
		S	L	S	L	N	
The drilling operations may result in the generation of surface water runoff contaminated with drilling muds and cuttings should spillages	Surface Water	Without mitigation					<p>No prospecting operations will be undertaken within 100 metres from the nearby streams and wetland areas. The sumps will be excavated for the collection mud and excess</p>
		S	L	S	M	M	

NATURE OF THE IMPACT	ENVIRONMENTAL COMPONENT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
OPERATIONAL PHASE							
occur. The sedimentation will have negative impacts on the surrounding clean water environment. This will cause an increase in the turbidity of the water in the streams, which will affect the aquatic habitat of the wetland, hence important habitats may be lost.		With mitigation					water from the drilling sites. The sump will be sized such that it will be able to contain the water and mud that will be generated during the prospecting operation. Storm water generated around the drilling site will be diverted away to the clean water environment. No concrete mixing and vehicle maintenance will be allowed on site. All hydrocarbons will be stored on protected storage areas away from the streams. Oil and diesel spills will be prevented by doing inspections on the vehicles and machinery present on site.
The prospecting operations will require the drilling of boreholes. The boreholes may result in the drawdown, which may affect the yield to the surrounding groundwater users. Material used for backfilling may leach pollutants that will result in the pollution of the surrounding groundwater regime. This may even spread beyond the backfilling site via plume migration.	Groundwater	Without mitigation					Ensure that the land owners' borehole yield is observed during the drilling operation. Should it be proven that the operation is indeed affecting the quantity and quality of groundwater available to users and surrounding water resources, the affected parties must be compensated. Oil and diesel spills will be prevented by doing inspections on the vehicles and machinery present on site.
		S	L	S	L	M	
		With mitigation					
		S	L	S	L	L	
The prospecting operation will require vehicular	Air Quality	Without mitigation					Dust suppression must be conducted during the operational

NATURE OF THE IMPACT	ENVIRONMENTAL COMPONENT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
OPERATIONAL PHASE							
movement. This will result in the generation of dust by movement of vehicles and due to blowing winds. Vehicles and machinery will also generate diesel or petrol fumes. Generated dust will migrate towards the predominant wind direction and may settle on surrounding properties including nearby vegetation.		S	L	S	L	L	phase of the area should excessive dust be generated. Correct speed will be maintained at the proposed area site. Vehicle maintenance must be conducted regularly to avoid excessive diesel fumes.
		With mitigation					
		S	L	S	L	N	
Noise generated from prospecting operations activities may add to the current noise levels. This may have impacts on surrounding property owners and occupiers.	Noise	Without mitigation					Ensure that proper management measures as well as technical changes are undertaken to reduce the impacts on surrounding residents and employees. This include ensuring that less noisy equipment is use, that equipment is kept in good working order and that the equipment must be fitted with correct and appropriate noise abatement measures and where possible use white-noise generators instead of tonal reverse alarms on heavy vehicles operating on roads. Correct speed will be maintained at the proposed area site. Limit operation of machinery and vehicle movement between sunrise and sunset.
		S	L	S	M	M	
		With mitigation					
		S	L	S	L	L	
The drill rigs and towers used during the drilling operations will be visible from the nearby	Visual Aspects	Without mitigation					Ensure that the period used for the drill rigs is optimised to ensure that the drill rigs are moved from one site to another
		S	L	S	L	L	

NATURE OF THE IMPACT	ENVIRONMENTAL COMPONENT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
OPERATIONAL PHASE							
residents and properties.		With mitigation					over short periods.
		S	L	S	L	N	
Operation may affect the day-to-day operation of the land owners hence result in direct impact on their livelihood.	Socio economic aspects	Without Mitigation					Ensure that all safety measures (EMPR) are implemented to prevent the impacts on the property owners. Ensure that negotiations on compensation are undertaken before the drilling programme can commence. This will include any other conditions that the landowner may deem necessary for the prospecting operation.
		S	L	S	L	L	
		With Mitigation					
		S	L	S	L	N	
Operation will result in the employment of locals and support on local businesses.	Socio economic aspects	Positive					The applicant will ensure that as far as possible locals will be used during the operation of the prospecting area.
The drilling operation may result in the destruction of graves and any other heritage sites during operational phase of the area.	Sites of archaeological and cultural importance	Without Mitigation					Locate exploration borehole more than one hundred meters from the identified heritage sites. Should any cultural or heritage materials be identified, these areas will be demarcated and treated as no-go areas during the prospecting activities. Detailed heritage studies would then be undertaken if it is deemed that these sites would be affected by the prospecting activities. Any finds will be reported to the nearest National Monuments office to comply
		S	M	S	H	H	
		With Mitigation					
		S	S	S	L	L	

NATURE OF THE IMPACT	ENVIRONMENTAL COMPONENT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
OPERATIONAL PHASE							
							with the National Heritage Resources Act (Act No 25 of 1999) and to DEA. Local museums as well as the South African Heritage Resource Agency (SAHRA) will be informed if any artefacts are uncovered in the affected area. The prospecting workforce will be made aware of the necessity of reporting any possible historical or archaeological finds to the ECO so that appropriate action can be taken. Any discovered artefacts shall not be removed under any circumstances. Any destruction of a site can only be allowed once a permit is obtained and the site has been mapped and noted. Permits shall be obtained from the South African Heritage Resources Association (SAHRA) should the proposed site affect any world heritage sites or if any heritage sites are to be destroyed or altered.

6.3.1.3 Decommissioning and Closure Phases

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
DECOMMISSIONING AND CLOSURE PHASES							
Decommissioning of prospecting site (Site Rehabilitation)							
The removal of the campsite equipment and the rehabilitation of the drilling sites and associated access infrastructure will result in the affected soil and land use being restored. This will also result in the resumption of the use of the land since the infrastructure would have been removed.	Soils, Land Capability and Land Use	Positive impact					Ensure that rehabilitation is conducted in accordance with a rehabilitation method statements approved by the mine management. See description of the rehabilitation plan and management actions in the EMPR. Ensure that contamination of the rehabilitate area by carbonaceous material and hydrocarbon liquids are prevented.
Positive impacts will result due to the reduction in areas of disturbance and the return of land use of the affected areas and making available an area that was covered by the campsite and drilling sites.	Land Use	Positive impact					

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
DECOMMISSIONING AND CLOSURE PHASES							
<p>During drilling activities, veld fires can manifest especially during the winter months from the drilling sites and their campsite. If not controlled, the fires can destroy large areas of veld and could result in the loss of vegetation to landowners and surrounding land owners. This can also lead to destruction of properties.</p>	Land Use	Without mitigation					<p>The outbreak of any uncontrolled fire shall be reported to the site manager immediately and the necessary steps shall be taken to control and extinguish the fire.</p> <p>Smoking shall be prohibited in the vicinity of flammable substances.</p> <p>Fire precautions will be taken and fire extinguishers will be kept on site</p> <p>The contractor shall ensure that fire-fighting equipment is available on site, in particular where flammable substances are being stored or used.</p> <p>Fire precautionary measures must be taken, i.e., fire breaks and prohibiting fire making on site.</p>
		H	L	S	M	M	
		With mitigation					
		S	L	S	L	L	
<p>The use of vehicles/machinery during the rehabilitation of the exploration sites may result compaction of soils and in the spillages of hydrocarbon liquids from the vehicles and machinery. This will result in the contamination and destruction of the vegetation cover and soils.</p> <p>During drilling activities, veld fires can manifest</p>	Soils and Natural Vegetation	Without mitigation					<p>Ensure that the rehabilitation work is done in such a manner that the environment is protected from probable spillages. All boreholes and sumps will be rehabilitated to pre-drilling conditions.</p> <p>Tarpaulins will be placed on the ground to prevent oil, grease, hydraulic fluid and diesel spills during emergency repairs. All oil spills will be remedied using approved methodologies. The contaminated soils will be removed and disposed of at a licensed</p>
		S	M	S	M	M	
		With mitigation					
		S	L	S	L	L	

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
DECOMMISSIONING AND CLOSURE PHASES							
especially during the winter months from the drilling sites and their campsite. If not controlled, the fires can destroy large areas of veld and could result in the loss of vegetation to landowners and surrounding land owners.							<p>waste disposal facility.</p> <p>All waste generated from the rehabilitation sites will be collected in proper receptacles and removed to registered disposal facilities e.g., sewage treatment plant, solid waste disposal site or hydrocarbon recycling or treatment facilities.</p> <p>No trees or shrubs will be felled or damaged for the purpose of obtaining firewood</p> <p>The outbreak of any uncontrolled fire shall be reported to the site manager immediately and the necessary steps shall be taken to control and extinguish the fire.</p> <p>Smoking shall be prohibited in the vicinity of flammable substances.</p>
During the decommissioning and closure phases equipment will be removed, stockpiled soils will be used for rehabilitation, remaining sumps will be backfilled, levelled, topsoiled and the area re-seeded. During the process of rehabilitation surface water runoff from the rehabilitation site may have elevated silt load,	Surface Water	Without mitigation					<p>Ensure that water leaving the site do not have elevated silt load.</p> <p>Ensure that the rehabilitated areas are free draining and that water from these areas is clean.</p> <p>Oil and diesel spills will be prevented by doing inspections on the vehicles and machinery present on site.</p>
		S	L	S	L	L	
		With mitigation					
		S	L	S	L	N	

NATURE OF THE IMPACT	ENVIRONMENTAL ASPECT	IMPACT ASSESSMENT					MITIGATION MEASURES
		E	P	D	I	S	
DECOMMISSIONING AND CLOSURE PHASES							
which may cause pollution of the nearby water environment.							
Rehabilitation and removal of the prospecting sites and equipment will require vehicular movement. This will result in the generation of dust by movement of vehicles and due to blowing winds. Vehicles and machinery will also generate diesel or petrol fumes. Generated dust will migrate towards the predominant wind direction and may settle on surrounding properties including nearby vegetation.	Air Quality	Without mitigation					Dust suppression must be conducted during the decommissioning phase of the area whenever excessive dust is generated. Correct speed will be maintained at the proposed area rehabilitation sites. Vehicle maintenance must be conducted regularly to avoid excessive diesel fumes.
		S	L	S	L	L	
		With mitigation					
		S	L	S	L	N	
Noise will be generated during the removal of equipment and rehabilitation of the sites. This noise is not expected to exceed occupational noise limits and will be short lived.	Noise	Without mitigation					Where necessary, provide employees with ear plugs and employees must be instructed to use the ear plugs. Ensure that equipment is well maintained and fitted with the correct and appropriate noise abatement measures.
		S	L	S	L	L	
		With mitigation					
		S	L	S	L	N	

6.4 SUMMARY OF SPECIALIST REPORTS

Since desktop information was used, no specialist studies were conducted for the proposed area.

6.5 ENVIRONMENTAL IMPACT STATEMENT

National Treasure Minerals (Pty) Ltd has applied for a prospecting right over the Lynplaats prospecting right project. The prospecting operation will involve the exploration for minerals applied for within the prospecting right area. Diamond core drilling will be used or the exploration and a campsite will be established on site. Each drilling site will have an access route in the form of a track or existing road and a sump for the collection of waste water generated during the drilling operation.

6.5.1 Description of affected environment

The proposed area is situated within the Archean Complex ("AC"). The proposed area is situated in area encompasses slight to moderate undulating plains, including surface water features such as rivers, streams and pan depressions. A variety of soil types were identified within the area, which include recharge, interflow and responsive soils. The land uses over the area correspond to the soils found in the area and include mainly agriculture (crop cultivation and grazing) and wilderness with limited industrial and residential stands. Due to the above land uses significant change has occurred on the natural vegetation, with most of the area being cultivated lands. Sensitive landscapes identified around the proposed prospecting right area include wetlands and a perennial stream.

6.5.2 Summary of key findings of the environmental impact assessment

During the proposed prospecting operation significant impacts may occur on soils, natural vegetation, surface water, groundwater, sensitive landscapes, air quality, noise, visual aspects, and sites of archaeological and cultural importance. Alternatives considered for the location campsite and drilling sites has shown that the selected locations would be the most favourable. National Treasure Minerals (Pty) Ltd will undertake measures to ensure that the identified impacts are minimised. Assessment of the impacts with the proposed mitigation measures has shown the significance of the impacts on all affected environmental aspects to be reduced from to low and negligible significance.

Land use will not change. Several landowners and land occupiers within the proposed area may be affected although on a temporary basis due to the need to access the sites and establishment and use of the campsite. Measures such as safety along the roads and dust suppression will be undertaken to ensure that the impacts on the land owners and land occupiers are minimised.

Storm water runoff from the drilling sites, its associated surface infrastructure (campsite) may have a detrimental impact on the surrounding water environment should this water be released to the environment. In order to prevent the occurrence of the above-mentioned impacts, dirty water collection sump will be used to collect all dirty water from the drilling site. The water collected from the sump will be re-used, evaporated and the sump will be rehabilitated once the drilling is finished.

All workers will be housed in the campsite to be established on site. The employees will be given strict instruction not to undertake activities that will affect the environment and that may have an impact on the landowner. Waste generated from the site will be collected in proper receptacle and disposed of in registered waste disposal sites. Agreements will be reached with landowners where the campsite will be sited.

6.5.3 Final Master Layout Plan

The final maps showing the layouts of the proposed area will be submitted to the DMRE on granting of the prospecting project. The map will be developed to superimpose the proposed prospecting area together and associated infrastructure with the environmental sensitivities within the proposed area site, however a proposed draft layout plan is attached as **Appendix D**.

Figure 15 represents the Proposed Prospecting Areas where the boreholes should be placed within the prospecting right area in relation to the MBSP Terrestrial and freshwater (MPTA) 2019 map. By taking in consideration the above-mentioned proposed borehole location figures, one can see that all critical Biodiversity Areas and Ecological Support areas are avoided and therefore will not be disturbed. All the Proposed Boreholes has nearby access roads which therefore minimized the impact of drilling further.




Figure 15: Proposed Prospecting Areas within the Lynplaats Prospecting Right Area in relation to the MBSP Terrestrial (MPTA) 2019

6.6 ASPECTS FOR INCLUSION AS CONDITIONS OF THE ENVIRONMENTAL AUTHORISATION

In authorising the proposed Lynplaats prospecting right project, the following conditions should form part of the environmental authorisation:

- National Treasure Minerals (Pty) Ltd may not alter the location of any of the area activities included in this environmental impact assessment without obtaining the required environmental authorisation to do so under NEMA.

- National Treasure Minerals (Pty) Ltd will not undertake any new activity that was not part of this environmental impact assessment and that will trigger a need for an environmental authorisation without proper authorisation.
- National Treasure Minerals (Pty) Ltd must, where necessary, undertake specialists' studies, management procedures and method statement should the need arise.
- The EMPR must be implemented fully at all stages of the proposed area
- National Treasure Minerals (Pty) Ltd must limit night-time operations. This would be relevant for all work taking place at night within 150m from the closest receptors in this community. If night work is conducted, such must be conducted in agreement with the land owners and affected parties (lawful land occupier and labours).

6.7 DESCRIPTION OF ASSUMPTIONS, UNCERTAINTIES AND GAPS IN KNOWLEDGE

The EIA Regulations, 2014 outline specific requirements that a description of any assumptions, uncertainties and gaps in knowledge which relate to the assessment and mitigation measures must be provided in the BAR.

The assessments undertaken are based on conservative methodologies and these methods attempts to determine potential negative impacts that could occur on the affected environmental aspects. These impacts may however be of smaller magnitude than predicted, while benefits could be of a larger extent than predicted.

This section outlines various limitations to the specialist studies that have been undertaken and indicates, where appropriate, the adequacy of predictive methods used for the assessment. This has been done to provide the authorities and interested and affected parties with an understanding of how much confidence can be placed in this impact assessment.

The EIA has investigated the potential impact on key environmental media relating to the specific environmental setting for the site. A number of desktop assessment were undertaken and result thereof and are presented in this report.

The information provided in this BAR and EMPR is therefore considered sufficient for decision-making purposes.

6.8 REASONED OPINION AS TO WHETHER THE PROPOSED AREA SHOULD OR SHOULD NOT CONTINUE

6.8.1 Reason why the activity should be authorised or not

According to the impact assessment undertaken for the proposed area, the key impacts of the area are on soils, natural vegetation and land owners/occupiers.

The area will also have positive impacts due to the employment to be created although for a short term.

The public will also be requested for their comments. All comments to be received during Public Participation Process will be included in this BAR and EMPR. These comments will be addressed the as far as possible to the satisfaction of the interested and affected parties.

The management of the impacts identified in the impact assessment for all phases of the proposed area will be undertaken through a range of programmes and plans contained in the EMPR. In consideration of the programmes and plans contained within the EMPR, layouts and method statements compiled for the area, which is assumed will be effectively implemented, there will be significant reduction in the significance of potential impacts.

Based on the above, it is therefore the opinion of the EAP that the activity should be authorised.

6.8.2 Conditions that must be included in the authorisation

See section 6.6 above.

6.9 PERIOD FOR WHICH THE ENVIRONMENTAL AUTHORISATION

Based on the prospecting method statement, the environmental authorisation should be given for five years.

6.10 UNDERTAKING

The signed undertaking will be presented to the DMRE on execution of the prospecting right.

6.11 FINANCIAL PROVISION

According to Appendix 3 of the EIA Regulations, 2014, where applicable, details of any financial provisions for the rehabilitation, closure, and ongoing post decommissioning management of negative environmental impacts must be provide in the BAR and EMPR. In order to avoid duplication, the financial provision for the proposed area has only been provided under the relevant section of the EMPR.

6.12 OTHER INFORMATION REQUIRED BY THE COMPETENT AUTHORITY

Aside from the BAR and EMPR no other information has been requested by the competent authority.

6.13 OTHER MATTERS REQUIRED IN TERMS OF SECTION 24 (4) (A) AND (B) OF THE ACT

Any matter required in terms of the above section of the Act will be complied with by National Treasure Minerals (Pty) Ltd.

PART B

Environmental Management Programme

1. DETAILS OF THE EAP

The details of the EAP are provided in section 1.1 of part A of this document

2. DESCRIPTION OF THE ASPECTS OF THE ACTIVITY

The requirements to describe the aspects of the activity are covered by the environmental management programme and are included in PART A of the document under section 1. The reader is therefore referred to section 1 of PART A of this document.

3. COMPOSITE MAP

The map superimposing the proposed area, its associated structures and infrastructure on the environmental sensitivities of the preferred site will be provided on approval of the EMPR. Note that all areas that must be avoided due to their environmental sensitivity will be indicated in the map.

4. DESCRIPTION OF THE MANAGEMENT OBJECTIVES INCLUDING MANAGEMENT STATEMENTS

4.1 General Closure Principles and Objectives

The following are the closure objectives, general principles and objectives guiding closure of the Lynplaats prospecting area closure planning:

- Rehabilitation of areas disturbed as a consequence of prospecting to a land capability that will support and sustain a predetermined post-closure land use;
- Removal of all infrastructure/equipment that cannot be beneficially re-used, as per agreements established, and returning the associated disturbed land to the planned final land use;
- Removal of existing contaminated material from affected areas;
- Establishment of final landforms that are stable and safe in the long run;
- Establishment and implementation of measures that meet specific closure related performance objectives;
- Treatment of mine-affected water to ensure compliance with all relevant standards and supply
- Monitoring and maintenance of rehabilitated areas forming part of site closure to ensure the long-term effectiveness and sustainability of measures implemented.

4.2 Management of Environmental Damage, Environmental Pollution and Ecological degradation caused by the Lynplaats prospecting right project Activities

The following actions will be undertaken by National Treasure Minerals (Pty) Ltd to ensure that the closure objectives are attained.

4.3 Infrastructure Areas

- All infrastructure and equipment used during the prospecting operation will be removed from the site.
- All tracks that were used for access the drilling sites will be allowed to re-establish to its pre-prospecting condition. Should unsatisfactory results be noted, the area will be physically rehabilitated.
- All rehabilitated areas will be maintained for a period of 2 years, where after the frequency will be reassessed. Where necessary, vegetation cover will be maintained by annual application of fertiliser.
- Maintenance with respect to erosion will be conducted on a minimum three-monthly basis if and where required.

4.4 Buildings (Offices, Workshops and Stores)

Mobile structures will be used and such structures will be removed from the sites during decommissioning of the site.

4.5 Potential Risk of Acid Mine Drainage

No potential risk of acid mine drainage.

4.6 Steps taken to Investigate, Assess and Evaluate the Impacts of the Acid Mine Drainage

Since there is no risk of acid mine drainage, there will be no need for steps to be taken to investigate, assess and evaluate the impacts of acid mine drainage.

4.7 Engineering and designs Solutions to be Implemented to Avoid or Remedy Acid Mine Drainage

Since there is no risk of acid mine drainage, there will be no need for engineering and designs solutions to be implemented to avoid or remedy acid mine drainage.

4.8 Measures to Remedy Residual or Cumulative Impacts from Acid Mine Drainage

Since there is no risk of acid mine drainage, there will be no need for measures to remedy residual or cumulative impacts from acid mine drainage.

4.9 Volumes and Rates of Water Use Required for the Proposed Area

Since there is no risk of acid mine drainage, this section will not applicable.

4.10 Water Use Licence Application

No water use activities will be undertaken during the proposed prospecting operation; hence no water use licence will be applied for.

5. ENVIRONMENTAL MANAGEMENT PROGRAMME

Table 16: Environmental Management Programme for the proposed Lynplaats prospecting right project.

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management	Targets (Impact Management Outcomes)	Management Interventions	Actions and	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
PRE-CONSTRUCTION AND CONSTRUCTION PHASES											
Establishment of access, to prospecting sites, establishment of the campsite, physical surveying of the site and pegging of drilling boreholes											
Loss of soils, erosion of the soils and impacts on land owner's livelihood.	Soils, Land Use and Land Capability	To ensure that the activities in the development of the prospecting sites and associated infrastructure do not have detrimental impacts on the soils, land use and land capability.	Ensure that the establishment of the prospecting sites is undertaken in accordance with the approved EMPr. All instituted buffer zones will be respected and adhered to.	Establishment of the site will be undertaken according to the approved prospecting method statement. No soil stripping will be allowed during site establishment. Should it be necessary to conduct geophysical surveys and geological mapping, ensure minimal disturbance of soil. Any area that may result into the disturbance of the soils must be rehabilitated immediately on discovery. Machinery to be used for the operation will be of good working conditions. Any hydrocarbon spill from the site establishment will be remediated as soon as possible. Use sites that are unused and that are in the degraded state for the proposed development. This must be done in agreement with the land owner. The sitting of the boreholes must be conducted such that ensure that rocky ridges, sensitive grass lands, indigenous trees and shrubs, sites of geological importance and farmlands	Appointed contractor and site manager.	Visual monitoring through inspections.	Environmental Control Officer (ECO) during construction.	During construction phase.			
					Appointed contractor.	Visual monitoring and inspections	ECO monthly.	During construction phase.			
					Appointed contractor.	Visual monitoring and inspections.	ECO monthly.	During construction phase.			
					Appointed contractor and the appointed site manager.	Visual monitoring and inspections.	ECO monthly.	During construction phase.			
					Appointed contractor.	Visual monitoring and inspections	ECO monthly.	During construction phase.			
					Appointed contractor.	Undertake regular inspections.	ECO monthly.	During construction phase.			

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management (Impact Management Outcomes)	Targets (Impact Management Outcomes)	Management Interventions	Actions and	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
						actively used for crop farming are avoided.					
Loss of natural vegetation in the affected areas.		Flora	To ensure that the establishment of the prospecting site and associated infrastructure/equipment do not have detrimental impact on the area's flora.	The management of the impact will comply with the company's biodiversity management plan. Ensure that protected species should they be identified are not destroyed.		Use sites with most disturbed vegetation cover for the development. No strip of topsoil and vegetation will be allowed during site establishment. Ensure minimal disturbance of vegetation when conducting geophysical surveys and geological mapping. Any area that may result into the disturbance of the vegetation cover must be rehabilitated immediately on discovery. Before the drilling activities can commence, a biodiversity specialist must do a site inspection on the proposed marked drilling sites (proposed boreholes) to assess if there are no protected and/or critical natural vegetation. If any protected and/or critical natural vegetation occurs, the location of the proposed boreholes must be changed.		Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor and site manager. Appointed specialist.	Visual monitoring and inspections. Visual monitoring and inspections. Visual monitoring and inspections. Visual monitoring and inspections. A report with recommendations will be produced by the specialist.	ECO monthly. ECO monthly. ECO monthly. ECO monthly. Once the drilling sites are sited and study conducted.	During construction phase. During construction phase. During construction phase. During construction phase. During phase of the drilling programme where the siting of drilling sites is undertaken.
Migration of animal life due to disturbance caused proposed area		Animal Life	Ensure that the animal life within in the area is not affected by the proposed area.	Maintenance of the current status on animal life within the area.		Establishment of the site will be undertaken according to the approved prospecting method statement. No soil stripping will be allowed during site establishment. Any area that may result into the disturbance of the soils must be rehabilitated immediately on discovery. Use sites with most degraded environment for the site development. Poaching will be prohibited at the		Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor	Visual monitoring and inspections. Visual monitoring and inspections. Visual monitoring and inspections. Visual monitoring	ECO monthly. ECO monthly. ECO monthly. ECO monthly.	During construction phase. During construction phase. During construction phase. During construction phase.

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management	Targets (Impact Management Outcomes)	Management Interventions	Actions and	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
						prospecting site. Before the drilling activities can commence, a biodiversity specialist must do a site inspection on the proposed marked drilling sites (proposed boreholes) to assess if there are no animal burrows and habitats. If any burrows or habitat exist, the location of the proposed boreholes must be changed.		and site manager. Appointed specialist.	and inspections. A report with recommendations will be produced by the specialist.	Once the drilling sites are sited and study conducted.	During phase of the drilling programme where the siting of drilling sites is undertaken.
Deterioration of water quality in in the nearby streams and within the groundwater regime.		Surface and Ground Water	Ensure that the establishment of the area and its associated infrastructure does not have detrimental impact on nearby stream and the groundwater regime.		The quality of streams and groundwater within the site will comply with the target DWS target water quality objectives. Construction will be in compliance with the regulations under the GN704.	Site establishment will not be undertaken within sensitive landscapes. These areas will be avoided. A distance of 100 meters will be created between the sites and the sensitive landscapes, which include all watercourses. Avoid stripping of areas within the construction sites. Rehabilitate areas that may have been mistakenly stripped. Storm water upslope of the campsite and drill sites will be diverted around these areas. Proper waste management facilities will be put in place at the campsite and drilling site. Any hydrocarbon spill from the site establishment will be remediated as soon as possible. The applicant must also apply for a GA before drilling within 500m of nearby streams and/or wetlands. Oil and diesel spills will be prevented by doing inspections on the vehicles and machinery present on site.		Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor Appointed contractor	Regular inspections Regular inspections Regular inspections Regular inspections General Authorisation report/license Regular inspections	ECO monthly. ECO monthly. ECO monthly. ECO monthly. Once the drilling sites are sited and GA applied for. Site manager checking as regularly as possible.	During construction phase. During construction phase During construction phase During construction phase. During construction phase. During construction, operational, and decommissioning phase

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management Targets (Impact Management Outcomes)	Management Actions and Interventions	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
Wetland destruction and loss of habitat.		Sensitive Landscapes	Ensure that the construction activities do not have detrimental impacts on the sensitive landscapes.	Maintain the current state of the sensitive landscapes within the area (farm dams and seepage zone).	Construction activities will be limited to be more than hundred meters from the edge of the dams and seepage zone. The applicant must also apply for a GA before drilling within 500m of nearby streams and/or wetlands.	Appointed contractor and site manager. Appointed contractor	Inspection to ensure compliance with the action plan will be conducted at the construction site. General Authorisation report/license	ECO will conduct the inspections monthly. Once the drilling sites are sited.	Whenever construction is undertaken near the sensitive landscapes. Whenever construction is undertaken near the sensitive landscapes.
Air pollution through air pollutants' emissions, from the construction site.		Air quality	Ensure that all operations during the construction phase do not result in detrimental air quality impacts.	The construction will be undertaken such that the ambient air quality does not exceed the National Air Quality Standards.	Wet suppression will be conducted at areas with excessive dust emissions. Traffic will be restricted to demarcated areas and traffic volumes and speeds within the construction site will be controlled.	Appointed contractor and site manager. Appointed contractor and site manager.	Visual inspections of areas with possible dust emissions. Regular inspections.	ECO monthly. ECO monthly.	Throughout the construction phase. Throughout the construction phase.
Increased noise levels.		Noise aspects	Ensure that the noise levels emanating from the construction sites will not have detrimental effects on the mine employees and surrounding communities/land owners.	The noise levels from the construction sites will be managed and measures will be taken to ensure that noise levels are below the National Noise Control Regulations, SANS10103:2008 guidelines.	Limit the maximum speed to 60 km/h or less, subject to risk assessment. Well maintained equipment that are kept in good working order will be used. This equipment will be fitted with correct and appropriate noise abatement measures. Ensure that the employees are issued with earplugs and that they are instructed to use them. Educate employees on the dangers of hearing loss due to mine machinery noise.	Appointed contractor and site manager. Site manager. Site manager.	Undertake site checks on speeds used. Speed checking will be conducted. Use of earplugs will be checked and reported.	Site manager. Site manager checking as regularly as possible. Site manager will check the use of the earplugs as regularly as possible.	Throughout the construction phase. Throughout the duration of the construction phase Throughout the duration of the construction phase.
Visual impacts on the surrounding		Visual aspects	Ensure that all operations during the construction phase	Measures will be undertaken by the mine	The land owner will be informed on the type of machinery and equipment	Applicant and site manager.	The constructed perimeter berms	Mine Engineer on a monthly basis.	Throughout the construction phase.

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management (Impact Management Outcomes)	Actions and Management Interventions	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
	communities and road users from the construction.		do not result in detrimental visual impacts on surrounding properties, communities and road users.	to ensure that the visual aspects from the site are complying with the relevant visual standards and objectives.	to be used at the prospecting sites. Lighting will be conducted in manner that will reduce the impacts on visual aspects at night times.	Appointed contractor.	will be inspected for compliance with the design specifications. Night time inspection of the site will be undertaken.	The site manager once	During construction phase.
Damage or destruction of sites with archaeological and cultural significance.		Sites of archaeological and cultural importance	Ensure that the construction activities do not have detrimental impacts on the heritage sites.	The construction will be undertaken in compliance with the requirements of the National Heritage Resources Act, 1999 (Act 25 of 1999) and recommendations from the specialist.	The establishment of the sites will be away from any identified grave site or heritage sites. A buffer of hundred meters will be created between the sites and the proposed camp and drilling sites.	Appointed contractor and site manager.	The site will be monitored for any damages on a regular basis.	ECO monthly	Throughout the construction phase when activities are in close proximity to the heritage sites.
Impact from the influx of job seekers and employment of farm labourers.		Socio-economic aspects	Ensure that measures are taken to discourage influx of job seekers and employment of farm labourers.	Measures taken will be in line with the company's recruitment policies.	Recruitment will not be undertaken on site. Farm labourers will not be employed unless agreed to with the farm owners.	Appointed contractor and site manager.	Visual monitoring.	Site manager	Throughout the pre- and construction phase.
OPERATIONAL PHASE									
Diamond Core drilling of the exploration boreholes, use of campsite and rehabilitation of the drilling sites									
Soil profile disruption, contamination of soils, destruction of natural vegetation and loss of land use.		Soils, Natural Vegetation, Land Use and Land Capability.	Ensure that the operation of the drilling sites and use of campsite and rehabilitation of drilling site do not have detrimental impacts on the soils, natural vegetation and current land use.	The land use and capability of the sites where the operations will be undertaken will continue after the proposed area.	Ensure that the drilling of the exploration boreholes are conducted in such a manner that the environment is protected from possible spillages. All boreholes and sumps will be rehabilitated to pre-drilling conditions. Tarpaulins will be placed on the ground to prevent oil, grease, hydraulic fluid and diesel spills during emergency repairs. All oil spills will be remedied using approved	Appointed contractor and site manager. Appointed contractor. Appointed contractor.	Regular inspections. Regular inspections. Regular inspections.	ECO monthly. ECO monthly. ECO monthly.	During the operational phase of the area. During the operational phase of the area. During the operational phase of the area.

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management	Targets (Impact Management Outcomes)	Management Interventions	Actions and	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
						<p>methodologies. The contaminated soils will be removed and disposed of at a licensed waste disposal facility.</p> <p>All waste generated from the drilling sites and the campsite will be collected in proper receptacles and removed to registered disposal facilities e.g., sewage treatment plant, solid waste disposal site or hydrocarbon recycling or treatment facilities.</p> <p>Before the drilling activities can commence, a biodiversity specialist must do a site inspection on the proposed marked drilling sites (proposed boreholes) to assess if there are no protected and/or critical natural vegetation. If any protected and/or critical natural vegetation occurs, the location of the proposed boreholes must be changed.</p>		<p>Appointed contractor</p> <p>Inspection of the site will be conducted.</p> <p>Appointed specialist</p> <p>A report with recommendations will be produced by the specialist.</p>	<p>ECO monthly.</p> <p>Once the drilling sites are sited and study conducted.</p>	<p>During the operational phase of the area.</p> <p>During operational phase.</p>	
Migration of animal life due to disturbance caused proposed area		Animal Life	Ensure that the animal life within the area is not affected by the proposed area.		Maintenance of the current status on animal life within the area.	<p>Sites will be operated according to the approved prospecting method statement.</p> <p>As much as possible sites with degraded environment will be used for the drilling purposes.</p> <p>Poaching will be prohibited at the prospecting site.</p> <p>Before the drilling activities can commence, a biodiversity specialist must do a site inspection on the proposed marked drilling sites (proposed boreholes) to assess if there are no animal burrows and habitats. If any burrows or habitat exist, the location of the proposed boreholes must be changed.</p>		<p>Appointed contractor and site manager.</p> <p>Appointed contractor and site manager.</p> <p>Appointed contractor and site manager.</p> <p>Appointed specialist</p>	<p>Visual monitoring and inspections.</p> <p>Visual monitoring and inspections.</p> <p>Visual monitoring and inspections.</p> <p>A report with recommendations will be produced by the specialist.</p>	<p>ECO monthly.</p> <p>ECO monthly.</p> <p>ECO monthly.</p> <p>Once the drilling sites are sited and study conducted.</p>	<p>During operational phase.</p> <p>During operational phase.</p> <p>During operational phase.</p> <p>During operational phase</p>
The drilling		Surface and	Ensure that the drilling		Clean surface and	No prospecting operations will be		Appointed contractor	Visual monitoring	ECO monthly.	During operational phase.

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management	Targets (Impact Management Outcomes)	Management Actions and Interventions	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action	
operation and use of campsite may result in the generation of surface water runoff contaminated with silt (sedimentation) and possibly hydrocarbon fluids should spillages occur.	Ground Water.	operation does not have detrimental impacts on the surface and ground water environment.	ground water environment/regime will not be affected.	undertaken within 100 metres from the nearby streams.	<p>The sumps will be excavated for the collection of mud and excess water from the drilling sites. The sump will be sized such that it will be able to contain the water and mud that will be generated during the prospecting operation.</p> <p>Storm water generated around the drilling site will be diverted away to the clean water environment. No concrete mixing and vehicle maintenance will be allowed on site. All hydrocarbons will be stored on protected storage areas away from the streams.</p> <p>Ensure that the land owners' borehole yield are observed during the drilling operation. Should it be proven that the operation is indeed affecting the quantity and quality of groundwater available to users and surrounding water resources, the affected parties must be compensated.</p> <p>The applicant must also apply for a GA before drilling within 500m of nearby streams and/or wetlands.</p>	and site manager.	and inspections.	ECO monthly.	During operational phase.		
						Appointed contractor and site manager.	Visual monitoring and inspections.			ECO monthly.	During operational phase.
						Appointed contractor and site manager.	Visual monitoring and inspections.			Site manager	During operational phase.
Generation of dust and fuel fumes by vehicular movement.	Air quality.	Ensure that the air quality in the vicinity of the prospecting sites and sites' access routes are not detrimentally altered.	The air quality in the vicinity of the drilling sites and sites' access routes will be maintained to stay within the national air quality standards.	Dust suppression must be conducted during the operational phase of the area.	Correct speed (60 km/h or less) will be maintained at the proposed area site.	Vehicle maintenance must be	Appointed contractor and site manager.	Visual inspections of areas with possible dust emissions.	ECO monthly.	Throughout the operational phase.	
							Appointed contractor and site manager.	Regular speed checks.	Site manager monthly.	Throughout the operational phase.	
							Appointed contractor	Regular	ECO monthly.	During operational phase.	
						Appointed contractor	General Authorisation report/license	Once the drilling sites are sited.	Whenever drilling is taking place near sensitive landscapes.		

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management (Impact Outcomes)	Targets (Impact Management Outcomes)	Management Actions and Interventions	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
						conducted regularly to avoid excessive diesel fumes.	and site manager.	inspections.		
Wetland destruction and loss of habitat.		Sensitive Landscapes.	Ensure that the drilling operation does not have detrimental impacts on the farms dams and identified seepage zone.	Maintain the current state of the wetlands within the area.	Operation of the drilling site will be limited to be more than hundred meters from the edge of the sensitive landscapes. The applicant must also apply for a GA before drilling within 500m of nearby streams and/or wetlands.	Appointed contractor. Appointed contractor	Inspection to ensure compliance with the action plan. General Authorisation report/license	ECO monthly. Once the drilling sites are sited.	During operational phase. Whenever drilling is taking place near sensitive landscapes.	
Increased noise levels.	noise	Noise aspects.	Ensure that the noise levels emanating from the operational sites will not have detrimental effects on the mine employees and surrounding communities/land owners.	The noise levels from the sites will be managed and measures will be taken to ensure that noise levels are below the National Noise Control Regulations, SANS10103:2008 guidelines.	Limit the maximum speed to 60 km/h or less, subject to risk assessment. Less noisy equipment will be used, the equipment will be kept in good working order and the equipment will be fitted with correct and appropriate noise abatement measures. Ensure that the employees are issued with earplugs and that they are instructed to use them. Educate employees on the dangers of hearing loss due to mine machinery noise.	Appointed contractor and site manager. Site manager. Appointed contractor.	Site checks regularly. Regular monitoring and site check. Use of earplugs will be checked and reported.	Site manager. Site manager. Site manager.	During operational phase. During operational phase. During operational phase.	
Visual impacts on the surrounding communities and road users from the construction.		Visual aspects.	Ensure that the drilling operations do not result in detrimental visual impacts on surrounding properties, communities and road users.	Measures will be undertaken by the mine to ensure that the visual aspects from the site are complying with the relevant visual standards and objectives.	The land owner will be informed on the type of machinery and equipment to be used at the prospecting sites. Lighting will be conducted in manner that will reduce the impacts on visual aspects at night times.	Applicant and site manager. Appointed contractor.	The constructed perimeter berms will be inspected for compliance with the design specifications. Night time inspection of the site will be undertaken.	Mine Engineer on a monthly basis. The site manager once	During operational phase. During operational phase.	
Damage or destruction of sites with archaeological and cultural significance.		Sites of archaeological and cultural importance.	Ensure that the operational activities do not have detrimental impacts on the heritage sites.	The drilling operations will be undertaken in compliance with the requirements of the National Heritage	The drilling sites will be away from any identified grave site or heritage sites. A hundred-meter buffer will be created between the sites and the proposed camp and drilling sites.	Appointed contractor.	The site will be monitored for any prospecting related damages on a regular basis.	ECO monthly.	Throughout the operational phase.	

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management (Impact Management Outcomes)	Targets (Impact Management Outcomes)	Management Interventions	Actions and	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
					Resources Act, 1999 (Act 25 of 1999) and recommendations from the specialist.						
Loss of vegetation and properties due to veld fires.		Natural vegetation and land Use	Ensure that no veld fires are manifested by activities related to any of the drilling activities	Manifestation of fire from the drill sites and campsites prevented through necessary fire precautionary measures.	Ensure that no trees or shrubs will be felled or damaged for the purpose of obtaining firewood Ensure that in the case of an outbreak of any uncontrolled fire that it will be reported to the site manager immediately and the necessary steps shall be taken to control and extinguish the fire. Ensure that smoking is avoided and prohibited in the vicinity of flammable substances. The contractor shall ensure that fire-fighting equipment is available on site, in particular where flammable substances are being stored or used. Fire precautionary measures must be taken, i.e., fire breaks and prohibiting of fire making on site. Fire extinguishers will be located at the site offices and campsites.	Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor and site manager. Appointed contractor and site manager.	Regular checks and inspections. Regular checks and inspections. Regular checks and inspections. Regular checks and inspections.	Site manager as and when necessary. Throughout the operational phase. Throughout the operational phase. Throughout the operational phase.	Throughout the constructional, operational, and decommissioning phase. Throughout the constructional, operational, and decommissioning phase. Throughout the constructional, operational, and decommissioning phase. Throughout the constructional, operational, and decommissioning phase.		
Safety, intrusion and livelihood impacts on the landowners and occupiers.		Socio-economic aspects.	Ensure that the drilling operation does not significantly disrupt the daily living and movements of the land owners and occupiers.	The mine will ensure that all safety standards are met and that access to landowners and occupiers are not detrimentally affected.	Announce any road closures and other disruptions and maintain roads used for the operation in good order. Keep communication with land owners and land occupiers open during the operational phase of the area. Ensure that negotiations on compensation are undertaken before	Appointed contractor and site manager. Applicant and site manager.	Liaison with affected parties. Meetings with the landowners. Minutes of any meeting held with landowners and	Site manager as and when necessary. Site manager as and when meetings are held.	Throughout the operational phase. Throughout the operational phase.		

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management	Targets (Impact Management Outcomes)	Management Actions and Interventions	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action						
						<p>the drilling programme can commence. This will include any other conditions that the landowner may deem necessary for the prospecting operation.</p> <p>Ensure that safety measures are implemented to prevent impacts on land owners and occupiers.</p>	Site manager.	<p>agreements will be recorded and filed.</p> <p>Regular checks and inspections.</p>	Site manager.	Throughout the operational phase.						
DECOMMISSIONING AND CLOSURE PHASE																
Removal of infrastructure and final rehabilitation of disturbed areas																
Compaction and contamination of soils within the rehabilitation site.	Soils.	Ensure that the soils in the vicinity of the rehabilitation site is not detrimentally impacted.	Rehabilitated areas will be maintained to comply with the closure objectives.	All vehicles and machinery used at the rehabilitation site will be kept in good working order.	Appointed contractor.	Vehicles and machinery will be inspected regularly and any oil incidences will be reported.	Site manager will conduct the inspections monthly.	Throughout the decommissioning and closure phases.	the and							
											No repairs of vehicles or machinery will be conducted at the rehabilitation site unless it is emergency repairs, which will be conducted on protected ground.	Appointed contractor.	All incidents of emergency repairs will be inspected and occurrence recorded.	Site manager.	Throughout the decommissioning and closure phases.	the and
											Movement of mine vehicles and machinery will be limited to demarcated routes, which will be rehabilitated when no longer in use.	Appointed contractor.	Rehabilitation site will be inspected to monitor areas with compaction or hydrocarbon contamination.	ECO will conduct the inspections monthly.	Throughout the decommissioning and closure phases.	the and
Re-instatement of soil productivity, land capability, land use and topographical patterns.	Soils, Land Capability, Land Use and Topography.	Ensure that the rehabilitation of the sites re-instate the soil productivity, land capability, land use and topographical patterns	Rehabilitated areas will be maintained to comply with the closure objectives.	All infrastructure will be removed from the site in accordance to the rehabilitation plan.	Appointed contractor.	Removal of the infrastructure will be inspected.	Site manager will conduct the inspections.	During decommissioning phase.								
Pollution of surface water environment.	Surface Water.	Ensure that the rehabilitation of the site does not have detrimental impacts on the surface water environment.	The surface water leaving the rehabilitation site will comply with the DWS target water quality	The site area will be rehabilitated to be free draining. Erosion protection measures such as	Appointed contractor. Appointed contractor.	Progress of rehabilitation will be monitored. Areas where grass	ECO will conduct monitoring of the rehabilitation annually.	Throughout the decommissioning and closure phases.	the and							

Impact Reference	Activity	Environmental Attribute	Impact Objectives	Management	Targets (Impact Management Outcomes)	Management Actions and Interventions	Responsibility for Actions/Intervention	Monitoring Action	Responsibility and Frequency For Monitoring	Time period for Management Action
					parameters.	the use of contour berms and repair of gullies will be undertaken until such time that the rehabilitated surfaces can be shown to be sustainable. Existing roads should be used where possible and new disturbed areas should be minimised.	Rehabilitation officer.	has not yet been established will be monitored for excessive erosion. Rehabilitation site will be inspected for misuse.		
Air pollution from rehabilitation site.		Air quality.	Ensure that rehabilitation do not have detrimental impacts on air quality.		Decommissioning and rehabilitation of the site will be conducted in such a manner that the ambient air quality does not exceed the air quality standards.	Where necessary, wet suppression will be conducted at areas with excessive dust emissions. Vehicles and machinery will be well maintained. The traffic volumes and speed within the rehabilitation site will be controlled.	Appointed contractor. Site manager and appointed contractor.	Visual inspections of areas with possible dust emissions will be conducted. Site inspections will be conducted.	ECO will conduct inspections monthly. Site manager will conduct inspections monthly.	Throughout the decommissioning phase. Throughout the decommissioning phase.
Generated noise from the rehabilitation site.		Noise.	Ensure that the rehabilitation activities does not have detrimental impacts on people.		Ensure that the noise from the rehabilitation activities do not exceed the SANS 10103 Rating Level.	Smaller or less noisy equipment should where possible be used when working near receptors. Equipment will be well maintained and fitted with the correct and appropriate noise abatement measures.	Appointed contractor and site manager. Site manager and appointed contractor.	Regular site check. Regular site check.	Site manager. Site manager.	Throughout the decommissioning phase.
Damage or destruction of sites with archaeological and cultural significance.		Sites of archaeological and cultural importance.	Ensure that the rehabilitation does not have detrimental impacts on heritage sites.		Should heritage sites be identified, rehabilitation in close proximity to the sites will not be damaged or destroyed by the rehabilitation activities.	A hundred-meter buffer will be maintained between any site and the rehabilitation site.	Appointed contractor and the site manager.	The sites will be monitored for any rehabilitation related damages.	ECO will monitor the site monthly.	Throughout the decommissioning phase.

6. FINANCIAL PROVISION

Section 24 P of NEMA requires an applicant applying for an environmental authorisation related to mining to comply with the prescribed financial provision for the rehabilitation, closure and ongoing post decommissioning management of negative environmental impacts before the Minister responsible for mineral resources issues the environmental authorisation. The above-mentioned financial provision may be in the form of an insurance, bank guarantee, trust fund or cash.

Regulations pertaining to the pertaining to the financial provision for prospecting, exploration, mining or production operations (GNR 1147) were promulgated on the 20th of November 2015. National Treasure Minerals (Pty) Ltd has undertaken the financial provision determination in line with the requirements of section 11 of the Regulations pertaining to the Financial Provision for Prospecting, Exploration, Mining or Production Operations (GNR 1147). The financial provision determination for the proposed area is submitted to the Department of Mineral Resources and Energy for their consideration.

6.1 DESCRIPTION OF CLOSURE OBJECTIVES AND EXTENT TO WHICH THEY HAVE BEEN ALIGNED TO THE DESCRIBED BASELINE ENVIRONMENT

The closure objectives for the proposed area as detailed under section 4.1 of the EMPR, were determined in consideration of physical (infrastructure), biophysical (environmental) and socio-economic measures as well as alignment to the closure components provided by the Department of Mineral Resources and Energy (DMRE). See section 4.1 for the closure objectives.

6.2 CONFIRMATION THAT THE ENVIRONMENTAL OBJECTIVES IN RELATION TO CLOSURE HAVE BEEN CONSULTED WITH LANDOWNERS AND INTERESTED AND AFFECTED PARTIES

The draft BAR and EMPR was made available to the interested and affected parties during the public participation process for the proposed area. Note that the consultation of interested and affected parties included the owners of the properties directly affected by the proposed area and owners of land immediately adjacent the proposed area.

The above confirms that the land owners and interested and affected parties were consulted regarding the environmental objectives in relation to the closure of the proposed area.

6.3 REHABILITATION PLAN FOR THE PROPOSED AREA

In terms of NEMA EIA Regulations, 2014, a Basic Assessment Report and EMPr must indicate the impact management measures. One of the impact management measures for the proposed prospecting activity is the rehabilitation of the disturbance caused by the prospecting activities. For the purpose of this report the rehabilitation measures for the proposed prospecting project will be provided in the form of a rehabilitation plan, described below.

The rehabilitation plan for the proposed projects describes the physical activities that will be undertaken to implement the closure plan during the course of the prospecting activities. The plan will include the following that are discussed below i.e.:

- Prospecting borehole layout
- Detail rehabilitation standards; and
- Detail the rehabilitation schedule.

6.3.1 PROSPECTING BOREHOLE LAYOUT

The development of the prospecting layout for the proposed prospecting project will take into consideration all identified no-go and sensitive areas within the prospecting right area.

In view of the above the layout plan will be developed such that the following is achieved i.e.:

- Minimise the disturbed area;
- Avoid impacts on identified sensitive areas; and
- Views of affected communities and interested and affected parties to be considered

6.3.2 REHABILITATION STANDARDS

The following rehabilitation standards have been developed for the proposed prospecting project. These have been developed to ensure that rehabilitation will achieve the following at the project area i.e., preserve the environment, protect against environmental damage and repair any disturbance caused during the prospecting activities.

- Rehabilitation plans will be developed before commencement of the prospecting project
- All legal requirements will be met before commencement of the prospecting project
- All disturbed areas will be rehabilitated to restore affected environment
- Disturbed areas will be maintained for the duration of the prospecting activities such that no secondary impacts results
- All possible source of contaminants will be identified and measures taken to prevent and manage spillages
- Adequate monitoring programme must be developed and implemented
- Ensure communication with affected communities and interested and affected parties

6.3.3 DECOMMISSIONING OF THE PROSPECTING OPERATION

6.3.3.1 CONTRACTOR CAMPSITE

No permanent structures will be constructed at the campsite, rather mobile structures will be used. Since these are mobile, all structures (tents or caravans, solid waste receptacles, water tanks, chemical toilet, additional storage area etc.) will be removed (mobile). Waste stored on site will be disposed of in an appropriate manner. Any industrial waste from the site will be recycled (sold) or disposed of properly. In view of the above no demolishing and dismantling will be undertaken.

6.3.3.2 ROADS

All constructed roads that will no longer be required by the landowner/tenant, shall be removed and/or rehabilitated to the satisfaction of the Regional Manager.

6.3.3.3 DRILLING SITE

Drilling Sump

The sumps will be backfilled and covered with topsoil.

Borehole

The borehole logs will be removed from site and the borehole plugged and covered with topsoil.

Drill Rig, Drill Rod Stand and Drill Rig stockpile

The rods and stand will be placed in the drill rig that will be driven away from site.

Geologist sampling area

This area will have a tent/gazebo, sampling equipment and waste collection receptacles that will be placed at the LDV and taken away from the site.

6.3.4 POST CLOSURE LAND USE

Post closure, the prospecting area will consist of re-vegetated areas with vegetation cover comparable to the surrounding areas. No prospecting related infrastructure will remain on the prospecting site. The land use after prospecting will conform to the pre-prospecting topography. After rehabilitation, the areas affected by prospecting will be stable and erosion free.

6.3.5 REHABILITATION SCHEDULE

Table 7 below provides the schedule of actions for rehabilitation, decommissioning and closure of the prospecting project, which will ensure avoidance, minimisation and management of residual or latent impacts from the proposed prospecting activities linked to the prospecting works programme including assumptions and schedule drivers.

A campsite will only be used if the applicant cannot find a suitable accommodation nearby the prospecting area.

Roads will not ideally be constructed however should the existing roads not provide the required access, tracks or road will be used.

Concurrent rehabilitation of disturbed areas will be undertaken as drilling continues. In view of the above, the schedule provides rehabilitation of a campsites and roads.

Table 17: Rehabilitation schedule

Rehabilitation Actions	Assumptions and Schedule drivers
Rehabilitation, Decommissioning and Closure	

Rehabilitation Actions	Assumptions and Schedule drivers
<i>Activity/Area: Contractor Campsite</i>	
<p>Areas within the camp sites where vegetation has been removed and where the site has been compacted must be scarified and ripped.</p>	<p>All spills and waste material from the site would have been removed before rehabilitation.</p>
<p>Before and during the prospecting operation and after rehabilitation photographs of the camp sites will be taken and kept on record.</p>	<p>Monitoring of the rehabilitated area will be conducted to ensure that the area maintains a sustainable environment.</p>
<i>Activity/Area: Roads</i>	
<p>Any foreign material (used to construct roads) will be removed and disposed of in an approved manner prior to rehabilitation.</p>	<p>All spills and waste material from the site would have been removed before rehabilitation.</p>
<p>Roads and tracks with significant damage will be ripped or ploughed. Where necessary, fertilizer will be applied over the area.</p>	<p>Monitoring of the rehabilitated area will be conducted to ensure that the area maintains a sustainable environment.</p>
<p>Should the revegetation show to be slow, soil analyses will be conducted and the seeding be done in accordance top the results of the analyses.</p>	<p>Except for farm roads, no tracks and infrastructure related to the prospecting operation will remain in place after the decommissioning phase.</p> <p>Ripping shall be at 90° to the inherent slope</p>
<i>Activity/Area: Drill Site</i>	
<i>Drill site sumps</i>	
<p>Sumps will either be emptied of the water or allowed water to evaporate.</p>	<p>Rehabilitation of the drilling site will commence immediately after completion of the drilling.</p>
<p>The sumps will be backfilled with subsoils and thereafter topsoil removed from the sump.</p>	<p>The area disturbed is small – approximately 1 m x 1 m x1 m per sump per drill site.</p>
<p>Where necessary, fertilizer will be applied over the area.</p>	<p>All spills and waste material from the site would have been removed before rehabilitation.</p>
<p>The area will be allowed to seed naturally. Should the revegetation show to be slow, soil analyses will be conducted and the seeding be done in accordance top the results of the analyses.</p>	<p>Monitoring of the rehabilitated area will be conducted to ensure that the area maintains a sustainable environment.</p> <p>The sumps will be rehabilitated in such a manner to return the area to as close as possible to its pre-drilling environment.</p>
<i>Drill site boreholes</i>	

Rehabilitation Actions	Assumptions and Schedule drivers
All unused borehole logs will be removed from site and disposed of in an appropriate manner.	Rehabilitation of the drilling site will commence immediately after completion of the drilling.
The borehole plug must be placed at least 0.5 m below surface.	All spills and waste material from the site would have been removed before rehabilitation.
The borehole will then be covered and levelled with topsoil.	Monitoring of the rehabilitated area will be conducted to ensure that the area maintains a sustainable environment.
Where necessary, fertilizer will be applied over the area.	
Post Site Closure	
Activity/Area: Entire Prospecting Right Area (Care, Maintenance and Monitoring)	
Visual inspection of all rehabilitated areas will be conducted (ad hoc inspections will be conducted).	A dedicated manager will be employed for ensuring that the area is inspected and all areas requiring attention will be identified and issues addressed.
Follow up erosion control and seeding over areas showing erosion gullies and significantly slow revegetation will be conducted.	Post closure, the prospecting area will consist of re-vegetated areas with vegetation cover comparable to the surrounding areas. The area will conform to the pre-prospecting topography. The areas affected by prospecting will be stable and erosion free.

6.4 COMPATIBILITY OF THE REHABILITATION PLAN WITH THE CLOSURE OBJECTIVES

The rehabilitation plan has been drafted to be compatible with the closure objectives.

6.5 DETERMINATION OF THE QUANTUM OF THE FINANCIAL PROVISION REQUIRED TO MANAGE AND REHABILITATE THE ENVIRONMENT

The financial pecuniary provision for Lynplaats prospecting area will be determined based on the requirements of Chapter 2.4.1 of the Guideline document for the evaluation of the quantum of closure-related financial provision provided by a Mine, revision 1.6, September 2004, DMRE. The amount or the budget for financial provision is R 62 224.40, see Table 17 below.

6.6 METHOD OF PROVIDING FOR THE FINANCIAL PROVISION

According to Regulation 8 of the Regulations pertaining to the pertaining to the financial provision for prospecting, exploration, mining or production operations (GNR 1147), an applicant or holder of a right or permit must make financial provision by one or a combination of the following:

- financial guarantee from a bank registered in terms of the Banks Act, 1990 (Act No. 94 of 1990) or from a financial institution registered by the Financial Services Board as an insurer or underwriter;
- deposit into an account administered by the Minister responsible for mineral resources; *or*;
- contribution to a trust fund established in terms of applicable legislation.

National Treasure Minerals (Pty) Ltd has opted to use a financial guarantee to provide for the determined quantum for financial provision.

Table 18: Financial provision for Lynplaats Prospecting project

"Rules-based" assessment of the quantum for financial provision								
CALCULATION OF THE QUANTUM								
Mine:	NATIONAL TREASURE MINERALS (PTY) LTD			Location: Prospecting Project				
Evaluators:	O.T Shakwane of Geovicon Environmental (Pty) Limited			Date: 25-Oct-22				
No.:	Description:	Unit:	A Quantity	B Master rate	C Multiplication factor	D Weighting factor 1	E=A*B*C*D Amount (Rands)	
			Step 4.5	Step 4.3	Step 4.3	Step 4.4		
1	Dismantling of processing plant & related structures	m ³	0.00	R 18.36	1.00	1.10	R 0.00	
2 (A)	Demolition of steel buildings & Structures	m ²	0.00	R 255.82	1.00	1.10	R 0.00	
2 (B)	Demolition of reinforced concrete buildings & structures	m ²	0.00	R 376.99	1.00	1.10	R 0.00	
3	Rehabilitation of access roads	m ²	100.00	R 45.78	1.00	1.10	R 5 035.88	
4 (A)	Demolition & rehabilitation of electrified railway lines	m	0.00	R 444.30	1.00	1.10	R 0.00	
4 (B)	Demolition & rehabilitation of non electrified railway lines	m	0.00	R 242.34	1.00	1.10	R 0.00	
5	Demolition of housing &/or administration facilities	m ²	0.00	R 511.63	1.00	1.10	R 0.00	
6	Opencast rehabilitation including final voids & ramps	ha	0.00	R 268 200.17	1.00	1.10	R 0.00	
7	Sealing of shafts, adits & inclines	m ³	0.00	R 137.33	1.00	1.10	R 0.00	
8 (A)	Rehabilitation of overburden & spoils	ha	0.05	R 178 800.11	1.00	1.10	R 9 834.01	
8 (B)	Rehabilitation of processing waste deposits & evaporation ponds (basic)	ha	0.00	R 222 692.31	0.80	1.10	R 0.00	
8 (C)	Rehabilitation of processing waste deposits & evaporation ponds (acidic)	ha	0.00	R 646 804.03	0.80	1.10	R 0.00	
9	Rehabilitation of subsidised areas	ha	0.00	R 149 733.48	1.00	1.10	R 0.00	
10	General surface rehabilitation (Plugging of 16 boreholes)	ha	0.15	R 141 639.86	1.00	1.10	R 23 370.58	
11	River diversions	ha	0.00	R 141 639.86	1.00	1.10	R 0.00	
12	Fencing	ha	0.00	R 161.56	1.00	1.10	R 0.00	
13	Water management	ha	0.00	R 53 855.46	1.00	1.10	R 0.00	
14	2 to 3 years of maintenance & aftercare	ha	0.15	R 18 849.42	1.00	1.10	R 3 110.15	
15 (A)	Specialist study	SUM	0.00	R 200 000.00	1.00	1.00	R 0.00	
15 (B)	Specialist study	SUM	0.00	R 0.00	1.00	1.00	R 0.00	
Sub Total 1								
(Sum of items 1 to 15 Above)							R 41 350.61	
Multiply by Weighting factor 2		1.1		R 4 135.06			R 4 135.06	
1	Preliminary and general	Add 12% if subtotal 1 is less than R100,000,000.00						R 4 962.07
2	Contingencies	Add 10% of subtotal 1						R 4 135.06
Sub Total 2								
(Subtotal 1 plus sum of management & contingencies)							R 54 582.81	
						VAT (14%)	R 7 641.59	
(Subtotal 2 plus VAT)						GRAND TOTAL	R 62 224.40	

7. MECHANISM FOR MONITORING COMPLIANCE WITH AND PERFORMANCE ASSESSMENT AGAINST THE ENVIRONMENTAL MANAGEMENT PROGRAMME AND REPORTING THEREOF

7.1 INSPECTIONS AND MONITORING

During the impact assessment, potential impacts on the environment were identified. Mitigation measures were also specified for prevention and management of the impact so as to minimise their effect on the environment. This section will describe how the mine intends to ensure that the mitigation measures are being undertaken and that their effectiveness is proven.

A monitoring programme has been developed for the identified impacts and their mitigation measures. This monitoring programme will be undertaken and results thereof used to determine the effectiveness of the mitigation measures. The ECO will have an overall responsibility for ensuring that all monitoring is conducted according to the approved EMPR.

7.2 MONITORING COMPLIANCE WITH AND PERFORMANCE ASSESSMENT AGAINST THE ENVIRONMENTAL MANAGEMENT PROGRAMME AND REPORTING THEREOF

As part of the general terms and conditions for an environmental authorisation and in order to ensure compliance with the EMPR and to assess the continued appropriateness and adequacy of the EMPR, National Treasure Minerals (Pty) Ltd will:

- Conduct monitoring on a continuous basis (see EMPR).
- Conduct performance assessments of the environmental management programme once in every two years.
- Compile and submit a performance assessment report to the minister in which compliance with the approved Environmental Management Programme is demonstrated.

The performance assessment report will as a minimum contain the following:

- Information regarding the period applicable to the performance assessment
- The scope of the assessment.
- The procedure used for the assessment.
- The interpreted information gained from monitoring the approved environmental management programme.
- The evaluation criteria used during the assessment.
- The results of the assessment.
- Recommendations on how and when non-compliance and deficiencies will be rectified.

7.3 PROCEDURE FOR ENVIRONMENTAL RELATED EMERGENCIES AND REMEDIATION

An environmental emergency is an unplanned event, which has the potential to result in a significant adverse environmental impact and/or could result in legal liability to **National Treasure Minerals (Pty) Limited** in terms of environmental legislation requirements. The following define most likely potential environmental emergencies:

- Hydrocarbon spills or leaks
- Surface fires, including veld fires
- Transportation accident

National Treasure Minerals (Pty) Limited has developed procedures for environmental related emergencies for the Lynplaats prospecting area, which is explained in more detail below.

Introduction

This procedure describes the process to be followed to report and deal with emergencies, which may occur on the prospecting site. An effective, comprehensive, well-considered and tested environmental emergency preparedness and response plan has the potential to save lives, prevent unnecessary damage to company and other property and to manage environmental risk.

This standard procedure aims are to identify potential for and respond to accidents and emergency situations, and for preventing and mitigating the environmental impacts that may be associated with them. Below are the objectives of the above-mentioned procedure:

- To ensure quick and controlled response to environmental emergencies through the use of correct personnel and equipment.
- To prevent incidents from becoming more extensive through the timeouts contact and arrival of trained personnel on site.
- To establish a management mechanism from which a range of safety, environmental and health issues can be dealt with should they arise.

Purpose of the procedure

To provide guidance to all drilling crew in the event of an environmental emergency at Lynplaats prospecting right project or related to its activities. This procedure is developed so as to provide guidance to ensure that:

- Danger to the environment, personnel, contractors and non-employees are minimized.
- Legal liability is managed and minimised.
- Public relations are effectively managed during and following an emergency.
- Reporting is effective and corrective/follow-up actions are implemented.

This procedure contains information relevant to all drilling crew of the prospecting site. It is the responsibility of all employees to familiarize themselves with the contents of this procedure. Furthermore, site manager should ensure that all contractors have access to this procedure and the requirements contained herein.

Legal requirements

The following below listed legislations were identified for the emergency response activities in the mining industry. The legislation requires that governmental department be kept informed of incidents and accidents:

- Regulation 51 of Regulations under the Minerals and Petroleum Resources Development Act, 2002 (Act 28 of 2002) – PROCEDURE FOR ENVIRONMENTAL RELATED EMERGENCY AND REMEDIATION
- Mine Health & Safety Act 29 of 1996 – MANNER OF REPORTING AND KEEPING OF INFORMATION REGARDING INCIDENTS & EMERGENCIES
- Occupational Health & Safety Act 85 of 1993 – EMPLOYEE REQUIREMENTS TO REPORT INCIDENTS WHERE ACTIVITY HAS OCCURRED

Responsibilities

Site Manager

National Treasure Minerals (Pty) Limited is responsible for the safety and well-being of employees working at Lynplaats prospecting right project as well as the protection of the environment from unnecessary negative impact. The Site Manager has a responsibility to initiate a warning process should an emergency occur or should something at the prospecting site deteriorate in an uncontrolled manner presenting a risk to employees, the public or the environment.

Site Manager

It is the responsibility of the Site Manager to appoint a person or persons to review and audit the activities as covered by the scope of this Procedure. The Site Manager or his appointed representative shall ensure that the audits are being conducted systematically and at regular defined intervals. The Site Manager shall further ensure that the person nominated to perform audits of the emergency system, are given all the necessary assistance and facilities to conduct the task effectively.

Local Government

Local governments have the responsibility to warn residents of a hazardous situation, these warnings must be based on information provided by the site manager.

All employees, contractors and other relevant parties

All employees, contractors and other relevant parties should ensure that they are familiar with this procedure.

Description of Possible Emergencies and Remedial actions.

The following define most likely potential environmental emergencies. The Site Manager will be contacted in all emergencies. In all the cases the surrounding area must be cordoned off in a safe and efficient way. Emergency equipment for direct incidents must be available on the prospecting site at all times.

Hydrocarbon spills,

These are typically spillages or leaks of hydrocarbon liquids from containers and pipelines. The hydrocarbon liquids involved in these emergencies are diesel, new and used oils and paint. The spillages of hydrocarbon liquids may potentially contaminate the groundwater regime, surface water

and soils over the affected areas. These, if not remediated properly, may have permanent detrimental effects environmental components.

All hydrocarbons will be stored in well enclosed containers. Emergency telephone numbers with contact persons will be placed near the containers. Credible company will be called, if a carbon spill occurs, they will assess the situation and take the necessary steps.

Transportation accident,

The drilling crew uses various machinery and vehicles such as drill rig and light vehicles for the transportation of material around the prospecting site. During an accident, while transporting these materials, both the material and the liquids within the vehicles may cause detrimental damage to the environment. Liquids will include diesels, petrol and oils from the vehicles.

Speed limits will be place around the prospecting site. The employees will be made aware of the speed limits and the reasons for having them. The following procedure will be implemented.

- Spillages will be rectified as soon as possible.
- Type of spillage must be identified.
- Clean-up will be done by credible company.
- If outside the prospecting site, the traffic department will be notified.

Surface fires, including veld fires.

These include any fires within the Lynplaats prospecting right project. These fires may emanate either from the prospecting site or outside the prospecting site. The fires are considered emergency situations since they put lives of employees at risk and result in the destruction of environmental components such as natural vegetation (grasses, trees), animal life (wild and domestic livestock) and air quality. It is for this reason that fires have been identified as a potential emergency situation.

- Firefighting equipment will always be kept at the prospecting site ready, in a good working condition and at an accessible location. Correct fire extinguishers will be used to extinguish the fire. Note that no water on electrical and liquid based fires will be used. The employees will be trained on dealing with fire situation. First aid equipment will be made available at all times. Site Manager will assemble the fire team and combat the fire.
- If the fire seems to go out of control, the Fire Brigade from the nearby town will be contacted. Lynplaats prospecting right project will establish a working agreement with the Fire Brigade from the nearby town to make themselves available at any time in a case fires are out of control.
- All affected farmers will be contacted.

At any prospecting site and at any works:

- a) No person shall place, throw or leave, or cause or permit to be placed, thrown or left, any naked light or flame or any burning lighting torch, match, cigarette, tobacco, paper or other burning material on or near any combustible material or inflammable substance where this may cause danger from fire or explosion;
- b) No waste material of a combustible nature shall be stored anywhere in quantity sufficient to create a fire hazard;

- b) no welding, flame-cutting or flame-heating shall take place unless adequate means are immediately available for extinguishing any fire which may result from such operation;
- c) on completion of any welding, flame-cutting or flame-heating, an examination shall be carried out by a competent person to ensure that no fire will result from such operation;
- d) all machinery shall be so constructed, installed, operated and maintained as to prevent as far as practical, dangerous heating.

Notification process

There are six main steps in managing an emergency, from the identification of the situation to final close off. They are as follows:

- Find and identify
- Ensure human safety
- Reporting
- Containment and clean-up
- Corrective action
- Monitoring

Emergency equipment and supplies

There will be a directory of emergency equipment and other supplies on site as well as person/s responsible for the equipment.

Communication systems

Communication is critical during an emergency on site so that efforts to manage the situation are coordinated to produce the desired results. The communication channels that will be available on site will include:

- Internal phone line system
- Hand held radios
- Cellular phone

Training

The site manager will ensure that employees are trained on emergencies that might occur at Lynplaats prospecting right project.

Method of emergency activity identification

During the prospecting operation at the said site, the site manager will ensure that measures are put in place to ensure that other possible environmental emergency activities are identified.

Review and revision

During the course of the prospecting operation a number of emergency response drills will be carried out and recorded (minimum of one per every year). Emergency response drills will normally be carried out during operational hours to best evaluate the response and involve the highest number of employees. These are at the discretion of the Site Manager and may involve one or more of the

emergency activities listed in this standard procedure. Emergency response drills should not be of the same type unless significant problems were experienced with the previous drill.

Regular auditing and questioning of the key personnel involved in emergency response will also be conducted. This will take the form of planned task observations (PTO). It is the responsibility of the Site Manager to undertake these PTOs on a regular basis and record the response.

Information from PTO's and drills will be collated and assessed. Alterations and modifications to the Emergency Response Procedure will also be conducted after the response drill evaluation. This task will be performed in co-ordination with the Site Manager to which the drill applies.

ENVIRONMENTAL AWARENESS PLAN

In terms of section 39(3)(c) of the Mineral and Petroleum Resources Development Act, 2002 (Act 28 of 2002), Lynplaats prospecting right project must compile and implement an environmental awareness plan. The above-mentioned environmental awareness plan must describe the manner in which the site manager (in this case Lynplaats prospecting right project) will inform their employees of any environmental risk which may result from their work and the manner in which the environmental risks will be addressed to avoid pollution or/and degradation of the environment. This document, therefore concerns the details of the environmental awareness plan for Lynplaats prospecting right project as required by the Mineral and Petroleum Resources Development Act, 2002 (Act 28 of 2002).

In view of the above, Lynplaats prospecting right project has developed an environmental awareness plan for the proposed Lynplaats prospecting right project, which is explained in more detail below.

Note that the responsible person will revise these environmental awareness procedures from time to time. The date of commencement of the revised procedure will always be indicated to prevent confusion, in this case after the issuing of prospecting right to Lynplaats prospecting right project.

This Environmental Awareness (Standard Training Procedure) sets out the training objectives regarding to environmental awareness. It is a stand-alone procedure, which serves to improve awareness, training and competency in the environmental field. It contains no detail on the actual training initiatives but rather serves to ensure that a responsible person is appointed to deal with and increase environmental awareness on the prospecting site.

Scope

This Environmental Training Standard Procedure sets out the prospecting site's training objectives regarding environmental awareness. It is a stand-alone procedure, which serves to improve awareness, training and competency in the environmental field. It contains no detail on the actual training initiatives but rather serves to ensure that a responsible person is appointed to deal with and increase environmental awareness on the prospecting site.

Objectives

The following are the objectives set for this standard procedure:

- To explain and aid the personnel involved in training with regards Environmental Management System (EMS);
- To clarify the EMS training and ensure that all employees are correctly instructed with regards to the environment.

Safety risks associated with activity

There were no hazards identified in applying this standard procedure.

Responsibilities

In the case where there is no training department on site, a responsible person should be identified (Site manager, Environmental Officer or Consultant) to ensure that the objective of this procedure is met.

Legal requirements

The following legislation and standards apply to this Standard Procedure:

- Employment Equity Act 55 of 1998 – AREAS WHERE EMPLOYMENT EQUITY ARE DEFINED, INCLUDING TRAINING & DEVELOPMENT.
- National Environmental Management Act 77 of 1998 – RECOMMENDATIONS FOR INSTITUTIONAL CO-OPERATION.
- Minerals and Petroleum Resources Act, 2002 (Act 28 of 2002) – DEVELOPMENT OF AN ENVIRONMENTAL AWARENESS PLAN.

Induction Programme

An Induction Programme, which will include environmental awareness programme will be established for Lynplaats prospecting right project. During the training sessions various topics will be discussed such as, but not limited to: Water Pollution Prevention, Good Environmental Housekeeping, etc. Through the Induction Programme, the site manager, or any other responsible appointed person shall ensure that all staff receives training in:

Administrative requirements and procedures, which will include the Environmental Emergency.

Procedures

Resource conservation and environmental reporting and general environmental awareness for prospecting site related environmental issues.

All employees (including contractor employees) will undergo induction. Lynplaats prospecting right project induction includes training and awareness on environmental issues on the drilling site and is compulsory for all new employees. The induction programmes will as mentioned above, have an environmental management component. On an annual basis the environmental section of the induction gets updated to ensure that it is up to date. Consideration should be given to:

- Significant environmental impacts as identified in the EMP.
- Procedures: environmental awareness and emergency procedures.
- Trends in incidents.
- Trends in audit findings.

Trainee needs

The identification of environmental training and environmental awareness needs are derived from an analysis of the type of role different categories of employees play at Lynplaats prospecting right project. The following categories are considered, viz:

- Site Management.
- Supervisors.

- Operators.
- Visitors and contractors.

Each of these categories has different responsibilities and therefore has different knowledge requirements and environmental awareness training needs to obtain that knowledge.

Training Planning

Identified and agreed training needs shall be included in budgets. Course attendance (other than at the internal induction courses) shall be scheduled on the basis of the importance of task contribution to the maintenance, effectiveness and improvement of the objectives.

General environmental awareness training

General awareness training will be offered to operators, processors during the safety toolbox talks. This will be conducted on rotational basis. New environmental awareness topics are determined and new topics are introduced after all the shifts have received training/awareness on the current topic. The following will be undertaken to ensure that the above awareness training is conducted:

- A monthly environmental awareness topic for discussion will be distributed to the prospecting site. These topics will be discussed at the safety toolbox talks, by SHE (Safety, Health and Environmental) site manager /Environmental officers if available.
- The topics will also be displayed on the notice boards of the prospecting site.
- Ad hoc environmental awareness sessions to the prospecting site will be conducted on request. The presentations will focus on the environmental issues relevant to individual tasks.

Job specific environmental awareness training

Job specific training will be developed to address urgent training needs as identified /required. The training material will focus on the following:

- Waste prevention and control (implementation of the waste management procedure).
- Hydrocarbon and chemical spill reporting and clean up.
- Storing and handling of chemicals.
- Rehabilitation.

Supervisory staff within specific drilling site will be equipped with the necessary knowledge and information to guide their employees on environmental aspects applicable in performing a specific task.

Competency training

Site manager (training official/environmental officer if available) is responsible for the environmental competency and awareness training of middle management and supervisors. This training will be conducted on both a one-to-one basis and through workshops. If required, external organizations may be requested to provide training to selected employees (e.g., EMP auditing).

Competence and the effectiveness of training and development initiatives will be determined through the following:

- Trend analysis and reporting
- Analysis of work areas during visits and audits
- Trend analysis of monthly incidents (or zero tolerance if available) as recorded per prospecting site.

Certification

Photocopies of certificates issued after completion of a training course shall be maintained in the staff member's file and Training Department's records.

Records

Environmental awareness and training records will be kept at a safe and accessible place on site.

7.4 UNDERTAKING TO COMPLY

I,, the undersigned and duly authorised thereto by **National Treasure Minerals (Pty) Ltd** have studied and understand the contents of this document in its entirety and hereby duly undertake to adhere to the conditions as set out therein including the amendment(s) agreed to by the Regional Manager.

Signed at this.....day of.....20.....

.....

Signature of applicant Designation

APPROVAL

Approved in terms of Section 39(4) of the Mineral and Petroleum Resources Development Act, 2002 (Act 29 of 2002)

Signed at.....this.....day of.....20.....

.....

REGIONAL MANAGER

Appendix A

Regulation 2.2 Plan

**PROSPECTING CO-ORDINATES
WG 25°**

POINTS	LAT	LONG
1	-26.4537344	25.23307
2	-26.4601539	25.2456958
3	-26.4659212	25.2570418
4	-26.4701016	25.2653572
5	-26.4720465	25.2692264
6	-26.4759927	25.2770781
7	-26.4779606	25.2809942
8	-26.4889562	25.2768415
9	-26.4919674	25.2757042
10	-26.4935742	25.2750972
11	-26.507056	25.2700042
12	-26.5040641	25.2649832
13	-26.5002893	25.2586445
14	-26.4900557	25.2414954
15	-26.4760764	25.232761
16	-26.4598083	25.2329552
17	-26.4540185	25.2330646
1	-26.4537344	25.23307

**NATIONAL TREASURE MINERALS
(PTY) LTD REG NO: 2016/265134/07**

APPLICATION FOR PROSPECTING RIGHT


Plan compiled in accordance with
Regulation 2(2) of the Mineral & Petroleum
Resources Development Act 2002
(ACT 28 of 2002)

Scale 1 : 1 400

LEGEND

PROSPECTING RIGHT AREA

- National Freeway, National Route
- Aerial Route
- Main Road
- Secondary Road; Bench Mark
- Other Road; Bridge
- Track and Hiking Trail
- Railway; Station or Siding
- Other Railway; Tunnel
- Embankment; Cutting
- Power Line
- Built-up Area
- Buildings; Ruin
- Post Office; Police Station; Store
- Place of Worship; School; Hotel
- Fence; Wall
- Windpump; Monument
- Communication Tower
- Mine Dump; Excavation
- Trigonometrical Station; Marine Beacon
- Lighthouse and Marine Light
- Cemetery; Grave
- International Boundary and Beacon
- Provincial Boundary
- Game, Nature Reserve & State Forest Boundary
- Perennial River
- Perennial Water
- Non-perennial River
- Non-perennial Water
- Dry Water Course
- Dry Pan
- Marsh and Vlei
- Pipeline (above ground)
- Water Tower; Reservoir; Water Point
- Coastal Rocks
- Prominent Rock Outcrop
- Erosion; Sand
- Woodland
- Cultivated Land
- Orchard or Vineyard
- Recreation Ground
- Row of Trees



The figure lettered 1-17 AND 1 represent a Prospecting Right area in extent of approximately 1518,94ha, comprising of portions 1 and remaining extent of the farm MOOIPLAATS 9 IO, portions 1, 3, 4, 5 and remaining extent of the farm LYNPLAATS 8 IO, located 27,53km North West of the town DELAREYVILLE, in the Magisterial district of DELAREYVILLE for which NTM (PTY) LTD REG NO. 2016/265134/07 has applied for a prospecting right in terms of Section 16 of the Mineral and Petroleum Resources Development Act, 2002, (Act 28 of 2002), but subject to Regulation 17 of the Mine Health and Safety Act, 1996 (Act 29 of 1996), excluding any area within 100 meters of any public road, railway, cemetery, residential area or public area.

SIGNED:
REGIONAL MANAGER
NORTH WEST PROVINCE

SIGNED:
NTM (PTY) LTD
Reg No: 2016/265134/07



Contact : 012 472 0328
Email : info@xakwa.com
tiisetso@xakwa.com

Address : 175 Corobay
Waterkloof Glen
0010

Appendix C

Deed's list of the direct farms

Any personal information obtained from this search will only be used as per the Terms and Conditions agreed to and in accordance with applicable data protection laws including the Protection of Personal Information Act, 2013 (POPI), and shall not be used for marketing purposes.

SEARCH CRITERIA

Search Date	2022/10/25 14:58	Farm Number	8
Reference	-	Registration Division	IO
Report Print Date	2022/10/25 14:59	Portion Number	A
Farm Name	-	Remaining Extent	NO
Deeds Office	Pretoria	Search Source	WinDeed Database

PORTION LIST

Portion	Owner	Title Deed	Registration Date	Purchase Price (R)
0	REPUBLIEK VAN BOPHUTHATSWANA	T17217/1975BP	1975/04/07	-
1	MONARE MOTHOEMANG JOHANNA	T92/1994BP	1994/04/07	-
3	REPUBLIEK VAN BOPHUTHATSWANA	T17217/1975BP	1975/04/07	-
4	NATIONAL GOVERNMENT OF THE REPUBLIC OF SOUTH AFRICA	T8822/1975BP	1975/04/07	-
6	REPUBLIEK VAN SUID-AFRIKA	T31947/1984BP	1984/07/04	-
7	REPUBLIEK VAN SUID-AFRIKA	T31945/1984	1984/07/04	-

DISCLAIMER

This report contains information provided to LNRM by content providers and LNRM cannot control the accuracy of the data nor the timely accessibility. LNRM will not be held liable for any claims based on reliance of the search information provided. This report is subject to the terms and conditions of LexisNexis Risk Management Agreement. LexisNexis Risk Management (Pty) Ltd is a registered credit bureau (NCRCB26).

Any personal information obtained from this search will only be used as per the Terms and Conditions agreed to and in accordance with applicable data protection laws including the Protection of Personal Information Act, 2013 (POPI), and shall not be used for marketing purposes.

SEARCH CRITERIA

Search Date	2022/10/25 15:25	Farm Number	9
Reference	-	Registration Division	IO
Report Print Date	2022/10/25 15:25	Portion Number	-
Farm Name	-	Remaining Extent	NO
Deeds Office	Pretoria	Search Source	Deeds Office

PORTION LIST


Portion	Owner	Title Deed	Registration Date	Purchase Price (R)
0	REPUBLIEK VAN BOPHUTHATSWANA	T18742/1975BP	-	-
2	REPUBLIEK VAN SUID-AFRIKA	T32441/1984BP	-	-
7	*** NO LONGER EXISTS - SEE ENDORSEMENTS ***	-	-	-

DISCLAIMER

This report contains information provided to LNRM by content providers and LNRM cannot control the accuracy of the data nor the timely accessibility. LNRM will not be held liable for any claims based on reliance of the search information provided. This report is subject to the terms and conditions of LexisNexis Risk Management Agreement. LexisNexis Risk Management (Pty) Ltd is a registered credit bureau (NCRCB26).

Appendix D

Layout plan




National Treasure Minerals
(Pty) Ltd.

Lynplaats
Prospecting Right
Area

LEGEND

-  Lynplaats Proposed Prospecting Right Area
-  Ecological Support Area 1
-  Critical Biodiversity Area 1
-  Proposed Drill sites
-  Preferred Campsite
-  Alternative Campsites

**Proposed Prospecting
Layout Plan**



Appendix E

National Web Based Environmental Screening Tool

**SCREENING REPORT FOR AN ENVIRONMENTAL AUTHORIZATION AS
REQUIRED BY THE 2014 EIA REGULATIONS – PROPOSED SITE
ENVIRONMENTAL SENSITIVITY**

EIA Reference number:

Project name: Lynplaats Prospecting Right project

Project title: Lynplaats Prospecting Right project

Date screening report generated: 23/10/2022 09:27:07

Applicant: National Treasure Minerals (Pty) Ltd

Compiler: Geovicon Environmental (Pty) Ltd

Compiler signature:

.....

Application Category: Mining|Prospecting rights


OFFICIAL

Table of Contents

Proposed Project Location	3
Orientation map 1: General location	3
Map of proposed site and relevant area(s)	4
Cadastral details of the proposed site	4
Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area	5
Environmental Management Frameworks relevant to the application	5
Environmental screening results and assessment outcomes	5
Relevant development incentives, restrictions, exclusions or prohibitions	5
Map indicating proposed development footprint within applicable development incentive, restriction, exclusion or prohibition zones	6
Proposed Development Area Environmental Sensitivity	6
Specialist assessments identified	7
Results of the environmental sensitivity of the proposed area	9
MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY	9
MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY	10
MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY	11
MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY	12
MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY	13
MAP OF RELATIVE DEFENCE THEME SENSITIVITY	14
MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY	15
MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY	16
MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY	17

Proposed Project Location

Orientation map 1: General location



Map of proposed site and relevant area(s)



Cadastral details of the proposed site

Property details:

No	Farm Name	Farm/ Erf No	Portion	Latitude	Longitude	Property Type
1	KUNANA	4	0	26°24'1.27S	25°23'7.67E	Farm
2	LYNPLAATS	8	0	26°29'8.55S	25°15'50.96E	Farm
3	MARIBOGO	10	0	26°29'23.13S	25°12'13.07E	Farm
4	HENDRIKSDAL	7	0	26°30'2.82S	25°17'20.95E	Farm
5	MOOIPAATS	9	0	26°28'12.1S	25°14'32.69E	Farm
6	VLAAPLAATS	162	0	26°30'58.54S	25°15'49.97E	Farm
7	HENDRIKSDAL	7	7	26°30'35.84S	25°16'25.89E	Farm Portion
8	HENDRIKSDAL	7	1	26°29'21.33S	25°17'26.98E	Farm Portion
9	LYNPLAATS	8	3	26°29'37.31S	25°15'12.88E	Farm Portion
10	MARIBOGO	10	12	26°27'28.97S	25°13'37.88E	Farm Portion
11	LYNPLAATS	8	7	26°30'12.83S	25°15'51.53E	Farm Portion
12	LYNPLAATS	8	5	26°29'4.47S	25°15'35.98E	Farm Portion
13	MARIBOGO	10	9	26°27'56.27S	25°13'46.76E	Farm Portion
14	HENDRIKSDAL	7	2	26°30'7.38S	25°16'41.29E	Farm Portion
15	MOOIPAATS	9	2	26°28'53.51S	25°14'10.58E	Farm Portion
16	KUNANA	4	5	26°27'13.48S	25°15'22.42E	Farm Portion
17	KUNANA	4	2	26°27'45.51S	25°18'45.05E	Farm Portion
18	HENDRIKSDAL	7	5	26°29'35.47S	25°16'54.52E	Farm Portion
19	MOOIPAATS	9	0	26°28'24.23S	25°14'32.2E	Farm Portion
20	VLAAPLAATS	162	5	26°30'51.26S	25°15'35.31E	Farm Portion
21	KUNANA	4	50	26°27'30.97S	25°16'20.86E	Farm Portion
22	LYNPLAATS	8	6	26°29'41.73S	25°14'59.39E	Farm Portion
23	MARIBOGO	10	14	26°28'13.58S	25°13'47.19E	Farm Portion
24	LYNPLAATS	8	4	26°29'53.96S	25°16'0.67E	Farm Portion
25	MOOIPAATS	9	1	26°27'29.05S	25°14'14.29E	Farm Portion
26	VLAAPLAATS	162	4	26°30'14.47S	25°15'3.64E	Farm Portion
27	LYNPLAATS	8	1	26°28'44.97S	25°15'15.03E	Farm Portion
28	LYNPLAATS	8	0	26°29'0.45S	25°16'12.76E	Farm Portion

Development footprint¹ vertices:
 No development footprint(s) specified.

Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area

No	EIA Reference No	Classification	Status of application	Distance from proposed area (km)
1	14/12/16/3/3/1/500	Solar PV	Approved	1.7
2	12/12/20/2222	Solar PV	Approved	26.9
3	12/12/20/2659	Solar PV	Approved	29.3
4	14/12/16/3/3/1/507	Solar PV	Approved	29.1

Environmental Management Frameworks relevant to the application

No intersections with EMF areas found.

Environmental screening results and assessment outcomes

The following sections contain a summary of any development incentives, restrictions, exclusions or prohibitions that apply to the proposed development site as well as the most environmental sensitive features on the site based on the site sensitivity screening results for the application classification that was selected. The application classification selected for this report is:

Mining | Prospecting rights.

Relevant development incentives, restrictions, exclusions or prohibitions


The following development incentives, restrictions, exclusions or prohibitions and their implications that apply to this site are indicated below.

Incentive, restriction or prohibition	Implication
Strategic Transmission Corridor-Northern corridor	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/Combined_EGI.pdf

¹ “development footprint”, means the area within the site on which the development will take place and includes all ancillary developments for example roads, power lines, boundary walls, paving etc. which require vegetation clearance or which will be disturbed and for which the application has been submitted.

Map indicating proposed development footprint within applicable development incentive, restriction, exclusion or prohibition zones

Project Location: Lynplaats Prospecting project



Proposed Development Area Environmental Sensitivity

The following summary of the development site environmental sensitivities is identified. Only the highest environmental sensitivity is indicated. The footprint environmental sensitivities for the proposed development footprint as identified, are indicative only and must be verified on site by a suitably qualified person before the specialist assessments identified below can be confirmed.

Theme	Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Agriculture Theme		X		
Animal Species Theme				X

Aquatic Biodiversity Theme	X			
Archaeological and Cultural Heritage Theme				X
Civil Aviation Theme		X		
Defence Theme				X
Paleontology Theme			X	
Plant Species Theme				X
Terrestrial Biodiversity Theme	X			

Specialist assessments identified

Based on the selected classification, and the environmental sensitivities of the proposed development footprint, the following list of specialist assessments have been identified for inclusion in the assessment report. It is the responsibility of the EAP to confirm this list and to motivate in the assessment report, the reason for not including any of the identified specialist study including the provision of photographic evidence of the site situation.

N o	Specialist assessment	Assessment Protocol
1	Agricultural Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Agriculture_Assessment_Protocols.pdf
2	Archaeological and Cultural Heritage Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
3	Palaeontology Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
4	Terrestrial Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Terrestrial_Biodiversity_Assessment_Protocols.pdf
5	Aquatic Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Aquatic_Biodiversity_Assessment_Protocols.pdf
6	Noise Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Noise_Impacts_Assessment_Protocol.pdf


	ment	
7	Radioactivity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
8	Plant Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Plant_Species_Assessment_Protocols.pdf
9	Animal Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Animal_Species_Assessment_Protocols.pdf

OFFICIAL

Results of the environmental sensitivity of the proposed area.

The following section represents the results of the screening for environmental sensitivity of the proposed site for relevant environmental themes associated with the project classification. It is the duty of the EAP to ensure that the environmental themes provided by the screening tool are comprehensive and complete for the project. Refer to the disclaimer.

MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity Features:

Sensitivity	Feature(s)
High	Land capability;09. Moderate-High/10. Moderate-High
High	Annual Crop Cultivation / Planted Pastures Rotation;Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate
High	Old Fields;Land capability;09. Moderate-High/10. Moderate-High
High	Old Fields;Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate
High	Annual Crop Cultivation / Planted Pastures Rotation;Land capability;09. Moderate-High/10. Moderate-High
Low	Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low
Medium	Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate

MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY




Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at eiadatarequests@sanbi.org.za listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			X

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low sensitivity

MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Very High	Aquatic CBAs
Very High	Strategic water source area
Very High	Wetlands and Estuaries
Very High	Freshwater ecosystem priority area quinary catchments

MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			X

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low sensitivity

MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity Features:

Sensitivity	Feature(s)
High	Dangerous and restricted airspace as demarcated

MAP OF RELATIVE DEFENCE THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			X

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low Sensitivity

MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		X	

Sensitivity Features:

Sensitivity	Feature(s)
Low	Features with a Low paleontological sensitivity
Medium	Features with a Medium paleontological sensitivity

MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY




Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at eiadatarequests@sanbi.org.za listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			X

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low Sensitivity

MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Very High	Critical biodiversity area 1
Very High	Ecological support area 1
Very High	FEPA Subcatchments
Very High	Critically endangered ecosystem
Very High	Vulnerable ecosystem