

APPENDIX E₅

Response to comments received

Hanlie Stander

From: Hanlie Stander <hanlie@mdagroup.co.za>
Sent: 18 March 2019 01:11 PM
To: 'robinsmith@webmail.co.za'
Subject: 40714: The Proposed Construction of a Pipeline - Senekal Bulk Water Supply
Attachments: 40714 Sekenal Pipeline.kmz; 40714 Senekal Pipeline Sections.pdf; 40714 Senekal Pipeline Saaihoek and Small Holding 3.pdf

Tracking:	Recipient	Read
	'robinsmith@webmail.co.za'	Read: 2019/03/18 02:39 PM
	'robysmith@webmail.co.za'	

Ms Smith,

With reference to our telephonic conversation earlier today, the following:

1. Background information on the proposed project

- 1.1. The proposed project entails the construction of new raw water pipelines (DN 500mm PVC-U) to convey water to the new water treatment works.
- 1.2. Please see the attached maps for more detail on the proposed layout.
- 1.3. Note that the proposed pipeline will preferably be constructed on the eastern side of the road (thus, not on the small holdings).

2. Registration of a servitude

- 2.1. Please note that the applicant will contact you directly regarding the registration of a servitude, should your property be directly affected by the proposed project.

3. Registering as a Interested and / or affected party (IAP)

- 3.1. Should you wish to register as an IAP, please provide the following:
 - 3.1.1.1. Name and Surname
 - 3.1.1.2. Address
 - 3.1.1.3. Telephone number
 - 3.1.1.4. Cell phone number
 - 3.1.1.5. E-mail address
 - 3.1.1.6. Comments / concerns regarding the proposed project
- 3.2. MDA will furnish all registered IAPs with a copy of the Draft & Final Basic Assessment Reports (BAR) that will be submitted to the Department of Economic, Small Business Development, Tourism and Environmental Affairs (DESTEA) for decision making purposes. All comments received as well as the response to the comments received, will be included in the above mentioned documents.

We trust that you will find the above in order.

Please do not hesitate to contact us should you require additional information on the said project.

Kind regards,

Hanlie Stander

Environmental Assessment Practitioner for MDA



9 Barnes Street | Westdene | Bloemfontein | 9301
P.O. Box 100982 | Brandhof | 9324
Tel: 051 447 1583 | Fax: 051 448 9839

Hanlie Stander

From: altusvisagie <altusvisagie@ymail.com>
Sent: 19 March 2019 01:14 PM
To: Hanlie Stander
Subject: Re: 40714: The Proposed Construction of a Pipeline - Senekal Bulk Water Supply

Baie dankie v d moeite ek waardeer dit
Altus

Sent from my Samsung Galaxy smartphone.

----- Original message -----

From: Hanlie Stander <hanlie@mdagroup.co.za>
Date: 2019/03/19 10:23 (GMT+02:00)
To: altusvisagie@ymail.com
Subject: 40714: The Proposed Construction of a Pipeline - Senekal Bulk Water Supply

Mr Visagie,

With reference to our telephonic conversation earlier today, the following:

1. Background information on the proposed project

- 1.1. The proposed project entails the construction of new raw water pipelines (DN 500mm PVC-u) to convey water to the new water treatment works.
- 1.2. Please see the attached maps for more detail on the proposed layout.
- 1.3. Note that the proposed pipeline will preferably be constructed on the eastern side of the road (thus, not on the small holdings).

2. Registration of a servitude

- 2.1. Please note that the applicant will contact you directly regarding the registration of a servitude, should your property be directly affected by the proposed project.

3. Registering as a Interested and / or affected party (IAP)

- 3.1. Should you wish to register as an IAP, please provide the following:
 - 3.1.1.1. Name and Surname
 - 3.1.1.2. Address
 - 3.1.1.3. Telephone number
 - 3.1.1.4. Cell phone number
 - 3.1.1.5. E-mail address
 - 3.1.1.6. Comments / concerns regarding the proposed project

- 3.2. MDA will furnish all registered IAPs with a copy of the Draft & Final Basic Assessment Reports (BAR) that will be submitted to the Department of Economic, Small Business Development, Tourism and Environmental Affairs (DESTEA) for decision making purposes. All comments received as well as the response to the comments received, will be included in the above mentioned documents.

We trust that you will find the above in order.

Please do not hesitate to contact us should you require additional information on the said project.

Kind regards,

Hanlie Stander

Response to comments received by SAHRA:

Please refer to Page 30 of the EMPr (Appendix G).

Copies of the dBAR & fBAR were forwarded to all registered IAPs.