



**SOUTH AFRICAN HERITAGE  
RESOURCES AGENCY**

111 HARRINGTON STREET, CAPE TOWN, 8000  
PO BOX 4637, CAPE TOWN, 8000  
TEL: (021) 462 4502 FAX: (021) 462 4509

DATE: 21 April 2008  
ENQUIRIES: Mrs Mary Leslie  
E-mail: mleslie@sahra.org.za  
Web site: www.sahra.org.za  
OUR REF: 9/2/263/0003

Mr J van der Walt  
Matakoma Heritage Consultants  
University of the Witwatersrand  
School of Geography, Archaeology and Environmental Studies  
Private Bag 3  
WITS  
2050

FAX: 011 7176578

Dear Mr van der Walt

**PERMIT:** No.80/08/03/005/51

Thank you for settling your application fee with SAHRA. I attach as requested a Phase 2 mitigation permit that allows for the mitigation of sites MHC001, MHC002 and MHC004 as recommended in the Heritage Impact Assessment recommendations (June 2007). Please note this does not include MHC021, as the SAHRA APM Unit approves recommendations in the HIA that the site should be fenced off (please see permit conditions).

Please consult the permit conditions before commencing work. Should you have any queries please contact the APM Unit.

The SAHRA APM Unit wishes you every success with the project.

Yours sincerely

Mrs Mary Leslie  
SAHRA: Manager of the Archaeology, Palaeontology and Meteorite Unit  
For CHIEF EXECUTIVE OFFICER