



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
www.sahra.org.za

Enquiries: Ragna Redelstorff, PhD

Tel: +27 (0)21 202 8651

Email: rredelstorff@sahra.org.za

CaseID: 11301

Date: Tuesday October 20, 2020

Page No: 1

## Final Comment

### In terms of Section 38(4) of the National Heritage Resources Act (Act 25 of 1999)

Attention: NGT Consulting (Pty) Ltd

No. 2 Windsor Place  
Princesses Avenue  
Randburg  
2194

### Heritage Impact Assessment (HIA) for the proposed Sorata-Witsieshoek 132 Power Transmission Line, in Phutadithjaba, Free State Province

An amendment was submitted for the construction of a new 30km long 132kV distribution powerline from the existing Sorata Switching Station to Witsies Substation, located within Phuthaditjhaba in the Free State Province. The proposed amendment entails a deviation of the route of the powerline. An amendment notification from DEA was submitted stating that a) a Heritage Management Plan (HMP) must be developed; and b) a 30m buffer zone must be maintained around the identified graveyard.

A CMP and amended HIA including tracklogs were submitted.

*MAGOMA, M. & NHUNDU, A. 2020. A CONSERVATION MANAGEMENT PLAN FOR CULTURAL HERITAGE SITES IDENTIFIED ON AREA PROPOSED FOR CONSTRUCTION OF APPROXIMATELY 30KM 132KV POWERLINE FROM ESKOM SORATA SUBSTATION TO WITSIESHOEK SUBSTATION LOCATED WITHIN THE JURISDICTION OF MALUTI A PHOFUNG LOCAL MUNICIPALITY IN THE THABO MOFUTSANYANA DISTRICT, FREE STATE PROVINCE.*

The CMP states that the identified heritage resources are of low to medium significance and recommends the following conservation actions:

#### **Historical water pump:**

- *Some stability must be done to the historical water pump as part of preservation; this can entail putting some stones at the bottom of it so that it becomes more stable; care must be taken not to interfere with its fabric. No modifications must be done in the process.*



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
www.sahra.org.za

Enquiries: Ragna Redelstorff, PhD

Tel: +27 (0)21 202 8651

Email: rredelstorff@sahra.org.za

CaseID: 11301

Date: Tuesday October 20, 2020

Page No: 2

- *A buffer zone must be erected so that no machine or the impacts of ground shaking could get to the pump.*

#### **Historical stone panels:**

- *Symbolise the time when these stones were used to settle boundary disputes;*
- *A buffer zone of about 20m must be maintained to ensure that the panels are not susceptible to shaking that could take place during the process of construction; and*
- *No piece of the stone must ever be taken from the site.*

#### **Collapsed stone walling**

- *These comprise of cattle kraal, sheep and goat kraal;*
- *A 20m buffer zone must be maintained;*
- *No stone should ever be taken from the sites, Eskom personnel need to be educated on that;*
- *Any change or modifications of the line, condition of the site should immediately be reported to SAHRA for guidance; and*
- *Access to the sites should be allowed to the descendants as some will feel spiritually connected to the place; however, they should adhere to Eskom's conditions regarding health and safety.*

#### **Final comment**

As requested in an interim comment dated 29/07/2020, an amended CMP was submitted to the case. SAHRA reviewed the amended CMP and is satisfied with the amendment. The conditions in the final comment from 22/02/2019 still stand and must be adhered to.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Our Ref: 11301



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Ragna Redelstorff, PhD

Tel: +27 (0)21 202 8651

Email: [rredelstorff@sahra.org.za](mailto:rredelstorff@sahra.org.za)

CaseID: 11301

Date: Tuesday October 20, 2020

Page No: 3

---

Ragna Redelstorff, PhD

Heritage Officer

South African Heritage Resources Agency

---

**ADMIN:**

Direct URL to case: <http://www.sahra.org.za/node/405420>

(DEA, Ref: 14/12/16/3/3/1/795)

**Terms & Conditions:**

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.