



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 9381

Date: Thursday May 19, 2016

Page No: 1

Final Comment

In terms of Section 38(8) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Tekplan Environmental
PO Box 55714
Polokwane
0070

ATC SA Base Station: Warmbad Ext 20, Limpopo Province

ATC South Africa are proposing the development of a 36m lattice mast with associated antennae Base station. The entire footprint covers an area of 144m², this is inclusive of the border fencing (12m x 12m). The site is located on Erf 1450 Warmbad Ext 20, approximately 1km south of Bela-Bela in the Bela-Bela Local Municipality (Limpopo Province). Tekplan Environmental have contracted HCAC (Heritage and Archaeological Consulting) to write a letter of exemption with regard to the heritage component of the Environmental Impact Assessment (EIA) of the proposed development.

Van der Walt, J. 2016. ATC SA Base Station: Warmbad Ext 20, Limpopo Province Letter of Exemption.

There are no known heritage resources in the immediate vicinity of the development. It is recommended that the development be allowed to proceed without the need for a Heritage Impact Assessment.

- *If during the construction any possible finds such as stone tool scatters, artefacts or bone and fossil remains are made, the operations must be stopped and a qualified archaeologist must be contacted for an assessment of the find.*

Final Comment

SAHRA Archaeology, Palaeontology and Meteorites (APM) Unit is satisfied with the submitted letter of exemption and is satisfied that the development will not impact on any heritage resources and should therefore be allowed to proceed. The following stipulations should, however, be included into the final Environmental Management Programme (EMP)

- Should any heritage resources be identified (stone artefacts, Iron-Age artefacts, stone walling, foundations, burials and graves, or palaeontological specimens) then all construction should cease in the vicinity of the finds and SAHRA should be immediately notified of the finds (Nokukhanya Khumalo, Phillip Hine +27 462 4502) If unmarked human burials are uncovered, the SAHRA Burial Grounds and Graves (BGG) Unit (Mimi Seetelo 012 320 8490), must be alerted immediately. A qualified

Our Ref: 9381



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo
Tel: 021 462 4502
Email: nkhumalo@sahra.org.za
CaseID: 9381

Date: Thursday May 19, 2016
Page No: 2

archaeologist or palaeontologist will then be required to assess the find (depending on the nature of the find) and further mitigation may then be required after acquiring the relevant permit from SAHRA.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Nokukhanya Khumalo
Heritage Officer
South African Heritage Resources Agency

Phillip Hine
SAHRA Head Archaeologist (Acting)
South African Heritage Resources Agency

ADMIN:

Direct URL to case: <http://www.sahra.org.za/node/361307>

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.