



## Interim Comment

### In terms of Section 38(8) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Ledjadja Coal (Pty) Ltd  
P.O. Box 5384  
Rietvalleirand  
0174

### **Construction of a 132kV power line stretching from Eskom Holdings Ltd Theunispan substation located on the farm Vangpan 294 LQ to Ledjadja Coal (Pty) Ltd Boikarabelo Coal Mine (Kalkpan 243 LQ/Kruishout 271 LQ).**

A 132Kv power line is proposed for the Boikarabelo Coal Mine. According to the information provided to SAHRA APM Unit the power line route will follow the alignment of the Boikarabelo rail way line and link and the Marapong-Boikarabelo effluent transfer pipeline. Since SAHRA APM Unit commented on the Boikarabelo railway project and Boikarabelo - Marapong effluent transfer pipeline, it is satisfied that the area has been extensively surveyed and a new heritage assessment will not be necessary in this instance. However, this is on condition that SAHRA recommendations contained within the review comments for the Boikarabelo railway project (dated 22 February 2012) and Marapong Boikarabelo Effluent Transfer (dated 11 October 2012) must be adhered to.

If any archaeological/palaeontological or any other categories of heritage resources are uncovered during construction, SAHRA APM Unit (Mrs Colette Scheermeyer/Mr Phillip Hine tel: 021 462 4502) and a professional archaeologist/palaeontologist dependent on the finding must be alerted immediately. If the newly discovered heritage resource is deemed to be significant a Phase 2 Mitigation Assessment may be necessary.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

---

Phillip Hine  
Heritage Officer





---

Colette Scheermeyer  
SAHRA Head Archaeologist  
South African Heritage Resources Agency

---

**ADMIN:**  
(LDEDET, Ref: LIM/EIA/0000517/2012)

**Terms & Conditions:**

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.

