

Our Ref: 15467



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
www.sahra.org.za

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 15467

Date: Wednesday September 16, 2020

Page No: 1

## Final Decision

### In terms of Section 38(2) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Ms Phuluso

Eskom - LOU

92 Hans van Rensburg

Polokwane

0700

**Eskom Holdings SOC Ltd, Limpopo Operating Unit (LOU) intends to construct the powerline for the above-mentioned project. The powerline will be connected from the existing powerline in the area from pole number NDZ48/36, (refer to the Span plan sheets and the Pegging Coordinates for more information) traversing on farm Rem of farm SCHUYNSHOOGTE 29 LT Vhembe District in the Limpopo Province.**

Eskom SOC Ltd, Limpopo Operating Unit (LOU) is requesting, on behalf of their applicant, that SAHRA grant them an exemption from conducting heritage studies for this proposed power line development. According to the documents submitted to the case, the proposed new power line will be starting at Dzwerani 11 kV feeder, on Portion 11 of the farm Schuynshoogte 91 LT, in the Collins Chiloane Local Municipality of Limpopo Province. The power line will be supplying electricity to a smallholder farm in the Tshino Village.

The photos provided to the case do not show any surface heritage features therefore, the potential impact on heritage resources is considered low. The construction of a 11 kV power line that is less than a kilometre in length will not change the character of the landscape. The likelihood of heritage artefacts being uncovered from the foundation excavations is low. However, the area is relatively undisturbed, and any construction close to the dry stream bed must be monitored by the construction manager. The area is also located in a grey palaeo-sensitivity area and the power line will have negligible impact on the palaeo-heritage.

### Final Decision

SAHRA Archaeology, Palaeontology and Meteorites (APM) Unit accepts Eskom Holdings (SOC) Ltd LOU's request for an exemption from further heritage assessments, for this proposed power line route. Therefore, in terms of section 38(2)b of the National Heritage Resources Act, no 25 of 1999 (NHRA), the proposed development is granted an exemption from undertaking a Heritage Impact Assessment.

Our Ref: 15467



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Nokukhanya Khumalo  
Tel: 021 462 4502  
Email: [nkhumalo@sahra.org.za](mailto:nkhumalo@sahra.org.za)  
CaseID: 15467

Date: Wednesday September 16, 2020  
Page No: 2

SAHRA has no objections to this proposed development going ahead and this Final Decision applies to the provisions of the NHRA only.

The following conditions still apply and need to be added to Appendix C 1.22:

If there are any new heritage resources discovered during construction and operation phases of the proposed development, then a professional archaeologist or palaeontologist, depending on the nature of the finds, must be contracted as soon as possible to inspect the findings at the expense of the developer.

If the newly discovered heritage resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required at the expense of the developer. Mitigation will only be carried out after the archaeologist or palaeontologist obtains a permit in terms of section 35 of the NHRA (Act 25 of 1999). You may contact SAHRA APM Unit for further details: (Nokukhanya Khumalo/Phillip Hine 021 202 8654).

If any unmarked human burials are uncovered and the archaeologist called in to inspect the finds and/or the police find them to be heritage graves, then mitigation may be necessary and the SAHRA Burial Grounds and Graves (BGG) Unit must be contacted for processes to follow (Mimi Seetelo 012 320 8490).

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

---

Nokukhanya Khumalo  
Heritage Officer  
South African Heritage Resources Agency

Our Ref: 15467



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: [nkhumalo@sahra.org.za](mailto:nkhumalo@sahra.org.za)

CaseID: 15467

Date: Wednesday September 16, 2020

Page No: 3

---

Phillip Hine

Manager: Archaeology, Palaeontology and Meteorites Unit  
South African Heritage Resources Agency

---

**ADMIN:**

Direct URL to case: <http://www.sahra.org.za/node/539733>

**Terms & Conditions:**

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.