



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo
Tel: 021 462 4502
Email: nkhumalo@sahra.org.za
CaseID: 16737

Date: Thursday July 29, 2021
Page No: 1

Interim Comment

In terms of Section 38(2) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Mrs Galaletsang Mongalo
Eskom MOU
28 Ferreira street
Nelspruit
1200

Eskom Holdings, Mpumalanga Operating Unit is proposing to build a 1.174 km 11kV powerline from the SKU Khuleka feeder. The project will be within the Nyamazaan 647 JU property, Mbombela Local Municipality, Mpumalanga province. The project will involve the digging of 2X2m and 2,4m deep holes to plant 14m wooden poles and install transformer to interconnect with another feeder.

Eskom SOC Ltd is proposing to construct a new power line from the Simunye substation to interconnect to another feeder in the Daantjie Village.

The photos provided to the case do not show any surface heritage features therefore, the potential impact on heritage resources is considered low. The construction of a 22 kV power line that will be 1.174 kilometre in length constructed within road reserves in an existing village will not change the character of the landscape. The likelihood of heritage artefacts being uncovered from the foundation excavations is low.

The power line route is located in an area of negligible palaeo-sensitivity and according to the SAHRIS palaeomap, no impact assessments are required.

Final Decision

SAHRA Archaeology, Palaeontology and Meteorites (APM) Unit grants this application an exemption from further heritage assessments in terms of section 38(2)b of the National Heritage Resources Act, no 25 of 1999 (NHRA).

SAHRA has no objections to this proposed development going ahead and this Final Decision applies to the provisions of the NHRA only.

The following conditions still apply and need to be added to Appendix C 1.22:

Our Ref: 16737



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 16737

Date: Thursday July 29, 2021

Page No: 2

If there are any new heritage resources discovered during construction and operation phases of the proposed development, then a professional archaeologist or palaeontologist, depending on the nature of the finds, must be contracted as soon as possible to inspect the findings at the expense of the developer.

If the newly discovered heritage resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required at the expense of the developer. Mitigation will only be carried out after the archaeologist or palaeontologist obtains a permit in terms of section 35 of the NHRA (Act 25 of 1999). You may contact SAHRA APM Unit for further details: (Nokukhanya Khumalo/Phillip Hine 021 202 8654).

If any unmarked human burials are uncovered and the archaeologist called in to inspect the finds and/or the police find them to be heritage graves, then mitigation may be necessary and the SAHRA Burial Grounds and Graves (BGG) Unit must be contacted for processes to follow (Mimi Seetelo 072 802 1251).

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Nokukhanya Khumalo
Heritage Officer
South African Heritage Resources Agency

Phillip Hine
Manager: Archaeology, Palaeontology and Meteorites Unit
South African Heritage Resources Agency

Our Ref: 16737



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo
Tel: 021 462 4502
Email: nkhumalo@sahra.org.za
CaseID: 16737

Date: Thursday July 29, 2021
Page No: 3

ADMIN:

Direct URL to case: <https://sahris.sahra.org.za/node/577193>

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.