



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 17545

Date: Wednesday March 16, 2022

Page No: 1

Final Comment

In terms of Section 38(8) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Eskom Majuba Power Station

Eskom Majuba Power Station is proposing the development of a new general waste disposal site adjacent to their existing, closed landfill site within the Majuba Power Station property boundary, located approximately 13km southwest of Amersfoort and 40km north-northwest of Volksrust, within jurisdiction of the Dr Pixley Ka Isaka Seme Local Municipality, which forms part of the Gert Sibande District Municipality in the Mpumalanga Province. Access to the site is possible via the N11, onto existing secondary loads that lead to the site.

Eskom Holdings (SOC) Ltd's Majuba Power Station have appointed BTW Consulting cc to undertake a Scoping and Environmental Impact Assessment application process in support for an Environmental Authorisation (EA) in terms of the National Environmental Management Act, Act no 107 of 1998 (NEMA) as amended.

Eskom Majuba Power Station is proposing to establish a new disposal facility and its associated infrastructure that is total 6 ha. The new disposal facility and its alternative is located on Portion 6 for alternative A and Portion 1 and 2 for the alternative A of the farm Witkoppies 81 HS in the Seme Local Municipality of the Mpumalanga Province.

A Heritage Impact Assessment (HIA) report and a Palaeontological Desktop Study has been submitted to SAHRA for commenting in terms of section 38 of the National Heritage Resources Act, no. 25 of 1999 (NHRA).

Van Schalkwyk, J. September 2021. Phase 1 Cultural Heritage Impact Assessment: GENERAL WASTE DISPOSAL SITE AT THE ESKOM MAJUBA POWER STATION, GERT SIBANDE DISTRICT MUNICIPALITY, MPUMALANGA PROVINCE.

The author undertook a field assessment of the proposed waste disposal site and did not identify any heritage resources as such there will be a low potential impact on heritage. The author recommends chance finds procedures in the event that any heritage resources, artefacts like pottery, ostrich egg shells, faunal remains or



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 17545

Date: Wednesday March 16, 2022

Page No: 2

human remains are uncovered during construction of the associated facilities.

Fourie, H. January 2019. Construction and Operation of the New General Waste Disposal Site at Eskom Majuba Power Station.

Dr Pixley Ka Seme Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Farm: Portion 1, 2 and 6 Witkoppies 81-HS. Palaeontological Impact Assessment: Phase 1 Field Study.

The study area is underlain by Permian aged sandstone and shale of the Volkrust Formation with the moderate potential of fossilised fish scales and wood occurring within the formation. Its also underlain by shales and sandstones of the Vryheid Formation with a Very High potential of fossilised Glossopteris Flora occurring. The author undertook a field assessment and identified some surface outcrops of shale and sandstone, they assess that Alternative A has the least surface rock exposure and potentially less impacts to fossiliferous rocks. The author also notes there will be no excavations below 1.3m. The author recommends the chance finds procedures included as Appendix 2.

Final Comment

The South African Heritage Resources Agency (SAHRA) Archaeology, Palaeontology and Meteorites (APM) Unit accepts the HIA and the PIA reports submitted to the case for commenting, and has no objection to the development going ahead on the following conditions.

The Chance Finds Fossil Procedures found in the PIA report under appendix 4 must be included in the EMPr.

In the event that fossils are uncovered during construction then construction must cease within the immediate vicinity, a buffer of 30 m must be established, and a palaeontologist called in to inspect the finds. The palaeontologist must obtain a section 35(4) permit in terms of NHRA and Chapter IV NHRA Regulations, before any fossils are collected.

If there are any new heritages resources are discovered during construction and operation phases of the proposed development, then a professional archaeologist or palaeontologist, depending on the nature of the finds, must be contracted as soon as possible to inspect the findings at the expense of the developer.

If the newly discovered heritage resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required at the expense of the developer. Mitigation will only be carried out after the archaeologist or palaeontologist obtains a permit in terms of section 35 of the NHRA (Act 25 of 1999).

Our Ref: 17545



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 17545

Date: Wednesday March 16, 2022

Page No: 3

You may contact SAHRA APM Unit for further details: (Nokukhanya Khumalo/Phillip Hine 021 202 8654).

If any unmarked human burials are uncovered and the archaeologist called in to inspect the finds and/or the police find them to be heritage graves, then mitigation may be necessary and the SAHRA Burial Grounds and Graves (BGG) Unit must be contacted for processes to follow (Thingahangwi Tshivhase/Ngqalabutho Madida 012 320 8490).

The Final EIAR and its appendices must be submitted to the case and once a Record of Decision from the competent authority is issued, it must also be submitted to the case.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Nokukhanya Khumalo
Heritage Officer
South African Heritage Resources Agency

Phillip Hine
Manager: Archaeology, Palaeontology and Meteorites Unit
South African Heritage Resources Agency

ADMIN:

Direct URL to case: <https://sahris.sahra.org.za/node/588992>

Our Ref: 17545



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Nokukhanya Khumalo
Tel: 021 462 4502
Email: nkhumalo@sahra.org.za
CaseID: 17545

Date: Wednesday March 16, 2022
Page No: 4

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.