

Our Ref:



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Natasha Higgitt  
Tel: 021 202 8660  
Email: [nhiggitt@sahra.org.za](mailto:nhiggitt@sahra.org.za)  
CaseID: 21330

Date: Friday June 09, 2023  
Page No: 1

## Interim Comment

### In terms of Section 38(3), 38(8) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Xhariep Plant and Mining (Pty) Ltd

### Prospecting Right application over Farm Stofbakkies Public Outspan 30, Prieska District, Northern Cape Province

Thank you for notifying SAHRA of the Environmental Authorisation (EA) Application for proposed prospecting activities on Farm Stofbakkies Public Outspan 30, Prieska District, Northern Cape Province (NC 30/5/1/1/2/13476 PR).

As the proposed development is undergoing an EA Application process in terms of the National Environmental Management Act, 107 of 1998 (NEMA), NEMA Environmental Impact Assessment (EIA) Regulations as amended, it is incumbent on the developer to ensure that an application specific **Heritage Impact Assessment** (HIA) is done as per section 38(3) and 38(8) of the National Heritage Resources Act, Act 25 of 1999 (NHRA) as required by section 24(4)b(iii) of NEMA. This must include an archaeological component, palaeontological component and any other applicable heritage components. The HIA must be conducted **as part of the** EA Application in terms of NEMA and the NEMA EIA Regulations.

SAHRA requests that an assessment of the impacts to heritage resources that complies with section 38(3) of the NHRA as required by section 38(8) of the NHRA and section 24(4)b(iii) of NEMA be conducted as part of the EA process.

The assessment must include an assessment of the impact to archaeological and palaeontological resources. The field-based assessment of archaeological resources must be conducted by a qualified archaeologist and the report comply with the SAHRA 2007 Minimum Standards: Archaeological and Palaeontological Components of Impact Assessment Reports (see [www.asapa.co.za](http://www.asapa.co.za) or [www.aphp.org.za](http://www.aphp.org.za) for a list of qualified archaeologists).

The proposed development is located within an area of moderate, high and very high Palaeontological Sensitivity as per the SAHRIS PalaeoSensitivity map. As such, a field-based Palaeontological Impact Assessment (PIA) must be undertaken by a qualified palaeontologist. (See <https://www.palaeosa.org/heritage-practitioners.html> for a list of qualified palaeontologists). The report must

Our Ref:



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Natasha Higgitt  
Tel: 021 202 8660  
Email: [nhiggitt@sahra.org.za](mailto:nhiggitt@sahra.org.za)  
CaseID: 21330

Date: Friday June 09, 2023  
Page No: 2

comply with the 2012 Minimum Standards: Palaeontological Components of Heritage Impact Assessments.

Any other heritage resources as defined in section 3 of the NHRA that may be impacted, such as built structures over 60 years old, sites of cultural significance associated with oral histories, burial grounds and graves, graves of victims of conflict, and cultural landscapes or viewsapes must also be assessed.

Further comments will be issued upon receipt of the draft BAR documents inclusive of appendices.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

---

Natasha Higgitt  
Manager: Development Applications Unit  
South African Heritage Resources Agency

---

**ADMIN:**

Direct URL to case: <https://sahris.sahra.org.za/node/617422>  
(DMR - NC, Ref: NC 30/5/1/1/2/13476 PR)