#### H137204889B NICHOLAS ZITHA

Our Ref: 8327

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 8327



an agency of the Department of Arts and Culture

## **Final Decision**

Page No: 1

In terms of Section 38(2) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Ms Maria Rampjapedi

Eskom - LOU P.O.Box 3499 Polokane 0700

Eskom Holdings SOC Ltd, Limpopo Operating Unit (LOU) intends to construct the powerline for the above-mentioned project. The powerline will include 462.7475 m MV line which will be connected to the pole number AK43 existing powerline in the area (refer to the Span plan sheets and the Pegging Coordinates for more information) both traversing Hluvukani, Hoedspruit Maruleng Local Municipality of the Limpopo Province.

Thank you for informing SAHRA of the proposed power line construction in the Arconhoek area. The power line will be located on Portion 9 of the farm Fleur de Lys 194 KU, the power line is intended to start at the Arconhoek/Klaserie 22kV rural feeder.

It should be noted that this proposed development constitutes a linear development exceeding 300m as per Section 38(1) of the National Heritage Resources Act (Act 25 of 1999). In terms of Section 38(2) of the National Heritage Resources Act (Act 25 of 1999), the relevant heritage authority is required to determine whether or not the proposed development is likely to impact on any significant heritage resources.

Based on the submitted information to this case, the power line route is proposed to be constructed across a donga and within a relatively undisturbed area. However the area is disturbed by agriculture and the possibility of finding significant heritage resources in the power line servitude is low.

#### **Final Decision**

Due to the low ground clearing and disturbance of a 22kV power line construction and/or development, it is unlikely that any significant heritage will be disturbed during construction in the area of proposed power line route, as such no further heritage studies are required as per Section 38(2)b.

SAHRA Archaeology, Palaeontology & Meteorites (APM) Unit has no objection to the proposed development on the condition that:

- If any evidence of archaeological sites or remains (e.g., remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments and charcoal/ash concentrations), fossils or other categories of heritage resources are found during the proposed activities, a professional archaeologist or



#### H137204889B NICHOLAS ZITHA

Our Ref: 8327

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 8327



Page No: 2



an agency of the Department of Arts and Culture

palaeontologist, depending on the nature of the finds, must be contacted as soon as possible to inspect the findings.

- If the newly discovered heritage resources prove to be of archaeological or palaeontological significance a Phase 2 rescue operation might be necessary, and a permit will be needed before mitigation. You may contact SAHRA APM Unit for further details: (Nokukhanya Khumalo/Phillip Hine 021 202 8652),
- and if any unmarked human burials are uncovered then please contact the SAHRA BGG Unit (Mimi Seetelo 012 320 8490).

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Nokukhanya Khumalo

Heritage Officer

South African Heritage Resources Agency

# ADMIN:

Direct URL to case: http://www.sahra.org.za/node/324088

### Terms & Conditions:

- 1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for
- 2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
- 3. SAHRA reserves the right to request additional information as required.

