

Our Ref:



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
www.sahra.org.za

Enquiries: Sityhilelo Ngcatsha  
Tel: 0212028663  
Email: sngcatsha@sahra.org.za  
CaseID: 19249

Date: Tuesday May 23, 2023  
Page No: 1

## Interim Comment

**In terms of Section 38(8), 38(3) of the National Heritage Resources Act (Act 25 of 1999)**

Attention: SRK Consulting (Pty) Ltd - Johannesburg

265 Oxford Road  
Illovo  
2196

## Sparrow PV Facility North West Province

SRK Consulting (South Africa) (Pty) Ltd has been appointed to undertake the Environmental Authorisation (EA) Application for the development Sparrow PV Facility and Associated Infrastructure on the farms Doornplaat 3/410 and Flint 1/411 in the Dr Kenneth Kaunda District Municipality, North West Province (DFFE Reference Number: 14/12/16/3/3/1/2742).

The Draft Basic Assessment Report (DBAR) has been submitted in terms of the National Environmental Management Act (NEMA, Act 107 of 1998) and the NEMA EIA Regulations. The study area has an extent of 330 ha and it is located within the Klerksdorp Renewable Energy Development Zone (REDZ). The development includes BESS, 11 - 33kV transmission lines, IPP-side of the Sunbird on-site substation and associated internal infrastructure and facilities inter alia access roads, fencing, lighting, water supply infrastructure, laydown areas and offices.

Beyond Heritage has been appointed to provide heritage specialist input as required by section 24(4)b(iii) of NEMA and section 38(8) of the National Heritage Resources Act, Act 25 of 1999 (NHRA).

*van der Walt, J. 2023. Heritage Impact Assessment: Stilfontein Solar Energy Facilities Cluster And Associated Infrastructure, Northwest Province.*

14 heritage resources have been identified on the Stilfontein Solar Energy Facilities Cluster which consists of:

Our Ref:



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Sityhilelo Ngcatsha  
Tel: 0212028663  
Email: [sngcatsha@sahra.org.za](mailto:sngcatsha@sahra.org.za)  
CaseID: 19249

Date: Tuesday May 23, 2023  
Page No: 2

- sites of Low density MSA scatters (SF001, SF002 and SF003) which are considered to be of low heritage significance and no mitigation is required.
- Sites of Isolated and low density lithic Artefacts (SF004, SF005, SF006, SF007) which are considered to be of low heritage significance and no mitigation is required.
- A Historical Farmstead (SF008) considered to be of low heritage significance. Monitoring of the development must be done by the ECO during construction to implement the Chance Find Procedure.
- A stone wall (SF009) considered to be of low heritage significance, however the site must be avoided with a 30 m buffer. If not possible the site should be mapped and recorded prior to applying for a destruction permit
- A small stone-built structure (SF010) considered to be of low heritage significance however no Impact is anticipated and no mitigation required.
- A Stone and cement platform (SF103) considered to be of low heritage significance and no mitigation required.
- Sites with Ruins (SF101, SF102) considered to be of low heritage significance, however, monitoring of the development must be done by the ECO during construction to implement the Chance Find Procedure.
- Burial site (SF011) which must be avoided with a 60 m buffer and it must demarcated, maintained and access for family must be ensured. A grave management plan for Project 2 Sunbird must be compiled and implemented.

*van der Walt, J. 2023. Project 7 Sparrow PV: Project Specific Results*

No heritage resources were recorded in the study area.

It is noted that a Palaeontological Impact Assessment has been undertaken by Prof Marion Bamford, however the report has not been submitted to the development application.

**Interim Comment**

Our Ref:



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Sityhilelo Ngcatsha  
Tel: 0212028663  
Email: [sngcatsha@sahra.org.za](mailto:sngcatsha@sahra.org.za)  
CaseID: 19249

Date: Tuesday May 23, 2023  
Page No: 3

The SAHRA Development Application Unit (DAU) notes the heritage studies along with the recommendations provided therein. Please submit the PIA before further comments can be issued.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

---

Sityhilelo Ngcatsha  
Archaeology, Palaeontology, Meteorite Assistant  
South African Heritage Resources Agency

---

Phillip Hine  
Manager: Archaeology, Palaeontology and Meteorites Unit  
South African Heritage Resources Agency

**ADMIN:**

Direct URL to case: <https://sahris.sahra.org.za/node/602788>

**Terms & Conditions:**

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.