

Our Ref:



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Phillip Hine
Tel: 021 462 4502
Email: phine@sahra.org.za
CaseID: 13793

Date: Thursday November 03, 2022
Page No: 1

Letter

In terms of Section 32(19) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Dr David Pearce
Rock Art Research Institute
University of the Witwatersrand
Private Bag 3, 2050

Proposal to export for inorganic chemical analysis listed paint samples and cross sections of painted flakes from four sites in the Eastern Cape Province.

Dear Prof. Pearce,

RE: Export of Paint Samples for Analysis

Thank you for submitting a permit report on inorganic chemical analysis of painted flakes from four sites in the Eastern Cape Province. SAHRA has successfully reviewed and approved the report.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Phillip Hine
Manager: Archaeology, Palaeontology and Meteorites Unit
South African Heritage Resources Agency

Our Ref:



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Phillip Hine
Tel: 021 462 4502
Email: phine@sahra.org.za
CaseID: 13793

Date: Thursday November 03, 2022

Page No: 2

ADMIN:

Direct URL to case: <https://sahris.sahra.org.za/node/523415>

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.