



Interim Comment

In terms of Section 38(8) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Mr Cyril Thomas
Sedex Desalination (Pty) Ltd
PO Box 8399
Foreshore
Cape Town
8012

Proposed Construction of a Desalination Plant and Associated Infrastructure at Volwaterbaai for Zandkopsdrift Mine, Northern Cape Province

Thank you for the submission of the Scoping Report for the proposed Volwaterbaai Desalination Plant.

In terms of the National Heritage Resources Act, no 25 of 1999, heritage resources, including archaeological or palaeontological sites over 100 years old, graves older than 60 years, structures older than 60 years are protected. They may not be disturbed without a permit from the relevant heritage resources authority. This means that before such sites are disturbed by development it is incumbent on the developer (or mine) to ensure that a Heritage Impact Assessment is done. This must include the archaeological component (Phase 1) and any other applicable heritage components. Appropriate (Phase 2) mitigation, which involves recording, sampling and dating sites that are to be destroyed, must be done as required.

In your Scoping Report received by SAHRA, it is indicated that there will be an assessment of the heritage resources in the EIA phase of the project. This report should be inclusive of an Archaeological and Palaeontological Impact Assessment.

The Phase 1 Archaeological Impact Assessment Report that will identify the archaeological sites and assess their significance and make recommendations (as indicated in section 38) about the process to be followed. A Palaeontological study must be undertaken to assess whether or not the development will impact upon palaeontological resources - or at least a letter of exemption from a Palaeontologist is needed to indicate that this is unnecessary. If the area is deemed sensitive, a full Phase 1 Palaeontological Impact Assessment will be required and if necessary a Phase 2 rescue operation might be necessary.

Any other heritage resources that may be impacted such as built structures over 60 years old, sites of cultural significance associated with oral histories, burial grounds and graves, graves of victims of conflict, and cultural landscapes or viewsapes must also be assessed.

SAHRA looks forward to receiving these heritage reports and will provide comment on them before the project can commence.



Volwaterbaai Desalination Plant and Associated Infrastructure

Our Ref: 9/2/066/0001

Enquiries: Kathryn Smuts
Tel: 021 462 4502
Email: ksmuts@sahra.org.za
CaseID: 2130

Date: Friday August 30, 2013

Page No: 2



Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Kathryn Smuts
Heritage Officer: Archaeology
South African Heritage Resources Agency

Colette Scheermeyer
SAHRA Head Archaeologist
South African Heritage Resources Agency

ADMIN:

Direct URL to case: <http://www.sahra.org.za/node/118115>



The South African Heritage Resources Agency

Street Address: 111 Harrington Street, Cape Town 8000 * Postal Address: PO Box 4637, Cape Town 8000
* Tel: +27 21 462 4502 * Fax: +27 21 462 4509 * Web: <http://www.sahra.org.za>