

Our Ref: 15705



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Andrew Salomon
Tel: 021 462 4502
Email: asalomon@sahra.org.za
CaseID: 15705

Date: Wednesday February 03, 2021
Page No: 1

Letter

In terms of Section 38 of the National Heritage Resources Act (Act 25 of 1999)

Attention: University of Pretoria

cnr Lynnwood Road and Roper Street
Hatfield
South Africa

Decommissioning of the University of Pretoria's Onderstepoort Incinerator: The project entails the decommissioning and demolishing of the University of Pretoria's Onderstepoort Incinerator. The incinerator was constructed prior to 1989 (the exact date is unknown) and uses outdated technology. The outdated technology does not ensure compliance with the Maximum Emission Rates as stipulated in the incinerator's Atmospheric Emission Licence (Licence Number: 9/16/1/2/38/R; issued on 12 August 2019). It is financially more feasible for the University of Pretoria to dispose of the infectious waste generated at Onderstepoort, when compared to the costs that would be involved in operating the incinerator in future. Operational costs would include, for example, air quality monitoring costs and costs to replace/upgrade abatement technology on the incinerator to enable compliance to the Maximum Emission Rates. The applicant therefore wishes to rather decommission and demolish its Onderstepoort incinerator. An underground diesel tank linked to the incinerator will also be removed. The diesel tank is owned and managed by TOTAL and has a capacity of 8m³. The removal will be managed by TOTAL and they will be responsible for any rehabilitation of contaminated soil in the vicinity of the tank.

Thank you for your notification regarding this development.

In terms of the National Heritage Resources Act, no 25 of 1999, heritage resources, including archaeological or palaeontological sites over 100 years old, graves older than 60 years, structures older than 60 years are protected. They may not be disturbed without a permit from the relevant heritage resources authority. This means that prior to development it is incumbent on the developer to ensure that a **Heritage Impact Assessment** is done. This must include the archaeological component (Phase 1) and any other applicable heritage components. Appropriate (Phase 2) mitigation, which involves recording, sampling and dating sites that are to be destroyed, must be done as required.

Our Ref: 15705



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Andrew Salomon
Tel: 021 462 4502
Email: asalomon@sahra.org.za

Date: Wednesday February 03, 2021
Page No: 2

CaseID: 15705

The quickest process to follow for the archaeological component is to contract an accredited specialist (see the web site of the Association of Southern African Professional Archaeologists www.asapa.org.za) to provide a Phase 1 Archaeological Impact Assessment Report. This must be done before any large development takes place.

The Phase 1 Impact Assessment Report will identify the archaeological sites and assess their significance. It should also make recommendations (as indicated in section 38) about the process to be followed. For example, there may need to be a mitigation phase (Phase 2) where the specialist will collect or excavate material and date the site. At the end of the process the heritage authority may give permission for destruction of the sites.

Where bedrock is to be affected, or where there are coastal sediments, or marine or river terraces and in potentially fossiliferous superficial deposits, a Palaeontological Desk Top study must be undertaken to assess whether or not the development will impact upon palaeontological resources - or at least a letter of exemption from a Palaeontologist is needed to indicate that this is unnecessary. If the area is deemed sensitive, a full Phase 1 Palaeontological Impact Assessment will be required and if necessary a Phase 2 rescue operation might be necessary. **Please note that a nationwide fossil sensitivity map is available on SAHRIS to assist applicants with determining the fossil sensitivity of a study area.**

If the property is very small or disturbed and there is no significant site the heritage specialist may choose to send a letter to the heritage authority motivating for exemption from having to undertake further heritage assessments.

Any other heritage resources that may be impacted such as built structures over 60 years old, sites of cultural significance associated with oral histories, burial grounds and graves, graves of victims of conflict, and cultural landscapes or viewsapes must also be assessed.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Our Ref: 15705



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Andrew Salomon
Tel: 021 462 4502
Email: asalomon@sahra.org.za
CaseID: 15705

Date: Wednesday February 03, 2021
Page No: 3

Andrew Salomon
Heritage Officer: Archaeology
South African Heritage Resources Agency

Phillip Hine
Manager: Archaeology, Palaeontology and Meteorites Unit
South African Heritage Resources Agency

ADMIN:
Direct URL to case: <https://sahris.sahra.org.za/node/543872>
(, Ref:)