



Enquiries: Kathryn Smuts
Tel: 021 462 4502
Email: ksmuts@sahra.org.za
CaseID: 560

Date: Friday September 14, 2012

Page No: 1

Final Comment

In terms of section 38(4) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Blondie Moukangwe
Eskom Distribution Central Region
PO Box 424
Klerksdorp
2570

Notification of Medium Voltage (MV) Lines to be Built by Eskom Distribution Project Name: Minor Retic: KMN55148433B

Thank you for your indication that development is to take place in this area.

In terms of the National Heritage Resources Act, no 25 of 1999, heritage resources, including archaeological or palaeontological sites over 100 years old, graves older than 60 years, structures older than 60 years are protected. They may not be disturbed without a permit from the relevant heritage resources authority. This means that before such sites are disturbed by development it is incumbent on the developer to ensure that a Heritage Impact Assessment is done. This must include the archaeological component (Phase 1) and any other applicable heritage components. Appropriate (Phase 2) mitigation, which involves recording, sampling and dating sites that are to be destroyed, must be done as required.

Decision:

According to the information provided on this development included in the letter of notification, it is unlikely that any significant impacts on heritage resources will result from the construction of the proposed power line due to the small resulting footprint.

Consequently, SAHRA Archaeology, Palaeontology & Meteorites (APM) Unit has no objection to the proposed development on the condition that if any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, marine shell and charcoal/ash concentrations), unmarked human burials, fossils or other categories of heritage resources are found during construction activities, SAHRA APM Unit (Katie Smuts/Colette Scheermeyer 021 462 4502) must be alerted immediately, and an accredited professional archaeologist must be contacted as soon as possible to inspect the findings. If the newly discovered heritage resources prove to be of archaeological or palaeontological significance a Phase 2 rescue operation might be necessary.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.



The South African Heritage Resources Agency

Street Address: 111 Harrington Street, Cape Town 8000 * Postal Address: PO Box 4637, Cape Town 8000
* Tel: +27 21 462 4502 * Fax: +27 21 462 4509 * Web: <http://www.sahra.org.za>



Enquiries: Kathryn Smuts
Tel: 021 462 4502
Email: ksmuts@sahra.org.za
CaseID: 560

Date: Friday September 14, 2012

Page No: 2

Yours faithfully

Kathryn Smuts
Heritage Officer: Archaeology
South African Heritage Resources Agency

Colette Scheermeyer
SAHRA Head Archaeologist
South African Heritage Resources Agency

ADMIN:

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.



The South African Heritage Resources Agency

Street Address: 111 Harrington Street, Cape Town 8000 * Postal Address: PO Box 4637, Cape Town 8000
* Tel: +27 21 462 4502 * Fax: +27 21 462 4509 * Web: <http://www.sahra.org.za>