

HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: John Pakwe

Email: john.pakwe@amafainstitute.org.za

Tel: 0333946543

Date: Wednesday June 15, 2022

CaseID: 18717

Our Ref: SAH22/18717

Maintenance Management Plan for the Maintenance, Repair and Upgrade of Existing Stormwater Infrastructure within Sensitive Environmental Areas

Letter

IN TERMS OF SECTION 38 OF THE NATIONAL HERITAGE RESOURCES ACT (ACT 25 OF 1999) AND SECTION 41 OF THE KWAZULU-NATAL AMAFA AND RESEARCH INSTITUTE ACT (ACT 05 OF 2018)

Attention: eThekwini Municipality - Coastal, Stormwater & Catchment Management

The eThekwini Coastal Engineering Stormwater Catchment Management have compiled a overarching Maintenance Management Plan for the routine maintenance, repairs and upgrades of municipal stormwater infrastructure within environmentally sensitive areas within the eThekwini Municipal Area as identified below: ? Watercourses (Wetlands, Springs, Natural Channels, and dams); ? Littoral Zones (the sea, seashore, dunes, estuaries, 100m inland from the high tide mark); ? Conservation/ protected areas (both Provincially and Nationally); ? Endangered or Critically Endangered ecosystem types, as defined by SANBI; ? 1:100m flood lines. The application has been submitted to the of Department of Economic Development, Tourism and Environmental Affairs.

The Heritage Officers Committee considered your application on 15 June 2022. As discussed in the meeting, the committee is unable to issue a comment on this application as the applicant had not identified specific areas to propose for maintenance.

Furthermore, the committee noted that the application indicated maintenance in watercourses and therefore, the applicant is advised to obtain comment from the Maritime and Underwater Cultural Heritage Unit of the South African Heritage Resources Agency (SAHRA).

Failure to comply with the requirements of the National Heritage Resources Act and the KwaZulu-Natal Amafa and Research Institute Act could lead to legal action being instituted against the applicant.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

195 Langalibalele St, Pietermaritzburg, 3201 033 394 6543 www.amafainstitute.org.za





HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: John Pakwe

Email: john.pakwe@amafainstitute.org.za

Tel: 0333946543

Date: Wednesday June 15, 2022

CaseID: 18717

Our Ref: SAH22/18717

Therese

John Pakwe Heritage Officer KwaZulu-Natal Amafa and Research Institute

ADMIN:

Direct URL to case: https://sahris.sahra.org.za/node/598391

(EDTEA, Ref: DC28/MMP/0002/2022)

Terms & Conditions:

- 1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
- 2. If any heritage resources, including graves or human remains, are encountered they must be reported to the Institute immediately.
- 3. The Institute reserves the right to request additional information as required.

