



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Andrew Salomon
Tel: 021 462 4502
Email: asalomon@sahra.org.za
CaseID: 16920

Date: Tuesday January 11, 2022
Page No: 1

Final Comment

In terms of Section 38 of the National Heritage Resources Act (Act 25 of 1999)

Attention: Johannesburg Water SOC Ltd

The Proposed Jukskei Park Pump Station Refurbishment in the City of Johannesburg, Gauteng Province

Van Schalkwyk, J. May 2021. Phase 1 Cultural Heritage Impact Assessment: The Proposed Upgrade Of The Sewerage Pumpstation In Jukskei Park, City Of Johannesburg Local Municipality

The proposed development entails the r the upgrade of a sewer pumpstation.

The author states that, during the survey no sites, features or objects of cultural significance were identified. Although an old single lane concrete road bridge was identified adjacent to the pumpstation, it is anticipated that there would be no impact on it as the upgrade is to take place inside the confines of the pumpstation boundary.

The SA Palaeontological Sensitivity Map indicates that the study area has Insignificant fossil sensitivity.

Final Comment

SAHRA Archaeology, Palaeontology and Meteorites Unit has no objections to this proposed development, provided that the recommendations in the specialist reports and this comment are adhered to, and in addition, on the following conditions: If any evidence of archaeological sites or remains (e.g., remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments and charcoal/ash concentrations) or palaeontological remains are found during the proposed activities, SAHRA must be alerted immediately, and a professional archaeologist or palaeontologist, based on the nature of the finds, must be contacted as soon as possible to inspect the findings. If the newly discovered heritage resources prove to be of significance a Phase 2 rescue operation might be necessary.

If any unmarked human burials are uncovered and the archaeologist called in to inspect the finds and/or the police find them to be heritage graves, mitigation may be necessary and the SAHRA Burial Grounds and Graves (BGG) Unit must be contacted for processes to follow.



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Andrew Salomon
Tel: 021 462 4502
Email: asalomon@sahra.org.za
CaseID: 16920

Date: Tuesday January 11, 2022
Page No: 2

Should the project be granted Environmental Authorisation, SAHRA must be notified and all relevant documents submitted to the case on SAHRIS.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Andrew Salomon
Heritage Officer: Archaeology
South African Heritage Resources Agency

Phillip Hine
Manager: Archaeology, Palaeontology and Meteorites Unit
South African Heritage Resources Agency

ADMIN:

Direct URL to case: <https://sahris.sahra.org.za/node/579540>
(GDARD, Ref: GAUT 002/21-22/E2954)

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.