Our Ref: 12725



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Andrew Salomon Date: Monday August 06, 2018

Tel: 021 462 4502 Page No: 1

Email: asalomon@sahra.org.za

CaseID: 12725

Interim Comment

In terms of Section 38 of the National Heritage Resources Act (Act 25 of 1999)

Attention: Mr Johannes Paulus van Wyk

J Paul van Wyk

P O Box 11522, Hatfield, 0028

A township for the establishment and operating of a combined company headquarters (predominantly office / administrative) function; and vocational training (technical institute including inter alia an auditorium and other lecture rooms for academic training, and workshops, stores, etc for practical training) facility colloquially referred to as the Solidarity Campus. To be established on Remainder of Portion 27, farm Waterkloof 378-JR, City of Tshwane Metropolitan Municipality, Gauteng Province.

Van Schalkwyk, J. July 2018. Phase 1 Cultural Heritage Impact Assessment: The Proposed Establishment Of The Monument Park Ext. 15 Township On A Portion Of Portion 27 Of The Farm Waterkloof 378jr, City Of Tshwane Metropolitan Municipality, Gauteng Province

The proposed development entails the establishment of mixed-use facility serving predominantly as headquarters and vocational training facility, to be known as Monument Park Ext. 15.

The author states that no archaeological objects or sites, or features of heritage potential were noted during the site survey

The SA Palaeontological Sensitivity Map indicates that the study area has Very High fossil sensitivity. No palaeontological assessment is attached to this case.

Interim Comment

In terms of palaeontological heritage, the SA Palaeontological Sensitivity Map indicates that the study area has Very High fossil sensitivity, therefore a palaeontological field assessment and protocol for finds is required. Once this study has been submitted, SAHRA will be able to provide further comments.

In terms of archaeology, the SAHRA Archaeology, Palaeontology and Meteorites Unit has no objections to this proposed development, provided that the recommendations in the specialist reports and this comment are adhered to, and on the following conditions:

- If any evidence of archaeological sites or remains (e.g., remnants of stone-made structures, indigenous

Our Ref: 12725



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Andrew Salomon Date: Monday August 06, 2018

Page No: 2

Tel: 021 462 4502

Email: asalomon@sahra.org.za

CaseID: 12725

ceramics, bones, stone artefacts, ostrich eggshell fragments and charcoal/ash concentrations) are found during the proposed activities, SAHRA must be alerted immediately, and a professional archaeologist must be contacted as soon as possible to inspect the findings. If the newly discovered heritage resources prove to be of archaeological significance a Phase 2 rescue operation might be necessary.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Andrew Salomon

Heritage Officer: Archaeology

South African Heritage Resources Agency

quala

Phillip Hine

Acting Manager: Archaeology, Palaeontology and Meteorites Unit

South African Heritage Resources Agency

ADMIN:

Direct URL to case: http://www.sahra.org.za/node/508961

(, Ref: CPD9/1/1/1-MPKX15 444)

Terms & Conditions:

- 1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
- 2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
- 3. SAHRA reserves the right to request additional information as required.