



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Andrew Salomon
Tel: 021 462 4502
Email: asalomon@sahra.org.za
CaseID: 8954

Date: Friday May 06, 2016
Page No: 1

Interim Comment

In terms of Section 38 of the National Heritage Resources Act (Act 25 of 1999)

Attention: LEAP - Lanscape Architect Environmental Planner
P.O Box 13185,
Hatfield
Pretoria

ARCHAEOLOGICAL IMPACT ASSESSMENT FOR THE PROPOSED ONDERSTEPSOORT X42 MIXED USE TOWNSHIP ESTABLISHMENT

Van der Walt, J. December 2015. Archaeological Impact Assessment For The Proposed Onderstepoort X42 Mixed Use Township Establishment

The proposed project entails a mixed use township establishment located on Portion 297, Portion 299 and Portion 303 of the Farm Haakdoornboom 276 JR, Shoshanguve, Gauteng Province.

The assessment yielded no archaeological heritage resources within the study area.

No palaeontological assessment has been submitted. The SA Palaeontological Sensitivity Map indicates that the study area has both Low and High fossil sensitivity.

Interim Comment

Considering that no significant archaeological heritage resources occur within the study area, the SAHRA Archaeology, Palaeontology and Meteorites Unit has no objections to this proposed development on the following conditions:

If any evidence of archaeological sites or remains (e.g., remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments and charcoal/ash concentrations) are found during the proposed activities, SAHRA must be alerted immediately, and a professional archaeologist must be contacted as soon as possible to inspect the findings. If the newly discovered heritage resources prove to be of archaeological significance a Phase 2 rescue operation might be necessary.

The SA Palaeontological Sensitivity Map indicates that the study area has both Low and High fossil sensitivity, therefore a desktop study is required and based on the outcome of the desktop study, a field assessment may be required. Once this assessment has been submitted, SAHRA will be able to make further comments.



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Andrew Salomon
Tel: 021 462 4502
Email: asalomon@sahra.org.za
CaseID: 8954

Date: Friday May 06, 2016
Page No: 2

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Andrew Salomon
Heritage Officer: Archaeology
South African Heritage Resources Agency

ADMIN:

Direct URL to case: <http://www.sahra.org.za/node/354066>

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.