



Final Comment

In terms of Section 38 of the National Heritage Resources Act (Act 25 of 1999)

Attention: City of Tshwane

THE PROPOSED FORMALISATION OF STORMWATER OUTLET CHANNELS IN KUDUBE AND THE UPGRADE OF THE EXISTING STORMWATER BOX CULVERTS IN RAMOTSE, TSHWANE, GAUTENG.

Van Schalkwyk, J. 2013. Heritage impact assessment for the Proposed Kudube/Ramotse Storm Water Drainage System Upgrade, Gauteng Province.

The proposed development entails formalisation of stormwater outlet channels in Kudube and the upgrade of the existing stormwater box culverts in Ramotse, Tshwane. The project will consist of five stormwater outlets and a stormwater channel.

The author notes that the study area has been significantly disturbed due to large scale urbanization of the region over the past 20 to 30 years and that any heritage resources that might have occurred would have been destroyed.

Following a desktop investigation and a site visit, the author states that no site, features or objects of cultural significance are known to exist in the study area and that there would be no impact as a result of the proposed development.

Case Decision

As there is apparently no evidence of any significant archaeological material in this area, the SAHRA Archaeology, Palaeontology and Meteorites Unit has no objection to the development (in terms of the archaeological component of the heritage resources) on condition that, if any new evidence of archaeological sites or artefacts, palaeontological fossils, graves or other heritage resources is found during the development, SAHRA and an archaeologist and/or palaeontologist, depending on the nature of the finds, must be alerted immediately.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully



Stomwater Outlets and Culverts in Ramotse

Our Ref: 9/2/228/0001

Enquiries: Andrew Salomon
Tel: 021 462 4502
Email: asalomon@sahra.org.za
CaseID: 2740

Date: Thursday August 22, 2013

Page No: 2



Andrew Salomon
Heritage Officer: Archaeology
South African Heritage Resources Agency

Colette Scheermeyer
SAHRA Head Archaeologist
South African Heritage Resources Agency

ADMIN:

Direct URL to case: <http://www.sahra.org.za/node/122898>

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.



The South African Heritage Resources Agency

Street Address: 111 Harrington Street, Cape Town 8000 * Postal Address: PO Box 4637, Cape Town 8000
* Tel: +27 21 462 4502 * Fax: +27 21 462 4509 * Web: <http://www.sahra.org.za>