



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
www.sahra.org.za

Enquiries: Andrew Salomon  
Tel: 021 462 4502  
Email: asalomon@sahra.org.za  
CaseID: 10786

Date: Tuesday June 06, 2017  
Page No: 1

## Interim Comment

### In terms of Section 38 of the National Heritage Resources Act (Act 25 of 1999)

Attention: J Paul van Wyk

Urban Economists & Planners cc  
P.O. Box 11522  
Hatfield  
0028

### Township establishment part of Portion 86 of the farm 473-JR (Cullinan x 11)

### Küsel, U. August 2006. Cultural Heritage Impact Assessment On The Farm Kafferskraal 475 JR Cullinan

The proposed development entails a township development with related infrastructure.

The assessment identified the following heritage resources:

Two cemeteries, one of approximately 150 graves, and another of approximately 200 graves. In addition to the two cemeteries, a possible single grave was found near the ruin of a farmworker's home.

The SA Palaeontological Sensitivity Map indicates that the study area has Moderate fossil sensitivity. No palaeontological assessment has been attached to this case.

Our Ref: 10786



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Andrew Salomon  
Tel: 021 462 4502  
Email: [asalomon@sahra.org.za](mailto:asalomon@sahra.org.za)  
CaseID: 10786

Date: Tuesday June 06, 2017  
Page No: 2

### Interim Comment

The possible single grave must be investigated by a grave relocation specialist and a report submitted to SAHRA. If any disturbance of the possible grave is required, the appropriate permit to do so must first be obtained from the SAHRA Burial Grounds and Graves Unit prior to any disturbance.

The two cemeteries must be demarcated by a heritage specialist and fenced, with a buffer zone of at least 30 metres between the fence and any development. . A site management plan detailing strict site management conservation measures for the cemeteries must be compiled prior to the commencement of construction.

In terms of palaeontological heritage, the SA Palaeontological Sensitivity Map indicates that the study area has Moderate fossil sensitivity, therefore a desktop palaeontological study is required. Once this study has been submitted to SAHRA, SAHRA APM will be able to provide further comments.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

---

Andrew Salomon  
Heritage Officer: Archaeology  
South African Heritage Resources Agency

---

John Gribble



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Andrew Salomon  
Tel: 021 462 4502  
Email: [asalomon@sahra.org.za](mailto:asalomon@sahra.org.za)  
CaseID: 10786

Date: Tuesday June 06, 2017  
Page No: 3

Manager: Maritime and Underwater Cultural Heritage Unit / Acting Manager: Archaeology, Palaeontology and Meteorites Unit  
South African Heritage Resources Agency

**ADMIN:**

Direct URL to case: <http://www.sahra.org.za/node/389021>

**Terms & Conditions:**

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
2. If any heritage resources, including graves or human remains, are encountered they must be reported to SAHRA immediately.
3. SAHRA reserves the right to request additional information as required.