



PALAEONTOLOGICAL IMPACT ASSESSMENT

NAOS SOLAR PV

PROJECT THREE

NEAR VILJOENSKROON

IN THE FREE STATE PROVINCE

2022

COMPILED FOR:

ENVIRONAMICS

ENVIRONMENTAL



Declaration of Independence

I, Elize Butler, declare that –

General declaration:

- I act as the independent palaeontological specialist in this application
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favorable to the applicant
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting palaeontological impact assessments, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation;
- I will take into account, to the extent possible, the matters listed in section 38 of the NHRA when preparing the application and any report relating to the application;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;
- I will ensure that information containing all relevant facts in respect of the application is distributed or made available to interested and affected parties and the public and that participation by interested and affected parties is facilitated in such a manner that all interested and affected parties will be provided with a reasonable opportunity to participate and to provide comments on documents that are produced to support the application;
- I will provide the competent authority with access to all information at my disposal regarding the application, whether such information is favorable to the applicant or not
- All the particulars furnished by me in this form are true and correct;
- I will perform all other obligations as expected a palaeontological specialist in terms of the Act and the constitutions of my affiliated professional bodies; and



- I realize that a false declaration is an offense in terms of regulation 71 of the Regulations and is punishable in terms of section 24F of the NEMA.

Disclosure of Vested Interest

I do not have and will not have any vested interest (either business, financial, personal or other) in the proposed activity proceeding other than remuneration for work performed in terms of the Regulations.

PALAEONTOLOGICAL CONSULTANT:

Banzai Environmental (Pty) Ltd

CONTACT PERSON:

Elize Butler

Tel: +27 844478759

Email: elizebutler002@gmail.com

SIGNATURE:



The Palaeontological impact Assessment report has been compiled considering the National Environmental Management Act 1998 (NEMA) and Environmental Impact Regulations 2014 as amended, requirements for specialist reports, Appendix 6, as indicated in the table below.

Table 1: Checklist for Specialist studies conformance with Appendix 6 of the EIA Regulations of 2014 (as amended)

Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	The relevant section in the report	Comment where not applicable.
1.(1) (a) (i) Details of the specialist who prepared the report	Page ii and Section 2 of Report – Contact details and company and Appendix A	-
(ii) The expertise of that person to compile a specialist report including a curriculum vita	Section 3 – refer to Appendix A	-
(b) A declaration that the person is independent in a form as may be specified by the competent authority	Page ii of the report	-
(c) An indication of the scope of, and the purpose for which, the report was prepared	Section 5 – Objective	-
(cA) An indication of the quality and age of base data used for the specialist report	Section 6 – Geological and Palaeontological history	-
(cB) a description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change;	Section 9	-
(d) The duration, date and season of the site investigation and the relevance of the season to the outcome of the assessment	Section 1;10 & 12	



<p>Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017</p>	<p>The relevant section in the report</p>	<p>Comment where not applicable.</p>
<p>(e) a description of the methodology adopted in preparing the report or carrying out the specialised process inclusive of equipment and modelling used</p>	<p>Section 8 Approach and Methodology</p>	<p>-</p>
<p>(f) details of an assessment of the specifically identified sensitivity of the site related to the proposed activity or activities and its associated structures and infrastructure, inclusive of a site plan identifying site alternatives;</p>	<p>Section 1;10 & 11</p>	
<p>(g) An identification of any areas to be avoided, including buffers</p>	<p>Section 1 & 12</p>	
<p>(h) A map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers;</p>	<p>Section 6 – Geological and Palaeontological history</p>	
<p>(i) A description of any assumptions made and any uncertainties or gaps in knowledge;</p>	<p>Section 8.1 – Assumptions and Limitation</p>	<p>-</p>
<p>(j) A description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives, on the environment</p>	<p>Section 1 and 12</p>	
<p>(k) Any mitigation measures for inclusion in the EMPr</p>	<p>Section 13</p>	
<p>(l) Any conditions for inclusion in the environmental authorisation</p>	<p>Section 13</p>	
<p>(m) Any monitoring requirements for inclusion in the EMPr or environmental authorisation</p>	<p>Section 13</p>	
<p>(n)(i) A reasoned opinion as to whether the proposed activity, activities or portions thereof should be authorised and</p>	<p>Section 1 & 12</p>	



Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	The relevant section in the report	Comment where not applicable.
<i>(n)(iA) A reasoned opinion regarding the acceptability of the proposed activity or activities; and</i>		
<i>(n)(ii) If the opinion is that the proposed activity, activities or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan</i>	Section 1 and 12	-
<i>(o) A description of any consultation process that was undertaken during the course of carrying out the study</i>	N/A	Not applicable. A public consultation process was handled as part of the Basic Assessment (BA) and Environmental Management Plan (EMP) process.
<i>(p) A summary and copies of any comments that were received during any consultation process</i>	N/A	Not applicable. To date, no comments regarding heritage/ Palaeontology resources that require input from a specialist have been raised.



Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	The relevant section in the report	Comment where not applicable.
<i>(q) Any other information requested by the competent authority.</i>	N/A	Not applicable.
<i>(2) Where a government notice by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply.</i>	Section 3 compliance with SAHRA guidelines	



EXECUTIVE SUMMARY

Banzai Environmental was appointed by Environamics Environmental Consultants to conduct the **Palaeontological Impact Assessment** (PIA) to assess the proposed Naos Solar PV Three Project near Viljoenskroon in the Free State. In accordance with the National Environmental Management Act 107 of 1998 (NEMA) and to comply with the National Heritage Resources Act (No 25 of 1999, section 38) (NHRA), this PIA is necessary to confirm if fossil material could potentially be present in the planned development area, to evaluate the potential impact of the proposed development on the Palaeontological Heritage and to mitigate possible damage to fossil resources.

The proposed Naos Solar PV Project Three and associated grid connection is underlain by Quaternary sands, the Vryheid Formation (Ecca Group, Karoo Supergroup), and Hekpoort Formation of the Pretoria Group (Transvaal Supergroup). The updated geology also indicates that the Malmani Subgroup of the Chuniespoort Group (Transvaal Supergroup) is present in the development. The Pretoria Group sedimentary rocks in and near the study area are extensively intruded, and locally metamorphosed, by sills of diabase. The diabase has a Zero Palaeontological Sensitivity. However, the existence of the diabase rocks would have had a thermal metamorphic effect on nearby sediments and would decrease the chance of fossil preservation. According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS) the Palaeontological Sensitivity of the Vryheid Formation is Very High, that of the Hekpoort Formation and Quaternary soils are Medium. The Palaeontological sensitivity of diabase is Zero (Almond *et al*, 2013; SAHRIS website).

A site-specific field survey of the development footprint was conducted on foot and by motor vehicle on 13 August 2022. No fossiliferous outcrop was detected in the proposed development. Six grid connection alternatives as well as two collector substation's location alternatives have been proposed for the Naos Solar PV Project three. These alternatives are mainly underlain by the Vryheid Formation, Quaternary sands as well as diabase. As no fossiliferous outcrops were found on the development there is no preference between them from a palaeontological point of view. The apparent rarity of fossil heritage in the proposed development footprint suggests that the impact of the development will be of a Low significance in palaeontological terms. It is therefore considered that the proposed development will not lead to damaging impacts on the palaeontological resources of the area. The construction of the development may thus be permitted in its whole extent, as the development footprint is not considered sensitive in terms of palaeontological resources.

However, if fossil remains are discovered during any phase of construction, either on the surface or exposed by excavations the **Chance Find Protocol** must be implemented by the ECO/site manager in charge of these developments. These discoveries ought to be protected (if possible,



in situ) and the ECO/site manager must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation (recording and collection) can be carry out by a paleontologist.

Preceding any collection of fossil material, the specialist would need to apply for a collection permit from SAHRA. Fossil material must be curated in an accredited collection (museum or university collection), while all fieldwork and reports should meet the minimum standards for palaeontological impact studies required by SAHRA



Impact Summary

Environmental parameter	Issues	Rating prior to mitigation	Average	Rating post mitigation	Average
<p>Naos Solar PV Project Two Construction Stage</p> <p>Six Power line Alternatives</p> <p>Loss of fossil heritage</p>	<p>Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study</p>	48	Negative Medium impact	16	Negative Low impact
<p>Naos Solar PV Project Two Six Power line alternatives Operational Phase</p>	No Impact		No Impact		No Impact
<p>Naos Solar PV Project Two Six Power Line Alternatives Decommissioning Phase</p>	No Impact		No Impact		No Impact
<p>Naos Solar PV Project Two Construction Stage</p> <p>2 Substation layout Alternatives</p> <p>Construction Phase</p> <p>Loss of fossil heritage</p>	<p>Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study</p>	48	Negative Medium impact	16	Negative Low impact



<p><i>Naos Solar PV Project Two</i> <i>Operational Phase</i> <i>2 Substation layout</i> <i>Operational Phase</i></p>	<p><i>Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study</i></p>	<p>48</p>	<p><i>Negative Medium impact</i></p>	<p>16</p>	<p><i>Negative Low impact</i></p>
<p><i>Naos Solar PV Project Two</i> <i>2 Substation layout</i> <i>Decommissioning Phase</i></p>	<p><i>No Impact</i></p>		<p><i>No Impact</i></p>		<p><i>No Impact</i></p>
<p><i>Naos Solar PV Project Two</i> Solar Project <i>Construction Phase</i></p>	<p><i>Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study</i></p>	<p>48</p>	<p><i>Negative Medium impact</i></p>	<p>16</p>	<p><i>Negative Low impact</i></p>
<p><i>Naos Solar PV Project Two</i> <i>Solar Project</i></p>	<p><i>No Impact</i></p>		<p><i>No Impact</i></p>		<p><i>No Impact</i></p>
<p><i>Naos Solar PV Project Two</i> <i>Solar Project</i></p>	<p><i>No Impact</i></p>		<p><i>No Impact</i></p>		<p><i>No Impact</i></p>

It is therefore considered that the proposed Naos Solar PV Project Three is deemed appropriate and will not lead to detrimental impacts on the palaeontological reserves of the area. Thus, the construction of the development may be authorised in its whole extent.



TABLE OF CONTENT

1	INTRODUCTION	1
1.2	Technical Details	4
1.3	Consideration of Alternatives	9
2	LEGAL MANDATE AND PURPOSE OF THE REPORT	3
3	QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR	3
4	LEGISLATION.....	3
5	OBJECTIVE	5
6	GEOLOGICAL AND PALAEOLOGICAL HISTORY	6
7	GEOGRAPHICAL LOCATION OF THE SITE	20
8	METHODS	21
8.1	Assumptions and Limitations	22
9	ADDITIONAL INFORMATION CONSULTED.....	22
10	SITE VISIT	22
11	IMPACT ASSESSMENT METHODOLOGY	23
11.1	Impact Rating System	23
12	FINDINGS AND RECOMMENDATIONS	30
13	CHANCE FINDS PROTOCOL.....	31
13.1	Background	31
13.2	Legislation	31
13.3	Introduction	31
13.4	Chance Find Procedure	31
14	BIBLIOGRAPHY	32



List of Figures

Figure 1: Regional Locality of the proposed Naos PV Solar Cluster near Viljoenskroon in the Free State. 1

Figure 2: Internal grid connection solution, with two collector substation alternative locations, for Naos Solar PV Project Three (red lines = Naos 1 132kV Eskom power line connecting to the main grid connection corridor for each collector substation alternative, blue lines = Naos 1 & 3 132kV power lines crossing over the Naos Solar PV Project Three). 6

Figure 3: Six grid connection corridor alternatives proposed for the three Naos PV projects. 7

Figure 4: Internal grid connection solution, with two collector substation alternative locations, for Naos Solar PV Project Three (red lines = Naos 2 132kV Eskom power line connecting to the main grid connection corridor for each collector substation alternative, blue lines = Naos 1 & 3 132kV power lines crossing over the Naos Solar PV Project Three). 10

Figure 5: Six grid connection corridor alternatives proposed for the three Naos PV projects. 11

Figure 6: Main access route alternatives proposed for the three Naos PV projects. 13

Figure 7: Regional locality of the proposed Naos Solar PV Three Project near Viljoenskroon in the Free State. 1

Figure 8: Regional topography of the proposed Naos Solar PV Three Project near Viljoenskroon in the Free State. 2

Figure 9: Extract of the 1:250 000 Wes-Rand 2626 (1986) and 2726 Kroonstad (2000) Geological Map (Council for Geosciences, Pretoria) indicating the proposed Naos Solar PV Three Project near Viljoenskroon in the Free State. 10

Figure 10: Extract of the 1 in 250 000 SAHRIS PalaeoMap map (Council of Geosciences) indicating the Naos Solar PV Three Project and grid connection alternatives near Viljoenskroon in the Free State. 14

Figure 11: Updated Geology (Council of Geosciences, Pretoria) of the proposed Naos Solar PV Three Project and grid connection near Viljoenskroon in the Free State. 16

Figure 12: Examples of *Glossopteris* leaves (Prevec et al 2009). 17

Figure 13: *Mesosaurus* sp. National Museum specimen NMQR3536 17

Figure 14: Cumulative Impact Map indicating the similar Solar Power plants and grid connections in a 30 km radius of Naos Solar PV Project One. 18

Figure 15: The study area is covered by thick grassy vegetation and Quaternary sands with no surface outcrops visible. 23



List of Tables

<i>Table 1: Checklist for Specialist studies conformance with Appendix 6 of the EIA Regulations of 2014 (as amended)</i>	<i>iv</i>
<i>Table 2: General site information</i>	<i>1</i>
<i>Table 3: Technical Details</i>	<i>8</i>
<i>Table 4: Legend of the 2726 Kroonstad (2000) Geological Map (Council for Geosciences, Pretoria)</i>	<i>11</i>
<i>Table 5: Legend of the Wes-Rand 2626 (1986) Geological Map (Council for Geosciences, Pretoria)</i>	<i>12</i>
<i>Table 6: Legend of the Wes-Rand 2626 (1986) Geological Map (Council for Geosciences, Pretoria)</i>	<i>13</i>
<i>Table 7: Palaeontological Sensitivity according to the SAHRIS PalaeoMap (Almond et al, 2013; SAHRIS website)</i>	<i>14</i>
<i>Table 8: A summary of related facilities, that may have a cumulative impact, in a 30 km radius of the solar energy facility.</i>	<i>19</i>
<i>Table 9: The rating system</i>	<i>24</i>
<i>Table 10: Summary of Impacts</i>	<i>28</i>

Appendix A: CV



1 INTRODUCTION

The Naos Solar photovoltaic (PV) Cluster is planned near Viljoenskroon in the Free State (Figure 1). The proposed Cluster will consist of Naos PV Solar Project One, Naos PV Solar Project Two, and Naos PV Solar Project Three. Environamics Environmental Consultants has been appointed to conduct the Basic Assessment (BA) for the project.

The focus of this report is Naos Solar PV Project Three (Figure 2-8).




Figure 1: Regional Locality of the proposed Naos Solar PV Solar Cluster near Viljoenskroon in the Free State.

Table 2: General site information

<p><i>Description of affected farm portions</i></p>	<p><u>Naos Solar PV Project Three</u> Remaining Extent of the Farm Cijfervlei 6 Portion 1 of the Farm La Reys Kraal Zuid 165</p> <p><u>Power Line Alternatives 1A, 1B and 1C (1B is the technically preferred alternative)</u> Portion 1 of the Farm Waterford No. 573 Portion 1 La Reys Kraal Zuid No. 165 Portion 2 of the Farm Kleinfontein No. 369 Remaining Extent of the Farm Kleinfontein No. 369 Portion 2 of the Farm Zaaiplaats No. 190</p>
---	---



	<p>Portion 3 of the Farm Zaaiplaats No. 190 Portion 2 of the Farm Biesiefontein No. 173 Farm Doornplaats 599</p> <p><u>Power Line Alternative 2</u> Portion 1 of the Farm Waterford No. 573 Portion 1 La Reys Kraal Zuid No. 165 Portion 2 of the Farm Kleinfontein No. 369 Remaining Extent of the Farm Kleinfontein No. 369 Portion 2 of the Farm Zaaiplaats No. 190 Portion 3 of the Farm Zaaiplaats No. 190 Portion 2 of the Farm Biesiefontein No. 173</p> <p><u>Power Line Alternative 3</u> Portion 1 of the Farm Waterford No. 573 Portion 1 La Reys Kraal Zuid No. 165 Portion 1 of the Farm Kleinfontein No. 369 Portion 2 of the Farm Kleinfontein No. 369 Remaining Extent of the Farm Kleinfontein No. 369 Portion 3 of the Farm Zaaiplaats No. 190 Portion 2 of the Farm Biesiefontein No. 173</p> <p><u>Power Line Alternative 4</u> Portion 1 of the Farm Waterford No. 573 Portion 2 of the Farm Waterford No. 573 Portion 2 of the Farm Biesiefontein No. 173 Portion 4 of the Farm Biesiefontein No. 173 Remaining Extent of the Farm Biesiefontein No. 173 Portion 1 of the Farm Kleinfontein No. 369 Portion 3 of the Farm Zaaiplaats No. 190</p>
Province	Free State
District Municipality	Fezile Dabi District Municipality
Local Municipality	Moqhaka Local Municipality
Ward numbers	22
Closest towns	The town of Viljoenskroon is located approximately 24 km south of the proposed developments.
21 Digit Surveyor General codes	<p><u>Naos Solar PV Project Three</u> Remaining Extent of the Farm Cijfervlei No. 6 - F0360000000000600000 Portion 1 La Reys Kraal Zuid No. 165 - F03600000000016500001</p> <p><u>Power Line Alternatives 1A, 1B and 1C (1B is the technically preferred alternative)</u> Portion 1 of the Farm Waterford No. 573 - F03600000000057300001 Portion 1 La Reys Kraal Zuid No. 165 - F03600000000016500001 Portion 2 of the Farm Kleinfontein No. 369 - F03600000000036900002</p>



	<p>Remaining Extent of the Farm Kleinfontein No. 369 - F03600000000036900000</p> <p>Portion 2 of the Farm Zaaiplaats No. 190 - F03600000000019000002</p> <p>Portion 3 of the Farm Zaaiplaats No. 190 - F03600000000019000003</p> <p>Portion 2 of the Farm Biesiefontein No. 173 - F03600000000017300002</p> <p>Farm Doornplaats 599 - F03600000000059900000</p>
	<p><u>Power Line Alternative 2</u></p> <p>Portion 1 of the Farm Waterford No. 573 - F03600000000057300001</p> <p>Portion 1 La Reys Kraal Zuid No. 165 - F03600000000016500001</p> <p>Portion 2 of the Farm Kleinfontein No. 369 - F03600000000036900002</p> <p>Remaining Extent of the Farm Kleinfontein No. 369 - F03600000000036900000</p> <p>Portion 2 of the Farm Zaaiplaats No. 190 - F03600000000019000002</p> <p>Portion 3 of the Farm Zaaiplaats No. 190 - F03600000000019000003</p> <p>Portion 2 of the Farm Biesiefontein No. 173 - F03600000000017300002</p>
	<p><u>Power Line Alternative 3</u></p> <p>Portion 1 of the Farm Waterford No. 573 - F03600000000057300001</p> <p>Portion 1 La Reys Kraal Zuid No. 165 - F03600000000016500001</p> <p>Portion 1 of the Farm Kleinfontein No. 369 - F03600000000036900001</p> <p>Portion 2 of the Farm Kleinfontein No. 369 - F03600000000036900002</p> <p>Remaining Extent of the Farm Kleinfontein No. 369 - F03600000000036900000</p> <p>Portion 3 of the Farm Zaaiplaats No. 190 - F03600000000019000003</p> <p>Portion 2 of the Farm Biesiefontein No. 173 - F03600000000017300002</p>
	<p><u>Power Line Alternative 4</u></p> <p>Portion 1 of the Farm Waterford No. 573 - F03600000000057300001</p> <p>Portion 2 of the Farm Waterford No. 573 - F03600000000057300002</p> <p>Portion 2 of the Farm Biesiefontein No. 173 - F03600000000017300002</p> <p>Portion 4 of the Farm Biesiefontein No. 173 - F03600000000017300004</p> <p>Remaining Extent of the Farm Biesiefontein No. 173 - F03600000000017300000</p>



	<p>Portion 1 of the Farm Kleinfontein No. 369 - F03600000000036900001</p> <p>Portion 3 of the Farm Zaaiplaats No. 190 - F03600000000019000003</p>
Type of technology	Photovoltaic solar facility
Structure Height	Panels up to 3m, buildings ~ 4m, power line ~30m, BESS ~2.8m
Surface area to be covered (Development footprint)	Naos Solar PV Project Three: 350 ha
Structure orientation	<p>Tracking PV with bi-facial panels. Bi-facial panels with single axis tracking is preferred over fixed-axis or double axis tracking systems and mono-facial panels due to the potential to achieve higher annual energy yields whilst minimising the balance of system (BOS) costs, resulting in the lowest levelized cost of energy (LCOE).</p> <p>The development of the PV facility will take into consideration during the final design phase the use of either mono-facial or bi-facial PV panels as well as tracker vs fixed- tilt mounting structures. Both options are considered feasible for the site.</p>
Generation capacity	Up to 240MW (per facility)

1.2 Technical Details

The term photovoltaic describes a solid-state electronic cell that produces direct current electrical energy from the radiant energy of the sun through a process known as the Photovoltaic Effect. This refers to light energy placing electrons into a higher state of energy to create electricity. Each PV cell is made of silicon (i.e., semiconductors), which is positively and negatively charged on either side, with electrical conductors attached to both sides to form a circuit. This circuit captures the released electrons in the form of an electric current (direct current). The key components of the proposed projects are described below:

- PV Panel Array - To produce up to 240MW, each proposed facility will require numerous linked cells placed behind a protective glass sheet to form a panel. Multiple panels will be required to form the solar PV arrays which will comprise the PV facility.
- Battery Energy Storage System (BESS) – The battery energy storage system will make use of Lithium-ion (Lithium Iron Phosphate / Sodium Sulphur) or Vanadium Redox technology and will have a capacity of up to 4.5GWh. The extent of the system will be ~4.57ha.
- Inverters - Sections of the PV array will be wired to inverters. The inverter is a pulse width mode inverter that converts direct current (DC) electricity to alternating current (AC) electricity at grid frequency.



- Connection to the grid - Connecting the array to the electrical grid requires transformation of the voltage from 33kV to 132kV. The normal components and dimensions of a distribution-rated electrical substation will be required. A collector substation with a capacity of 132kV will also be required.

The onsite substation will be required on each site to step the voltage up to 132kV, after which the power will be evacuated into the national grid via the new proposed power line from the proposed collector substation to the 400kV Mercury Main Transmission Substation (MTS).

Each facility layout for the three respective projects will include two collector substation alternative locations that must be assessed and the preferred location indicated in the respective specialist reports. The developer has also indicated specific internal power lines to connect the collector substation to the main grid connection corridor which will ultimately evacuate the generated power into the national grid. Should the three developments (i.e. Naos Solar PV Project One, Two and Three) all be developed then there would be an overlap of the internal 132kV power lines that will be shared between the facilities to reduce the extent of linear infrastructure required).

It must be noted that for each respective project Collector Substation Option 1 is put forward as the technically preferred option for the respective project layouts. Refer to Figures 2-3 below.

The capacity of the collector substation for each project will be 132kV and the capacity of the internal power lines will be 132kV.




Figure 2: Internal grid connection solution, with two collector substation alternative locations, for Naos Solar PV Project Three (red lines = Naos 1 132kV Eskom power line connecting to the main grid connection corridor for each collector substation alternative, blue lines = Naos 1 & 3 132kV power lines crossing over the Naos Solar PV Project Three).

The power line route to connect each of the respective facilities to the 400kV Mercury Main Transmission Substation will be assessed within a 200m wide grid connection corridor. Six alternative routes are being considered.

Refer to the Figure 3 below.




Figure 3: Six grid connection corridor alternatives proposed for the three Naos PV projects.

- **Supporting Infrastructure** – The following auxiliary buildings with basic services including water and electricity will be required on the sites for each project:
 - Operations & Maintenance Building / Office (~2500m²)
 - Switch gear and relay room (~800m²);
 - Staff lockers and changing room (~200m²);
 - Security control (~60m²);
 - Permanent Laydown Area (~8ha); and
 - Temporary batching plant
- **Roads** Access will be obtained via the existing Vermaasdrift Road, R59, R501 and S643 roads. Four alternative main access routes are being considered (the preferred route will be determined by the local and / or national roads authorities during the site access permit approval process). An internal site road network will also be required to provide access to each respective solar field and associated infrastructure. Internal access roads will be up to 12m in width. The main access road providing direct access to the project will be up to 8m wide and 6km long.
- **Fencing** - For health, safety and security reasons, the facilities will be required to be fenced off from the surrounding farms. Each project will have permanent security on site for 24hrs per day, 7 days a week.



Table 3: Technical Details

Component	Description / dimensions
Height of PV panels	Up to 3 meters
Area of PV Array	Naos Solar PV Project Three: 350 ha (Development Footprint)
Number of inverters required	Number of String inverters: up to 1250 Number of Central inverters: up to 75 These are indicative numbers and are subject to change as part of the final facility layout design.
Area occupied by inverter / transformer stations / substations	String inverters (per item): 1 m ² Central Inverters (per item): 20 m ² Transformers (per item): 20 m ² (included in the on-site substation) On-site Facility Substation: up to 2000 m ² Collector Substation: up to 25000 m ² BESS: ~4.57ha
Capacity of the on-site substation	33kV / 132kV
Capacity of the collector substation	33kV / 132kV
Capacity of the power line	33kV / 132kV
Area occupied by both permanent and construction laydown areas	Up to ~8 ha
Area occupied by buildings	<ul style="list-style-type: none"> • Operations & Maintenance Building / Office (~2500m²) • Switch gear and relay room (~800m²); • Staff lockers and changing room (~200m²); • Security control (~60m²);
Length of internal roads	up to 20km,
Width of internal roads	up to 12m
Length of internal power lines to connect the collector substations	Naos Solar PV Project Three: up to 4km
Grid connection corridor width	200m
Grid connection corridor length	Power Line Alternative 1A – up to 8km Power Line Alternative 1B (technically preferred) – up to 8km Power Line Alternative 1C – up to 8km Power Line Alternative 2 – up to 7km Power Line Alternative 3 – up to 7km Power Line Alternative 4 – up to 7.5km
Power line servitude width	Up to 32m
Height of fencing	Approximately 3 meters



1.3 Consideration of Alternatives

The DEAT 2006 guidelines on 'assessment of alternatives and impacts' proposes the consideration of four types of alternatives namely, the no-go, location, activity, and design alternatives. It is however, important to note that the regulation and guidelines specifically state that only 'feasible' and 'reasonable' alternatives should be explored. It also recognizes that the consideration of alternatives is an iterative process of feedback between the developer and EAP, which in some instances culminates in a single preferred project proposal. An initial site assessment was conducted by the developer of the affected properties and the farm portions were found favourable due to their proximity to grid connections, solar radiation, ecology and relatively flat terrain. These factors were then taken into consideration and avoided as far as possible.

The following alternatives were considered in relation to the proposed activity.

No-go alternative

This alternative considers the option of 'do nothing' and maintaining the status quo. The site is currently zoned for agricultural land uses. Should the proposed activity not proceed, the site will remain unchanged and will continue to be used for agricultural purposes. The potential opportunity costs in terms of alternative land use income through rental for energy facility and the supporting social and economic development in the area would be lost if the status quo persist.

Location alternatives

No other possible sites were identified on the affected property(ies) for the developments. This site is referred to as the preferred site. Some limited sensitive features occur on the site. The size of the site makes provision for the exclusion of any sensitive environmental features that may arise through the BA process to enable the appropriate placement of the infrastructure within the development footprint.

Technical alternatives: Powerlines

Connecting the array to the electrical grid requires transformation of the voltage from 33kV to 132kV. The normal components and dimensions of a distribution-rated electrical substation will be required. A collector substation with a capacity of 132kV will also be required.

The onsite substation will be required on each site to step the voltage up to 132kV, after which the power will be evacuated into the national grid via the new proposed power line from the proposed collector substation to the 400kV Mercury Main Transmission Substation (MTS).

Each facility layout for the three respective projects will include two collector substation alternative locations that must be assessed and the preferred location indicated in the respective specialist reports. The developer has also indicated specific internal power lines to connect the collector substation to the

main grid connection corridor which will ultimately evacuate the generated power into the national grid. Should the three developments (i.e., Naos Solar PV Project One, Two and Three) all be developed then there would be an overlap of the internal 132kV power lines that will be shared between the facilities to reduce the extent of linear infrastructure required).

It must be noted that for each respective project Collector Substation Option 1 is put forward as the technically preferred option for the respective project layouts. Refer to Figures 4 below.

The capacity of the collector substation for each project will be 132kV and the capacity of the internal power lines will be 132kV.

The lengths of the internal lines per project are as follows:

Naos Solar PV Project Three: up to 4km




Figure 4: Internal grid connection solution, with two collector substation alternative locations, for Naos Solar PV Project Three (red lines = Naos 2 132kV Eskom power line connecting to the main grid connection corridor for each collector substation alternative, blue lines = Naos 1 & 3 132kV power lines crossing over the Naos Solar PV Project Three).



The power line route to connect each of the respective facilities to the 400kV Mercury Main Transmission Substation will be assessed within a 200m wide grid connection corridor. Six alternative routes are being considered.

Refer to the Figure 5 below.




Figure 5: Six grid connection corridor alternatives proposed for the three Naos PV projects.

The lengths of the six power line alternatives are as follow:

- Power Line Alternative 1A – up to 8km
- Power Line Alternative 1B (technically preferred) – up to 8km
- Power Line Alternative 1C – up to 8km
- Power Line Alternative 2 – up to 7km
- Power Line Alternative 3 – up to 7km
- Power Line Alternative 4 – up to 7.5km

Technical alternatives: Main Access

In order to gain access to the site four alternative main access routes are being proposed for the development. These include the following:

- Preferred Access Road (Main Road) - 12.6km
- Alternative 1 – 25.6km
- Alternative 2 – 27.5km



- Alternative 3 – 14.6km

The Preferred Access Road (Main Road) follows the S643, where it then crosses over the Vaal River via the Vermaasdrift Bridge and provides direct access to the projects via an existing gravel farm road. Upgrading of sections of the road to accommodate the construction traffic will be undertaken where required. This route is considered to be the shortest route to the site from the R502 regional road and is therefore considered to be the ideal route for the delivery of equipment.

Alternative 1 provides access to the sites from the south via the R76 regional road, which connects to a gravel farm road which further leads to the existing Vermaasdrift Road. This road is ideal for the delivery of equipment and specifically the transformers. Upgrading of sections of the road to accommodate the construction traffic will be undertaken where required.

Alternative 2 provides access to the sites from the south via the R76 regional road, which connects to a gravel farm road which provides direct access to the sites. This road is ideal for the delivery of equipment and specifically the transformers. Upgrading of sections of the road to accommodate the construction traffic will be undertaken where required.

Alternative 3 provides access to the sites from the west via the R76 regional road, which connects to a gravel farm road which crosses over the existing Vermaasdrift Road and provides direct access to the sites. This road is ideal for the delivery of equipment and specifically transformers. Upgrading of sections of the road to accommodate the construction traffic will be undertaken where required, and a section of new road of about 5km long and 8m wide will need to be undertaken.

The preferred alternatives are the use of the Main Road and Alternative 2 collectively for the projects as these two options provide the most technically sensible solution for the transportation of goods and services to and from the sites. It is therefore requested that the Main Road and Alternative 2 both be authorised for the developments.

Refer to the Figure below.




Figure 6: Main access route alternatives proposed for the three Naos PV projects.

Design and layout alternatives

Design alternatives will be considered throughout the planning and design phase and specialist studies are expected to inform the final layout of the proposed development.

Technology alternatives

There are several types of semiconductor technologies currently available and in use for PV solar panels. Two, however, have become the most widely adopted, namely crystalline silicon (Mono-facial and Bi-facial) and thin film. The technology that (at this stage) proves more feasible and reasonable with respect to the proposed solar facility is crystalline silicon panels, due to it being non-reflective, more efficient, and with higher durability. However, due to the rapid technological advances being made in the field of solar technology the exact type of technology to be used, such as bifacial panels, will only be confirmed at the onset of the project.

In terms of the type of panel to be installed, the panels will either be fixed tilt or tracking (single axis / dual axis).




Figure 7: Regional locality of the proposed Naos Solar PV Three Project near Viljoenskroon in the Free Sate.




Figure 8: Regional topography of the proposed Naos Solar PV Three Project near Viljoenskroon in the Free State.



2 LEGAL MANDATE AND PURPOSE OF THE REPORT

The National Environmental Management Act identifies listed activities (in terms of Section 24) which are likely to have an impact on the environment. These activities cannot commence without obtaining an EA from the relevant competent authority. Sufficient information is required by the competent authority to make an informed decision and the project is therefore subject to an environmental assessment process which can be either a Basic Assessment Process or a full Scoping and Environmental Impact Assessment process.

The EIA Regulations No. 324, 325, and 327 outline the activities that may be triggered and therefore require EA.

The activities triggered under Listing Notice 1 & 2 (Regulation 327 & 325) for the project implies that the development is considered as potentially having an impact on the environment and therefore require the implementation of appropriate mitigation measures. The project is located in the Klerksdorp Solar Renewable Energy Development Zone. Therefore, the project is subject to a Basic Assessment process, as well as the 57-day timeframe for the processing of the Application for Environmental Authorisation by the Department of Forestry, Fisheries and the Environment (DFFE).

3 QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR

This study has been conducted by Mrs Elize Butler. She has conducted approximately 300 palaeontological impact assessments for developments in the Free State, KwaZulu-Natal, Eastern, Central, and Northern Cape, Northwest, Gauteng, Limpopo, and Mpumalanga. She has an MSc (*cum laude*) in Zoology (specializing in Palaeontology) from the University of the Free State, South Africa and has been working in Palaeontology for more than twenty-eight years. She has experience in locating, collecting, and curating fossils, including exploration field trips in search of new localities in the Karoo Basin. She has been a member of the Palaeontological Society of South Africa (PSSA) since 2006 and has been conducting PIAs since 2014.

4 LEGISLATION

National Heritage Resources Act (25 of 1999)

Cultural Heritage in South Africa, includes all heritage resources, is protected by the National Heritage Resources Act (Act 25 of 1999) (NHRA). Heritage resources as defined in Section 3 of the Act include **“all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens”**.

The identification, evaluation and assessment of any cultural heritage site, artefact or finds in the South African context is required and governed by the following legislation:

- National Environmental Management Act (NEMA) Act 107 of 1998



- National Heritage Resources Act (NHRA) Act 25 of 1999
- Minerals and Petroleum Resources Development Act (MPRDA) Act 28 of 2002
- Notice 648 of the Government Gazette 45421- general requirements for undertaking an initial site sensitivity verification where no specific assessment protocol has been identified.

The next section in each Act is directly applicable to the identification, assessment, and evaluation of cultural heritage resources.

GNR 982 (Government Gazette 38282, 14 December 2014) promulgated under the National Environmental Management Act (NEMA) Act 107 of 1998

- Basic Assessment Report (BAR) – Regulations 19 and 23
- Environmental Impacts Assessment (EIA) – Regulation 23
- Environmental Scoping Report (ESR) – Regulation 21
- Environmental Management Programme (EMPr) – Regulations 19 and 23

National Heritage Resources Act (NHRA) Act 25 of 1999

- Protection of Heritage Resources – Sections 34 to 36
- Heritage Resources Management – Section 38

MPRDA Regulations of 2014

Environmental reports to be compiled for application of mining right – Regulation 48

- Contents of scoping report – Regulation 49
- Contents of environmental impact assessment report – Regulation 50
- Environmental management programme – Regulation 51
- Environmental management plan – Regulation 52

The NEMA (No 107 of 1998) states that an integrated EMP should (23:2 (b)) “...*identify, predict and evaluate the actual and potential impact on the environment, socio-economic conditions and cultural heritage*”.

In agreement with legislative requirements, EIA rating standards as well as SAHRA policies a comprehensive and legally compatible PIA report has been compiled.

Palaeontological heritage is exceptional and non-renewable and is protected by the NHRA. Palaeontological resources and may not be unearthed, broken moved, or destroyed by any development without prior assessment and without a permit from the relevant heritage resources authority as per section 35 of the NHRA.

This Palaeontological Impact assessment forms part of the Heritage Impact Assessment (HIA) and adhere to the conditions of the Act. According to **Section 38 (1)**, an HIA is required to assess any potential impacts to palaeontological heritage within the development footprint where:

- the construction of a road, wall, power line, pipeline, canal or other similar form of linear development or barrier exceeding 300 m in length.
- the construction of a bridge or similar structure exceeding 50 m in length.
- any development or other activity which will change the character of a site—
- (Exceeding 5 000 m² in extent; or
- involving three or more existing erven or subdivisions thereof; or



- involving three or more erven or divisions thereof which have been consolidated within the past five years; or
- the costs of which will exceed a sum set in terms of regulations by SAHRA or a provincial heritage resources authority
- the re-zoning of a site exceeding 10 000 m² in extent.
- or any other category of development provided for in regulations by SAHRA or a Provincial heritage resources authority.

5 OBJECTIVE

The objective of a Palaeontological Impact Assessment (PIA) is to determine the impact of the development on potential palaeontological material at the site.

According to the "SAHRA APM Guidelines: Minimum Standards for the Archaeological and Palaeontological Components of Impact Assessment Reports" the aims of the PIA are: 1) to **identify** the palaeontological status of the exposed as well as rock formations just below the surface in the development footprint 2) to estimate the **palaeontological importance** of the formations 3) to determine the **impact** on fossil heritage; and 4) to recommend how the developer ought to protect or mitigate damage to fossil heritage.

The terms of reference of a PIA are as follows:

General Requirements:

- Adherence to the content requirements for specialist reports in accordance with Appendix 6 of the EIA Regulations 2014, as amended;
- Adherence to all applicable best practice recommendations, appropriate legislation and authority requirements;
- Submit a comprehensive overview of all appropriate legislation, guidelines;
- Description of the proposed project and provide information regarding the developer and consultant who commissioned the study,
- Description and location of the proposed development and provide geological and topographical maps
- Provide palaeontological and geological history of the affected area.
- Identification of sensitive areas to be avoided (providing shapefiles/kmls) in the proposed development;
- Evaluation of the significance of the planned development during the Pre-construction, Construction, Operation, Decommissioning Phases and Cumulative impacts. Potential impacts should be rated in terms of the direct, indirect and cumulative:
 - a. **Direct impacts** are impacts that are caused directly by the activity and generally occur at the same time and at the place of the activity.
 - b. **Indirect impacts** of an activity are indirect or induced changes that may occur as a result of the activity.



- c. **Cumulative impacts** are impacts that result from the incremental impact of the proposed activity on a common resource when added to the impacts of other past, present or reasonably foreseeable future activities.
- Fair assessment of alternatives (infrastructure alternatives have been provided):
 - Recommend mitigation measures to minimise the impact of the proposed development; and
 - Implications of specialist findings for the proposed development (such as permits, licenses etc).

6 GEOLOGICAL AND PALAEOLOGICAL HISTORY

The geology of the proposed Naos Solar PV Three Project near Viljoenskroon in the Free State is depicted on the 1: 250 000 Wes-Rand 2626 (1986) and 2726 Kroonstad (2000) Geological Map (Council for Geosciences, Pretoria (**Figure 9, Table 4-6**).

According to these geological maps the Naos Solar PV Project Three is underlain by Quaternary soils (Qs, yellow) and the Vryheid Formation (khaki, Pv Ecca Group, Karoo Supergroup), Hekpoort (Vh, dark green) Formation of the Pretoria Group (Transvaal Supergroup). The Pretoria Group sedimentary rocks in and near the study area are extensively intruded, and locally metamorphosed, by sills of diabase (di, green in **Figure 9**). The diabase has no palaeontological significance. However, the existence of the diabase rocks would have had a thermal metamorphic effect on the nearby sediments and would decrease the chance of fossil preservation.

According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS) the Palaeontological Sensitivity of the Quaternary soils and Hekpoort Formation is medium while the Vryheid Formation has a Very high Palaeontological Sensitivity and the diabase has a Zero Sensitivity (**Figure 10, Table 7**).

The geology has recently been updated (Council of Geosciences, Pretoria) and indicates that the proposed Naos PV Three Project is underlain by the following sediments (**Figure 11**) Vryheid Formation (Ecca Group) and the Hekpoort, Boshhoek Formations (Pretoria Group) as well as the Malmani Subgroup (Chuniespoort Group). The most eastern portion of the development is underlain by intrusive diabase rocks that has no Palaeontological Significance. The grid connection is underlain by Vryheid Formation, diabase as well as the Malmani Subgroup.

The Quaternary superficial deposits are the youngest geological deposits formed during the most recent period of geological time (approximately 2.6 million years ago to present). Most of the



superficial deposits are unconsolidated sediments and consist of gravel, sand, silt, and clay, and they form relatively thin, often discontinuous patches of sediments.

The Quaternary deposits are of most importance due to the palaeoclimatic changes that are reflected in the different geological formations (Hunter et al., 2006). During the climate fluctuations in the Cenozoic Era most geomorphologic features in southern Africa were formed (Maud, 2012). Barnosky (2005) indicated that various warming and cooling events occurred in the Cenozoic but states that climatic changes during the Quaternary Period, specifically the last 1.8 Ma, were the most drastic climate changes relative to all climate variations in the past. Climate variations that occurred in the Quaternary Period were both drier and wetter than the present and resulted in changes in river flow patterns, sedimentation processes and vegetation variation (Tooth et al., 2004).

Quaternary fossil assemblages are generally rare and low in diversity and occur over a wide-ranging geographic area. These fossil assemblages may in some cases occur in extensive alluvial and colluvial deposits cut by dongas. In the past palaeontologists did not focus on Caenozoic superficial deposits although they sometimes comprise of significant fossil deposits. These fossil assemblages resemble modern animals and may comprise of mammalian teeth, bones and horn cores, reptile skeletons and fragments of ostrich eggs. Microfossils, non-marine mollusc shells are also known from Quaternary deposits. Plant material such as foliage, wood, pollens and peats are recovered as well as trace fossils like vertebrate tracks, burrows, termitaria (termite heaps/ mounds) and rhizoliths (root casts).

The Vryheid Formation is known to contain a rich assemblage of Glossopteris flora (spathulate, reticulate-veined leaves) which is the source vegetation for the Vryheid Formation. Gymnospermous glossopterids (**Figure 12**) dominated the peat and non-peat accumulating of Permian wetlands after continental deglaciation took place (Falcon, 1986c, Greb *et al.*, 2006). Recent palaeobotanical studies include that of Adendorff (2005), Bordy and Prevec (2008) and Prevec *et al.* (2008, 2009, 2010) and Prevec, (2011). Bamford (2011) has described numerous plant fossils from this formation (e.g., *Azaniodendron fertile*, *Cyclodendron leslii*, *Sphenophyllum hammanskraalensis*, *Annularia sp.*, *Raniganjia sp.*, *Asterotheca spp.*, *Liknopetalon enigmata*, *Hirsutum sp.*, *Scutum sp.*, *Ottokaria sp.*, *Estcourtia sp.*, *Arberia sp.*, *Lidgetonnia sp.*, *Noeggerathiopsis sp.*, *Podocarpidites sp.*) as well as more than 20 Glossopteris species. In the past, palynological studies have focused on the coal-bearing successions of the Vryheid Formation and include articles by Aitken (1993, 1994, 1998), and Millsted (1994, 1999), while recent studies were conducted by Götz and Ruckwied, (2014).

To date no fossil vertebrates have been collected from the Vryheid formation. The occurrence of fossil insects is rare, while palynomorphs are diverse. Non-marine bivalves and fish scales have also been reported from this formation. Trace fossils are abundantly found but the diversity is low. The mesosaurid reptile, *Mesosaurus* (**Figure 13**) has been found in the southern parts of the basin but



may also be present in other areas of the Vryheid formation. Although fossils are rare in this biozone, a single fossil may be of scientific importance as many fossil taxa are known from only a single fossil.

The Transvaal Supergroup is preserved in three structural basins on the Kaapvaal Craton of South Africa namely the Griqualand West Basin, Transvaal Basin, as well as the Kanye Basin in Botswana. The Griqualand West Basin can be subdivided into the Ghaap Plateau and Prieska sub basins. The geometry of the three basins is mostly stratiform with the exclusion of the volcanic precursor of the Kanye Basin and parts of the Griqualand West Basin. Extensive deformation has taken place in the south-western portion of the Griqualand West Basin. Rocks of the Transvaal Supergroup in the Transvaal Basin were intruded by the Bushveld Complex approximately 2060 million years ago. The Transvaal Supergroup overlays the Archaean basement as well as the Witwatersrand and Ventersdorp Supergroups. In the far western and Kanye Basins rocks belonging to the Kanye Formation and Gaborone Granite Suite is also overlain by the Transvaal Supergroup.

The Precambrian Transvaal Supergroup is approximately 2550-2050 Ma years old (Bekker et al. 2008; Catuneanu et al 1999), (Late Archaean to Early Proterozoic) and is about 15 km thick. This Supergroup consists of sedimentary, volcanic and unmetamorphosed clastic rocks. The sandstone dominated Magaliesberg Formation overlies the mudrocks of the Silverton Formation, and in turn the Silverton Formation overlies the sandstone dominated Daspoort Formation.

The Daspoort Formation overlies the Strubenkop (Eriksson et al., 1993b). The Daspoort Formation is characterised by subordinate mudrocks and ironstones in the east of the basin (Button, 1973a), and mature quartz arenites. Eriksson et al (1993b) also describes pebbly arenites, immature sandstones, conglomerates and mudrocks in this formation that reflects the beginning of a major marine transgression that deposited the Silverton and Magaliesberg Formations (Eriksson et al., 1995). Thin stromatolitic cherts and carbonates (top of formation) normally changes into a condensed, transgressive dolomite or chert and is finally covered by the Silverton Shales. The Silverton Formation is a lithologically varied, mudrock-dominated sequence that was deposited on an offshore shelf along the borders of the Kaapvaal Craton (Eriksson et al. 2002, 2009). Volcanic ash-rich intervals are common as well as minor beds of carbonate and chert. Sandstones become more regular in the upper part of the sequence and was deposited under shallower conditions. In the eastern part of the Pretoria Basin, the Machadodorp Member lies in the middle of the Silverton Formation and is represented by a conspicuous interval of volcanic rocks (including agglomerates basaltic lavas as well as tuffs). The presence of the volcanic pillow lavas and water-lain tuffs indicates that they were formed beneath the sea. The deep-water Silverton mudrocks were deposited in high sea levels and was followed by shallowing fluvial and deltaic sandstones in low sea levels of the overlying Magaliesberg Formation. The Hekpoort formation consists of Basaltic andesite and pyroclastic rocks and is volcanic in origin. In the south the basaltic andesitic lavas are more than 1100m thick thinning to 800m in the west and is less than 50m thinning in the north. Sub-aerial



fissure eruptions are dominant, with local pyroclastic systems (Oberholzer, 1995). Small lacustrine shale deposits are present between recurrent hiatuses in volcanism. Button (1973a) suggested an uppermost, widespread palaeosol.

The Malmani Subgroup carbonates of the Transvaal Basin comprise of an assortment of stromatolites (microbial laminates), ranging from supratidal mats to intertidal columns and large subtidal domes (Eriksson *et al.* 2006). Stromatolites are layered mounds, columns and sheet-like sedimentary rocks (Figure 6). These structures were originally formed by the growth of layer upon layer of cyanobacteria, a single-celled photosynthesizing microbe. Cyanobacteria are prokaryotic cells (simplest form of modern carbon-bases life). Stromatolites are first found in Precambrian rocks and are known as the earliest known fossils. These algae photosynthesised in the low oxygen atmosphere and deposited layer upon layer of calcium sulphate, magnesium sulphate and calcium carbonate as well as other compounds to form these domes. Researchers have examined and classified the stromatolite structures but seldomly find preserved algal cells. The oxygen atmosphere that we depend on today was generated by numerous cyanobacteria photosynthesizing during the Archaean and Proterozoic Era.

Stromatolites and oolites from the Transvaal Supergroup have been described by various authors (Eriksson and Altermann, 1998). Detailed descriptions of South African Archaean stromatolites are available in the literature (Altermann, 2001; Buick, 2001; and Schopf, 2006). The Malmani stromatolites literature includes articles by Truswell and Eriksson (1972, 1973, 1975), Eriksson and MacGregor (1981), Eriksson and Altermann (1998), Sumner (2000), Schopf (2006).

Currently very few palaeontologists study stromatolites but geologists find the stromatolites interesting because they reveal the change from a reducing environment (that is an oxygen-poor) to an oxidizing environment (oxygen-rich). This transition is known as the Great Oxygen Event (Eroglu *et al.*, 2017).




Figure 9: Extract of the 1:250 000 Wes-Rand 2626 (1986) and 2726 Kroonstad (2000) Geological Map (Council for Geosciences, Pretoria) indicating the proposed Naos Solar PV Three Project near Viljoenskroon in the Free State.

The proposed Naos Solar PV Three and the grid connection alternatives are underlain by Quaternary soils, Vryheid Formation (Ecca Group, Karoo Supergroup) as well as the Hekpoort Formation (Pretoria Group, Transvaal Supergroup) and unfossiliferous diabase.



Table 4: Legend of the 2726 Kroonstad (2000) Geological Map (Council for Geosciences, Pretoria)

KWARTÊR QUATERNARY	
	~ Alluvium Alluvium
	~ Rivierterrasgruis River terrace gravel
	Qc Kalksteen, toefa Limestone, tufa
	Qd Duinsand Dune sand
	Qs Eoliese sand Aeolian sand



Table 5: Legend of the Wes-Rand 2626 (1986) Geological Map (Council for Geosciences, Pretoria)







Table 6: Legend of the Wes-Rand 2626 (1986) Geological Map (Council for Geosciences, Pretoria)






Figure 10: Extract of the 1 in 250 000 SAHRIS PalaeoMap map (Council of Geosciences) indicating the Naos Solar PV Three Project and grid connection alternatives near Viljoenskroon in the Free State.

Table 7: Palaeontological Sensitivity according to the SAHRIS PalaeoMap (Almond et al, 2013; SAHRIS website)

Colour	Sensitivity	Required Action
RED	VERY HIGH	Field assessment and protocol for finds is required
ORANGE/YELLOW	HIGH	Desktop study is required and based on the outcome of the desktop study, a field assessment is likely
GREEN	MODERATE	Desktop study is required
BLUE	LOW	No palaeontological studies are required however a protocol for finds is required



GREY	INSIGNIFICANT/ZERO	No palaeontological studies are required
WHITE/CLEAR	UNKNOWN	<i>These areas will require a minimum of a desktop study. As more information comes to light, SAHRA will continue to populate the map.</i>

According to the SAHRIS Palaeosensitivity map (**Figure 10**) the proposed development is underlain by sediments with a Very High (red), High (orange), Moderate (green), Low (blue) and Zero (grey) Palaeontological Sensitivity.




Figure 11: Updated Geology (Council of Geosciences, Pretoria) of the proposed Naos Solar PV Three Project and grid connection near Viljoenskroon in the Free State.

This map indicates that the PV development is underlain by the Quaternary sands, Vryheid Formation (Ecca Group), the Hekpoort and Boshhoek Formations (Pretoria Group), while diabase is present in the east.




Figure 12: Examples of Glossopteris leaves (Prevec et al 2009).



Figure 13: Mesosaurus sp. National Museum specimen NMQR3536




Figure 14: Cumulative Impact Map indicating the similar Solar Power plants and grid connections in a 30 km radius of Naos Solar PV Project Three.

Solar Facilities in a 30km radius of Naos Solar PV Three Project will have a Zero to High Palaeontological Sensitivity. However, it is important to note that the quality of preservation of these different sites will most probably vary and it is thus difficult to allocate a Cumulative Sensitivity to the projects. If all the mitigation measures are carried out, a conservative estimate of the Cumulative impacts on fossil Heritage will vary between Low and Medium.



Table 8:A summary of related facilities, that may have a cumulative impact, in a 30 km radius of the solar energy facility.

Site name	Distance from study area	Proposed generating capacity	DEFF reference	EIA process	Project status
Paleso SPP ¹	11km	150MW	14/12/16/3/3/1/2365	Basic Assessment	Approved
Siyanda SPP	10km	150MW	14/12/16/3/3/1/2369	Basic Assessment	Approved
Thakadu SPP	4km	150MW	14/12/16/3/3/1/2476	Basic Assessment	Approved
Ngwedi SPP	9km	150MW	14/12/16/3/3/1/2535	Basic Assessment	In process
Nyarhi SPP	3km	150MW	14/12/16/3/3/1/2533	Basic Assessment	In process
Kabi Vaalkop PV 3	13km	75 MW	12/12/20/2513/3	Scoping and EIA	Approved
Kabi Vaalkop PV 2	12km	75 MW	12/12/20/2513/2	Scoping and EIA	Approved
Kabi Vaalkop PV ²	11km	75 MW	12/12/20/2513/4	Scoping and EIA	Approved
Kabi Vaalkop PV 1	11km	75 MW	12/12/20/2513/1	Scoping and EIA	Approved
Buffels Solar PV 1	8km	100MW	14/12/16/3/3/2/777	Scoping and EIA	Approved
Buffels Solar PV 2	8km	100 MW	14/12/16/3/3/2/778	Amendment	Approved
Rietvlei solar	16 km	-	14/12/16/3/3/2/450	Scoping and EIA	Withdrawn/Lapsed
Genesis Orkney Solar (Pty) Ltd	24 km	100MW	14/12/16/3/3/2/954	Scoping and EIA	Approved

¹ Environamics was the EAP responsible for the Basic Assessments for the Paleso, Siyanda, Ngwedi, Nyarhi and Thakadu Solar Power Plants.

² The application was only for transmission infrastructure (i.e. substation and power lines) and not a PV solar power plant.



Afropulse 538 Pty Ltd	7 km	50MW	12/12/20/2280	BAR	Withdrawn/Lapsed
Mulilo Renewable Project Developments (Pty) Ltd (Cluster Development): Vlakfontein Solar PV1 (Pty) Ltd Biesiefontein Solar PV1 (Pty) Ltd Kleinfontein Solar PV1 (Pty) Ltd Zaaiplaats Solar PV1 (Pty) Ltd Hormah Solar PV1 (Pty) Ltd Ratpan Solar PV1 (Pty) Ltd Ratpan Solar PV2 (Pty) Ltd	2.78	75 – 100MW	Projects only in commencement phase with no Applications for EA submitted as yet	BAR	In process (commencement Phase)

It is unclear whether other projects not related to renewable energy is or has been constructed in this area, and whether other projects are proposed. In general, development activity in the area is focused on agriculture and mining. It is quite possible that future solar farm development may take place within the general area.

7 GEOGRAPHICAL LOCATION OF THE SITE

The proposed Naos Solar PV Project Three is located on the Remaining Extent of the Farm Cijfervlei 6 Portion 1 of the Farm La Reys Kraal Zuid 165 near Viljoenskroon in the Free State Province (**Figure 2-4**).

Power Line Alternatives 1A, 1B and 1C (1B is the technically preferred alternative)

Portion 1 of the Farm Waterford No. 573

Portion 1 La Reys Kraal Zuid No. 165

Portion 2 of the Farm Kleinfontein No. 369

Remaining Extent of the Farm Kleinfontein No. 369

Portion 2 of the Farm Zaaiplaats No. 190



Portion 3 of the Farm Zaaiplaats No. 190
Portion 2 of the Farm Biesiefontein No. 173
Farm Doornplaats 599

Power Line Alternative 2

Portion 1 of the Farm Waterford No. 573
Portion 1 La Reys Kraal Zuid No. 165
Portion 2 of the Farm Kleinfontein No. 369
Remaining Extent of the Farm Kleinfontein No. 369
Portion 2 of the Farm Zaaiplaats No. 190
Portion 3 of the Farm Zaaiplaats No. 190
Portion 2 of the Farm Biesiefontein No. 173

Power Line Alternative 3

Portion 1 of the Farm Waterford No. 573
Portion 1 La Reys Kraal Zuid No. 165
Portion 1 of the Farm Kleinfontein No. 369
Portion 2 of the Farm Kleinfontein No. 369
Remaining Extent of the Farm Kleinfontein No. 369
Portion 3 of the Farm Zaaiplaats No. 190
Portion 2 of the Farm Biesiefontein No. 173

Power Line Alternative 4

Portion 1 of the Farm Waterford No. 573
Portion 2 of the Farm Waterford No. 573
Portion 2 of the Farm Biesiefontein No. 173
Portion 4 of the Farm Biesiefontein No. 173
Remaining Extent of the Farm Biesiefontein No. 173
Portion 1 of the Farm Kleinfontein No. 369
Portion 3 of the Farm Zaaiplaats No. 190

8 METHODS

The aim of a desktop study is to evaluate the possible risk to palaeontological heritage in the proposed development. This includes all trace fossils as well as all fossils in the proposed footprint. All possible information is consulted to compile a desktop study, and this includes the following: all Palaeontological Impact Assessment reports in the same area; aerial photos and Google Earth images, topographical as well as geological maps.



8.1 Assumptions and Limitations

The focal point of geological maps is the geology of the area and the sheet explanations of the Geological Maps were not meant to focus on palaeontological heritage. Many inaccessible regions of South Africa have never been reviewed by palaeontologists and data is generally based on aerial photographs alone. Locality and geological information of museums and university databases have not been kept up to date or data collected in the past have not always been accurately documented.

Comparable Assemblage Zones in other areas is also used to provide information on the existence of fossils in an area which has not been documented in the past. When using similar Assemblage Zones and geological formations for Desktop studies it is generally **assumed** that exposed fossil heritage is present within the footprint. A field-assessment will thus improve the accuracy of the desktop assessment.

9 ADDITIONAL INFORMATION CONSULTED

In compiling this report the following sources were consulted:

- Geological map 1:100 000, Geology of the Republic of South Africa (Visser 1984)
- A Google Earth map with polygons of the proposed development was obtained from Environamics.
- 1:250 000 Wes-Rand 2626 (1986) and 2726 Kroonstad (2000) Geological Map (Council for Geosciences, Pretoria).
- Palaeontological Impact Assessments in the area of the development (see references)

10 SITE VISIT

A site-specific field survey of the development footprint was conducted on foot and by motor vehicle on 13 August 2022. No fossiliferous outcrops were identified during the site visit. The development has a flat topography and is used for agriculture.



Figure 15: The study area is covered by thick grassy vegetation and Quaternary sands with no surface outcrops visible.

11 IMPACT ASSESSMENT METHODOLOGY

The environmental assessment aims to identify the various possible environmental impacts that could result from the proposed activity. Different impacts need to be evaluated in terms of their significance and in doing so highlight the most critical issues to be addressed.

Significance is determined through a synthesis of impact characteristics which include context and intensity of an impact. Context refers to the geographical scale i.e., site, local, national or global whereas intensity is defined by the severity of the impact e.g., the magnitude of deviation from background conditions, the size of the area affected, the duration of the impact and the overall probability of occurrence. Significance is calculated as shown in Table 4.1.

Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The total number of points scored for each impact indicates the level of significance of the impact.

11.1 Impact Rating System

Impact assessment must take account of the nature, scale and duration of impacts on the environment whether such impacts are positive or negative. Each impact is also assessed according to the project phases:

- planning
- construction



- operation
- decommissioning

Where necessary, the proposal for mitigation or optimisation of an impact should be detailed. A brief discussion of the impact and the rationale behind the assessment of its significance should also be included. The rating system is applied to the potential impacts on the receiving environment and includes an objective evaluation of the mitigation of the impact. In assessing the significance of each impact, the following criteria is used:

Table 9: The rating system

NATURE		
<i>Loss of fossil heritage.</i>		
GEOGRAPHICAL EXTENT		
<i>This is defined as the area over which the impact will be experienced.</i>		
1	Site	<i>The impact will only affect the site.</i>
2	Local/district	<i>Will affect the local area or district.</i>
3	Province/region	<i>Will affect the entire province or region.</i>
4	International and National	<i>Will affect the entire country.</i>
PROBABILITY		
<i>This describes the chance of occurrence of an impact.</i>		
1	Unlikely	<i>The chance of the impact occurring is extremely low (Less than a 25% chance of occurrence).</i>
2	Possible	<i>The impact may occur (Between a 25% to 50% chance of occurrence).</i>
3	Probable	<i>The impact will likely occur (Between a 50% to 75% chance of occurrence).</i>
4	Definite	<i>Impact will certainly occur (Greater than a 75% chance of occurrence).</i>
DURATION		
<i>This describes the duration of the impacts. Duration indicates the lifetime of the impact as a result of the proposed activity.</i>		



1	Short term	<i>The impact will either disappear with mitigation or will be mitigated through natural processes in a span shorter than the construction phase (0 – 1 years), or the impact will last for the period of a relatively short construction period and a limited recovery time after construction, thereafter it will be entirely negated (0 – 2 years).</i>
2	Medium term	<i>The impact will continue or last for some time after the construction phase but will be mitigated by direct human action or by natural processes thereafter (2 – 10 years).</i>
3	Long term	<i>The impact and its effects will continue or last for the entire operational life of the development, but will be mitigated by direct human action or by natural processes thereafter (10 – 30 years).</i>
4	Permanent	<i>The only class of impact that will be non-transitory. Mitigation either by man or natural process will not occur in such a way or such a time span that the impact can be considered indefinite.</i>

INTENSITY/ MAGNITUDE

Describes the severity of an impact.

1	Low	<i>Impact affects the quality, use and integrity of the system/component in a way that is barely perceptible.</i>
2	Medium	<i>Impact alters the quality, use and integrity of the system/component but system/component still continues to function in a moderately modified way and maintains general integrity (some impact on integrity).</i>
3	High	<i>Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component is severely impaired and may temporarily cease. High costs of rehabilitation and remediation.</i>
4	Very high	<i>Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component permanently ceases and is irreversibly impaired. Rehabilitation and</i>



		<i>remediation often impossible. If possible rehabilitation and remediation often unfeasible due to extremely high costs of rehabilitation and remediation.</i>
REVERSIBILITY		
<i>This describes the degree to which an impact can be successfully reversed upon completion of the proposed activity.</i>		
1	<i>Completely reversible</i>	<i>The impact is reversible with implementation of minor mitigation measures.</i>
2	<i>Partly reversible</i>	<i>The impact is partly reversible but more intense mitigation measures are required.</i>
3	<i>Barely reversible</i>	<i>The impact is unlikely to be reversed even with intense mitigation measures.</i>
4	<i>Irreversible</i>	<i>The impact is irreversible and no mitigation measures exist.</i>
IRREPLACEABLE LOSS OF RESOURCES		
<i>This describes the degree to which resources will be irreplaceably lost as a result of a proposed activity.</i>		
1	<i>No loss of resource</i>	<i>The impact will not result in the loss of any resources.</i>
2	<i>Marginal loss of resource</i>	<i>The impact will result in marginal loss of resources.</i>
3	<i>Significant loss of resources</i>	<i>The impact will result in significant loss of resources.</i>
4	<i>Complete loss of resources</i>	<i>The impact is result in a complete loss of all resources.</i>
CUMULATIVE EFFECT		
<i>This describes the cumulative effect of the impacts. A cumulative impact is an effect which in itself may not be significant but may become significant if added to other existing or potential impacts emanating from other similar or diverse activities as a result of the project activity in question.</i>		
1	<i>Negligible cumulative impact</i>	<i>The impact would result in negligible to no cumulative effects.</i>
2	<i>Low cumulative impact</i>	<i>The impact would result in insignificant cumulative effects.</i>
3	<i>Medium cumulative impact</i>	<i>The impact would result in minor cumulative effects.</i>



4	High cumulative impact	The impact would result in significant cumulative effects
SIGNIFICANCE		
<p>Significance is determined through a synthesis of impact characteristics. Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The calculation of the significance of an impact uses the following formula: (Extent + probability + reversibility + irreplaceability + duration + cumulative effect) x magnitude/intensity.</p> <p>The summation of the different criteria will produce a non-weighted value. By multiplying this value with the magnitude/intensity, the resultant value acquires a weighted characteristic which can be measured and assigned a significance rating.</p>		
Points	Impact significance rating	Description
6 to 28	Negative low impact	The anticipated impact will have negligible negative effects and will require little to no mitigation.
6 to 28	Positive low impact	The anticipated impact will have minor positive effects.
29 to 50	Negative medium impact	The anticipated impact will have moderate negative effects and will require moderate mitigation measures.
29 to 50	Positive medium impact	The anticipated impact will have moderate positive effects.
51 to 73	Negative high impact	The anticipated impact will have significant effects and will require significant mitigation measures to achieve an acceptable level of impact.
51 to 73	Positive high impact	The anticipated impact will have significant positive effects.
74 to 96	Negative very high impact	The anticipated impact will have highly significant effects and are unlikely to be able to be mitigated adequately. These impacts could be considered "fatal flaws".
74 to 96	Positive very high impact	The anticipated impact will have highly significant positive effects.



Table 10: Summary of Impacts

(Extent + probability + reversibility + irreplaceability + duration + cumulative effect) x magnitude/intensity.

Environmental parameter	Issues	Rating prior to mitigation	Average	Rating post mitigation	Average
<p>Naos Solar PV Project Three Construction Stage</p> <p>Six Power line Alternatives</p> <p>Loss of fossil heritage</p>	<p>Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study</p>	48	Negative Medium impact	16	Negative Low impact
<p>Naos Solar PV Project Three</p> <p>Six Power line alternatives</p> <p>Operational Phase</p>	No Impact		No Impact		No Impact
<p>Naos Solar PV Project Three</p> <p>Six Power Line Alternatives</p> <p>Decommissioning Phase</p>	No Impact		No Impact		No Impact
<p>Naos Solar PV Project Three Construction Stage</p> <p>2 Substation layout Alternatives</p> <p>Construction Phase</p>	<p>Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study</p>	48	Negative Medium impact	16	Negative Low impact



<i>Loss of fossil heritage</i>					
<i>Naos Solar PV Project Three Operational Phase 2 Substation layout Operational Phase</i>	<i>Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study</i>	<i>48</i>	<i>Negative Medium impact</i>	<i>16</i>	<i>Negative Low impact</i>
<i>Naos Solar PV Project Three 2 Substation layout Decommissioning Phase</i>	<i>No Impact</i>		<i>No Impact</i>		<i>No Impact</i>
<i>Naos Solar PV Project Three Solar Project Construction Phase</i>	<i>Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study</i>	<i>48</i>	<i>Negative Medium impact</i>	<i>16</i>	<i>Negative Low impact</i>
<i>Naos Solar PV Project Three Solar Project</i>	<i>No Impact</i>		<i>No Impact</i>		<i>No Impact</i>
<i>Naos Solar PV Project Three Solar Project</i>	<i>No Impact</i>		<i>No Impact</i>		<i>No Impact</i>



12 FINDINGS AND RECOMMENDATIONS

The proposed Naos Solar PV Project Three and associated grid connection is underlain by Quaternary sands, the Vryheid Formation (Ecca Group, Karoo Supergroup), and Hekpoort Formation of the Pretoria Group (Transvaal Supergroup). The updated geology also indicates that the Malmani Subgroup of the Chuniespoort Group (Transvaal Supergroup) is present in the development. The Pretoria Group sedimentary rocks in and near the study area are extensively intruded, and locally metamorphosed, by sills of diabase. The diabase has a Zero Palaeontological Sensitivity. However, the existence of the diabase rocks would have had a thermal metamorphic effect on nearby sediments and would decrease the chance of fossil preservation. According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS) the Palaeontological Sensitivity of the Vryheid Formation is Very High, that of the Hekpoort Formation and Quaternary soils are Medium. The Palaeontological sensitivity of diabase is Zero (Almond *et al*, 2013; SAHRIS website).

A site-specific field survey of the development footprint was conducted on foot and by motor vehicle on 13 August 2022. No fossiliferous outcrop was detected in the proposed development. Six grid connection alternatives as well as two collector substation's location alternatives have been proposed for the Naos Solar PV Project Three. These alternatives are mainly underlain by the Vryheid Formation, Quaternary sands as well as diabase. As no fossiliferous outcrops were found on the development there is no preference between them from a palaeontological point of view. The apparent rarity of fossil heritage in the proposed development footprint suggests that the impact of the development will be of a Low significance in palaeontological terms. It is therefore considered that the proposed development will not lead to damaging impacts on the palaeontological resources of the area. The construction of the development may thus be permitted in its whole extent, as the development footprint is not considered sensitive in terms of palaeontological resources

However, if fossil remains are discovered during any phase of construction, either on the surface or exposed by excavations the **Chance Find Protocol** must be implemented by the ECO/site manager in charge of these developments. These discoveries ought to be protected (if possible, *in situ*) and the ECO/site manager must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation (recording and collection) can be carry out by a paleontologist.

Preceding any collection of fossil material, the specialist would need to apply for a collection permit from SAHRA. Fossil material must be curated in an accredited collection (museum or university collection), while all fieldwork and reports should meet the minimum standards for palaeontological impact studies required by SAHRA.



13 CHANCE FINDS PROTOCOL

The following procedure will only be followed if fossils are uncovered during the excavation phase of the development.

13.1 Background

A fossil is the naturally preserved remains (or traces thereof) of plants or animals embedded in rock. These organisms lived millions of years ago. Fossils are extremely rare and irreplaceable. By studying fossils, it is possible to determine the environmental conditions that existed in a specific geographical area millions of years ago.

13.2 Legislation

Cultural Heritage in South Africa (includes all heritage resources) is protected by the **National Heritage Resources Act (Act No 25 of 1999) (NHRA)**. According to Section 3 of the Act, all Heritage resources include **“all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens”**.

Palaeontological heritage is unique and non-renewable and is protected by the NHRA and is the property of the State. It is thus the responsibility of the State to manage and conserve fossils on behalf of the citizens of South Africa. Palaeontological resources may not be excavated, broken, moved, or destroyed by any development without prior assessment and without a permit from the relevant heritage resources authority as per section 35 of the NHRA.

13.3 Introduction

This informational document is intended for workmen and foremen on construction sites. It describes the actions to be taken when mining or construction activities accidentally uncovers fossil material.

It is the responsibility of the Environmental Site Officer (ESO) or site manager of the project to train the workmen and foremen in the procedure to follow when a fossil is accidentally uncovered. In the absence of the ESO, a member of the staff must be appointed to be responsible for the proper implementation of the chance find protocol as not to compromise the conservation of fossil material.

13.4 Chance Find Procedure

- If a chance find is made the person responsible for the find must immediately **stop working** and all work that could impact that finding must cease in the immediate vicinity of the find.
- The person who made the find must immediately **report** the find to his/her direct supervisor which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa.



Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za. The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS co-ordinates.

- A preliminary report must be submitted to the Heritage Agency within **24 hours** of the find and must include the following: 1) date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.
- Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.
- Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.
- The site must be secured to protect it from any further damage. **No attempt** should be made to remove material from the environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.
- If the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO. Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.
- Once the Heritage Agency has issued the written authorization, the developer may continue with the development on the affected area.

14 BIBLIOGRAPHY

Almond, J., Pether, J, And Groenewald, G. 2013. South African National Fossil Sensitivity Map. SAHRA and Council for Geosciences. Schweitzer *et al.* (1995) pp p288.

Altermann, W. 2001. The oldest fossils of Africa – a brief reappraisal of reports from the *Archaean*. *African Earth Sciences* 33, 427-436.

Altermann, W. And Wotherspoon, J. McD. 1995. The carbonates of the Transvaal and Griqualand West sequences of the Kaapvaal craton, with special reference to the Lime Acres limestone deposit. *Mineralium Deposita* 30, 124-134.

Beukes, N.J. 1983. Palaeoenvironmental setting of iron formations in the depositional basin of the Transvaal Supergroup, South Africa. In: Trendall, A.F. & Morris, R.C. (Eds.) *Iron-formation: facts and problems*, 131-210. Elsevier, Amsterdam.

Beukes, N.J. 1986. The Transvaal Sequence in Griqualand West. In: Anhaeusser, C.R. & Maske, S. (Eds.) *Mineral deposits of Southern Africa*, Volume 1, pp. 819-828. Geological Society of South Africa.

Beukes, N.J., Lowe, D.R., 1989. Environmental control on diverse stromatolite morphologies in the 3000 Myr Pongola Supergroup, South Africa *Sedimentology* 36, 383---397.

Beukes, N.J. & Klein, C. 1990. Geochemistry and sedimentology of facies transition from the micro banded to granular iron-formation in the Early Proterozoic Transvaal Supergroup, South Africa. *Precambrian Research* 47, 99-139.



- Buick, K. 2001. *Life in the Archaean*. In: Briggs, D.E.G. & Crowther, P.R. (eds.) *Palaeobiology II*, 13-21. Blackwell Science, London.
- Buttrick, D.B., Van Rooy, J.L. & Ligthelm, R. 1993. Environmental geological aspects of the dolomites of South Africa. *Journal of African Earth Sciences* 16, 53-61.
- Catuneanu, O. & Eriksson, P.G. 1999. The sequence stratigraphic concept and the Precambrian rock record: an example from the 2.7-2.1 Ga Transvaal Supergroup, Kaapvaal craton. *Precambrian Research* 97, 215-251.
- Du Toit, A. 1954. *The geology of South Africa*. xii + 611pp, 41 pls. Oliver & Boyd, Edinburg.
- Environamics (2022). Project Description Document: The development of the proposed Naos Solar PV Project One, Naos Solar PV Project Two and Naos Solar PV Project Three, near Viljoenskroon, Free State Province
- Eriksson, K.A. & Macgregor, I.M. 1981. Precambrian palaeontology of southern Africa. In: Hunter, D.R. (Ed.) *Precambrian of the southern hemisphere*, pp. 813-833. Elsevier, Amsterdam.
- Eriksson, P.G., Schweitzer, J.K., Bosch, P.J.A., Schreiber, U.M., Van Deventer, L. & Hatton, C.J. 1993. The Transvaal Sequence: an overview. *Journal of African Earth Sciences* 16, 22-51.
- Eriksson, P.G., Hattingh, P.J. & Altermann, W. 1995. An overview of the geology of the Transvaal Sequence and Bushveld Complex, South Africa. *Mineralia Deposita* 30, 98-111.
- Eriksson, P.G. & Altermann, W. 1998. An overview of the geology of the Transvaal Supergroup dolomites (South Africa). *Environmental Geology* 36, 179-188.
- Eriksson, P.G., Altermann, W. & Hartzler, F.J. 2006. The Transvaal Supergroup and its precursors. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) *The geology of South Africa*, pp. 237-260. Geological Society of South Africa, Marshalltown.
- Eroglu, S., Van Zuilen, M.A., Taubald, H., Drost, K., Will, M., Swanner, E.D., Beukes, N.J., Schoenberg, R., 2017. Depth--dependent $\delta^{13}\text{C}$ trends in platform and slope settings of the Campbell Rand--Malmani carbonate platform and possible implications for Early Earth xygenation. *Precambrian Research* 302, 122---139.
- Fedorchuk, N.D., Dornbos, S.Q., Corsetti, F.A., Isbell, J.L., Petryshyn, V.A., Bowles, J.A., Wilmeth, D.T., 2016. Early non---marine life: Evaluating the biogenicity of Meso---proterozoic fluvial---lacustrine stromatolites. *Precambrian Research* 275, 105---118.
- Groenewald, G., And Groenewald, D., 2014. SAHRA Palaeotechnical Report: Palaeontological Heritage of Gauteng. Pp1-20.
- Groenewald, G., And Groenewald, D., 2014. SAHRA Palaeotechnical Report: Palaeontological Heritage of the Free State. Pp1-20.
- Kent, L. E., 1980. Part 1: Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia and the Republics of Bophuthatswana, Transkei, and Venda. SACS, Council for Geosciences, Pp 535-574.
- Klein, C. & Beukes, N.J. 1989. Geochemistry and sedimentology of a facies transition from limestone to iron formation deposition in the early Proterozoic Transvaal Supergroup, South Africa. *Economic Geology* 84, 1733-1774.
- Macrae, C. 1999. *Life etched in stone. Fossils of South Africa*. 305 pp. The Geological Society of South Africa, Johannesburg.
- Moore, J.M., Tsikos, H. & Polteau, S. 2001. Deconstructing the Transvaal Supergroup, South Africa: implications for Paleoproterozoic paleoclimate models. *African Earth Sciences* 33, 437-444.



- Marshak, S., 2005. *Earth. Portrait of a Planet*. 2nd Edition. W.W. Norton & CO., New York. 748 p
- Partridge, T.C., Botha, G.A. & Haddon, I.G. 2006. Cenozoic deposits of the interior. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) *The geology of South Africa*, pp. 585-604. Geological Society of South Africa, Marshalltown.
- Rubidge, B.S., 2008. Installation of water pipeline at Kliprivier – Palaeontological Impact Assessment.
- SAHRA 2012. Minimum standards: palaeontological component of heritage impact assessment reports, 15 pp. South African Heritage Resources Agency, Cape Town.
- Schopf, J.W. 2006. Fossil evidence of Archaean life. *Philosophical Transactions of the Royal Society of London (B)* 361, 869-885.
- Sumner, D.Y. & Beukes, N.J. 2006. Sequence stratigraphic development of the Neoarchaean Transvaal carbonate platform, Kaapvaal Craton, South Africa. *South African Journal of Geology* 109, 11-22.
- Tankard, A.J., Jackson, M.P.A., Eriksson, K.A., Hobday, D.K., Hunter, D.R. & Minter, W.E.L. 1982. Crustal evolution of southern Africa – 3.8 billion years of earth history, xv + 523pp. Springer Verlag, New York.
- Truswell, J.F. & Eriksson, K.A. 1972. The morphology of stromatolites from the Transvaal Dolomite northwest of Johannesburg, South Africa. *Transactions of the Geological Society of South Africa* 75, 99-110.
- Tankard, A.J., Jackson, M.P.A., Eriksson, K.A., Hobday, D.K., Hunter, D.R. & Minter, W.E.L. 1982. Crustal evolution of southern Africa – 3.8 billion years of earth history, xv + 523pp. Springer Verlag, New York.
- VAN DER WESTHUIZEN, W.A., DE BRUIYN, H., MEINTJES, P.G., 2006. The Ventersdorp Supergroup. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). *The Geology of South Africa*. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. pp 187-208.



Appendix A

CURRICULUM VITAE

ELIZE BUTLER

PROFESSION: Palaeontologist

YEARS' EXPERIENCE: 30 years in Palaeontology

EDUCATION: B.Sc Botany and Zoology, 1988
University of the Orange Free State

B. Sc (Hons) Zoology, 1991
University of the Orange Free State

Management Course, 1991
University of the Orange Free State

M. Sc. *Cum laude* (Zoology), 2009
University of the Free State

Dissertation title: The postcranial skeleton of the Early Triassic non-mammalian Cynodont *Galesaurus planiceps*: implications for biology and lifestyle

MEMBERSHIP

Palaeontological Society of South Africa (PSSA) 2006-currently

EMPLOYMENT HISTORY

Part time Laboratory assistant	Department of Zoology & Entomology University of the Free State Zoology 1989-1992
Part time laboratory assistant	Department of Virology University of the Free State Zoology 1992
Research Assistant	National Museum, Bloemfontein 1993 – 1997
Principal Research Assistant and Collection Manager	National Museum, Bloemfontein 1998–currently

TECHNICAL REPORTS

Butler, E. 2014. Palaeontological Impact Assessment of the proposed development of private dwellings on portion 5 of farm 304 Matjesfontein Keurboomstrand, Knysna District, Western Cape Province. Bloemfontein.



- Butler, E. 2014. Palaeontological Impact Assessment for the proposed upgrade of existing water supply infrastructure at Noupoot, Northern Cape Province. 2014. Bloemfontein.
- Butler, E. 2015. Palaeontological impact assessment of the proposed consolidation, re-division, and development of 250 serviced erven in Nieu-Bethesda, Camdeboo local municipality, Eastern Cape. Bloemfontein.
- Butler, E. 2015. Palaeontological impact assessment of the proposed mixed land developments at Rooikraal 454, Vrede, Free State. Bloemfontein.
- Butler, E. 2015. Palaeontological exemption report of the proposed truck stop development at Palmiet 585, Vrede, Free State. Bloemfontein.
- Butler, E. 2015. Palaeontological impact assessment of the proposed Orange Grove 3500 residential development, Buffalo City Metropolitan Municipality East London, Eastern Cape. Bloemfontein.
- Butler, E. 2015. Palaeontological Impact Assessment of the proposed Gonubie residential development, Buffalo City Metropolitan Municipality East London, Eastern Cape Province. Bloemfontein.
- Butler, E. 2015. Palaeontological Impact Assessment of the proposed Ficksburg raw water pipeline. Bloemfontein.
- Butler, E. 2015. Palaeontological Heritage Impact Assessment report on the establishment of the 65 mw Majuba Solar Photovoltaic facility and associated infrastructure on portion 1, 2 and 6 of the farm Witkoppies 81 HS, Mpumalanga Province. Bloemfontein.
- Butler, E. 2015. Palaeontological Impact Assessment of the proposed township establishment on the remainder of portion 6 and 7 of the farm Sunnyside 2620, Bloemfontein, Mangaung metropolitan municipality, Free State, Bloemfontein.
- Butler, E. 2015. Palaeontological Impact Assessment of the proposed Woodhouse 1 photovoltaic solar energy facilities and associated infrastructure on the farm Woodhouse729, near Vryburg, North West Province. Bloemfontein.
- Butler, E. 2015. Palaeontological Impact Assessment of the proposed Woodhouse 2 photovoltaic solar energy facilities and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.
- Butler, E. 2015. Palaeontological Impact Assessment of the proposed Orkney solar energy farm and associated infrastructure on the remaining extent of Portions 7 and 21 of the farm Wolvehuis 114, near Orkney, North West Province. Bloemfontein.
- Butler, E. 2015. Palaeontological Impact Assessment of the proposed Spectra foods broiler houses and abattoir on the farm Maiden Manor 170 and Ashby Manor 171, Lukhanji Municipality, Queenstown, Eastern Cape Province. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment of the proposed construction of the 150 MW Noupoot concentrated solar power facility and associated infrastructure on portion 1 and 4 of the farm Carolus Poort 167 and the remainder of Farm 207, near Noupoot, Northern Cape. Prepared for Savannah Environmental. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment of the proposed Woodhouse 1 Photovoltaic Solar Energy facility and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment of the proposed Woodhouse 2 Photovoltaic Solar Energy facility and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.
- Butler, E. 2016. Proposed 132kV overhead power line and switchyard station for the authorised Solis Power 1 CSP project near Upington, Northern Cape. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment of the proposed Senqu Pedestrian Bridges in Ward 5 of Senqu Local Municipality, Eastern Cape Province. Bloemfontein.
- Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Modderfontein Filling Station on Erf 28 Portion 30, Founders Hill, City of Johannesburg, Gauteng Province. Bloemfontein.
- Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Modikwa Filling Station on a Portion of Portion 2 of Mooihoek 255 Kt, Greater Tubatse Local Municipality, Limpopo Province. Bloemfontein.
- Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Heidedal filling station on Erf 16603, Heidedal Extension 24, Mangaung Local Municipality, Bloemfontein, Free State Province. Bloemfontein.
- Butler, E. 2016. Recommended Exemption from further Palaeontological studies: Proposed Construction of the Gunstfontein Switching Station, 132kv Overhead Power Line (Single or Double Circuit) and ancillary



- infrastructure for the Gunstfontein Wind Farm Near Sutherland, Northern Cape Province. Savannah South Africa. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment of the proposed Galla Hills Quarry on the remainder of the farm Roode Krantz 203, in the Lukhanji Municipality, division of Queenstown, Eastern Cape Province. Bloemfontein.
- Butler, E. 2016. Chris Hani District Municipality Cluster 9 water backlog project phases 3a and 3b: Palaeontology inspection at Tsomo WTW. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment of the proposed construction of the 150 MW Noupoot concentrated solar power facility and associated infrastructure on portion 1 and 4 of the farm Carolus Poort 167 and the remainder of Farm 207, near Noupoot, Northern Cape. Savannah South Africa. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment of the proposed upgrading of the main road MR450 (R335) from Motherwell to Addo within the Nelson Mandela Bay Municipality and Sunday's River valley Local Municipality, Eastern Cape Province. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment construction of the proposed Metals Industrial Cluster and associated infrastructure near Kuruman, Northern Cape Province. Savannah South Africa. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment for the proposed construction of up to a 132kv power line and associated infrastructure for the proposed Kalkaar Solar Thermal Power Plant near Kimberley, Free State and Northern Cape Provinces. PGS Heritage. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment of the proposed development of two burrow pits (DR02625 and DR02614) in the Enoch Mgijima Municipality, Chris Hani District, Eastern Cape.
- Butler, E. 2016. Ezibeleni waste Buy-Back Centre (near Queenstown), Enoch Mgijima Local Municipality, Eastern Cape. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment for the proposed construction of two 5 Mw Solar Photovoltaic Power Plants on Farm Wildebeestkuil 59 and Farm Leeuwbosch 44, Leeudoringstad, North West Province. Bloemfontein.
- Butler, E. 2016. Palaeontological Impact Assessment for the proposed development of four Leeuwberg Wind farms and basic assessments for the associated grid connection near Loeriesfontein, Northern Cape Province. Bloemfontein.
- Butler, E. 2016. Palaeontological impact assessment for the proposed Aggeney's south prospecting right project, Northern Cape Province. Bloemfontein.
- Butler, E. 2016. Palaeontological impact assessment of the proposed Motuoane Ladysmith Exploration right application, KwaZulu Natal. Bloemfontein.
- Butler, E. 2016. Palaeontological impact assessment for the proposed construction of two 5 MW solar photovoltaic power plants on farm Wildebeestkuil 59 and farm Leeuwbosch 44, Leeudoringstad, North West Province. Bloemfontein.
- Butler, E. 2016: Palaeontological desktop assessment of the establishment of the proposed residential and mixed-use development on the remainder of portion 7 and portion 898 of the farm Knopjeslaagte 385 Ir, located near Centurion within the Tshwane Metropolitan Municipality of Gauteng Province. Bloemfontein.
- Butler, E. 2017. Palaeontological impact assessment for the proposed development of a new cemetery, near Kathu, Gamagara local municipality and John Taolo Gaetsewe district municipality, Northern Cape. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of The Proposed Development of The New Open Cast Mining Operations on The Remaining Portions Of 6, 7, 8 And 10 Of the Farm Kwaggafontein 8 In the Carolina Magisterial District, Mpumalanga Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Development of a Wastewater Treatment Works at Lanseria, Gauteng Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Scoping Report for the Proposed Construction of a Warehouse and Associated Infrastructure at Perseverance in Port Elizabeth, Eastern Cape Province.
- Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Establishment of a Diesel Farm and a Haul Road for the Tshipi Borwa mine Near Hotazel, In the John Taolo Gaetsewe District Municipality in the Northern Cape Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Changes to Operations at the UMK Mine near Hotazel, In the John Taolo Gaetsewe District Municipality in the Northern Cape Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment for the Development of the Proposed Ventersburg Project-An Underground Mining Operation near Ventersburg and Henneman, Free State Province. Bloemfontein.



- Butler, E. 2017. Palaeontological desktop assessment of the proposed development of a 3000 MW combined cycle gas turbine (CCGT) in Richards Bay, Kwazulu-Natal. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment for the Development of the Proposed Revalidation of the lapsed General Plans for Elliotdale, Mbhashe Local Municipality. Bloemfontein.
- Butler, E. 2017. Palaeontological assessment of the proposed development of a 3000 MW Combined Cycle Gas Turbine (CCGT) in Richards Bay, Kwazulu-Natal. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed development of the new open cast mining operations on the remaining portions of 6, 7, 8 and 10 of the farm Kwaggafontein 8 10 in the Albert Luthuli Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed mining of the farm Zandvoort 10 in the Albert Luthuli Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment for the proposed Lanseria outfall sewer pipeline in Johannesburg, Gauteng Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of open pit mining at Pit 36W (New Pit) and 62E (Dishaba) Amandelbult Mine Complex, Thabazimbi, Limpopo Province. Bloemfontein.
- Butler, E. 2017. Palaeontological impact assessment of the proposed development of the sport precinct and associated infrastructure at Merrifield Preparatory school and college, Amathole Municipality, East London. PGS Heritage. Bloemfontein.
- Butler, E. 2017. Palaeontological impact assessment of the proposed construction of the Lehae training and fire station, Lenasia, Gauteng Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the new open cast mining operations of the Impunzi mine in the Mpumalanga Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the construction of the proposed Viljoenskroon Munic 132 KV line, Vierfontein substation and related projects. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed rehabilitation of 5 ownerless asbestos mines. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the Lephalale coal and power project, Lephalale, Limpopo Province, Republic of South Africa. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of a 132KV powerline from the Tweespruit distribution substation (in the Mantsopa local municipality) to the Driedorp rural substation (within the Naledi local municipality), Free State province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the new coal-fired power plant and associated infrastructure near Makhado, Limpopo Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of a Photovoltaic Solar Power station near Collett substation, Middelburg, Eastern Cape. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment for the proposed township establishment of 2000 residential sites with supporting amenities on a portion of farm 826 in Botshabelo West, Mangaung Metro, Free State Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment for the proposed prospecting right project without bulk sampling, in the Koa Valley, Northern Cape Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment for the proposed Aroams prospecting right project, without bulk sampling, near Aggeneys, Northern Cape Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed Belvoir aggregate quarry II on portion 7 of the farm Maidenhead 169, Enoch Mgijima Municipality, division of Queenstown, Eastern Cape. Bloemfontein.
- Butler, E. 2017. PIA site visit and report of the proposed Galla Hills Quarry on the remainder of the farm Roode Krantz 203, in the Lukhanji Municipality, division of Queenstown, Eastern Cape Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of Tina Falls Hydropower and associated power lines near Cumbu, Mthlontlo Local Municipality, Eastern Cape. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed construction of the Mangaung Gariiep Water Augmentation Project. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed Belvoir aggregate quarry II on portion 7 of the farm Maidenhead 169, Enoch Mgijima Municipality, division of Queenstown, Eastern Cape. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of the Melkspruit-Rouxville 132KV Power line. Bloemfontein.



- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of a railway siding on a Portion of portion 41 of the farm Rustfontein 109 is, Govan Mbeki local municipality, Gert Sibande district municipality, Mpumalanga Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed consolidation of the proposed Ilima Colliery in the Albert Luthuli local municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed extension of the Kareerand Tailings Storage Facility, associated borrow pits as well as a storm water drainage channel in the Vaal River near Stilfontein, North West Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed construction of a filling station and associated facilities on the Erf 6279, district municipality of John Taolo Gaetsewe District, Ga-Segonyana Local Municipality Northern Cape. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed of the Lephale Coal and Power Project, Lephale, Limpopo Province, Republic of South Africa. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed Overvaal Trust PV Facility, Buffelspoort, North West Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed development of the H₂ Energy Power Station and associated infrastructure on Portions 21; 22 And 23 of the farm Hartebeestspruit in the Thembisile Hani Local Municipality, Nkangala District near Kwamhlanga, Mpumalanga Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed upgrade of the Sandriver Canal and Klippan Pump station in Welkom, Free State Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed upgrade of the 132kv and 11kv power line into a dual circuit above ground power line feeding into the Urania substation in Welkom, Free State Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment of the proposed Swaziland-Mozambique border patrol road and Mozambique barrier structure. Bloemfontein.
- Butler, E. 2017. Palaeontological Impact Assessment of the proposed diamonds alluvial & diamonds general prospecting right application near Christiana on the remaining extent of portion 1 of the farm Kaffraria 314, registration division HO, North West Province. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment for the proposed development of Wastewater Treatment Works on Hartebeesfontein, near Panbult, Mpumalanga. Bloemfontein.
- Butler, E. 2017. Palaeontological Desktop Assessment for the proposed development of Wastewater Treatment Works on Rustplaas near Piet Retief, Mpumalanga. Bloemfontein.
- Butler, E. 2018. Palaeontological Impact Assessment for the Proposed Landfill Site in Luckhoff, Letsemeng Local Municipality, Xhariep District, Free State. Bloemfontein.
- Butler, E. 2018. Palaeontological Impact Assessment of the proposed development of the new Mutsho coal-fired power plant and associated infrastructure near Makhado, Limpopo Province. Bloemfontein.
- Butler, E. 2018. Palaeontological Impact Assessment of the authorisation and amendment processes for Manangu mine near Delmas, Victor Khanye local municipality, Mpumalanga. Bloemfontein.
- Butler, E. 2018. Palaeontological Desktop Assessment for the proposed Mashishing township establishment in Mashishing (Lydenburg), Mpumalanga Province. Bloemfontein.
- Butler, E. 2018. Palaeontological Desktop Assessment for the Proposed Mlonzi Estate Development near Lusikisiki, Ngquza Hill Local Municipality, Eastern Cape. Bloemfontein.
- Butler, E. 2018. Palaeontological Phase 1 Assessment of the proposed Swaziland-Mozambique border patrol road and Mozambique barrier structure. Bloemfontein.
- Butler, E. 2018. Palaeontological Desktop Assessment for the proposed electricity expansion project and Sekgame Switching Station at the Sishen Mine, Northern Cape Province. Bloemfontein.
- Butler, E. 2018. Palaeontological field assessment of the proposed construction of the Zonnebloem Switching Station (132/22kV) and two loop-in loop-out power lines (132kV) in the Mpumalanga Province. Bloemfontein.
- Butler, E. 2018. Palaeontological Field Assessment for the proposed re-alignment and de-commissioning of the Firham-Platrand 88kv Powerline, near Standerton, Lekwa Local Municipality, Mpumalanga province. Bloemfontein.
- Butler, E. 2018. Palaeontological Desktop Assessment of the proposed Villa Rosa development In the Buffalo City Metropolitan Municipality, East London. Bloemfontein.
- Butler, E. 2018. Palaeontological field Assessment of the proposed Villa Rosa development In the Buffalo City Metropolitan Municipality, East London. Bloemfontein.
- Butler, E. 2018. Palaeontological desktop assessment of the proposed Mookodi – Mahikeng 400kV line, North West Province. Bloemfontein.



- Butler, E. 2018. Palaeontological Desktop Assessment for the proposed Thornhill Housing Project, Ndlambe Municipality, Port Alfred, Eastern Cape Province. Bloemfontein.
- Butler, E. 2018. Palaeontological desktop assessment of the proposed housing development on portion 237 of farm Hartebeestpoort 328. Bloemfontein.
- Butler, E. 2018. Palaeontological desktop assessment of the proposed New Age Chicken layer facility located on holding 75 Endicott near Springs in Gauteng. Bloemfontein.
- Butler, E. 2018 Palaeontological Desktop Assessment for the development of the proposed Leslie 1 Mining Project near Leandra, Mpumalanga Province. Bloemfontein.
- Butler, E. 2018. Palaeontological field assessment of the proposed development of the Wildealskloof mixed use development near Bloemfontein, Free State Province. Bloemfontein.
- Butler, E. 2018. Palaeontological Field Assessment of the proposed Megamor Extension, East London. Bloemfontein
- Butler, E. 2018. Palaeontological Impact Assessment of the proposed diamonds Alluvial & Diamonds General Prospecting Right Application near Christiana on the Remaining Extent of Portion 1 of the Farm Kaffraria 314, Registration Division HO, North West Province. Bloemfontein.
- Butler, E. 2018. Palaeontological Impact Assessment of the proposed construction of a new 11kV (1.3km) Power Line to supply electricity to a cell tower on farm 215 near Delpportshoop in the Northern Cape. Bloemfontein.
- Butler, E. 2018. Palaeontological Field Assessment of the proposed construction of a new 22 kV single wood pole structure power line to the proposed MTN tower, near Britstown, Northern Cape Province. Bloemfontein.
- Butler, E. 2018. Palaeontological Exemption Letter for the proposed reclamation and reprocessing of the City Deep Dumps in Johannesburg, Gauteng Province. Bloemfontein.
- Butler, E. 2018. Palaeontological Exemption letter for the proposed reclamation and reprocessing of the City Deep Dumps and Rooikraal Tailings Facility in Johannesburg, Gauteng Province. Bloemfontein.
- Butler, E. 2018. Proposed Kalabasfontein Mine Extension project, near Bethal, Govan Mbeki District Municipality, Mpumalanga. Bloemfontein.
- Butler, E. 2018. Palaeontological Desktop Assessment for the development of the proposed Leslie 1 Mining Project near Leandra, Mpumalanga Province. Bloemfontein.
- Butler, E. 2018. Palaeontological Desktop Assessment of the proposed Mookodi – Mahikeng 400kV Line, North West Province. Bloemfontein.
- Butler, E. 2018. Environmental Impact Assessment (EIA) for the Proposed 325mw Rondekop Wind Energy Facility between Matjiesfontein and Sutherland in the Northern Cape Province.
- Butler, E. 2018. Palaeontological Impact Assessment of the proposed construction of the Tooverberg Wind Energy Facility, and associated grid connection near Touws River in the Western Cape Province. Bloemfontein.
- Butler, E. 2018. Palaeontological impact assessment of the proposed Kalabasfontein Mining Right Application, near Bethal, Mpumalanga.
- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed Westrand Strengthening Project Phase II.
- Butler, E., 2019. Palaeontological Field Assessment for the proposed Sirius 3 Photovoltaic Solar Energy Facility near Upington, Northern Cape Province
- Butler, E., 2019. Palaeontological Field Assessment for the proposed Sirius 4 Photovoltaic Solar Energy Facility near Upington, Northern Cape Province
- Butler, E., 2019. Palaeontological Field Assessment for Heuningspruit PV 1 Solar Energy Facility near Koppies, Ngwathe Local Municipality, Free State Province.
- Butler, E., 2019. Palaeontological Field Assessment for the Moeding Solar Grid Connection, North West Province.
- Butler, E., 2019. Recommended Exemption from further Palaeontological studies for the Proposed Agricultural Development on Farms 1763, 2372 And 2363, Kakamas South Settlement, Kai! Garib Municipality, Mgcawu District Municipality, Northern Cape Province.
- Butler, E., 2019. Recommended Exemption from further Palaeontological studies: of Proposed Agricultural Development, Plot 1178, Kakamas South Settlement, Kai! Garib Municipality
- Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Waste Rock Dump Project at Tshipi Borwa Mine, near Hotazel, Northern Cape Province:
- Butler, E., 2019. Palaeontological Exemption Letter for the proposed DMS Upgrade Project at the Sishen Mine, Gamagara Local Municipality, Northern Cape Province
- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed Integrated Environmental Authorisation process for the proposed Der Brochen Amendment project, near Groblershoop, Limpopo



- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed updated Environmental Management Programme (EMPr) for the Assmang (Pty) Ltd Black Rock Mining Operations, Hotazel, Northern Cape
- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed Kriel Power Station Lime Plant Upgrade, Mpumalanga Province
- Butler, E., 2019. Palaeontological Impact Assessment for the proposed Kangala Extension Project Near Delmas, Mpumalanga Province.
- Butler, E., 2019. Palaeontological Desktop Assessment for the proposed construction of an iron/steel smelter at the Botshabelo Industrial area within the Mangaung Metropolitan Municipality, Free State Province.
- Butler, E., 2019. Recommended Exemption from further Palaeontological studies for the proposed agricultural development on farms 1763, 2372 and 2363, Kakamas South settlement, Kai! Garib Municipality, Mgcawu District Municipality, Northern Cape Province.
- Butler, E., 2019. Recommended Exemption from further Palaeontological Studies for Proposed formalisation of Gamakor and Noodkamp low-cost Housing Development, Keimoes, Gordonia Rd, Kai !Garib Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province.
- Butler, E., 2019. Recommended Exemption from further Palaeontological Studies for proposed formalisation of Blaauwskop Low-Cost Housing Development, Kenhardt Road, Kai !Garib Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province.
- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed mining permit application for the removal of diamonds alluvial and diamonds kimberlite near Windsorton on a certain portion of Farm Zoelen's Laagte 158, Registration Division: Barkly Wes, Northern Cape Province.
- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed Vedanta Housing Development, Pella Mission 39, Khâi-Ma Local Municipality, Namakwa District Municipality, Northern Cape.
- Butler, E., 2019. Palaeontological Desktop Assessment for The Proposed 920 KWP Groenheuwel Solar Plant Near Augrabies, Northern Cape Province
- Butler, E., 2019. Palaeontological Desktop Assessment for the establishment of a Super Fines Storage Facility at Amandelbult Mine, Near Thabazimbi, Limpopo Province
- Butler, E., 2019. Palaeontological Impact Assessment for the proposed Sace Lifex Project, Near Emalahleni, Mpumalanga Province
- Butler, E., 2019. Palaeontological Desktop Assessment for the proposed Rehau Fort Jackson Warehouse Extension, East London
- Butler, E., 2019. Palaeontological Desktop Assessment for the proposed Environmental Authorisation Amendment for moving 3 Km of the Merensky-Kameni 132KV Powerline
- Butler, E., 2019. Palaeontological Impact Assessment for the proposed Umsobomvu Solar PV Energy Facilities, Northern and Eastern Cape
- Butler, E., 2019. Palaeontological Desktop Assessment for six proposed Black Mountain Mining Prospecting Right Applications, without Bulk Sampling, in the Northern Cape.
- Butler, E., 2019. Palaeontological field Assessment of the Filling Station (Rietvlei Extension 6) on the Remaining Portion of Portion 1 of the Farm Witkoppies 393JR east of the Rietvleidam Nature Reserve, City of Tshwane, Gauteng
- Butler, E., 2019. Palaeontological Desktop Assessment of The Proposed Upgrade of The Vaal Gamagara Regional Water Supply Scheme: Phase 2 And Groundwater Abstraction
- Butler, E., 2019. Palaeontological Desktop Assessment of The Expansion of The Jan Kempdorp Cemetery on Portion 43 Of Farm Guldenskat 36-Hn, Northern Cape Province
- Butler, E., 2019. Palaeontological Desktop Assessment of the Proposed Residential Development on Portion 42 Of Farm Geldunskat No 36 In Jan Kempdorp, Phokwane Local Municipality, Northern Cape Province
- Butler, E., 2019. Palaeontological Impact Assessment of the proposed new Township Development, Lethabo Park, on Remainder of Farm Roodepan No 70, Erf 17725 And Erf 15089, Roodepan Kimberley, Sol Plaatjies Local Municipality, Frances Baard District Municipality, Northern Cape
- Butler, E., 2019. Palaeontological Protocol for Finds for the proposed 16m WH Battery Storage System in Steinkopf, Northern Cape Province
- Butler, E., 2019. Palaeontological Exemption Letter of the proposed 4.5WH Battery Storage System near Midway-Pofadder, Northern Cape Province
- Butler, E., 2019. Palaeontological Exemption Letter of the proposed 2.5ml Process Water Reservoir at Gloria Mine, Black Rock, Hotazel, Northern Cape
- Butler, E., 2019. Palaeontological Desktop Assessment for the Establishment of a Super Fines Storage Facility at Gloria Mine, Black Rock Mine Operations, Hotazel, Northern Cape:
- Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed New Railway Bridge, and Rail Line Between Hotazel and the Gloria Mine, Northern Cape Province



- Butler, E., 2019. Palaeontological Exemption Letter of The Proposed Mixed Use Commercial Development on Portion 17 of Farm Boegoeberg Settlement Number 48, !Kheis Local Municipality in The Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment of the Proposed Diamond Mining Permit Application Near Kimberley, Sol Plaatjies Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment of the Proposed Diamonds (Alluvial, General & In Kimberlite) Prospecting Right Application near Postmasburg, Registration Division; Hay, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed diamonds (alluvial, general & in kimberlite) prospecting right application near Kimberley, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Phase 1 Impact Assessment of the proposed upgrade of the Vaal Gamagara regional water supply scheme: Phase 2 and groundwater abstraction. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed seepage interception drains at Duvha Power Station, Emalahleni Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment letter for the Proposed PV Solar Facility at the Heineken Sedibeng Brewery, near Vereeniging, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Phase 1 Assessment for the Proposed PV Solar Facility at the Heineken Sedibeng Brewery, near Vereeniging, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological field Assessment for the Proposed Upgrade of the Kolomela Mining Operations, Tsantsabane Local Municipality, Siyanda District Municipality, Northern Cape Province, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment of the proposed feldspar prospecting rights and mining application on portion 4 and 5 of the farm Rozyne 104, Kakamas South, Kai! Garib Municipality, Zf Mgcau District Municipality, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Phase 1 Field Assessment of the proposed Summerpride Residential Development and Associated Infrastructure on Erf 107, Buffalo City Municipality, East London. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Impact Assessment for the proposed re-commission of the Old Balgay Colliery near Dundee, KwaZulu Natal.
- Butler, E., 2019. Palaeontological Phase 1 Impact Assessment for the Proposed Re-Commission of the Old Balgay Colliery near Dundee, KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Environmental Authorisation and Amendment Processes for Elandsfontein Colliery. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Impact Assessment and Protocol for Finds of a Proposed New Quarry on Portion 9 (of 6) of the farm Mimosa Glen 885, Bloemfontein, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Impact Assessment and Protocol for Finds of a proposed development on Portion 9 and 10 of the Farm Mimosa Glen 885, Bloemfontein, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Exemption Letter for the proposed residential development on the Remainder of Portion 1 of the Farm Strathearn 2154 in the Magisterial District of Bloemfontein, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Field Assessment for the Proposed Nigel Gas Transmission Pipeline Project in the Nigel Area of the Ekurhuleni Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment for five Proposed Black Mountain Mining Prospecting Right Applications, Without Bulk Sampling, in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Environmental Authorisation and an Integrated Water Use Licence Application for the Reclamation of the Marievale Tailings Storage Facilities, Ekurhuleni Metropolitan Municipality - Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Impact Assessment for the Proposed Sace Lifex Project, near Emalahleni, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment for the proposed Golfview Colliery near Ermelo, Msukaligwa Local Municipality, Mpumalanga Province



- Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Kangra Maquasa Block C Mining development near Piet Retief, in the Mkhondo Local Municipality within the Gert Sibande District Municipality. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Amendment of the Kusipongo Underground and Opencast Coal Mine in Support of an Environmental Authorization and Waste Management License Application. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2019. Palaeontological Exemption Letter of the Proposed Mamatwan Mine Section 24g Rectification Application, near Hotazel, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Field Assessment for the Proposed Environmental Authorisation and Amendment Processes for Elandsfontein Colliery. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Extension of the South African Nuclear Energy Corporation (Necsa) Pipe Storage Facility, Madibeng Local Municipality, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Field Assessment for the Proposed Piggery on Portion 46 of the Farm Brakkefontien 416, Within the Nelson Mandela Bay Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological field Assessment for the proposed Rietfontein Housing Project as part of the Rapid Land Release Programme, Gauteng Province Department of Human Settlements, City of Johannesburg Metropolitan Municipality. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Choje Wind Farm between Grahamstown and Somerset East, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application for the Prospecting of Diamonds (Alluvial, General & In Kimberlite), Combined with A Waste License Application, Registration Division: Gordonia and Kenhardt, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Impact Assessment for the Proposed Clayville Truck Yard, Ablution Blocks and Wash Bay to be Situated on Portion 55 And 56 Of Erf 1015, Clayville X11, Ekurhuleni Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Hartebeesthoek Residential Development. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Mooiplaats Educational Facility, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Impact Assessment for the Proposed Monument Park Student Housing Establishment. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Field Assessment for the Proposed Standerton X10 Residential and Mixed-Use Developments, Lekwa Local Municipality Standerton, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Field Assessment for the Rezoning and Subdivision of Portion 6 Of Farm 743, East London. Banzai Environmental (Pty) Ltd, Bloemfontein. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Field Assessment for the Proposed Matla Power Station Reverse Osmosis Plant, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application Without Bulk Sampling for the Prospecting of Diamonds Alluvial near Bloemhof on Portion 3 (Portion 1) of the Farm Boschpan 339, the Remaining Extent of Portion 8 (Portion 1), Portion 9 (Portion 1) and Portion 10 (Portion 1) and Portion 17 (Portion 1) of the Farm Panfontein 270, Registration Division: Ho, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application Combined with a Waste Licence Application for the Prospecting of Diamonds Alluvial, Diamonds General and Diamonds near Wolmaransstad on the Remaining Extent, Portion 7 and Portion 8 Of Farm Rooibult 152, Registration Division: HO, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application With Bulk Sampling combined with a Waste Licence Application for the Prospecting of Diamonds Alluvial (Da), Diamonds General (D), Diamonds (Dia) and Diamonds In Kimberlite (Dk) near Prieska On Portion 7, a certain Portion of the Remaining Extent of Portion 9 (Wouter), Portion 11 (De Hoek), Portion 14 (Stofdraai) (Portion of Portion 4), the Remaining Extent of Portion 16 (Portion Of Portion 9) (Wouter) and the Remaining Extent of Portion 18 (Portion of Portion 10) of the Farm Lanyon Vale 376, Registration Division: Hay, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.



- Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Area and Mining Permit Area near Ritchie on the Remaining Extent of Portion 3 (Anna's Hoop) of the Farm Zandheuvell 144, Registration Division: Kimberley, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Okapi Diamonds (Pty) Ltd Mining Right of Diamonds Alluvial (Da) & Diamonds General (D) Combined with a Waste Licence Application on the Remaining Extent of Portion 9 (Wouter) of the Farm Lanyon Vale 376; Registration Division: Hay; Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Field Assessment of the Proposed Prospecting Right Application for the Prospecting of Diamonds (Alluvial & General) between Douglas and Prieska on Portion 12, Remaining Extent of Portion 29 (Portion of Portion 13) and Portion 31 (Portion of Portion 29) on the Farm Reads Drift 74, Registration Division; Herbert, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Mining Permit Application Combined with a Waste License Application for the Mining of Diamonds (Alluvial) Near Schweitzer-Reneke on a certain Portion of Portion 12 (Ptn of Ptn 7) of the Farm Doornhoek 165, Registration Division: HO, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for Black Mountain Koa South Prospecting Right Application, Without Bulk Sampling, in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Impact Assessment of the Proposed AA Bakery Expansion, Sedibeng District Municipality, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Boegoeberg Township Expansion,!Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Gariiep Township Expansion, !Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Groblershoop Township Expansion, !Kheis Local Municipality, Zf Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Grootdrink Township Expansion, !Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Exemption Letter for the Proposed Opwag Township Expansion,! Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Exemption Letter for the Proposed Topline Township Expansion, !Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Wegdraai Township Expansion, !Kheis Local Municipality, Zf Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological field Assessment for the Proposed Establishment of an Emulsion Plant on Erf 1559, Hardustria, Harrismith, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler. 2020. Part 2 Environmental Authorisation (EA) Amendment Process for the Kudusberg Wind Energy Facility (WEF) near Sutherland, Western and Northern Cape Provinces- Palaeontological Impact Assessment. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment Proposed for the Construction and Operation of the Battery Energy Storage System (BESS) and Associated Infrastructure and inclusion of Additional Listed Activities for the Authorised Droogfontein 3 Solar Photovoltaic (PV) Energy Facility Located near Kimberley in the Sol Plaatje Local Municipality, Francis Baard District Municipality, in the Northern Cape Province of South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Impact Assessment for the Proposed Development of a Cluster of Renewable Energy Facilities between Somerset East and Grahamstown in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the Proposed Amaoti Secondary School, Pinetown, eThekweni Metropolitan Municipality KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the Proposed an Inland Diesel Depot, Transportation Pipeline and Associated Infrastructure on Portion 5 of the Farm Franshoek No. 1861, Swinburne, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.



- Butler, E., 2021. Palaeontological Impact Assessment for the proposed erosion control gabion installation at Alpine Heath Resort on the farm Akkerman No 5679 in the Bergville district Kwazulu-Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the proposed Doornkloof Residential development on portion 712 of the farm Doornkloof 391 Jr, City of Tshwane Metropolitan Municipality in Gauteng, South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the Proposed Expansion of the Square *Kilometre* Array (SKA) Meerkat Project, on the Farms Mey's Dam RE/68, Brak Puts RE /66, Swartfontein RE /496 & Swartfontein 2/496, in the Kareeberg Local Municipality, Pixley Ka Seme District Municipality, and the Farms Los Berg 1/73 & Groot Paardekloof RE /74, in the Karoo Hoogland Local Municipality, Namakwa District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling on Portion 6 of Scholtzfontein 165 and Farm Arnotsdale 175, Herbert District in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling on the Remaining Extent of Biessie Laagte 96, and Portion 2 and 6 of Aasvogel Pan 141, Near Hopetown in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling in the North West Province: on Portions 7 (RE) (of Portion 3), 11, 12 (of Portion 3), 34 (of Portion 30), 35 (of Portion 7) of the Farm Holfontein 147 IO and Portions 1, 2 and the RE) of the Farm Kareeboschbult 76 Ip and Portions 1, 2, 4, 5, 6, (of Portion 3), 7 (of Portion 3), 13, 14, and the Re of the farm Oppaslaagte 100IP and portions 25 (of Portion 24) and 30 of the farm Slypsteen 102 IP. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the Proposed Expansion of the Cavalier Abattoir on farm Oog Van Boekenhoutskloof of Tweefontein 288 JR, near Cullinan, City of Tshwane Metropolitan Municipality, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the Proposed Doornkloof Residential Development on Portion 712 of the Farm Doornkloof 391 JR, City of Tshwane Metropolitan Municipality in Gauteng, South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed High Density Social Housing Development on part of the Remainder of Portion 171 and part of Portion 306 of the farm Derdepoort 326 JR, City of Tshwane. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Red Rock Mountain Farm activities on Portions 2, 3 and 11 of the Farm Buffelskloof 22, near Calitzdorp in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Mixed-use Development on a Part of Remainder of Portion 171 and Portion 306 of the farm Derdepoort 326 JR, City of Tshwane. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the Proposed Realignment of the D 2809 Provincial Road as well as the Mining Right Application for the Glisa and Paardeplaats Sections of the NBC Colliery (NBC) near Belfast (eMakhazeni), eMakhazeni Local Municipality, Nkangala District Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed construction of Whittlesea Cemetery within Enoch Mjijima Local Municipality area, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the establishment of a mixed-use development on Portion 0 the of Erf 700, Despatch, Nelson Mandela Bay Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed East Orchards Poultry Farm, Delmas/Botleng Transitional Local Council, Mpumalanga. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the proposed East Orchards Poultry Farm, Delmas/Botleng Transitional Local Council, Mpumalanga. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment to assess the proposed Gariiep Road upgrade near Groblershoop, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the Ngwedi Solar Plant which forms part of the authorised Paleso Solar Powerplant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the Noko Solar Power Plant and power line which forms part of the authorised Paleso Solar Powerplant near Orkney in the North West. Banzai Environmental (Pty) Ltd, Bloemfontein.



- Butler, E., 2021. Palaeontological Impact Assessment for the Proposed Power Line as part of the Paleso Solar Power Plant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the Thakadu Solar Plant which forms part of the authorised Paleso Solar Powerplant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the proposed Farming Expansions on Portions 50 of the Farm Rooipoort 555 JR, Portion 34 of the Farm Rooipoort 555 JR, Portions 20 and 49 of the Farm Rooipoort 555 JR and Portion 0(RE) of the Farm Oudou Boerdery 626 JR, Tshwane Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the proposed Saselamani CBD on the Remainder of Tshikundu's Location 262 MT, and the Remainder of Portion 1 of Tshikundu's Location 262 MT, Collins Chabane Local Municipality, Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the proposed expansions of the existing Molare Piggery infrastructure and related activities on Portion 0(Re) of the farm Arendsfontein 464 JS, Portion 0(Re) of the farm Wanhoop 443 JS, Portion 0(Re) of the farm Eikeboom 476 JS and Portions 2 & 7 of the farm Klipbank 467 JS within the jurisdiction of the Steve Tshwete Local Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Nchwaning Rail Balloon Turn Outs at Black Rock Mine Operations (BRMO) near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Black Rock Mining Operations (BRMO) new rail loop and stacker reclaimer Project at Gloria Mine near Hotazel in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2020. Palaeontological Desktop Assessment for the proposed Nchwaning Rail Balloon Turn Outs at Black Rock Mine Operations (BRMO) near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape.
- Butler, E., 2021. Palaeontological Impact Assessment for the proposed utilization of one Borrow Pit for the planned Clarkebury DR08034 Road Upgrade, Engcobo Local Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Kappies Kareeboom Prospecting Project on Portion 1 and the Remainder of the farm Kappies Kareeboom 540, the Remainder of Farm 544, Portion 5 of farm 534 and Portion 1 of the farm Putsfontein 616, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Kameel Fontein Prospecting Project on the Remainder of the farm Kameel Fontein 490, a portion of the farm Strydfontein 614 and the farm Soetfontein 606, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Lewis Prospecting Project on Portions of the Farms Lewis 535, Spence 537, Wright 538, Symthe 566, Bredenkamp 567, Brooks 568, Beaumont 569 and Murray 570, John Taolo Gaetsewe District Municipality in the Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the Construction of the Ganspan Pering 132kV Powerline, Phokwane Local Municipality, Frances Baard District Municipality in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the Longlands Prospecting Project on a Portion of the farm Longlands 350, Frances Baard District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the proposed development of 177 new units in the northern section of Mpongo Park in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Qhumanco Irrigation Project, Chris Hani District Municipality Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Raphuti Settlement Project on Portions of the Farm Weikrans 539KQ in the Waterberg District Municipality of the Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the Senqu Rural Project, Joe Gqabi District Municipality, Senqu Local Municipality, in the Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.



- Butler, E., 2021. Palaeontological Impact Assessment for the proposed new Township development on portion of the farm Klipfontein 716 and farm Ceres 626 in Bloemfontein, Mangaung Metropolitan Municipality, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the ECDOT Borrow Pits and WULA near Sterkspruit, Joe Gqabi District Municipality in the Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed SANRAL Stone Crescent Embankment Stabilisation Works along the N2 on the farm Zyfer Fonteyn 253 (Portion 0, 11 and 12RE) and Palmiet Rivier 305 (Portion 34, 36) near Grahamstown in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the Klein Rooipoort Trust Citrus Development, in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the proposed Victoria West water augmentation project in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Campbell Sewer, Internal Reticulation, Outfall Sewer Line and Oxidation Ponds, located on ERF 1, Siyancuma Local Municipality in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Development and Upgrades within the Great Fish River Nature Reserve, Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for proposed Parsons Power Park a portion of Erf 1. within the Nelson Mandela Bay Municipality in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the proposed expansion of the farming operations on part of portions 7 and 8 of farm Boerboonkraal 353 in the Greater Tubatse Local Municipality of Sekhukhune District, Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment to assess the proposed low-level pedestrian bridge, in Heilbron, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment to assess the proposed township developments in Hertzogville, Malebogo, in Heilbron, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment for the proposed construction of Malangazana Bridge on Farm No.64 Nkwenkwana, Engcobo Local Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment to assess the proposed Construction of Middelburg Integrated Transport Control Centre on Portion 14 of Farm 81 Division of Middelburg, Chris Hani District Municipality in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment for the Witteberge Sand Mine on the remainder of farm Elandskrag Plaas 269 located in the Magisterial District of Laingsburg and Central Karoo District Municipality in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Impact Assessment (PIA) to assess the proposed Agrizone 2, Dube Trade Port in KwaZulu Natal Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2021. Palaeontological Desktop Assessment assessing the proposed Prospecting Right application without bulk sampling for the prospecting of Chrome ore and platinum group metals on the Remaining Extent of the farm Doornspruit 106, Registration Division: HO; North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Desktop Assessment for the proposed Ennerdale Extension 2 Township Establishment on the Undeveloped Part of Portion 134 of the Farm Roodepoort 3021Q, City of Johannesburg Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Desktop Assessment for the Construction of the Eskom Mesong 400kV Loop-In Loop-Out Project, Ekurhuleni Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Desktop Assessment for the Proposed Vinci Prospecting Right Application on the Remainder of the Farm Vinci 580, ZF Mgcawu District Municipality, in the Northern Cape Province, Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Desktop Assessment for the proposed Farm 431 Mining Right Application (MRA), near Postmasburg, ZF Mgcawu District Municipality, in the Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Impact Assessment for the Leeuw Braakfontein Colliery Expansion Project (LBC) in the Amajuba District Municipality, KwaZulu-Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Desktop Assessment for the proposed reclamation of the 5L23 TSF in Ekurhuleni, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.



- Butler, E., 2022. Palaeontological Desktop Assessment for the Proposed Mogalakwena Mine Infrastructure Expansion (near Mokopane in the Mogalakwena Local Municipality, Limpopo Province). Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Desktop Assessment for the proposed 10km Cuprum to Kronos Double Circuit 132kV Line and Associated Infrastructure in Copperton in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Impact Assessment for the proposed Hoekplaas WEF near Victoria West in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Desktop Assessment (PDA) assessing the proposed Prospecting Right Application without bulk sampling for the Prospecting of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) on the Remaining Extent of the Farm Goede Hoop 547, Remaining Extent of the Farm 548, Remaining Extent of Portion 2 and Portion 3 of the Farm Skeyfontein 536, Registration Division: Hay, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Impact Assessment for the proposed extension of Duine Weg Road between Pellsrus and Marina Martinique as well as a Water Use Authorisation (WUA) for the project. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Proposed Mimosa Residential Development and Associated Infrastructure on Fairview Erven, in Gqeberha (Port Elizabeth), Nelson Mandela Bay Metropolitan Municipality, Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Impact Assessment for the Witteberge Sand Mine on the remainder of farm Elandskrag Plaas 269 located in the Magisterial District of Laingsburg and Central Karoo District Municipality in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E., 2022. Palaeontological Desktop Assessment to assess the Palaeontology for the Somkhele Anthracite Mine's Prospecting Right Application, on the Remainder of the Farm Reserve no 3 No 15822 within the uMkhanyakude District Municipality and the Mtubatuba Local Municipality, KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.
- Butler, E. 2022. Palaeontological Desktop Assessment to assess the proposed Altina 120 MW Solar Photovoltaic (PV) Project near Orkney in the Free State
- Butler, E. 2022. Palaeontological Desktop Assessment to assess the proposed SERE Solar Photovoltaic Plant Phase 1A and associated infrastructure in the Western Cape Province.
- Butler, E. 2022. Palaeontological Impact Assessment for the proposed development of a 10 MW Solar Photovoltaic (PV) Plant and associated grid connection infrastructure on Portion 9 of the Farm Little Chelsea 10, Eastern Cape Province.
- Butler, E. 2022. Palaeontological Desktop Assessment to assess the proposed Dominion 1 Solar Park, located on the Remaining Extent of Portion 18 of Farm 425, near Klerksdorp within the North-West Province.
- Butler, E., 2022. Palaeontological Desktop Assessment to assess the proposed Dominion 2 Solar Park, located on the Remaining Extent of Portion 8 of Farm 425, near Klerksdorp within the North-West Province.
- Butler, E., 2022. Palaeontological Desktop Assessment to assess the proposed Dominion 3 Solar Park, located on the Remaining Extent of Portion 11 of Farm 425, and Remaining Extent of Portion 31 of Farm 425 near Klerksdorp within the North-West Province
- Butler, E., 2022. Palaeontological Impact Assessment to assess the Delta Solar Power Plant on the remaining extent of the farm Kareefontein No. 340, Dr Ruth Segomotsi Mompati District Municipality, Lekwa-Teemane Local Municipality near Bloemhof in the North West Province
- Butler, E., 2022. Palaeontological Impact Assessment to assess the Sonneblom Solar Power Plant (SPP) on Portion 1 of the farm Blydschap No. 504 within the Mangaung Metropolitan Municipality, southeast of Bloemfontein in the Free State.
- Butler, E., 2022. Palaeontological Impact Assessment for the proposed Naos Solar PV One Project near Viljoenskroon in the Free State.
- Butler, E., 2022. Palaeontological Impact Assessment for the proposed Naos Solar PV Two Project near Viljoenskroon in the Free State.
- Butler, E., 2022. Palaeontological Impact Assessment for the proposed Naos Solar PV Two Project near Viljoenskroon in the Free State
- Butler, E., 2022. Palaeontological Impact Assessment for the Ngwedi Solar Power near Viljoenskroon in the Free State.
- Butler, E., 2022. Palaeontological Impact Assessment for the Noko Solar Power Plant and power line near Orkney in the North West.
- Butler, E., 2022. Palaeontological Impact Assessment for the Proposed Power Line as part of the Paleso Solar Power Plant near Viljoenskroon in the Free State



- Butler. E., 2022. Palaeontological Impact Assessment for the Thakadu Solar Plant which near Viljoenskroon in the Free State
- Butler. E., 2022. Palaeontological Impact Assessment of the Kentani, Braklaagte, Klipfontein, Klipfontein 2, Leliehoek and Sonoblomo PV Facilities located near Dealsville in the Free State Province
- Butler. E., 2022. Palaeontological Impact Assessment for the proposed Harvard 1 Solar Photovoltaic (PV) facility on Portion 5 of Farm Spes Bona no 2355, Mangaung Metropolitan Municipality in the Free State.
- Butler. E., 2022. Palaeontological Impact Assessment for proposed Harvard 2 Solar Photovoltaic (PV) facility on Portion 8 of Farm Spes Bona No 2355, Mangaung Metropolitan Municipality in the Free State.
- Butler. E., 2022. Palaeontological Impact Assessment for the proposed Doornrivier Solar 1, southwest of Matjhabeng (formerly Virginia) in the Free State
- Butler. E., 2022. Palaeontological Desktop Assessment for the proposed Leeuwbosch PV solar photovoltaic (PV) plant and associated infrastructure on Portion 37 of the Farm Leeuwbosch No. 44 near Leeudoringstad within the Maquassi Hills Local Municipality in the Dr Kenneth Kaunda District Municipality in the North West Province.