

Attention: Dale Holder

Reference: Bloemsmond 3

HERITAGE STATEMENT – PROPOSED BATTERY ENERGY STORAGE SYSTEM FOR THE AUTHORISED BLOEMSMOND SOLAR 3

1. Introduction

Bloemsmond Solar 3 (Pty) Ltd. intends to apply for an amendment to the EA for the authorised Bloemsmond Solar 3 PV project. The applicant intends to amend the EA to make provision for a Battery Energy Storage System (BESS) within the authorised footprint, adjacent to the on-site sub-station. HCAC was appointed to review the proposed amendment against the previous heritage impact assessment (van der Walt 2019c).

2. Project detail

The applicant intends including provision for a 500 Megawatt Hour (MW/h) BESS on approximately 4.2 hectares within the authorised footprint as shown in the Figure 1.




Figure 1. The proposed BESS in relation to the authorised project.

Jaco van der Walt BA (Pret) BA (Hons)
(Archaeology) [Wits], MA (Archaeology [Wits])

Cell: 082-373-8491.
E-mail: jaco.heritage@gmail.com.
Website: www.heritageconsultants.co.za



Reg no. 2007/224785/23
VAT no. 4660218696

Private Bag X1049
Suite 34
Modimolle
0510

3. Heritage Opinion

Several previous heritage studies were conducted in the general study area (SAHRIS) mostly to the west and south west of the study area (Beaumont 2005 & 2008, Van Ryneveld 2007a & 2007b, Dreyer 2006, Van Schalkwyk 2011, Gaigher 2012, van der Walt 2014, 2018 a and b and 2019a,b,c, Morris 2012, Fourie 2014) and the heritage baseline of the wider area is well described. Of interest to the study area is the recent discovery of the Later Stone Age (LSA) Kite-like structures associated with animal exploitation to the north east of the study area (van der Walt and Lombard 2018).

The impact area was covered during the HIA for the project (van der Walt 2019c) and the study concluded that the project could go ahead as the impact of the project on heritage resources is not considered to be highly significant. The study identified a small pan with low density scatters of LSA cores and flakes on CCS (B3/3) that is located 117 m north of the proposed BESS. The project will not impact on the recorded feature.

The BESS area will be accommodated entirely within the authorised footprint and does not encroach into any of the spatially sensitive features identified during the Environmental Assessment Process. The addition of the BESS will not have an adverse impact on the recorded heritage resources. The final impact of the proposed amendment on heritage resources will remain unchanged from the original impact assessment and is considered to be of low significance.

4. Conclusion

Based on the findings of the 2019 heritage assessment there is no objection to the approval of the proposed amendment for the following reasons:

- The inclusion of a BESS adjacent to the on-site substation will not change the nature or significance of the impacts assessed in the 2019 study;
- The BESS is unlikely to result in any additional impacts that was not previously assessed and;
- No additional management or mitigation measures over and above the recommendations made in the 2019 report (with special reference to Chance find procedures) is applicable to the BESS.

The proposed amendment remains subject to approval from SAHRA.

Kindly contact me with any queries or concerns.

Sincerely

Jaco van der Walt

Jaco van der Walt BA (Pret) BA (Hons)
(Archaeology) [Wits], MA (Archaeology [Wits])

Cell: 082-373-8491.
E-mail: jaco.heritage@gmail.com.
Website: www.heritageconsultants.co.za



Reg no. 2007/224785/23
VAT no. 4660218696

Private Bag X1049
Suite 34
Modimolle
0510

References

- Beaumont, P.B. 2005. Archaeological Impact Assessment at and in the Vicinity of a Quartzite Quarry on Portion 4 of the Farm Droogehout 442 near Upington.
- Beaumont, P.B. 2008. Phase 1 Heritage Impact Assessment Report on a Portion of the Farm Keboes 37, near Kanoneiland, Siyanda District Municipality, Northern Cape Province.
- Dreyer, C. 2006. First Phase Archaeological and Cultural Heritage Assessment of the Proposed Concentrated Solar Thermal Plant (Csp) at the Farms Olyvenhouts Drift, Upington, Bokpoort 390 and Tampansrus 294/295, Groblershoop, Northern Cape.
- Fourie 2014. Heritage Impact Assessment for the proposed Solar Power Park for SolarReserve SA (Pty) Ltd, Farm Rooipunt 617, Gordonia RD, Siyanda District Municipal Region, Northern Cape
- Gaigher, S. 2012. Heritage Impact Assessment, Basic assessment report for the proposed establishment of the grid integration infrastructure for sites 1.1, 1.2, 1.3 and 2, as part of the larger Karoshoek Valley Solar Park, on a site located 30 km East of Upington, Northern Cape Province. Unpublished report for Savannah Environmental (Pty) Ltd.
- Morris, D. 2012. Archaeological Impact Assessment for Blocuso. Unpublished report.
- National Heritage Resources Act NHRA of 1999 (Act 25 of 1999)
- SAHRA Report Mapping Project Version 1.0, 2009
- Van der Walt, J. 2015. Archaeological Impact Assessment report For the proposed AEP Bloemsmond Solar 1 PV project, Keimoes, Northern Cape. Unpublished report for Savannah Environmental (Pty) Ltd.
- Van der Walt, J. 2019a. Heritage Impact Assessment Sirius Solar PV Project 3, Upington, Northern Cape Province. Unpublished report for Savannah Environmental (Pty) Ltd.
- Van der Walt, J. 2019b. Heritage Impact Assessment Sirius Solar PV Project 4, Upington, Northern Cape Province. Unpublished report for Savannah Environmental (Pty) Ltd.
- Van der Walt, J. 2019c. Heritage Impact Assessment Bloemsmond 3, Upington, Northern Cape Province. Unpublished report for Cape EA Prac.
- Van der Walt, J. 2019d. Heritage Impact Assessment Bloemsmond 4, Upington, Northern Cape Province. Unpublished report for Cape EA Prac.
- van der Walt, J. and Lombard, M., 2018. Kite-like structures in the Nama Karoo of South Africa. *Antiquity*, 92(363).
- Van Ryneveld, K. 2007a. Phase 1 Archaeological Impact Assessment -Portion of the Farm Cnydas East 439, Upington District, Northern Cape, South Africa.
- Van Ryneveld, K. 2007b. Phase 1 Archaeological Impact Assessment -Portion of the Farm Bokspuits 118, Groblershoop District, Northern Cape, South Africa.
- Van Schalkwyk, J. 2011. AIA for Karoshoek Solar Park. Unpublished report.