

# HERITAGE IMPACT ASSESSMENT

submitted in terms of section 38(8) of the National Heritage Resources Act

prepared for

NADESON Consulting Services

27 February 2013

vidamemoria heritage consultant

3<sup>rd</sup> Floor · Guarantee House · 37 Burg Street · Greenmarket Square

P O Box 50605 Waterfront · 8002 · Cape Town

021 424 4244 (8432) cell: 082 330 4066 · quahnita@vidamemoria.co.za

CK 2006/049087/23



DR01470 Cape Winelands

Witzenberg – Cape Winelands District Municipality, Western Cape

## Executive summary

Nadeson Consulting Services appointed *vidamemoria* to conduct a heritage impact assessment for expansion of existing borrow pits located along DR01470 northeast of Ceres in Cape Winelands District Municipality, Western Cape. *vidamemoria* appointed Dr John Almond (Natura Viva CC) to conduct necessary palaeontological specialist study (dated January 2013). Heritage impact assessment is submitted for comment in terms of Section 38(8) of the NHRAct as a component of an Environmental Management Programme (EMProg in terms of Mineral and Petroleum Resources Development Act 49 of 2008) to be submitted to the Department of Mineral Resources (DMR).

Two existing borrow pits are to be expanded. At km 14.73 the site is one of the few known localities in the Western Cape where comparatively abundant land plant remains and complex trace fossils have been recorded from the Kweekvlei succession and the palaeontological sensitivity of the site is considered as high. It is therefore recommended that recording and judicious sampling of fossil remains be undertaken by a professional palaeontologist once the pit has been opened up to expose fresh bedrock but before the excavated material has been removed for road construction. At km 6.93 extensive chemical weathering of the bedrocks has resulted in material of low palaeontological sensitivity.

## 1. Introduction

Nadeson Consulting Services on behalf of the WCPA: Department of Transport and Public Works appointed Quahnita Samie (*vidamemoria*) to conduct a Notification of Intent to Develop (NID) application in terms of Section 38(1) of the National Heritage Resources Act (Act 25 of 1999) to expand an existing borrow pits along DR 01470 near Ceres, Cape Winelands District Municipality. NID dated 09 July 2012 was submitted to Heritage Western Cape (HWC) for consideration. Response dated 15 August 2012 (case ref 120726TS27) requested 'a heritage impact assessment consisting of a palaeontological study' (Refer Annexure A). *vidamemoria* appointed Dr John Almond (Natura Viva CC) to conduct the necessary palaeontological specialist study (dated January 2013) as incorporated within this assessment.

The proposed action triggers Section 38(1) (c)(a) activity that will change the character of a site exceeding 5 000 m<sup>2</sup>. This assessment report is submitted for comment in terms of Section 38(8) of the NHRAct as a component of an Environmental Management Programme (EMProg) in terms of the Mineral and Petroleum Resources Development Act (49 of 2008) to be submitted to the Department of Mineral Resources (DMR). Notification as previously submitted to HWC (dated 31 May 2011) and response (dated 20 June 2011) confirmed the approach to be undertaken in submitting borrow pit notifications to HWC.

### Structure of assessment

Section 1	Introduction provides background, site location, description of proposals and result of consultation	pg 2
Section 2	Identification of heritage resources, assessment of significance and heritage indicators	pg 6
Section 3	Assessment of impacts	pg 7
Section 4	Discussion and recommendations	pg 8
Annexure A	Interim comment from HWC	
Annexure B	Mine plan	
Annexure C	Methodology for the preparation, operation and closure of borrow pit	
Annexure D	Palaeontological specialist study conducted by Dr John Almond, Natura Viva CC (January 2013)	

## Site location and description

It is proposed to expand existing borrow pits for road material situated approximately 25 km northeast of Ceres in the Cape Winelands District, Western Cape. At **km 6.39** borrow pit DR01470/6.39/L/50 lies on the Farm Olckersia and the potential source of wearing course gravel is located within an existing borrow pit adjacent to DR1470. Grass, shrubs and occasional small trees surround the pit. The pit is bordered to the south by agricultural lands and there are two large dams just to the west. The site is in private ownership of J Conradie and borrow pit co-ordinates are 33° 13' 34.7" S, 19° 32' 06.1" E. At **km 14.73** borrow pit DR01470/14.73/L/50/A/C33 lies on the Farm Vrystaat and the potential source of wearing course gravel is located within an existing borrow pit adjacent to DR1470. Grass, shrubs and occasional small trees surround the pit. The pit is bordered to the south by agricultural lands and there are two large dams just to the west. The site is in private ownership of J Snyman and borrow pit co-ordinates are 33° 11' 18.2" S, 19° 27' 49.9" E




Figure 2: At km 6.39 View towards the east across borrow pit (Almond 2012: 7)



Figure 3: At km 14.73 Steep cut face through mudrock in the NW portion of borrow pit (Almond 2013: 5)






Figure 4: Aerial view of existing borrow pit location at km 6.39 (Google earth image, February 2013)




Figure 4: Aerial view of existing borrow pit location at km 14.73 (Google earth image, February 2013)



## Description of proposals

In terms of the Minerals and Petroleum Resources Development Act, all mining activities including extraction of material from borrow pits and quarries requires authorisation from the Department of Mineral Resources (DMR). Where the WCPA: Dept Transport and Public Works is undertaking the maintenance and / or upgrading of roads under its control, no application needs to be submitted for a mining right or permit, however, as per provisions of Section 106(2) of the MPRDAct, they are required to prepare and submit an EMProg to DMR for their approval prior to the extraction of any material from a proposed borrow pit or quarry. According to the MPRDAct, mineral resources are in the custodianship of the State, where WCPA would temporarily acquire the right to mine the borrow pits, subject to approval by the DMR.

For a gravel road to be able to carry traffic safely and effectively an upper layer of gravel known as a wearing course, which meets specific technical requirements, has to be placed on the prepared roadbed. With time, the wearing course is eroded away by both traffic and the elements. This wearing course needs to be replaced in order to continue to deliver a safe and functional surface to road users. Implementation of regravelling activities requires extraction of suitable materials from identified material sources. During decommissioning, working areas are rehabilitated and revegetated. Material excavated from borrow pit located at **km 6.39 and 14.73 along DR01470** will be used for re-gravelling to benefit road users in terms of road safety and user economy as well as to minimise maintenance-related disruptions.

Summary of borrow pit		
	At km 6.39	At km 14.73
Expropriation area	4 040 m <sup>2</sup>	9 678 m <sup>2</sup>
Borrow pit	4 040 m <sup>2</sup>	9 678 m <sup>2</sup>
Maximum depth	1.5 m	2 m
Material description	Shale of the Tra-Tra Formation and sandstone of the Hex River Formation	Shale of the Karooport Formation and sandstone of the Osberg Formation
Proposed usage after rehabilitation	Re-vegetation	Re-vegetation
Volume of material to be sourced	5 454 m <sup>3</sup>	16 936 m <sup>3</sup>

Trial pit investigations and sampling were conducted by Nadeson at four proposed borrow pits considered as potential sources of material. Two were however excluded from consideration due to environmental concerns and / or unsuitability of material for purpose of regravelling.

The mine plans outlining extent of borrow pit and mining is attached as Annexure B. Methodology for the preparation, operation and closure of borrow pit is outlined in Annexure C.

Cape Winelands District Municipality is to undertake work on behalf of the WCPA. Formal agreements are to be entered into between the landowner and the WCPA, with the municipality managing the site until decommissioning and closure. During decommissioning, the working area will be rehabilitated and revegetated as per the approach outlined in the mining plan. WCPA's liability for the site persists until such time as a Closure Certificate has been issued by the DMR.

## **Results of consultation**

DMR has outlined requirements for public participation in terms of the Minerals and Petroleum Resources Development Act (Act 28 of 2002) for exempted organs of state. This includes liaison with the landowner, notification of the immediate neighbours and either an on-site advertisement or advertisement in the local newspaper. The WCPA has indicated a commitment to developing and maintaining good relations with landowners and therefore landowners concerns are incorporated into the final agreement.

The public consultation process for this project has involved consultation with the landowners and neighbours, and the advertising of the proposed activity in the local newspaper.

No heritage related comments and / or concerns were received.

### *Requests / concerns of owner:*

- Take into consideration rehabilitation of the borrow pit after the material has been removed

## 2. Heritage resources

### Identification of heritage resources

Proposed site and immediate context do not fall within conservation or protected heritage areas, and is not located near to or visible from any protected heritage sites. The site does not fall within a historical settlement or townscape and does not contribute towards rural or natural landscape of cultural significance. The site is therefore not considered as an integral component of the cultural landscape.

Dr John Almond conducted a palaeontological field assessment and provided a report outlining geological context, palaeontological heritage and palaeontological sensitivity. Borrow pit sites are excavated into potentially fossiliferous sediments of the Cape Supergroup. **At km 14.73** the pit is excavated into non-marine post-glacial mudrocks of the Kweekvlei Formation (upper Witteberg Group) of Early Carboniferous age. This is one of the few known localities in the Western Cape where comparatively abundant land plant remains and complex trace fossils have been recorded from the Kweekvlei succession, recording the early recovery of aquatic and terrestrial biotas. **At km 6.39** the pit is excavated into impure sandstones and deeply-weathered mudrocks of the Tra Tra Formation (Lower Bokkeveld Group) of Middle Devonian age.

There are no apparent features to suggest the presence of archaeological material at the sites and no further archaeological investigation is required (desktop assessment conducted by Dave Halkett ACO, July 2012). The site has no known historical, social, or spiritual significance. No built environment issues and / or cultural landscape issues have been identified. No further heritage resources were identified.

### Heritage significance

At km 14.73 the site is one of the few known localities in the Western Cape where comparatively abundant land plant remains and complex trace fossils have been recorded from the Kweekvlei succession and the palaeontological sensitivity of the site is considered as high. At km 6.93 extensive chemical weathering of the bedrocks has resulted in material of low palaeontological sensitivity (Almond 2012: 11).

The context within which the sites lie is identified as possessing low intrinsic heritage value. No heritage resources were identified within the immediate context of the site. The proposed development site is transformed and possesses no known historical, social or spiritual significance. No sensitive landscapes were identified. The site is therefore considered to possess a very low level of intrinsic heritage value.

### Heritage indicators

Heritage indicators identified aim to ensure that significance would not be adversely impacted on by the proposed development. Indicators concern impact on the cultural landscape, identified heritage resources and visual impact.

No sensitive landscapes, archaeological or palaeontological material of significance were identified. Landscaping and rehabilitation of the site should commence as soon as advancing face and sufficient working/loading area moves away from an area that has been mined out.

### 3. Assessment of impacts

An assessment of the potential development impacts on significance is undertaken using relevant assessment criteria as well as response to indicators. Assessment of impacts on palaeontological significance has been provided as well as consideration of the cultural landscape and assessment of cumulative impacts.

**Cultural landscape:** Expansion of existing borrow pits would not result in a negative impact on the cultural landscape. The landscape within which the site lies possesses low intrinsic heritage value and no heritage resources were identified within the immediate context. The site and its immediate context are considered as being of low heritage significance. No heritage resources will be impacted and the overall status of the impact is considered as low.

**Archaeological and palaeontological impact:** No impact would occur as a result of **expansion**. The site has been sufficiently recorded and requires no further recording before borrow pit activity occurs.

**Visual impact:** Low intensity visual impact is limited to the immediate surroundings and will be limited to operational phase.

**Cumulative impact:** The proposed moderate intensity intervention lies within a disturbed context with degraded conditions. No new roads would have to be constructed as the borrow pit is accessed directly off main / divisional roads or via existing access tracks. The borrow pit and access tracks would be fenced for the duration of the mining activities. There will be no site buildings located at the borrow pit site. No long-term traffic increase will be experienced. Low impact is associated with impact of increased personnel and cumulative impacts on borrow pit footprint and surroundings.

**Site rehabilitation:** It is expected that there should be an acceptable seed bank in the topsoil and this would be kept aside for rehabilitation. Ensure that the aesthetic appearance of the landscape is improved after utilization by smoothing out and contouring the slopes of the borrow pits and preparing the site to accept vegetation before replacing overburden, topsoil and vegetation.

**Impact relative to sustainable social and economic benefits:** The project will result in social and economic benefits for the local community in terms of service provision and employment opportunities.

The site is considered to possess a very low level of intrinsic heritage value and the overall status of the impact is considered as low.



## 4. Discussion

During the course of borrow pit excavations, operations should be planned in such a way that the amount of work that will be necessary for the finishing off of the borrow pit is reduced as far as possible. Indiscriminate excavation without due regard for the desired final shape of the borrow pit should not be permitted and should be rectified immediately. Timing of rehabilitation is important as rehabilitation of disturbed areas should ideally be programmed to occur as soon as practically possible following cessation of work in a specific area. The period between cessation of activities associated with mining of materials and the onset of rehabilitation for that area should ideally not exceed 1 month. Rehabilitation operations should ideally be conducted in parallel with extraction. Accordingly, progressive rehabilitation, in which depleted sections of a borrow pit are reclaimed while extraction is ongoing in other sections of the same pit is encouraged.

Site development, operation, mining and closure guidelines outlined with the Environmental Management Programme provides detailed guidance for the preparation, operation and decommissioning of the site. Rehabilitation of old and current working faces has been undertaken to mitigate visual impact to road users. Measures outlined should be adhered to in order to minimise potential negative impacts. It is recommended within the EMProg that an environmental control officer or suitable experienced engineer monitors the preparation, operational and decommissioning of the borrow pit so as to ensure that mitigation and rehabilitation measures are adhered to. Standard safety measures in place would include fencing, access control and fire management.

There are no apparent features to suggest the presence of archaeological material at the sites and no further archaeological investigation is required (desktop assessment conducted by Dave Halkett ACO, July 2012).

**At km 14.73** the site is one of the few known localities in the Western Cape where comparatively abundant land plant remains and complex trace fossils have been recorded from the Kweekvlei succession and the palaeontological sensitivity of the site is considered as high. It is therefore recommended that recording and judicious sampling of fossil remains be undertaken by a professional palaeontologist once the pit has been opened up to expose fresh bedrock but before the excavated material has been removed for road construction. **At km 6.93** extensive chemical weathering of the bedrocks has resulted in material of low palaeontological sensitivity (Almond 2012: 11).

### Recommendations

It is therefore recommended that:

1. expansion of exiting borrow pits be supported
2. At km 14.73 recording and judicious sampling of fossil remains be undertaken by a professional palaeontologist once the pit has been opened up to expose fresh bedrock but before the excavated material has been removed for road construction
3. comment be issued that proposed activity may proceed in terms of Section 38(8) of the NHRAct

References:

- Almond John E PhD (January 2013): *Palaeontological specialist study: field assessment & recommendation for exemption from further studies & mitigation*
- ASAPA Aggregate and Sand Producers Association of Southern Africa (30 September 2009): *The issue of borrow pits being used in the aggregate and sand industry* accessed online
- Aurecon / Nadeson JV (July 2011): *Draft environmental management programme, summary report and mine plan*
- Galliers R M (July 2011): *Geotechnical investigations and geological strategic gravel pit summary report* for Aurecon South Africa
- Heritage Western Cape (July 2007): *Minimum Standards For Phase 1 Archaeological Impact Assessment (Aia) Reports*
- vidamemoria (July 2012): *Notification of Intent to Develop*