

COUNCIL NOTES:

EXCAVATIONS - as per SANS 10400 Part G:

All excavations must be less than 3,0m deep, alternatively an engineer must be consulted.


FOUNDATIONS - as per SANS 10400 Part H: Reinforced concrete footings to be min. 10mPa. Sizes of concrete footings given on drawings must be checked with the ground conditions on site. An engineer must be consulted if there are any unusual ground conditions like clay and lime.

WALLS - as per SANS 10400 Part K: 345mm solid clay brickwork walls. Vertical control joints at intervals not exceeding 10m.

Finish: plaster & paint, unless specified otherwise.

THIS DRAWINGS IS THE COPYRIGHT OF THE ARCHITECTS. DO NOT SCALE AND REFER TO FIGURED DIMENSIONS ONLY. ALL LEVELS AND DIMENSIONS MUST BE CHECKED ON SITE PRIOR TO SETTING OUT OR MANUFACTURE. ANY DISCREPANCIES MUST BE REPORTED TO THE ARCHITECT IMMEDIATELY.

Occupancy Classification : A4 AREA SCHEDULE New Perimeter Wall (600mm) : 92m



ARGITEK: KLIËNT: CLIENT: La Motte Wine Estate (Pty) L Christiaan Fick (Sacap Reg. 20534) (Registered Owner)

16.02.2015 ISSUED FOR INFORMATION



KLIËNT: La Motte Wine Estage (Pty) Ltd Farm 1048, Francschhoek

Harmonie Garden of Remembrance - Proposed new perimeter wall,

TEKENING: PLAN, ELEVATIONS & SECTION Local Authority GETEKEN: SJ DATUM: 16-02-2015 SKAAL: AS SHOWN PROJEK Nr. PROJECT No. TEKENING Nr. DRAWING No. WYSIGING REVISION 1233H 201 CAD Nr: