

9/2/054/0009



ARCHAEOLOGICAL

**PHASE 1 HERITAGE IMPACT ASSESSMENT
PORTION OF THE FARM LANGEBERG NO. 311
KRAAIFONTEIN**

Prepared for

PLANNING PARTNERS

By

Jonathan Kaplan
Agency for Cultural Resource Management
P.O. Box 159
Riebeeck West
7306
Ph/Fax: 022 461 2755
Cellular: 082 321 0172
E-mail: acrm@wcaccess.co.za

**MARCH
2002**

Executive summary

No archaeological or heritage remains were located during a phase 1 heritage impact assessment (HIA) of a portion of the farm Langeberg No. 311, Kraaifontein.

The proposed Cape Gate project envisages a mixed-use development, comprising mainly commercial and office park uses, including a shopping centre. Provision is also made for public open space. The study area is 56 ha in size.

The property is currently undeveloped, comprising mainly of old agricultural fields, and is surrounded by residential development.

The impact of the proposed development on archaeological and heritage sites/remains is considered to be low to negligible. The probability of locating significant archaeological and heritage remains during implementation of the project is also considered to be low.

With regard to the proposed Cape Gate development in Kraaifontein, the following heritage recommendations are made:

- No archaeological mitigation is required.
- No further detailed studies are required.

The above recommendations are subject to the approval of the South African Heritage Resource Agency.

1 INTRODUCTION

1.1 Background

Planning Partners have requested that the Agency for Cultural Resource Management undertake a phase 1 ^{archaeological} heritage impact assessment (HIA) of a portion of the farm Langeberg No. 311, Kraaifontein.

The proposed Cape Gate project envisages a mixed-use development, comprising mainly commercial and office park uses, and a shopping centre. Provision is also made for public open space. The study area is 56 ha in size.

The aim of the HIA is to locate, identify and map archaeological and historical remains that may be negatively impacted by the planning, construction and implementation of the proposed development, and to propose measures to mitigate against the impact.

2 TERMS OF REFERENCE

The terms of reference for the HIA were:

- to determine whether there are likely to be any archaeological or historical sites of significance within the proposed site;
- to identify and map any sites of archaeological and historical significance within the above area;
- to assess the sensitivity and conservation significance of archaeological and historical sites potentially affected by the proposed development;
- to assess the significance of any impacts resulting from the proposed development, and
- to identify mitigation measures to protect and maintain any valuable archaeological and historical sites that may exist within the site.

3 THE STUDY SITE

The property is currently undeveloped, comprising mainly old agricultural fields, and is surrounded by residential development.

4 STUDY APPROACH AND DOCUMENTATION OF HISTORICAL SITES

The approach used in the HIA entailed a detailed ground survey of the property.

Archaeological

5 RESULTS OF THE HERITAGE IMPACT ASSESSMENT

No archaeological or heritage remains were located on the site.

6 IMPACT STATEMENT

The impact of the proposed development on archaeological and heritage sites/remains is considered to be low to negligible. The probability of locating significant archaeological and heritage sites/remains during implementation of the project is also considered to be low.

7 CONCLUDING STATEMENT

In general, the receiving environment is not considered to be archaeologically or historically sensitive, vulnerable or threatened.

8 RECOMMENDATIONS

With regard to the proposed Cape Gate development, the following heritage management recommendations are made:

- No mitigation is required.
- No further detailed studies are required.

The above recommendations are subject to the approval of the South African Heritage Resource Agency.