

. .

Building/Gebou: AFRICAN WINDOW Tel. +27 12 324 6082 149 Visagie Street P O Box 28088 Sunnyside Pretoria 0132 RSA

Our Ref/Ons Verw

Your Ref/U Verw

Contact/Kontak

Date/Datum

October 2004

2004KH56

Mr R Smart

Pinegowrie

P O Box 2083

Environmental Impact Management Services

Dear Mr Smart

HERITAGE IMPACT ASSESSMENT: MODDERFONTEIN PORTION 28

of Daveyton (see attached map). Gauteng. The site is located immediately north of the N12, and west of the R51. It is adjacent to the town As requested, we have investigated portion 28 of the farm Modderfontein in the Benoni district of

the requirements of Section 38(3) of the National Heritage Resources Act (Act 25 of 1999). This included: The scope of work consisted of conducting a Phase 1 archaeological survey of the site in accordance with

- Conducting a desk-top investigation of the area
- A visit to the proposed development site

The objectives were to

- Identify possible archaeological, cultural and historic sites within the proposed development areas;
- development on archaeological, cultural and historical resources; Evaluate the potential impacts of construction, operation and maintenance of the proposed
- cultural or historical importance. Recommend mitigation measures to ameliorate any negative impacts on areas of archaeological

northern section Grassland. This, however, have been replaced due to farming activities and a bluegum plantation on the area and quartzite in the southern section. The original vegetation is classified as Moist Cool Highveld Geologically speaking, the area is made up of two systems, with shale in the northern section of the study

the proposed development. However, stand of trees made the development identify any hidden features. We therefore recommend, from a heritage point of view, that the proposed We have found no obvious features, sites or artefacts of cultural significance that would be impacted on by can continue and requests that if archaeological sites search difficult and it was impossible to Q. graves are exposed during

NORTHERN FLAGSHIP INSTITUTION/NOORDELIKE VLAGSKIPINSTELLING INCORPORATING/GEINKORPOREER National Cultural History Museum/Nasionale Kultuurhistoriese Museum

construction work, it should immediately be reported to a museum, preferably one at which an archaeologist is available, so that an investigation and evaluation of the finds can be made

Yours sincerely

J van Schalkwyk




Fig. 1. Location of the study area (1:50 000 topocadastral map 2628AB).