

A LETTER OF RECOMMENDATION (WITH CONDITIONS) FOR THE EXEMPTION OF A FULL PHASE 1 ARCHAEOLOGICAL HERITAGE IMPACT ASSESSMENT FOR THE PROPOSED CONSTRUCTION OF A NEW BULK WATER SUPPLY SCHEME FOR COOKHOUSE (PHASE 1), COOKHOUSE, BLUE CRANE ROUTE MUNICIPALITY, CACADU DISTRICT MUNICIPALITY, EASTERN CAPE PROVINCE

Prepared for: Water & Pumping Solutions
Contact person: Mr N. Potgieter
P.O. Box 21
Alexandria
5850
Tel: 046-653 0670
Fax: 086 6309363
Email: nell@netpower.co.za

Compiled by: Dr Johan Binneman
On behalf of: Eastern Cape Heritage Consultants
P.O. Box 689
Jeffrey's Bay
6330
Tel: 042 962096
Cell: 0728006322
email: kobusreichert@yahoo.com

Date: March 2010

PROJECT INFORMATION

The type of development

Construction of a new Bulk Water Supply Scheme for Cookhouse (Phase 1) over a distance of 2,5 kilometres.

The Developer

Blue Crane Route Municipality
The Municipal Manager
P.O. Box 170
Somerset East
6185
Tel: 042-243 1333
Fax: 042-243 1548

The Consultant

Water & Pumping Solutions
Contact person: Mr N. Potgieter
P.O. Box 21
Alexandria
5850
Tel: 046-653 0670
Fax: 086 6309363
Email: nell@netpower.co.za

TERMS OF REFERENCE

The original proposal was to conduct a Phase 1 Archaeological Heritage Impact Assessment of the proposed 2,5 kilometres construction of a new Bulk Water Supply Scheme for Cookhouse (Phase 1), Cookhouse, Blue Crane Route Municipality, Cacadu District Municipality, Eastern Cape Province; to describe and evaluate the importance of possible archaeological heritage sites, the potential impact of the development and to make recommendations to minimize possible damage to these sites.

DESCRIPTION OF THE PROPERTY

Map: 1:50 000 – 3225DD Golden Valley

Location data

The proposed construction of a new Bulk Water Supply Scheme for Cookhouse (Phase 1) is situated approximately two kilometres south-west of Cookhouse next to the R63 main road to Somerset East, Blue Crane Route Municipality, Cacadu District Municipality, Eastern Cape Province (Maps 1-2). GPS readings were taken using a Garmin Plus II: at 32.45.718S; 25.45.747E (south-west side) and 32.45.288S; 25.46.906E

ARCHAEOLOGICAL INVESTIGATION

Methodology

The investigation was conducted on foot. The proposed pipeline for the construction of a new Bulk Water Supply Scheme for Cookhouse runs parallel to the R63 main road to Somerset east (Maps 1 - 2). It will be constructed a few metres inside the road reserve fence in areas which have been severely disturbed by previous road construction and maintenance and farming activities, such as orchards and roads (Figs 1-4). For the most part the pipeline runs along a farm track and close to recent orchards before it crosses through dense grass and patches of trees to the holding dam. No archaeological sites/materials were found during the survey. In general, it would appear that it is unlikely that any archaeological heritage remains of any value will be found or exposed during the development.



Figs 1-4. Different views of the area where the proposed water pipeline will be constructed. Note the disturbed landscape. The pipeline starts at a disturbed area (top left), runs approximately along the farm road (top right), close to orchards (bottom left) and through dense grass and trees (bottom right).

Conditions

Although it is unlikely that any archaeological heritage remains of any value will be found *in situ* or of any contextual value, there is always a possibility that human remains and/or other archaeological and historical material may be uncovered during the development. Such material must be reported to the nearest museum, archaeologist or to the South African Heritage Resources Agency (SAHRA) if exposed, so that a systematic and professional investigation can be undertaken. Sufficient time should be allowed to remove/collect such material (See Appendix A for a list of possible archaeological sites that maybe found in the area).

LETTER OF RECOMMENDATION

It is recommended that the construction of a new Bulk Water Supply Scheme for Cookhouse (Phase 1) which is situated approximately two kilometres south-west of Cookhouse next to the R63 main road to Somerset East, Blue Crane Route Municipality, Cacadu District Municipality, Eastern Cape Province, is exempted from a full Phase 1 Archaeological Heritage Impact Assessment. The proposed area for development is of low cultural sensitivity and it is believed that it is unlikely that any archaeological heritage remains will be found on the property. The proposed development may proceed as planned.

Note: This letter of recommendation **only** exempts the proposed development from a full Phase 1 Archaeological Heritage Impact Assessment, but **not** for other heritage impact assessments.

It must also be clear that this letter of recommendation for exemption of a full Phase 1 archaeological heritage impact assessment will be assessed by the relevant heritage resources authority. The final decision rests with the heritage resources authority, which should give a permit or a formal letter of permission for the destruction of any cultural sites.

The National Heritage Resources Act (Act No. 25 of 1999, section 35) requires a full Heritage Impact Assessment (HIA) in order that all heritage resources, that is, all places or objects of aesthetics, architectural, historic, scientific, social, spiritual linguistic or technological value or significance are protected. Thus any assessment should make provision for the protection of all these heritage components, including archaeology, shipwrecks, battlefields, graves, and structures older than 60 years, living heritage, historical settlements, landscapes, geological sites, palaeontological sites and objects.

GENERAL REMARKS AND CONDITIONS

It must be emphasised that this letter of recommendation for exemption of a full Phase 1 archaeological heritage impact assessment is based on the visibility of archaeological sites/material and may not therefore, reflect the true state of affairs. Sites and material may be covered by soil and vegetation and will only be located once this has been removed. In the unlikely event of such finds being uncovered, (during any phase of construction work), archaeologists must be informed immediately so that they can investigate the importance of the sites and excavate or collect material before it is destroyed (see attached list of possible archaeological sites and material). The *onus* is on the developer to ensure that this agreement is honoured in accordance with the National Heritage Act No. 25 of 1999.

APPENDIX A: IDENTIFICATION OF ARCHAEOLOGICAL FEATURES AND MATERIAL FROM INLAND AREAS: guidelines and procedures for developers

1. Human Skeletal material

Human remains, whether the complete remains of an individual buried during the past, or scattered human remains resulting from disturbance of the grave, should be reported. In general the remains are buried in a flexed position on their sides, but are also found buried in a sitting position with a flat stone capping and developers are requested to be on the alert for this.

2. Freshwater mussel middens

Freshwater mussels are found in the muddy banks of rivers and streams and were collected by people in the past as a food resource. Freshwater mussel shell middens are accumulations of mussel shell and are usually found close to rivers and streams. These shell middens frequently contain stone tools, pottery, bone, and occasionally human remains. Shell middens may be of various sizes and depths, but an accumulation which exceeds 1 m² in extent, should be reported to an archaeologist.

3. Stone artefacts

These are difficult for the layman to identify. However, large accumulations of flaked stones which do not appear to have been distributed naturally should be reported. If the stone tools are associated with bone remains, development should be halted immediately and archaeologists notified

4. Fossil bone


Fossil bones may be found embedded in geological deposits. Any concentrations of bones, whether fossilized or not, should be reported.

5. Large stone features


They come in different forms and sizes, but are easy to identify. The most common are roughly circular stone walls (mostly collapsed) and may represent stock enclosures, remains of wind breaks or cooking shelters. Others consist of large piles of stones of different sizes and heights and are known as *isisivane*. They are usually near river and mountain crossings. Their purpose and meaning is not fully understood, however, some are thought to represent burial cairns while others may have symbolic value.

6. Historical artefacts or features

These are easy to identified and include foundations of buildings or other construction features and items from domestic and military activities.



Map 1. 1:50 000 maps indicating the area for the proposed water pipeline. The blue line indicates the position of the pipeline.



Map 2. Aerial views of the proposed area for the construction of a new Bulk Water Supply Scheme for Cookhouse. The blue line indicates the position of the pipeline.