



SiVEST (PTY) LTD

PROPOSED CONSTRUCTION OF 132 KV POWERLINES BETWEEN THE AUTHORISED LOERIESFONTEIN 3 PV SOLAR ENERGY FACILITY (12/12/20/2321/2/AM4) AND THE AUTHORISED DWARSRUG WIND ENERGY FACILITY (14/12/16/3/3/2/690/AM4), AND FROM THE DWARSRUG WIND ENERGY FACILITY TO THE AUTHORISED NAROSIES SUBSTATION (12/12/20/2049/3), LOCATED NEAR LOERIESFONTEIN IN THE HANTAM LOCAL MUNICIPALITY, NAMAKWA DISTRICT IN THE NORTHERN CAPE PROVINCE OF SOUTH AFRICA.

Heritage Impact Assessment

Report Prepared by: PGS Heritage Pty Ltd
Issue Date: 08 December 2020
Version No.: 0.1

SiVEST (PTY) LTD

PROPOSED CONSTRUCTION OF 132 KV POWERLINES BETWEEN THE AUTHORISED LOERIESFONTEIN 3 PV SOLAR ENERGY FACILITY (12/12/20/2321/2/AM4) AND THE AUTHORISED DWARSRUG WIND ENERGY FACILITY (14/12/16/3/3/2/690/AM4), AND FROM THE DWARSRUG WIND ENERGY FACILITY TO THE AUTHORISED NAROSIES SUBSTATION (12/12/20/2049/3), LOCATED NEAR LOERIESFONTEIN IN THE HANTAM LOCAL MUNICIPALITY, NAMAKWA DISTRICT IN THE NORTHERN CAPE PROVINCE OF SOUTH AFRICA.

HERITAGE IMPACT ASSESSMENT

EXECUTIVE SUMMARY

PGS Heritage (Pty) Ltd (PGS) has been appointed by SiVEST (PTY) Ltd, on behalf of South Africa Mainstream Renewable Power Developments (Pty) Ltd (Mainstream) to undertake a Basic Assessment (BA) Process for the proposed construction of 132 kV overhead powerlines (OHL) between the proposed (and authorised) 100MW Loeriesfontein 3 Photovoltaic (PV) Solar Energy Facility (SEF) (12/12/20/2321/2/AM4) and proposed (and authorised) 140MW Dwarsrug Wind Energy Facility (WEF) (14/12/16/3/3/2/690/AM4); and between the Dwarsrug WEF and the proposed (and authorised) Narosies Substation (12/12/20/2049/3) located near Loeriesfontein in the Northern Cape Province of South Africa.

The fieldwork conducted for the evaluation of the possible impact of the new OHL alignments as part has revealed no heritage resources.

Conclusion

The current study has confirmed that the impact of the OHL will be low. This finding and with the implementation of a chance finds procedure as part of the EMPr will mitigate possible impacts on unidentified heritage resources.

The calculated impact as summarised in section 7 of this report confirms the low negative impact rating pre-and post-mitigation.

An assessment of the final alignment must be conducted with the final walkdown of the OHL layout during the implementation of the EMPr .

Impact Statement

It is our considered opinion after evaluating the findings and facts that none of the alignments have a preference over the other and all three will have a low impact on heritage resources.

In the event that heritage resources are discovered during site clearance, construction activities must stop in the vicinity, and a qualified archaeologist must be appointed to evaluate and make recommendations on mitigation measures.

The overall impact of the OHL, on the heritage resources, is seen as acceptably low after the recommendations have been implemented and therefore, impacts can be mitigated to acceptable levels allowing for the development to be authorised.

NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT NO. 107 OF 1998) AND ENVIRONMENTAL IMPACT REGULATIONS, 2014 (AS AMENDED) - REQUIREMENTS FOR SPECIALIST REPORTS (APPENDIX 6)

Regulation GNR 326 of 4 December 2014, as amended 7 April 2017, Appendix 6	Section of Report
1. (1) A specialist report prepared in terms of these Regulations must contain- a) details of- i. the specialist who prepared the report; and ii. the expertise of that specialist to compile a specialist report including a curriculum vitae;	1.3
b) a declaration that the specialist is independent in a form as may be specified by the competent authority;	Page 6
c) an indication of the scope of, and the purpose for which, the report was prepared;	1.1 and Appendix C
(cA) an indication of the quality and age of base data used for the specialist report;	7
(cB) a description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change;	7
d) the date and season of the site investigation and the relevance of the season to the outcome of the assessment;	7
e) a description of the methodology adopted in preparing the report or carrying out the specialised process inclusive of equipment and modelling used;	1.4
f) details of an assessment of the specific identified sensitivity of the site related to the proposed activity or activities and its associated structures and infrastructure, inclusive of a site plan identifying site alternatives;	Figure 6
g) an identification of any areas to be avoided, including buffers;	None
h) a map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers;	Figure 6
i) a description of any assumptions made and any uncertainties or gaps in knowledge;	2
j) a description of the findings and potential implications of such findings on the impact of the proposed activity, (including identified alternatives on the environment) or activities;	9

Regulation GNR 326 of 4 December 2014, as amended 7 April 2017, Appendix 6	Section of Report
k) any mitigation measures for inclusion in the EMPr;	9.2
l) any conditions for inclusion in the environmental authorisation;	9.2
m) any monitoring requirements for inclusion in the EMPr or environmental authorisation;	9.2
n) a reasoned opinion- <ul style="list-style-type: none"> i. (as to) whether the proposed activity, activities or portions thereof should be authorised; <ul style="list-style-type: none"> (iA) regarding the acceptability of the proposed activity or activities; and ii. if the opinion is that the proposed activity, activities or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan; 	9.3
o) a description of any consultation process that was undertaken during the course of preparing the specialist report;	N/A
p) a summary and copies of any comments received during any consultation process and where applicable all responses thereto; and	N/A
q) any other information requested by the competent authority.	N/A
2) Where a government notice <i>gazetted</i> by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply.	GN648



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

DETAILS OF THE SPECIALIST, DECLARATION OF INTEREST AND UNDERTAKING UNDER OATH

	(For official use only)
File Reference Number:	
NEAS Reference Number:	DEA/EIA/
Date Received:	

Application for authorisation in terms of the National Environmental Management Act, Act No. 107 of 1998, as amended and the Environmental Impact Assessment (EIA) Regulations, 2014, as amended (the Regulations)

PROJECT TITLE

PROPOSED CONSTRUCTION OF 132 KV POWERLINES BETWEEN THE AUTHORISED LOERIESFONTEIN 3 PV SOLAR ENERGY FACILITY (12/12/20/2321/2/AM4) AND THE AUTHORISED DWARSRUG WIND ENERGY FACILITY (14/12/16/3/3/2/690/AM4), AND FROM THE DWARSRUG WIND ENERGY FACILITY TO THE AUTHORISED NAROSIES SUBSTATION (12/12/20/2049/3), LOCATED NEAR LOERIESFONTEIN IN THE HANTAM LOCAL MUNICIPALITY, NAMAKWA DISTRICT IN THE NORTHERN CAPE PROVINCE OF SOUTH AFRICA.

Kindly note the following:

1. This form must always be used for applications that must be subjected to Basic Assessment or Scoping & Environmental Impact Reporting where this Department is the Competent Authority.
2. This form is current as of 01 September 2018. It is the responsibility of the Applicant / Environmental Assessment Practitioner (EAP) to ascertain whether subsequent versions of the form have been published or produced by the Competent Authority. The latest available Departmental templates are available at <https://www.environment.gov.za/documents/forms>.
3. A copy of this form containing original signatures must be appended to all Draft and Final Reports submitted to the department for consideration.
4. All documentation delivered to the physical address contained in this form must be delivered during the official Departmental Officer Hours which is visible on the Departmental gate.
5. All EIA related documents (includes application forms, reports or any EIA related submissions) that are faxed; emailed; delivered to Security or placed in the Departmental Tender Box will not be accepted, only hardcopy submissions are accepted.

Departmental Details

Postal address:

Department of Environmental Affairs
Attention: Chief Director: Integrated Environmental Authorisations
Private Bag X447
Pretoria
0001

Physical address:

Department of Environmental Affairs
Attention: Chief Director: Integrated Environmental Authorisations
Environment House
473 Steve Biko Road
Arcadia

Queries must be directed to the Directorate: Coordination, Strategic Planning and Support at:
Email: EIAAdmin@environment.gov.za

CLIENT NAME South Africa Mainstream Renewable Power Developments (Pty) Ltd
Description.... Heritage Impact Assessment – Loeriesfontein 3 OHL
Version No. 0.1

Prepared by: PGS

SPECIALIST INFORMATION

Specialist Company Name:	PGS Heritage Pty Ltd			
B-BBEE	Contribution level (indicate 1 to 8 or non-compliant)	4	Percentage Procurement recognition	135
Specialist name:	Wouter Fourie			
Specialist Qualifications:	BA(Hon) Archaeology			
Professional affiliation/registration:	ASAPA and APHP			
Physical address:	906 Bergarend street, Waverley, Pretoria			
Postal address:	PO Box 32452, Totiusdal			
Postal code:	0134	Cell:	+27 82 851 3575	
Telephone:	+27 12 332 3505	Fax:		
E-mail:	wouter@pgsheritage.com			

DECLARATION BY THE SPECIALIST

I, _____Wouter Fourie_____, declare that –

- I act as the independent specialist in this application;
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;
- all the particulars furnished by me in this form are true and correct; and
- I realise that a false declaration is an offence in terms of regulation 48 and is punishable in terms of section 24F of the Act.



Signature of the Specialist

PGS Heritage Pty Ltd


Name of Company:

08 December 2020

Date:

UNDERTAKING UNDER OATH/ AFFIRMATION

I, ___Wouter Fourie___, swear under oath / affirm that all the information submitted or to be submitted for the purposes of this application is true and correct.



Signature of the Specialist

PGS Heritage Pty Ltd

Name of Company

08 December 2020

Date

Signature of the Commissioner of Oaths

Date

SIVEST (PTY) LTD

PROPOSED CONSTRUCTION OF 132 KV POWERLINES BETWEEN THE AUTHORISED LOERIESFONTEIN 3 PV SOLAR ENERGY FACILITY (12/12/20/2321/2/AM4) AND THE AUTHORISED DWARSRUG WIND ENERGY FACILITY (14/12/16/3/3/2/690/AM4), AND FROM THE DWARSRUG WIND ENERGY FACILITY TO THE AUTHORISED NAROSIES SUBSTATION (12/12/20/2049/3), LOCATED NEAR LOERIESFONTEIN IN THE HANTAM LOCAL MUNICIPALITY, NAMAKWA DISTRICT IN THE NORTHERN CAPE PROVINCE OF SOUTH AFRICA.

HERITAGE IMPACT ASSESSMENT

Contents

SPECIALIST INFORMATION	6
DECLARATION BY THE SPECIALIST	6
UNDERTAKING UNDER OATH/ AFFIRMATION	7
1. INTRODUCTION	1
1.1 Scope and Objectives	1
1.2 Terms of Reference	2
1.3 Specialist Credentials	2
1.4 Assessment Methodology	2
1.4.1 Site significance classification standards	3
2. ASSUMPTIONS AND LIMITATIONS	5
3. TECHNICAL DESCRIPTION	6
3.1 Project Description.....	6
3.1.1 Alternatives	6
3.1.2 'No-go' alternative.....	7
4. LEGAL REQUIREMENT AND GUIDELINES	8
4.1 Statutory Framework: The National Heritage Resources (Act 25 of 1999)	8
4.1.1 Section 35 – Archaeology, Palaeontology and Meteorites.....	8
4.1.2 Section 36 – Burial Grounds & Graves	8
4.1.3 Section 38 HIA as a Specialist Study within the EIA in Terms of Section 38(8)	9

CLIENT NAME South Africa Mainstream Renewable Power Developments (Pty) Ltd
Description.... Heritage Impact Assessment – Loeriesfontein 3 OHL
Version No. 0.1

Prepared by: PGS

4.1.4	Notice 648 of the Government Gazette 45421	10
4.1.5	NEMA – Appendix 6 requirements	11
5.	DESCRIPTION OF THE RECEIVING ENVIRONMENT	11
6.	BACKGROUND RESEARCH	13
6.1	The Archival findings.....	13
6.1.1	Earlier Stone Age (300 000 – 3.3 million years Before Present/BP).....	13
6.1.2	Middle Stone Age (30 000 – 300 000 BP).....	13
6.1.3	Later Stone Age (30 000 BP – recent times).....	14
6.1.4	Rock Art.....	14
6.1.5	Iron Age Sequence.....	14
6.2	Previous reports from the area.....	15
7.	SPECIALIST FINDINGS / IDENTIFICATION AND ASSESSMENT OF IMPACTS	16
7.1	Planning / Pre construction	17
7.2	Construction	17
7.3	No go Impact	17
7.4	Cumulative Impacts	17
7.5	Overall Impact Rating	17
8.	COMPARATIVE ASSESSMENT OF ALTERNATIVE	21
8.1	No-Go Alternative	21
9.	CONCLUSION AND SUMMARY	21
9.1	Summary of Findings	21
9.2	Conclusion.....	21
9.3	Impact Statement.....	21
10.	REFERENCES.....	23

List of Tables

Table 1: Rating system for archaeological resources	3
Table 2: Rating system for built environment resources	4
Table 3: Reporting requirements for GN648.....	10
Table 4: Rating of impacts on heritage resources	18
Table 5: Rating of impacts criteria	27

List of Figures

Figure 1: Human and Cultural Timeline in Africa (Morris, 2008)	14
Figure 2: Powerline alternatives proposed to link Loeriesfontein 3 PV SEF to Dwarsrug WEF as well single power line proposed to link two (2) facilities to National grid from Dwarsrug WEF	7
Figure 3: DEA Screening tool outcome indicating a medium to high significance	11
Figure 4: View of alternative 1 alignment to the west of the Loeriesfontein WEF	12
Figure 5: View of the alternative 2 alignment to the north of the Loeriesfontein WEF	12
Figure 6: Field work map during site visit	16
Figure 7: Powerline alternatives proposed to link Loeriesfontein 3 PV SEF to Dwarsrug WEF as well single power line proposed to link two (2) facilities to National grid from Dwarsrug WEF	34

List of Appendices

Appendix A: The Impact Assessment Scales used for this project
Appendix B: Project team CV's
Appendix C: Terms of reference for the specialist study

Glossary of Terms

Archaeological resources

This includes:

- material remains resulting from human activity which are in a state of disuse and are in or on land and which are older than 100 years including artefacts, human and hominid remains and artificial features and structures;
- rock art, being any form of painting, engraving or other graphic representation on a fixed rock surface or loose rock or stone, which was executed by human agency and which is older than 100 years, including any area within 10m of such representation;
- wrecks, being any vessel or aircraft, or any part thereof, which was wrecked in South Africa, whether on land, in the internal waters, the territorial waters or in the maritime culture zone of the republic as defined in the Maritimes Zones Act, and any cargo, debris or artefacts found or associated therewith, which is older than 60 years or which SAHRA considers to be worthy of conservation;
- features, structures and artefacts associated with military history which are older than 75 years and the site on which they are found.

Cultural significance

This means aesthetic, architectural, historical, scientific, social, spiritual, linguistic or technological value or significance

Cultural Landscapes Terminology

“perceptual qualities” Aspects of a landscape which are perceived through the senses, specifically views and aesthetics.

“cultural landscape” A representation of the combined worlds of nature and of man illustrative of the evolution of human society and settlement over time, under the influence of the physical constraints and/or opportunities presented by their natural environment and of successive social, economic and cultural forces, both external and internal (World Heritage Committee, 1992). Includes and extends beyond the study site boundaries.

“cultural landscape area” These are single unique areas which are the discrete geographical areas of a particular landscape type. Each will have its own individual character and identity, even though it shares the same generic characteristics with other areas of the same type.

“study site” The study site is assumed to include the area within the boundaries of the proposed development

“characteristics” elements, or combination of elements, which make a particular contribution to distinctive character.

“elements” individual components which make up the landscape, such as trees and fences.

“landscape character” A distinct, and consistent pattern of elements in the landscape that makes one landscape different from another, rather than better or worse.

“landscape character assessment” This is the process of identifying and describing variation in the character of the landscape. It seeks to identify and explain the unique combination of elements and features (characteristics) that make landscapes distinctive. This process results in the production of a Landscape Character Assessment.

“sense of place” The unique quality or character of a place, whether natural, rural or urban. It relates to uniqueness, distinctiveness or strong identity.

“scenic route” A linear movement route, usually in the form of a scenic drive, but which could also be a railway, hiking trail, horse-riding trail or 4x4 trail.

Development

This means any physical intervention, excavation, or action, other than those caused by natural forces, which may in the opinion of the heritage authority in any way result in a change to the nature, appearance or physical nature of a place or influence its stability and future well-being, including:

- construction, alteration, demolition, removal or change in use of a place or a structure at a place;
- carrying out any works on or over or under a place;
- subdivision or consolidation of land comprising a place, including the structures or airspace of a place;
- constructing or putting up for display signs or boards;
- any change to the natural or existing condition or topography of land; and
- any removal or destruction of trees, or removal of vegetation or topsoil

Earlier Stone Age

The archaeology of the Stone Age between ~300 000 and 3 300 000 years ago.

Fossil

Mineralised bones of animals, shellfish, plants and marine animals. A trace fossil is the track or footprint of a fossil animal that is preserved in stone or consolidated sediment.

Heritage

That which is inherited and forms part of the National Estate (historical places, objects, fossils as defined by the National Heritage Resources Act 25 of 1999).

Heritage resources

This means any place or object of cultural significance and can include (but not limited to) as stated under Section 3 of the NHRA,

- places, buildings, structures and equipment of cultural significance;
- places to which oral traditions are attached or which are associated with living heritage;
- historical settlements and townscapes;
- landscapes and natural features of cultural significance;
- geological sites of scientific or cultural importance;
- archaeological and palaeontological sites;
- graves and burial grounds, and
- sites of significance relating to the history of slavery in South Africa;

Holocene

The most recent geological time period which commenced 10 000 years ago.

Later Stone Age

The archaeology of the last 30 000 years associated with fully modern people.

Late Iron Age (Early Farming Communities)

The archaeology of the last 1000 years up to the 1800's, associated with iron-working and farming activities such as herding and agriculture.

Middle Stone Age

The archaeology of the Stone Age between 30 000-300 000 years ago, associated with early modern humans.

Site

Site in this context refers to an area place where a heritage resource is located and not a proclaimed heritage site as contemplated under s27 of the NHRA.




Figure 1: Human and Cultural Timeline in Africa (Morris, 2008)

List of Abbreviations

Acronyms	Description
AIA	Archaeological Impact Assessment
ASAPA	Association of South African Professional Archaeologists
BA	Basic Assessment
CA	Competent uthority
CRM	Cultural Resource Management
DEFF	Department of Environment, Forestry and Fisheries
EIA practitioner	Environmental Impact Assessment Practitioner
EIA	Environmental Impact Assessment
ESA	Early Stone Age
GN	Government Notice
GPS	Global Positioning System
HIA	Heritage Impact Assessment
I&AP	Interested & Affected Party
LSA	Late Stone Age
LIA	Late Iron Age
MSA	Middle Stone Age
MIA	Middle Iron Age
NEMA	National Environmental Management Act
NHRA	National Heritage Resources Act
OHL	Overhead Power Line
PHRA	Provincial Heritage Resources Agency
PV	Photovoltaic
RoD	Record of Decision
SEF	Solar Energy Facility
SADC	Southern African Development Community
SAHRA	South African Heritage Resources Agency
WEF	Wind Energy Facility

SiVEST (PTY) LTD

PROPOSED CONSTRUCTION OF 132 KV POWERLINES BETWEEN THE AUTHORISED LOERIESFONTEIN 3 PV SOLAR ENERGY FACILITY (12/12/20/2321/2/AM4) AND THE AUTHORISED DWARSRUG WIND ENERGY FACILITY (14/12/16/3/3/2/690/AM4), AND FROM THE DWARSRUG WIND ENERGY FACILITY TO THE AUTHORISED NAROSIES SUBSTATION (12/12/20/2049/3), LOCATED NEAR LOERIESFONTEIN IN THE HANTAM LOCAL MUNICIPALITY, NAMAKWA DISTRICT IN THE NORTHERN CAPE PROVINCE OF SOUTH AFRICA.

IMPACT ASSESSMENT

1. INTRODUCTION

PGS Heritage (Pty) Ltd (PGS) has been appointed by SiVEST (PTY) Ltd, on behalf of South Africa Mainstream Renewable Power Developments (Pty) Ltd (Mainstream) to undertake a Basic Assessment (BA) Process for the proposed construction of 132 kV overhead powerlines (OHL) between the proposed (and authorised) 100MW Loeriesfontein 3 Photovoltaic (PV) Solar Energy Facility (SEF) (12/12/20/2321/2/AM4) and proposed (and authorised) 140MW Dwarsrug Wind Energy Facility (WEF) (14/12/16/3/3/2/690/AM4); and between the Dwarsrug WEF and the proposed (and authorised) Narosies Substation (12/12/20/2049/3) located near Loeriesfontein in the Northern Cape Province of South Africa.

In terms of the Environmental Impact Assessment (EIA) Regulations, which were published on 04 December 2014 and amended on 07 April 2017 [promulgated in Government Gazette 40772 and Government Notice (GN) R326, R327, R325 and R324 on 7 April 2017], various aspects of the proposed development are considered listed activities under GNR 327 and GNR 324 which may have an impact on the environment and therefore require authorisation from the National Competent Authority (CA), namely the Department of Environment, Forestry and Fisheries (DEFF), prior to the commencement of such activities. The HIA have been commissioned to assess and verify the BESS under the new Gazetted specialist protocols.

1.1 Scope and Objectives

The OHL alignments is located between the proposed (and authorised) 100MW Loeriesfontein 3 Photovoltaic (PV) Solar Energy Facility (SEF) (12/12/20/2321/2/AM4) and proposed (and authorised) 140MW Dwarsrug Wind Energy Facility (WEF) (14/12/16/3/3/2/690/AM4); and between the Dwarsrug WEF and the proposed (and authorised) Narosies Substation (12/12/20/2049/3) located near Loeriesfontein in the Northern Cape Province of South Africa.

The aim of the study is to identify possible heritage resources, sites, finds and sensitive areas that may occur in the study area for the BA study. The HIA aims to inform the BA in the development of a comprehensive EMP to assist the developer in managing the discovered heritage resources in a responsible manner, in order to protect, preserve, and develop them within the framework provided by the National Heritage Resources Act of 1999 (Act 25 of 1999) (NHRA).

1.2 Terms of Reference

Refer to Appendix C.

1.3 Specialist Credentials

PGS Heritage (PGS) compiled this Heritage Impact Report.

The staff at PGS has a combined experience of nearly 80 years in the heritage consulting industry. PGS and its staff have extensive experience in managing the HIA processes. PGS will only undertake heritage assessment work where they have the relevant expertise and experience to undertake that work competently.

Wouter Fourie, Project manager for this project, is registered as a Professional Archaeologist with the Association of Southern African Professional Archaeologists (ASAPA) and has CRM accreditation within the said organisation, as well as being accredited as a Professional Heritage Practitioner with the Association of Professional Heritage Practitioners – Western Cape (APHP). Refer to **Appendix B** for an Abbreviated CV.

1.4 Assessment Methodology

The applicable maps, tables and figures are included, as stipulated in the NHRA (Act No 25 of 1999) and NEMA (Act No 107 of 1998). The HIA process consisted of three steps;

Step I – Literature Review - The background information to the field survey relies greatly on the Heritage Background Research.

Step II – Physical Survey - A physical survey was conducted predominantly by foot within the proposed areas by a qualified archaeologist, which aimed at locating and documenting sites falling within and adjacent to the proposed development footprint.

Step III – The final step involved the recording and documentation of relevant archaeological resources, the assessment of resources in terms of the HIA criteria and report writing, as well as mapping and constructive recommendations.

The significance of identified heritage sites are based on four main criteria -

Site integrity (i.e. primary vs. secondary context), Amount of deposit, range of features (e.g., stonewalling, stone tools and enclosures),

Density of scatter (dispersed scatter)

- Low - <10/50m²
- Medium/High - 10-50/50m²
- High - >50/50m²
- Uniqueness; and
- Potential to answer present research questions.

Management actions and recommended mitigation, which will result in a reduction in the impact on the sites, will be expressed as follows -

- A - No further action necessary;
- B - Mapping of the site and controlled sampling required;
- C - No-go or relocate development activity position;
- D - Preserve site, or extensive data collection and mapping of the site; and
- E - Preserve site.

Impacts on these sites by the development will be evaluated as follows.

1.4.1 Site significance classification standards

Site significance classification standards use is based on the heritage classification of s3 in the NHRA and developed for implementation keeping in mind the grading system approved by SAHRA for archaeological impact assessments. The update classification and rating system as developed by Heritage Western Cape (2016) is implemented in this report as it addresses and update the SAHRA minimum standards.

Site significance classification standards prescribed by the Heritage Western Cape Guideline (2016), were used for the purpose of this report as it provides a clear breakdown and description of the grading system to follow within the ambit of the NHRA (**Table 1** and **Table 2**).

Table 1: Rating system for archaeological resources

Grading	Description of Resource	Examples of Possible Management Strategies	Heritage Significance
I	Heritage resources with qualities so exceptional that they are of special national significance. Current examples: Langebaanweg (West Coast Fossil Park), Cradle of Humankind	May be declared as a National Heritage Site managed by SAHRA. Specific mitigation and scientific investigation can be permitted in certain circumstances with sufficient motivation.	Highest Significance
II	Heritage resources with special qualities which make them significant, but do not fulfil the criteria for Grade I status. Current examples: Blombos, Paternoster Midden.	May be declared as a Provincial Heritage Site managed by HWC. Specific mitigation and scientific investigation can be permitted in certain circumstances with sufficient motivation.	Exceptionally High Significance
III	Heritage resources that contribute to the environmental quality or cultural significance of a larger area and fulfils one of the criteria set out in section 3(3) of the Act but that does not fulfil		

Grading	Description of Resource	Examples of Possible Management Strategies	Heritage Significance
	the criteria for Grade II status. Grade III sites may be formally protected by placement on the Heritage Register.		
IIIA	Such a resource must be an excellent example of its kind or must be sufficiently rare. Current examples: Varschedrift; Peers Cave; Brobartia Road Midden at Bettys Bay	Resource must be retained. Specific mitigation and scientific investigation can be permitted in certain circumstances with sufficient motivation.	High Significance
IIIB	Such a resource might have similar significances to those of a Grade III A resource, but to a lesser degree.	Resource must be retained where possible where not possible it must be fully investigated and/or mitigated.	Medium Significance
IIIC	Such a resource is of contributing significance.	Resource must be satisfactorily studied before impact. If the recording already done (such as in an HIA or permit application) is not sufficient, further recording or even mitigation may be required.	Low Significance
NCW	A resource that, after appropriate investigation, has been determined to not have enough heritage significance to be retained as part of the National Estate.	No further actions under the NHRA are required. This must be motivated by the applicant or the consultant and approved by the authority.	No research potential or other cultural significance

Table 2: Rating system for built environment resources

Grading	Description of Resource	Examples of Possible Management Strategies	Heritage Significance
I	Heritage resources with qualities so exceptional that they are of special national significance. Current examples: Robben Island	May be declared as a National Heritage Site managed by SAHRA.	Highest Significance
II	Heritage resources with special qualities which make them significant in the context of a province or region, but do not fulfil the criteria for Grade I status. Current examples: St George's Cathedral, Community House	May be declared as a Provincial Heritage Site managed by HWC.	Exceptionally High Significance
II	Such a resource contributes to the environmental quality or cultural significance of a larger area and fulfils one of the criteria set out in section 3(3) of the Act but that does not fulfil the criteria for Grade II status. Grade III sites may be formally protected by placement on the Heritage Register.		
IIIA	Such a resource must be an excellent example of its kind or must be sufficiently rare. These are heritage resources which are significant in the context of an area.	This grading is applied to buildings and sites that have sufficient intrinsic significance to be regarded as local heritage resources; and are significant enough to warrant that any alteration, both internal and external, is regulated. Such buildings and sites may be representative, being excellent examples of their kind, or may be	High Significance

Grading	Description of Resource	Examples of Possible Management Strategies	Heritage Significance
		rare. In either case, they should receive maximum protection at local level.	
IIIB	Such a resource might have similar significances to those of a Grade III A resource, but to a lesser degree. These are heritage resources which are significant in the context of a townscape, neighbourhood, settlement or community.	Like Grade IIIA buildings and sites, such buildings and sites may be representative, being excellent examples of their kind, or may be rare, but less so than Grade IIIA examples. They would receive less stringent protection than Grade IIIA buildings and sites at local level.	Medium Significance
IIIC	Such a resource is of contributing significance to the environs. These are heritage resources which are significant in the context of a streetscape or direct neighbourhood.	This grading is applied to buildings and/or sites whose significance is contextual, i.e. in large part due to its contribution to the character or significance of the environs. These buildings and sites should, as a consequence, only be regulated if the significance of the environs is sufficient to warrant protective measures, regardless of whether the site falls within a Conservation or Heritage Area. Internal alterations should not necessarily be regulated.	Low Significance
NCW	A resource that, after appropriate investigation, has been determined to not have enough heritage significance to be retained as part of the National Estate.	No further actions under the NHRA are required. This must be motivated by the applicant and approved by the authority. Section 34 can even be lifted by HWC for structures in this category if they are older than 60 years.	No research potential or other cultural significance

2. ASSUMPTIONS AND LIMITATIONS

Not detracting in any way from the comprehensiveness of the fieldwork undertaken, it is necessary to realise that the heritage resources located during the fieldwork do not necessarily represent all the possible heritage resources present within the area. Various factors account for this, including the subterranean nature of some archaeological sites and the current dense vegetation cover. As such, should any heritage features and/or objects not included in the present inventory be located or observed, a heritage specialist must immediately be contacted.

Such observed or located heritage features and/or objects may not be disturbed or removed in any way until such time that the heritage specialist has been able to make an assessment as to the significance of the site

(or material) in question. This applies to graves and cemeteries as well. In the event that any graves or burial places are located during the development, the procedures and requirements pertaining to graves and burials will apply as set out below.

3. TECHNICAL DESCRIPTION

3.1 Project Description

Mainstream are proposing the construction of a 132 kV overhead powerlines between the proposed (and authorised) 100MW Loeriesfontein 3 PV SEF (12/12/20/2321/2/AM4) and proposed (and authorised) 140MW Dwarsrug WEF (14/12/16/3/3/2/690/AM4); and between the Dwarsrug WEF and the proposed (and authorised) Narosies Substation (12/12/20/2049/3) located near Loeriesfontein in the Northern Cape Province of South Africa.

The powerline from the Loeriesfontein 3 PV SEF to the Dwarsrug WEF is proposed to link the SEF to the WEF in order to create a hybrid renewable energy facility, which will ensure that electricity is constantly supplied to the national grid by at least one or both technologies (namely solar PV and wind), at any given time. The powerline from the Dwarsrug WEF is proposed to tie the, above mentioned, hybrid renewable energy facility into the approved Narosies substation to feed the National grid

3.1.1 Alternatives

Two (2) powerline alternatives will be assessed to link the Loeriesfontein 3 PV SEF to the Dwarsrug WEF and a single powerline is proposed to link these two (2) facilities to the National grid from the Dwarsrug WEF. All three (3) powerline route alignments will be assessed within a 300m wide assessment corridor (150m on either side of powerline). The powerline alternatives which are being proposed and assessed are shown in **Figure 2** below.




Figure 2: Powerline alternatives proposed to link Loeriesfontein 3 PV SEF to Dwarsrug WEF as well single power line proposed to link two (2) facilities to National grid from Dwarsrug WEF

The layout alternatives are being considered and assessed as part of the BA process and will be refined to avoid identified environmental sensitivities.

3.1.2 'No-go' alternative

The 'no-go' alternative is the option of not constructing the powerline project, which would prevent the realization of the hybrid facility and thus prevent electricity generated from renewable sources being fed into the national grid. This alternative would result in no additional environmental impact other than that assessed during the BA for the Renewable Energy (RE) facilities.

The 'no-go' option is a feasible option; however, this would prevent the hybrid facility from contributing to the environmental, social and economic benefits associated with the development of the renewables sector.

4. LEGAL REQUIREMENT AND GUIDELINES

4.1 Statutory Framework: The National Heritage Resources (Act 25 of 1999)

The NHRA has applicability, as the study forms part of an overall HIA in terms of the provisions of Section 34, 35, 36 and 38 of the NHRA and forms part of a heritage scoping study that serves to identify key heritage resources, informants, and issues relating to the palaeontological, archaeological, built environment and cultural landscape, as well as the need to address such issues during the impact assessment phase of the HIA process.

4.1.1 Section 35 – Archaeology, Palaeontology and Meteorites

According to Section 35 (Archaeology, Palaeontology and Meteorites) and Section 38 (Heritage Resources Management) of the NHRA, PIAs and AIAs are required by law in the case of developments in areas underlain by potentially fossiliferous (fossil-bearing) rocks, especially where substantial bedrock excavations are envisaged, and where human settlement is known to have occurred during prehistory and the historic period.

4.1.2 Section 36 – Burial Grounds & Graves

A section 36 permit application is made to the SAHRA or the competent provincial heritage authority which protects burial grounds and graves that are older than 60 years and must conserve and generally care for burial grounds and graves protected in terms of this section, and it may make such arrangements for their conservation as it sees fit. SAHRA must also identify and record the graves of victims of conflict and any other graves which it deems to be of cultural significance and may erect memorials associated with these graves and must maintain such memorials. A permit is required under the following conditions:

Permitting requirements for burial grounds and graves older than 60 years (prehistoric) and historic burials to the South African Heritage Resources Agency:

- a) destroy, damage, alter, exhume or remove from its original position or otherwise disturb the grave of a victim of conflict, or any burial ground or part thereof which contains such graves.
- b) destroy, damage, alter, exhume, remove from its original position or otherwise disturb any grave or burial ground older than 60 years which is situated outside a formal cemetery administered by a local authority; or
- c) bring onto or use at a burial ground or grave referred to in paragraph (a) or (b) any excavation equipment, or any equipment which assists in the detection or recovery of metals.
- d) SAHRA or a provincial heritage resources authority may not issue a permit for the destruction or damage of any burial ground or grave referred to in subsection (3)(a) unless it is satisfied that the applicant has made satisfactory arrangements for the exhumation and re-interment of the contents of such graves, at the cost of the applicant.

4.1.3 Section 38 HIA as a Specialist Study within the EIA in Terms of Section 38(8)

A NHRA Section 38 (Heritage Impact Assessments) application to SAHRA is required when the proposed development triggers one or more of the following activities:

Permitting requirements for demolition of built environment features:

- a) the construction of a road, wall, power line, pipeline, canal or other similar form of linear development or barrier exceeding 300m in length;
- b) the construction of a bridge or similar structure exceeding 50 m in length;
- c) any development or other activity which will change the character of a site,
 - i. exceeding 5 000 m² in extent; or
 - ii. involving three or more existing erven or subdivisions thereof; or
 - iii. involving three or more erven or divisions thereof which have been consolidated within the past five years; or
 - iv. the costs of which will exceed a sum set in terms of regulations by SAHRA or a provincial heritage resources authority;
- d) the re-zoning of a site exceeding 10 000 m² in extent; or
- e) any other category of development provided for in regulations by SAHRA or a provincial heritage resources authority

In this instance, the heritage assessment for the property is to be undertaken as a component of the BA for the project. Provision is made for this in terms of Section 38(8) of the NHRA, which states that:

This is an HIA submitted to the relevant authority in terms of Section 38(8) of the National Heritage Resources Act. The commenting authority is the SAHRA. The authorising government agency is the DEFF.

An HIA report is required to identify, and assess archaeological resources as defined by the Act, assess the impact of the proposal on the said archaeological resources, review alternatives and recommend mitigation (see methodology above).

Section 38 (3) Impact Assessments are required, in terms of the statutory framework to conform to basic requirements as laid out in Section 38(3) of the NHRA. These are:

- The identification and mapping of heritage resources in the area affected
- The assessment of the significance of such resources
- The assessment of the impact of the development on the heritage resources
- An evaluation of the impact on the heritage resources relative to sustainable socio/economic benefits
- Consideration of alternatives if heritage resources are adversely impacted by the proposed development
- Consideration of alternatives
- Plans for mitigation in the future

4.1.4 Notice 648 of the Government Gazette 45421

Although minimum standard for archaeological and palaeontological assessments¹ were published by SAHRA and Heritage Western Cape²³, Government Notice (GN) 648 requires sensitivity verification for a site selected on the national web based environmental screening tool for which no specific assessment protocol related to any theme has been identified. The requirements for this GN are listed in **Table 3** and the applicable section in this report noted. The screening tool indicated a medium archaeological and cultural heritage significance (**Figure 3**).

Table 3: Reporting requirements for GN648

GN 648	Relevant section in report	Where not applicable in this report
2.2 (a) a desk top analysis, using satellite imagery;	section 5	
2.2 (b) a preliminary on-site inspection to identify if there are any discrepancies with the current use of land and environmental status quo versus the environmental sensitivity as identified on the national web based environmental screening tool, such as new developments, infrastructure, indigenous/pristine vegetation, etc.	section 5	-
2.3(a) confirms or disputes the current use of the land and environmental sensitivity as identified by the national web based environmental screening tool;	section 5	-
2.3(b) contains a motivation and evidence (e.g. photographs) of either the verified or different use of the land and environmental sensitivity;	Section 5 provides a description of the current use and confirms the status in the screening report	

¹ South African Heritage Resources Agency. 2007. *Minimum Standards: Archaeological and Palaeontological Components of Impact Assessment Reports*. May 2007

² Heritage Western Cape. 2016. *Guide for Minimum Standards for Archaeology and Palaeontology Reports Submitted to Heritage Western Cape*. June 2016

³ Heritage Western Cape. 2016. *Guidelines for Heritage Impact Assessments required in terms of Section 38 of the National Heritage Resources Act (Act 25 of 1999)*.




Figure 3: DEA Screening tool outcome indicating a medium to high significance

4.1.5 NEMA – Appendix 6 requirements

The HIA report has been compiled considering the National Environmental Management Act (Act No. 107 of 1998) (NEMA) and Environmental Impact Assessment (EIA) Regulations, 2014 (as amended) Appendix 6 requirements for specialist reports as indicated in the table on page 3 and 4 of this report. For ease of reference the table provides cross references to the report sections where these requirements have been addressed.

5. DESCRIPTION OF THE RECEIVING ENVIRONMENT

A site visit was conducted by an archaeologist from PGS on 26 and 27 November 2020. The alignment alternatives were assessed. The site is characterised by low growing shrubs indicative of general Namakwa vegetation (**Figure 4** and **Figure 5**). The study area is flat with low ridges surrounding the site towards the north and east.



Figure 4: View of alternative 1 alignment to the west of the Loeriesfontein WEF



Figure 5: View of the alternative 2 alignment to the north of the Loeriesfontein WEF

6. BACKGROUND RESEARCH

6.1 The Archival findings

6.1.1 Earlier Stone Age (300 000 – 3.3 million years Before Present/BP)

The Northern Cape Province has a well-documented Earlier Stone Age sequence, most notably from Vaal River Basin sites such as Canteen Kopje (Beaumont & McNabb 2000; McNabb 2001; Beaumont 2004; McNabb & Beaumont 2011a, 2011b; Chazan *et al.* 2013; Leader 2013) and Rietputs (Gibbon *et al.* 2009; Leader 2009), along with deposits from pan sites like Kathu Pan (Wilkins & Chazan 2012; Wilkins *et al.* 2015) and cave sites like Wonderwerk Cave (Chazan *et al.* 2008; Beaumont 2011; Chazan *et al.* 2012; Chazan 2015).

The earliest artefacts from the Earlier Stone Age are produced during the Oldowan. Although the Lomekwian is an earlier industry, found elsewhere in Africa dating to ~3.3 million years ago, it is not relevant here as it does not occur in southern Africa. The Oldowan is a primarily flake and core-based industry, and in the Northern Cape it is known from two sites: Canteen Kopje and Wonderwerk Cave, dating to around 2 million years ago. Following the Oldowan is the Acheulean, beginning at around ~1.5 million years ago, with notable assemblages occurring at all of the Northern Cape sites. This technology is characterised by the presence of Large Cutting Tools (LCTs), in the form of hand axes, cleavers and occasional picks. These are tools that can either be unifacial, partly bifacial or bifacial, and they are important tools that would have been used to perform a range of subsistence-based activities during the Acheulean. Occurring with these LCTs is a very important form of core production that becomes more prevalent during later periods of the Stone Age: Prepared Core Reduction. A local variant of this technology, the Victoria West Industry, occurs specifically at Canteen Kopje and it has been dated to >1 million years (Li *et al.* 2017). This type of reduction illustrates that stone cores were reduced in ways to attain predetermined flake blanks of specific shapes and sizes. In addition, this core reduction prolongs the usability of the core as core convexities are continually maintained throughout the process of flake removal. Another notable variant of the Acheulean is the final/Late ESA Fauresmith Industry, now defined from Canteen Kopje. This regional industry, dating to around ~300/350 thousand years, is often described as a transitional industry between the ESA and the MSA, given that it has artefacts that are characteristic of both periods. However, at Canteen Kopje it is now clear that this is a highly variable form of technology that appears geared towards site specific needs. Fauresmith assemblages from Kathu Pan, showing the highly systematic use of blade cores for blade production, are completely absent from the Fauresmith assemblage at Canteen Kopje and thus illustrate this variability in technology.

6.1.2 Middle Stone Age (30 000 – 300 000 BP)

Notable early MSA assemblages occur at these same sites in the Northern Cape, save for Rietputs, and these contain artefacts that are characteristic of this period: prepared cores, points and blades. During this period the use of prepared core reduction is extremely prevalent, and this is used to increase core reduction efficiency, such that predetermined flakes and blades can be manufactured. This phase of stone tool development is associated with modern humans and complex cognition, and elsewhere in South Africa MSA sites provide some of the earliest evidence for ritual symbolism.

6.1.3 *Later Stone Age (30 000 BP – recent times)*

The Later Stone Age (LSA) is the third archaeological phase identified and is associated with an abundance of very small artefacts known as microliths. No Later Stone Age sites are known in the direct vicinity of the study area, although a small LSA assemblage has been reported at Canteen Kopje (Forssman et al. 2010).

6.1.4 *Rock Art*

By the beginning of the Later Stone Age, human behaviours were undoubtedly modern (Huffman 2005). Uniquely human traits, such as rock art and purposeful burials with ornaments, became regular practice (Huffman 2005). These people were most likely the ancestors of the San, who are well known their fine-lined rock art and rock engravings. Engravings occur at Wildebeestkuil, near to Kimberley, and near to Britstown at Keurfontein, Wilde Als Put and Pienaars Pan in the Northern Cape (Morris 1988; Beaumont & Vogel 1989).

6.1.5 *Iron Age Sequence*

In the northern regions of South Africa at least three settlement phases have been distinguished for early prehistoric agropastoralist settlements during the Early Iron Age (EIA). Diagnostic pottery assemblages can be used to infer group identities and to trace movements across the landscape. The first phase of the Early Iron Age, known as Happy Rest (named after the site where the ceramics were first identified), is representative of the Western Stream of migrations, and dates to AD 400 - AD 600. The second phase of Diamant is dated to AD 600 - AD 900 and was first recognized at the eponymous site of Diamant in the western Waterberg. The third phase, characterised by herringbone-decorated pottery of the Eiland tradition, is regarded as the final expression of the Early Iron Age (EIA) and occurs over large parts of the North West Province, Northern Province, Gauteng and Mpumalanga. This phase has been dated to about AD 900 - AD 1200. These sites are usually located on low-lying spurs close to water (Coetzee 2015).

The Late Iron Age (LIA) settlements are characterised by stone-walled enclosures situated on defensive hilltops c. AD 1640 - AD 1830). This occupation phase has been linked to the arrival of ancestral Northern Sotho, Tswana and Ndebele (Nguni-speakers) in the northern regions of South Africa with associated sites dating between the sixteenth and seventeenth centuries AD. The terminal LIA is represented by late 18th/early 19th century settlements with multichrome Moloko pottery commonly attributed to the Sotho-Tswana. These settlements can in many instances be correlated with oral traditions on population movements during which African farming communities sought refuge in mountainous regions during the processes of disruption in the northern interior of South Africa, resulting from the so-called difaqane (or mfecane) (Coetzee 2015).

Despite the widespread occurrence of the Iron Age sequence across the northern portions of South Africa, Iron Age remains south of the Orange River moving into the Northern Cape, is noticeably sparse (Humphreys 1976; Humphreys 1988). Humphreys (1977) suggests that the absence of Iron Age occupation in this part of the country is largely due to the falloff of higher rainfall isohyets in the farther south-west portion of the country. Considering that Iron Age peoples were farmers, they were greatly influenced by climatic factors and were most likely deterred by the arid conditions of the Cape (Humphreys 1977). Another possibility for their absence

in the archaeological record could simply be attributed to the lack of Iron Age research conducted in this part of South Africa (Humphreys 1977).

6.2 Previous reports from the area

A scan of SAHRIS has revealed the following studies conducted in and around the study area of this report:

- MORRIS, D. 2007. Archaeological Specialist input with respect to the upgrading railway infrastructure on the Sishen-Saldanha ore line in the vicinity of Loop 7a near Loeriesfontein. McGregor Museum.
- FOURIE, W. 2011. Heritage Impact Assessment for the proposed Solar Project on the farm Kaalspruit, Loeriesfontein. PGS Heritage and Grave Relocation Consultants.
- ALMOND, J.E. 2011. Palaeontological Desktop Study for the Proposed Mainstream Wind Farm Near Loeriesfontein, Namaqua District Municipality, Northern Cape Province.
- VAN SCHALKWYK, J. 2011. Heritage Impact Assessment for the proposed establishment of a wind farm and PV facility by Mainstream Renewable Power in the Loeriesfontein Region, Northern Cape Province.
- VAN DER WALT, J. 2012. Archaeological Impact Assessment for the proposed Hantam PV Solar Energy Facility on the farm Narosies 228, Loeriesfontein, Northern Cape Province.
- WEBLEY, L & HALKETT, D. 2012. Heritage Impact Assessment: Proposed Loeriesfontein Photo-Voltaic Solar Power Plant on Portion 5 of the Farm Klein Rooiberg 227, Northern Cape Province.
- MORRIS, D. 2013. Specialist Input for the Environmental Basic Assessment and Environmental Management Program for the Khobab Wind Energy Facility: Power Line Route Options, Access Road and Substation Positions.
- ORTON, J. 2014. Heritage Impact Assessment for the proposed re-alignment of the authorized 132kV Power Line for the Loeriesfontein 2 WEF, Calvinia Magisterial District, Northern Cape.

Although the study conducted by Morris (2007) has indicated minimal finds of archaeological sites near the upgrade of Loop 7A of the Sishen-Saldanha ore line to the north of the study area, discussions with local framers have indicated the occurrence of some archaeological sites.

Morris (2010) notes that previous studies have indicated that substantial MSA scatters is fairly uncommon in the Bushmanland/Namaqualand areas. While herder sites were more limited to sheltered and dune areas close to water sources such as pans and rivers.

The HIA's (Fourie, 2011; Van Schalkwyk, 2011; Webley & Halkett, 2012 and Orton, 2014) and the AIA's (Morris, 2007; Van der Walt, 2012 and Morris, 2013), have added to the body of work conducted in the area since the observations of Beaumont et al. (1995), that "thousands of square kilometres of Bushmanland area covered by a low density lithic scatter".

Orton (2014) notes that previous studies in the vicinity of the current study area, have found and assessed archaeological material dating to the early (ESA), Middle (MSA) and Later (LSA) Stone Ages.

7. SPECIALIST FINDINGS / IDENTIFICATION AND ASSESSMENT OF IMPACTS

A selective survey of the alignments was done on 26 and 27 November 2020. Due to the nature of cultural remains, with the majority of artefacts occurring below surface, an archaeologist from PGS conducted a foot-survey of the central alignments for both Loeriesfontein. OHL alternatives. The fieldwork was logged with a GPS to provide a tracklog of the area covered (**Figure 7**). The general vicinity of the Narosies OHL was also assessed but no walkdown was completed.

No heritage resources were identified during the site survey.



Figure 6: Field work map during site visit

The impact ratings and calculation as discussed below can be seen in **Table 4**.

7.1 Planning / Pre construction

In the absence of identified heritage resources, the pre and post mitigation impact on heritage resources is project as having a low impact rating pre-construction.

7.2 Construction

In the absence of identified heritage resources, the pre and post mitigation impact on heritage resources is project as having a low impact rating during the construction phase.

7.3 No go Impact

The current status quo will be kept in the event of a no-go option. A low positive impact is envisaged.

7.4 Cumulative Impacts

From a heritage perspective the addition of the OHL will not add to the possible impact on heritage resources from the existing and future projects in the Loeriesfontein and Dwarsfontein areas.

7.5 Overall Impact Rating

Table 4 provides a summary of the projected impacts on the construction of the OHL on heritage resources. No addition the cumulative or direct impacts on unidentified heritage resources is foreseen.

Table 4: Rating of impacts on heritage resources

Dwarsrug BESS																				
ENVIRONMENTAL PARAMETER	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE	ENVIRONMENTAL SIGNIFICANCE BEFORE MITIGATION									RECOMMENDED MITIGATION MEASURES	ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION								
		E	P	R	L	D	I / M	STATUS (+ OR -)	TOTAL	S		E	P	R	L	D	I / M	STATUS (+ OR -)	TOTAL	S
Construction Phase																				
Heritage resources	Impact on archaeological and historical heritage resources	1	1	4	1	3	1	-	10	Low	1. Include heritage chance finds procedure in EMP for project development 2. An assessment of the final alignment must be conducted with the final walkdown of the OHL layout during the implementation of the EMPr .	1	1	4	1	3	1	-	10	Low

Dwarsrug BESS																				
ENVIRONMENTAL PARAMETER	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE	ENVIRONMENTAL SIGNIFICANCE BEFORE MITIGATION									RECOMMENDED MITIGATION MEASURES	ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION								
		E	P	R	L	D	I / M	STATUS (+ OR -)	TOTAL	S		E	P	R	L	D	I / M	STATUS (+ OR -)	TOTAL	S
Operational Phase																				
Heritage resources	Impact on archaeological and historical heritage resources	1	2	4	4	4	1	-	15	Low	1.Include heritage chance finds procedure in EMP for project development	1	1	4	4	4	1	-	14	Low
Decommissioning Phase																				
Heritage resources	Impact on archaeological and historical heritage resources	1	2	4	4	4	1	-	15	Low	1.Include heritage chance finds procedure in EMP for project development	1	1	4	4	4	1	-	14	Low
Cumulative																				
Heritage resources	Impact on archaeological and historical heritage resources	1	2	4	4	4	1	-	15	Low	1.Include heritage chance finds procedure in EMP for project development	1	1	4	4	4	1	-	14	Low

Dwarsrug BESS																				
ENVIRONMENTAL PARAMETER	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE	ENVIRONMENTAL SIGNIFICANCE BEFORE MITIGATION										RECOMMENDED MITIGATION MEASURES	ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION							
		E	P	R	L	D	I / M	STATUS (+ OR -)	TOTAL	S	E		P	R	L	D	I / M	STATUS (+ OR -)	TOTAL	S
No-go options																				
Impact on archaeological and historical heritage resources	In the event that the BESS will not be implemented and operational	1	2	4	4	4	1	+	15	Low	None	1	2	4	4	4	1	+	15	Low

8. COMPARATIVE ASSESSMENT OF ALTERNATIVE

It is our considered opinion after evaluating the findings and facts that none of the alignments have a preference over the other and all three will have a low impact on heritage resources.

8.1 No-Go Alternative

Consideration must be given to the 'no-go' option in the BA process. The "no-go" option assumes that the site remains in its current state, i.e. there is no construction of the OH in the proposed project area and the status quo would proceed.

9. CONCLUSION AND SUMMARY

9.1 Summary of Findings

The fieldwork conducted for the evaluation of the possible impact of the proposed OHL as part of the Dwarsrug WEF and Loeriesfontein PV projects has revealed no heritage resources.

9.2 Conclusion

The current study has confirmed that the impact of the OHL will be low. This finding and with the implementation of a chance finds procedure as part of the EMPr will mitigate possible impacts on unidentified heritage resources.

The calculated impact as summarised in section 7 of this report confirms the low negative impact rating pre- and post-mitigation.

An assessment of the final alignment must be conducted with the final walkdown of the OHL layout during the implementation of the EMPr .

9.3 Impact Statement

It is our considered opinion after evaluating the findings and facts that none of the alignments have a preference over the other and all three will have a low impact on heritage resources.

In the event that heritage resources are discovered during site clearance, construction activities must stop in the vicinity, and a qualified archaeologist must be appointed to evaluate and make recommendations on mitigation measures.

The overall impact of the OHL, on the heritage resources, is seen as acceptably low after the recommendations have been implemented and therefore, impacts can be mitigated to acceptable levels allowing for the development to be authorised.

10. REFERENCES

- Almond, J.E. 2011. Palaeontological Desktop Study for the Proposed Mainstream Wind Farm Near Loeriesfontein, Namaqua District Municipality, Northern Cape Province.
- Beaumont, P. 2011. The edge: more on fire-making by about 1.7 million years ago at Wonderwerk Cave in South Africa. *Current Anthropology* 52: 585-595.
- Beaumont, P.B. & McNabb, J. 2000. Canteen Kopje: the recent excavations. *The Digging Stick* 17: 3-6.
- Beaumont, P.B. & Vogel, J.C. 1989. Patterns in the age and context of rock art in the Northern Cape. *The South African Archaeological Bulletin* 44: 73-81.
- Beaumont, P.B. 2004. Canteen Kopje. In Morris, D. & Beaumont, P.B. (eds) *Archaeology in the Northern Cape: Some Key Sites*: 26-30. Kimberley: McGregor Museum.
- Butler, E. 2018. Paleontological Impact Assessment for the proposed construction of a new 22 kV single wood pole structure power line to the proposed MTN tower, near Britstown, Northern Cape Province. Banzai Environmental.
- Chazan M. 2015. Technological trends in the Acheulean of Wonderwerk Cave, South Africa. *African Archaeological Review* 32: 701-728.
- Chazan, M., Avery, D.M., Bamford, M.K., Berna, F., Brink, J., Fernandez-Jalvo, Y., Goldberg, P., Holt, S., Matmon, A., Porat, N., Ron, H., Rossouw, L., Scott, L. & Horwitz, L.K. 2012. The Oldowan horizon in Wonderwerk Cave (South Africa): archaeological, geological, palaeontological, and palaeoclimatic evidence. *Journal of Human Evolution* 63: 859-866.
- Chazan, M., Porat, N., Sumner, T.A., & Horwitz, L.K. (2013). The use of OSL dating in unstructured sands: The archaeology and chronology of the Hutton Sands at Canteen Kopje (Northern Cape Province, South Africa).
- Chazan, M., Ron, H., Matmon, A., Porat, N., Goldberg, P., Yates, R., Avery, M., Sumner, A. & Horwitz, L.K. 2008. Radiometric dating of the Earlier Stone Age sequence in excavation I at Wonderwerk Cave, South Africa: preliminary results. *Journal of Human Evolution* 55: 1-11.
- Coetzee, F. & Fourie, H. 2015. HIA & Palaeo Assessment (Phase 1): Cultural Heritage Assessment for the Amendment to the Environmental Management Programme for the Proposed Tailings Storage Facility (TSF) and Associated Infrastructure at Royal Bafokeng Platinum Styldrift Mine Complex, Rustenburg Local Municipality, Bojanala District Municipality, North West Province.
- Forssman, T., Kuman, K., Leader, G.M., & Gibbon, R.J. (2010). A Later Stone Age assemblage from Canteen Kopje, Northern Cape. *South African Archaeological Bulletin*, 192, 204–214.
- Fourie, W. 2011. Heritage Impact Assessment for the proposed Solar Project on the farm Kaalspruit, Loeriesfontein. PGS Heritage and Grave Relocation Consultants.
- Fourie, W. 2014. Dwarsrug Wind Energy Facility: Heritage Impact Report. PGS Heritage and Grave Relocation Consultants.
- Gibbon, R.J., Granger, D.E., Kuman, K. & Partridge, T.C. 2009a. Early Acheulean technology in the Rietputs Formation, South Africa, dated with cosmogenic nuclides. *Journal of Human Evolution* 56: 152-160.
- Humphreys, A.J.B. 1976. Note on the Southern Limits of Iron Age Settlement in the Northern Cape. *The South African Archaeological Bulletin*, 31: 54-57.
- Humphreys, A.J.B. 1988. A Prehistoric Frontier in the Northern Cape and Western Orange Free State: Archaeological Evidence in Interaction and Ideological Change. *Kronos*, 13: 3-13.
- Johnson M.R., Anhauser C.R. & Thomas R.J. 2006. The Geology of South Africa. Geological Society of South Africa.

- Leader, G.M. 2009. Early Acheulean in the Vaal River basin, Rietputs Formation, Northern Cape Province, South Africa. Unpublished MSc dissertation. Johannesburg: University of the Witwatersrand.
- Leader, G.M. 2013. New Excavations at Canteen Kopje, Northern Cape Province, South Africa: a techno-typological comparison of three earlier Acheulean assemblages with new interpretations on the Victoria West phenomenon. Unpublished PhD thesis. Johannesburg: University of the Witwatersrand.
- Li, H., Kuman, K., Lotter, M.G., Leader, G.M. and Gibbon, R.J. 2017. The Victoria West: earliest prepared core technology at >1Ma and implications for the cognitive evolution of early hominids. *Royal Society Open Science* 4: 170288
- McNabb, J. & Beaumont, P. 2011a. *A Report on the Archaeological Assemblages from Excavations by Peter Beaumont at Canteen Koppie, Northern Cape, South Africa*. Oxford: BAR International Series.
- McNabb, J. & Beaumont, P. 2011b. Excavations in the Acheulean levels at the Earlier Stone Age site of Canteen Koppie, Northern Province, South Africa. *Proceedings of the Prehistoric Society* 78: 51-71.
- McNabb, J. 2001. The shape of things to come. A speculative essay on the role of the Victoria West phenomenon at Canteen Koppie, during the South African Earlier Stone Age. In: Milliken, S. & Cook, J. (eds) *A Very Remote Period Indeed: 37- 46*. Oxford: Oxbow Books.
- Morris, D. 1988. Engraved in place and time: a review of variability in the rock art of the Northern Cape and the Karoo. *The South African Archaeological Bulletin* 43: 109-120.
- Morris, D. 2007. Archaeological Specialist input with respect to the upgrading railway infrastructure on the Sishen-Saldanha ore line in the vicinity of Loop 7a near Loeriesfontein. McGregor Museum.
- Morris, D. 2013. Specialist Input for the Environmental Basic Assessment and Environmental Management Program for the Khobab Wind Energy Facility: Power Line Route Options, Access Road and Substation Positions.
- Orton, J. 2014. Heritage Impact Assessment for the proposed re-alignment of the authorized 132kV Power Line for the Loeriesfontein 2 WEF, Calvinia Magisterial District, Northern Cape.
- Van Der Walt, J. 2012. Archaeological Impact Assessment for the proposed Hantam PV Solar Energy Facility on the farm Narosies 228, Loeriesfontein, Northern Cape Province.
- Van Schalkwyk, J. 2011. Heritage Impact Assessment for the proposed establishment of a wind farm and PV facility by Mainstream Renewable Power in the Loeriesfontein Region, Northern Cape Province.
- Webley, L & Halkett, D. 2012. Heritage Impact Assessment: Proposed Loeriesfontein Photo-Voltaic Solar Power Plant on Portion 5 of the Farm Klein Rooiberg 227, Northern Cape Province.
- Wilkins, J. & Chazan, M. 2012. Blade production ~500 thousand years ago at Kathu Pan 1, South Africa: support for a multiple origins hypothesis for early Middle Pleistocene blade technologies. *Journal of Archaeological Science* 39: 1883- 1900.
- Wilkins, J., Schoville, B.J., Brown, K.S. & Chazan, M. 2015. Kathu Pan 1 points and the assemblage-scale, probabilistic approach: a response to Rots and Plisson "Projectiles and the abuse of the use-wear method in a search for impact." *Journal of Archaeological Science* 54: 294-299.



Appendix A

The Impact Assessment Scales used for this project

1. ENVIRONMENTAL IMPACT ASSESSMENT (EIA) METHODOLOGY

The Environmental Impact Assessment (EIA) Methodology assists in evaluating the overall effect of a proposed activity on the environment. Determining of the significance of an environmental impact on an environmental parameter is determined through a systematic analysis.

1.1 Determination of Significance of Impacts

Significance is determined through a synthesis of impact characteristics which include context and intensity of an impact. Context refers to the geographical scale (i.e. site, local, national or global), whereas intensity is defined by the severity of the impact e.g. the magnitude of deviation from background conditions, the size of the area affected, the duration of the impact and the overall probability of occurrence. Significance is calculated as shown in **Table 1**.

Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The total number of points scored for each impact indicates the level of significance of the impact.

1.2 Impact Rating System

The impact assessment must take account of the nature, scale and duration of effects on the environment and whether such effects are positive (beneficial) or negative (detrimental). Each issue / impact is also assessed according to the various project stages, as follows:

- Planning;
- Construction;
- Operation; and
- Decommissioning.

Where necessary, the proposal for mitigation or optimisation of an impact should be detailed. A brief discussion of the impact and the rationale behind the assessment of its significance has also been included.

1.2.1 Rating System Used to Classify Impacts

The rating system is applied to the potential impact on the receiving environment and includes an objective evaluation of the possible mitigation of the impact. Impacts have been consolidated into

one (1) rating. In assessing the significance of each issue the following criteria (including an allocated point system) is used:

Table 5: Rating of impacts criteria

ENVIRONMENTAL PARAMETER		
A brief description of the environmental aspect likely to be affected by the proposed activity (e.g. Surface Water).		
ISSUE / IMPACT / ENVIRONMENTAL EFFECT / NATURE		
Include a brief description of the impact of environmental parameter being assessed in the context of the project. This criterion includes a brief written statement of the environmental aspect being impacted upon by a particular action or activity (e.g. oil spill in surface water).		
EXTENT (E)		
This is defined as the area over which the impact will be expressed. Typically, the severity and significance of an impact have different scales and as such bracketing ranges are often required. This is often useful during the detailed assessment of a project in terms of further defining the determined.		
1	Site	The impact will only affect the site
2	Local/district	Will affect the local area or district
3	Province/region	Will affect the entire province or region
4	International and National	Will affect the entire country
PROBABILITY (P)		
This describes the chance of occurrence of an impact		
1	Unlikely	The chance of the impact occurring is extremely low (Less than a 25% chance of occurrence).
2	Possible	The impact may occur (Between a 25% to 50% chance of occurrence).
3	Probable	The impact will likely occur (Between a 50% to 75% chance of occurrence).
4	Definite	Impact will certainly occur (Greater than a 75% chance of occurrence).
REVERSIBILITY (R)		
This describes the degree to which an impact on an environmental parameter can be successfully reversed upon completion of the proposed activity.		
1	Completely reversible	The impact is reversible with implementation of minor mitigation measures
2	Partly reversible	The impact is partly reversible but more intense mitigation measures are required.
3	Barely reversible	The impact is unlikely to be reversed even with intense mitigation measures.
4	Irreversible	The impact is irreversible and no mitigation measures exist.
IRREPLACEABLE LOSS OF RESOURCES (L)		
This describes the degree to which resources will be irreplaceably lost as a result of a proposed activity.		

1	No loss of resource.	The impact will not result in the loss of any resources.
2	Marginal loss of resource	The impact will result in marginal loss of resources.
3	Significant loss of resources	The impact will result in significant loss of resources.
4	Complete loss of resources	The impact is result in a complete loss of all resources.
DURATION (D)		
This describes the duration of the impacts on the environmental parameter. Duration indicates the lifetime of the impact as a result of the proposed activity.		
1	Short term	The impact and its effects will either disappear with mitigation or will be mitigated through natural process in a span shorter than the construction phase (0 – 1 years), or the impact and its effects will last for the period of a relatively short construction period and a limited recovery time after construction, thereafter it will be entirely negated (0 – 2 years).
2	Medium term	The impact and its effects will continue or last for some time after the construction phase but will be mitigated by direct human action or by natural processes thereafter (2 – 10 years).
3	Long term	The impact and its effects will continue or last for the entire operational life of the development, but will be mitigated by direct human action or by natural processes thereafter (10 – 50 years).
4	Permanent	The only class of impact that will be non-transitory. Mitigation either by man or natural process will not occur in such a way or such a time span that the impact can be considered transient (Indefinite).
INTENSITY / MAGNITUDE (I / M)		
Describes the severity of an impact (i.e. whether the impact has the ability to alter the functionality or quality of a system permanently or temporarily).		
1	Low	Impact affects the quality, use and integrity of the system/component in a way that is barely perceptible.
2	Medium	Impact alters the quality, use and integrity of the system/component but system/ component still continues to function in a moderately modified way and maintains general integrity (some impact on integrity).
3	High	Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component is severely impaired and may temporarily cease. High costs of rehabilitation and remediation.

4	Very high	Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component permanently ceases and is irreversibly impaired (system collapse). Rehabilitation and remediation often impossible. If possible rehabilitation and remediation often unfeasible due to extremely high costs of rehabilitation and remediation.
---	-----------	--

SIGNIFICANCE (S)

Significance is determined through a synthesis of impact characteristics. Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. This describes the significance of the impact on the environmental parameter. The calculation of the significance of an impact uses the following formula:

Significance = (Extent + probability + reversibility + irreplaceability + duration) x magnitude/intensity.

The summation of the different criteria will produce a non-weighted value. By multiplying this value with the magnitude/intensity, the resultant value acquires a weighted characteristic which can be measured and assigned a significance rating.

Points	Impact Rating	Significance	Description
5 to 23	Negative Low impact		The anticipated impact will have negligible negative effects and will require little to no mitigation.
5 to 23	Positive Low impact		The anticipated impact will have minor positive effects.
24 to 42	Negative Medium impact		The anticipated impact will have moderate negative effects and will require moderate mitigation measures.
24 to 42	Positive Medium impact		The anticipated impact will have moderate positive effects.
43 to 61	Negative High impact		The anticipated impact will have significant effects and will require significant mitigation measures to achieve an acceptable level of impact.
43 to 61	Positive High impact		The anticipated impact will have significant positive effects.
62 to 80	Negative Very high impact		The anticipated impact will have highly significant effects and are unlikely to be able to be mitigated adequately. These impacts could be considered "fatal flaws".
62 to 80	Positive Very high impact		The anticipated impact will have highly significant positive effects.



Appendix B

Project team CV's

WOUTER FOURIE

Professional Heritage Specialist and Professional Archaeologist and Director PGS Heritage

Summary of Experience

Specialised expertise in Archaeological Mitigation and excavations, Cultural Resource Management and Heritage Impact Assessment Management, Archaeology, Anthropology, Applicable survey methods, Fieldwork and project management, Geographic Information Systems, including *inter alia* -

Involvement in various grave relocation projects (some of which relocated up to 1000 graves) and grave “rescue” excavations in the various provinces of South Africa

Involvement with various Heritage Impact Assessments, within South Africa, including -

- Archaeological Walkdowns for various projects
- Phase 2 Heritage Impact Assessments and EMPs for various projects
- Heritage Impact Assessments for various projects
- Iron Age Mitigation Work for various projects, including archaeological excavations and monitoring
- Involvement with various Heritage Impact Assessments, outside South Africa, including -
- Archaeological Studies in Democratic Republic of Congo
- Heritage Impact Assessments in Mozambique, Botswana and DRC
- Grave Relocation project in DRC

Key Qualifications

BA [Hons] (Cum laude) - Archaeology and Geography - 1997

BA - Archaeology, Geography and Anthropology - 1996

Professional Archaeologist - Association of Southern African Professional Archaeologists (ASAPA) - Professional Member

Accredited Professional Heritage Specialist – Association of Professional Heritage Practitioners (APHP)

CRM Accreditation (ASAPA) -

Principal Investigator - Grave Relocations

Field Director – Iron Age

Field Supervisor – Colonial Period and Stone Age

Accredited with Amafa KZN

Key Work Experience

2003- current - Director – Professional Grave Solutions (Pty) Ltd

2007 – 2008 - Project Manager – Matakoma-ARM, Heritage Contracts Unit, University of the Witwatersrand

2005-2007 - Director – Matakoma Heritage Consultants (Pty) Ltd

2000-2004 - CEO– Matakoma Consultants

1998-2000 - Environmental Coordinator – Randfontein Estates Limited. Randfontein, Gauteng

1997-1998 - Environmental Officer – Department of Minerals and Energy. Johannesburg, Gauteng

Worked on various heritage projects in the SADC region including, Botswana, Mozambique, Malawi, Mauritius and the Democratic Republic of the Congo



Appendix B

Terms of Reference (Tor) for Specialist Studies



PROPOSED CONSTRUCTION OF 132 KV POWERLINES BETWEEN THE AUTHORISED LOERIESFONTEIN 3 PV SOLAR ENERGY FACILITY (12/12/20/2321/2/AM4) AND THE AUTHORISED DWARSRUG WIND ENERGY FACILITY (14/12/16/3/3/2/690/AM4), AND FROM THE DWARSRUG WIND ENERGY FACILITY TO THE AUTHORISED NAROSIES SUBSTATION (12/12/20/2049/3), LOCATED NEAR LOERIESFONTEIN IN THE HANTAM LOCAL MUNICIPALITY, NAMAKWA DISTRICT IN THE NORTHERN CAPE PROVINCE OF SOUTH AFRICA.

TERMS OF REFERENCE (ToR) FOR SPECIALIST STUDIES

1 INTRODUCTION

The purpose of the Terms of Reference (ToR) is to provide the specialist team with a consistent approach to the specialist studies that are required as part of the Basic Assessment (BA) process being conducted in respect of the proposed construction of the 132 kV powerlines. This will enable comparison of environmental impacts, efficient review, and collation of the specialist studies into the BA report, in accordance with the latest requirements of the EIA Regulations, 2014 (as amended).

2 PROCESS

In terms of the Environmental Impact Assessment (EIA) Regulations, which were published on 04 December 2014 [GNR 982, 983, 984 and 985] and amended on 07 April 2017 [promulgated in Government Gazette 40772 and Government Notice (GN) R326, R327, R325 and R324 on 7 April 2017], various aspects of the proposed development are considered listed activities under GNR 327 and GNR 324 which may have an impact on the environment and therefore require authorisation from the National Competent Authority (CA), namely the Department of Environment, Forestry and Fisheries (DEFF), prior to the commencement of such activities. Specialist studies have been commissioned to assess and verify the power line under the new Gazetted specialist protocols.

3 PROJECT BACKGROUND

South Africa Mainstream Renewable Power Developments (Pty) Ltd. (herein after referred to as "Mainstream") has appointed SiVEST SA (Pty) Ltd (hereafter referred to as "SiVEST") to undertake a Basic Assessment (BA) Process for the proposed construction of 132 kV overhead powerlines between the proposed (and authorised) 100MW Loeriesfontein 3 Photovoltaic (PV) Solar Energy Facility (SEF) (12/12/20/2321/2/AM4) and proposed (and authorised) 140MW Dwarsrug Wind Energy Facility (WEF) (14/12/16/3/3/2/690/AM4); and between the Dwarsrug WEF and the proposed (and authorised) Narosies Substation (12/12/20/2049/3) located near Loeriesfontein in the Northern Cape Province of South Africa.

4 PROJECT DESCRIPTION

Mainstream are proposing the construction of a 132 kV overhead powerlines between the proposed

(and authorised) 100MW Loeriesfontein 3 PV SEF (12/12/20/2321/2/AM4) and proposed (and authorised) 140MW Dwarsrug WEF (14/12/16/3/3/2/690/AM4); and between the Dwarsrug WEF and the proposed (and authorised) Narosies Substation (12/12/20/2049/3) located near Loeriesfontein in the Northern Cape Province of South Africa.

The powerline from the Loeriesfontein 3 PV SEF to the Dwarsrug WEF is proposed to link the SEF to the WEF in order to create a hybrid renewable energy facility, which will ensure that electricity is constantly supplied to the national grid by at least one or both technologies (namely solar PV and wind), at any given time. The powerline from the Dwarsrug WEF is proposed to tie the, above mentioned, hybrid renewable energy facility into the approved Narosies substation to feed the National grid.

5 BA ALTERNATIVES

5.1 Route alternatives

Two (2) powerline alternatives will be assessed to link the Loeriesfontein 3 PV SEF to the Dwarsrug WEF and a single powerline is proposed to link these two (2) facilities to the National grid from the Dwarsrug WEF. All three (3) powerline route alignments will be assessed within a 300m wide assessment corridor (150m on either side of powerline). The powerline alternatives which are being proposed and assessed are shown in **Figure 7** below.




Figure 7: Powerline alternatives proposed to link Loeriesfontein 3 PV SEF to Dwarsrug WEF as well single power line proposed to link two (2) facilities to National grid from Dwarsrug WEF

The layout alternatives are being considered and assessed as part of the BA process and will be refined to avoid identified environmental sensitivities.

5.2 'No-go' alternative

The 'no-go' alternative is the option of not constructing the powerline project, which would prevent the realization of the hybrid facility and thus prevent electricity generated from renewable sources being fed into the national grid. This alternative would result in no additional environmental impact other than that assessed during the BA for the Renewable Energy (RE) facilities.

The 'no-go' option is a feasible option; however, this would prevent the hybrid facility from contributing to the environmental, social and economic benefits associated with the development of the renewables sector.

6 SPECIALIST STATEMENT / REPORT REQUIREMENTS

The specialist assessments should include the following sections:

6.1 Project Description

The specialist report must include the project description as provided above.

6.2 Terms of Reference (ToR)

The terms of reference for the appointment has two elements (1), Site Verification Report and (2) a specialist study / compliance statement as per Government Notice 320 of 20 March 2020 and Government Notice 1150 of 30 October 2020. The specialist report must include an explanation of the Terms of Reference (ToR) applicable to the specialist study. In addition, if the report is written as per Appendix 6 of the EIA Regulations, 2014 (as amended), a table must be provided at the beginning of the specialist report listing the requirements for specialist reports in accordance with and cross referencing these requirements with the relevant sections in the report. An MS Word version of this table will be provided by SiVEST.

6.3 Legal Requirements and Guidelines

The specialist report must include a thorough overview of all applicable best practice guidelines, relevant legislation and authority requirements.

6.4 Methodology

The report must include a description of the methodology applied in carrying out the specialist assessment.

6.5 Specialist Findings / Identification of Impacts

The report must present the findings of the specialist studies and explain the implications of these findings for the proposed development (e.g. permits, licenses etc.). This section of the report should also identify any sensitive and/or 'no-go' areas on the development site which should be avoided.

The reports should be accompanied with spatial datasets (shapefiles, KML) and accompanying text documents if required.

6.6 Impact Rating Methodology

The impacts of the proposed development (during the Construction, Operation and Decommissioning phases) are to be assessed and rated according to the methodology developed by SiVEST. Specialists will be required to make use of the impact rating matrix provided (in Excel format) for this purpose. **Please note that the significance of Cumulative Impacts should also be rated in this section.** Both the methodology and the rating matrix will be provided by SiVEST.

Please be advised that this section must include mitigation measures aimed at minimising the impact of the proposed development.

6.7 Input to The Environmental Management Program (EMPr)

The report must include a description of the key monitoring recommendations for each applicable mitigation measure identified for each phase of the proposed development for inclusion in the Environmental Management Program (EMPr) or Environmental Authorisation (EA).

Please make use of the Impact Rating Table (in Excel format) provided for each of the phases (i.e. Design, Construction, Operation and Decommissioning).

6.8 Cumulative Impact Assessment

A cumulative impact assessment must be undertaken for the proposed development in order to determine the cumulative impact that will materialise should other Renewable Energy Facilities (REFs) with their associated power lines and substations (i.e. powerline infrastructure) and large-scale industrial developments be constructed within 35km of the proposed development.

The cumulative impact assessment must contain the following:

- A cumulative environmental impact statement noting whether the overall impact is acceptable; and
- A review of the specialist reports undertaken for other REFs and powerline infrastructure developments, including an indication of how the recommendations, mitigation measures and conclusion of the studies have been considered.

In order to assist the specialists in this regard, SiVEST will provide the following documentation / data:

- A summary table listing all REFs and associated powerline infrastructure developments identified within 35km of the proposed development;
- A map showing the location of the identified REFs and their associated powerlines; and
- Relevant KML files.

It should be noted that it is the specialist's responsibility to source the relevant EIA / BA reports that are available in the public domain. SiVEST will assist, where possible.

The list of renewable energy facilities that must be assessed as part of the cumulative impact will be provided.

6.9 'No Go' Alternative

Consideration must be given to the 'no-go' option in the BA process. The 'no-go' option assumes that the site remains in its current state, i.e. there is no construction of a power line in the proposed project area and the *status quo* would proceed.

6.10 Comparative Assessment of Alternatives

As mentioned, two (2) powerline alternatives are proposed to link the Loeriesfontein 3 PV SEF to the Dwarsrug WEF and a single powerline is proposed to link these two (2) facilities to the National grid from the Dwarsrug WEF. All three (3) powerline route alignments will be assessed within a 300m wide assessment corridor (150m on either side of powerline).

As such, specialists are required to undertake a comparative assessment of the powerline routes (including alternatives) mentioned above as per the latest table provided by SiVEST.

6.11 Conclusion / Impact Statement

The conclusion section of the specialist reports must include an Impact Statement, indicating whether any fatal flaws have been identified and ultimately whether one or both of the proposed powerlines can be authorised or not (i.e. whether EA should be granted for one or both/ issued or not).

6.12 Executive Summary

Specialists must provide an Executive Summary which summarises the findings of their report to allow for easy inclusion in the BA reports (Draft and Final BA Reports).

7 DELIVERABLES

All specialists will need to submit the following deliverables:

- 1 x Site Verification Report and Specialist Report / Compliance statement no later than the 09th December 2020;
- A copy of the specialist's Curriculum Vitae (CV);
- A copy of the Specialist Declaration of Interest (DoI) form, containing original signatures. This form will be provided to the specialists. **Please note that the undertaking / affirmation under oath section of the report must be signed by a Commissioner of Oaths;** and
- All data relating to the studies, such as shape files, photos and maps (see **Section 8** below).

8 GENERAL SUBMISSION REQUIREMENTS

Please ensure that your specialist report includes the following:

- The Site Verification Report and Compliance Statement / Specialist Report must in line with the DEFF Screening Tool Specialist Theme Protocols (As gazetted on 20 March 2020 and 30 October 2020), should they apply. Should they not apply, the report must be written in accordance with Appendix 6 of the EIA Regulations, 2014 (as amended);
- A table cross referencing how the requirements for specialist reports have been adhered to according to Appendix 6 of the EIA Regulations, 2014 (as amended) must be provided at the beginning of your report. An MS Word version will be provided by SiVEST;
- A thorough overview of all applicable legislation, policies, guidelines. etc.;
- Identification of sensitive and/or 'no-go' areas to be avoided;
- Recommend mitigation measures in order to minimise the impact of the proposed development;
- Provide implications of specialist findings for the proposed development (e.g. permits, licenses etc.);
- Specify if any further assessment will be required;
- Include an Impact Statement, concluding whether one or both of the the proposed powerlines development can be authorised or not (i.e. whether EA should be granted for one or both/ issued or not); and
- A copy of the specialist's Curriculum Vitae (CV);
- A copy of the Specialist Declaration of Interest (DoI) form, containing original signatures, must be appended to all Draft and Final Reports. This form will be provided to the specialists. **Please note that the undertaking / affirmation under oath section of the report must be signed by a Commissioner of Oaths.**

9 DEADLINES AND REPORT SUBMISSION

- Site Verification Report and Compliance Statement / Specialist Report no later than 09 December 2020.
- Any changes arising based on stakeholder engagement no later than 12 January 2020

10 REPORT / DATA FORMATS

- All specialist reports must be provided in MS Word format;
- Where maps have been inserted into the report, SiVEST will require a separate map set in PDF format for inclusion in our submission;
- Where figures and/or photos have been inserted into the report, SiVEST will require the original graphic in .jpg format for inclusion in our submission; and
- Delineated areas of sensitivity must be provided in either ESRI shape file format or Google Earth KML format. ***Sensitivity classes must be included in the attribute tables with a clear indication of which areas are 'No-Go' areas.***