

APPENDIX D₁

Heritage Report

The Proposed Upgrading of an Existing Diesel Depot on Portion 1 of the Farm Rooidam 2354, Bloemfontein, Free State Province.

Report prepared for
MDA Environmental Consultants

by
Palaeo Field Services
PO Box 38806
Langenhoven Park
9330
23 May 2018

Summary

A Phase 1 Heritage Impact Assessment was carried out over a 25 ha area where planned development calls for the proposed upgrading of an existing diesel depot on Portion 1 of the farm Rooidam 2354, near Bloemfontein Free State Province. The development footprint is underlain by potentially fossil-bearing sedimentary strata of the Late Permian Adelaide that are buffered by well-developed superficial deposits considered to be of low to very low palaeontological sensitivity. As far as the overall palaeontological heritage is concerned, likelihood of palaeontological impact resulting from this development is considered low, given the disturbed condition and size of the terrain. However, it is recommended that should any fossils be uncovered within intact sedimentary rocks during the development or if excavations exceed more than 1 m into sedimentary rock, a suitably qualified Palaeontologist must evaluate the finds or monitor the exposed areas as soon as possible. Several modern structures were recorded on severely degraded terrain; including the remains of a small, $\pm 56 \text{ m}^2$, modern rubbish dump. There is no above-ground evidence of building structures older than 60 years, Stone Age archaeological remains, graves or material of cultural significance within the confines of the development footprint. As far as the archaeological heritage is concerned, the proposed development is considered to be of low archaeological significance and is assigned a site rating of Generally Protected C.

Introduction

At the request of MDA Environmental Consultants a Phase 1 Heritage Impact Assessment was carried out over a 25 ha area where planned development calls for the proposed upgrading of an existing diesel depot on Portion 1 of the farm Rooidam 2354, near Bloemfontein Free State Province (**Fig. 1**). The extent of the affected areas (over 5000 m²) falls within the requirements for a Heritage Impact Assessment (HIA) as required by Section 38 (Heritage Resources Management) of the South African National Heritage Resources Act (Act No. 25 of 1999). A site visit was conducted on the 7th February 2018 and subsequent assessment was completed in May 2018. The task involved identification of possible archaeological sites or occurrences in the proposed zone, an assessment of their significance, possible impact by the proposed development and recommendations for mitigation where relevant.

Terms of Reference

- Identify and map possible heritage sites and occurrences using published and database resources;
- Determine and assess the potential impacts of the proposed development on potential heritage resources;
- Recommend mitigation measures to minimize potential impacts associated with the proposed development.

Approach and Methodology

The heritage significance of the affected area was evaluated through a desktop study and carried out on the basis of existing field data, database information and published literature. This was followed by a field assessment by means of a pedestrian and vehicle survey. A Garmin Etrex Vista GPS hand model (set to the WGS 84 map datum) and a digital camera were used for recording purposes. Relevant archaeological information, aerial photographs and site records were consulted and integrated with data acquired during the on-site inspection. The study area is rated according to field rating categories as prescribed by SAHRA (**Table 1**).

Locality data

1:50 000 scale topographical map 2629 AA Bloemfontein

1:250 000 scale geological map 2624 Bloemfontein

Site Coordinates: 29° 8'19.33"S 26° 6'26.36"E

The study area forms part of an existing diesel depot located next to the N8 national road near the Kwaggafontein extension, and about 10 km due west of the Bloemfontein CBD (**Fig. 1 - 3**).

Geology

The geology of the region has been described by Nolte (1995) and Johnson (2006). The study area situated within the outcrop area of the Karoo Supergroup, which is primarily represented by late Permian, Beaufort Group (Adelaide Subgroup) sedimentary rocks, consisting of alternating sandstone and mudstone layers (**Fig. 4**). These sedimentary rocks form the base on which younger, superficial deposits of Quaternary age have been deposited (Partridge *et al.* 2006). Superficial sediments consist mainly of well-developed, residual soils and alluvial deposits near river drainages. Dykes and sills of resistant Jurassic dolerite intrusions are present in the region.

Background

The local palaeontological footprint is primarily represented by Late Permian Karoo vertebrate fauna and Late Cenozoic (Quaternary Period, comprising the Pleistocene and Holocene Epochs) mammalian fossils. The Karoo geological strata within the affected area are assigned to the *Dicynodon* Assemblage Zone (AZ) (**Fig. 5**). Therapsids from this biozone occur generally well-preserved in mudrock horizons and are usually found as dispersed and isolated specimens associated with an abundance of calcareous nodules (Kitching 1995). Other vertebrate fossils include fish, amphibians and amniotes. Molluscs, insects, plant (*Dadoxylon*, *Glossopteris*) and trace fossils (arthropod trails, worm burrows) are also occur in the biozone.

A number of palaeontological localities, such as the ones at Erfkroon and Mitasrust, have been found eroding out of Pleistocene alluvial terraces and dongas along the Modder River near Bloemfontein. The river's fossil-bearing potential has been known for almost 150 years, with a frontlet and horn cores of *Syncerus antiquus* recovered as far back as 1839 (Cooke 1955) and the remains of *Megalotragus priscus* discovered around the turn of the previous century (Broom 1909). The upper calcretized layers of the Florisian fossil locality at Erfkroon, which is located 60 kilometers west and downstream from Avenmore on the northern bank of the Modder River presumably represent palaeosols formed under semi-arid to arid conditions with ages ranging between 25 000 and 113 000 years ago (Churchill *et al.* 2000).

The Stone Age archaeological record around Bloemfontein spans back to the early Middle Stone Age. Prehistoric archaeological remains previously recorded in the region include stone tools and mammal fossil remains from sealed and or exposed contexts. Along much of the course of Modder River and its tributaries north of Bloemfontein, alluvial deposits contain numerous occurrences of *in situ* Middle and

Later Stone Age material eroding out of the overbank sediments where they are often found in association large mammal fossil remains (Churchill *et al.* 2000; Rossouw 1999, 2000, 2006). The incidence of surface scatters usually decreases away from localized areas such as alluvial contexts and dolerite-shale contact zones when stone tools largely occur as contextually derived individual finds in the open veld. Widespread traces of prehistoric human habitation, in the form of stone tool scatters and individual surface finds, have previously been recorded at Bayswater 286, Lilyvale 2313 and Hillandale 249 (Goodwin and Van Riet Lowe 1929, Henderson et al. 2008; Rossouw 2012). There is no record of Later Iron Age settlements in the immediate area around Bloemfontein (Maggs 1976).

The cultural significance of the landscape west of Bloemfontein is primarily represented by the historical footprint left behind by early colonial settlers, when several farms, including Bains Vlei and Kwaggafontein, the latter located immediately northeast of Rooidam, was owned by Andrew Hudson Bain who settled in the Free State in 1847 (Collins 1965). In 1860 and 1862 two hunts, organized for the second son of Queen Elizabeth and for the Barolong tribe respectively, took place at Bains Vlei which led to the mass killing of thousands of antelope and a subsequent dwindling of large antelope herds in the Bloemfontein area.

The British march on Bloemfontein from the west, passed the Rooidam area on the 12th of March 1900 (**Fig. 6**). After Bloemfontein was occupied by British forces on 13 March the city became a major military centre, with several farms north of Bloemfontein requisitioned for military purposes which also included military hospitals, rifle ranges, sangars and a large remount camp at Hillandale. Hillandale was owned by Abraham Fischer, and was expropriated by the British along with the Tempe farms.

Field Assessment and Recommendations

The development footprint is underlain by potentially fossil-bearing sedimentary strata of the Late Permian Adelaide that are buffered by well-developed superficial deposits considered to be of low to very low palaeontological sensitivity. As far as the overall palaeontological heritage is concerned, likelihood of palaeontological impact resulting from this development is considered low, given the disturbed condition and size of the terrain. However, it is recommended that should any fossils be uncovered within intact sedimentary rocks during the development or if excavations exceed more than 1 m into sedimentary rock, a suitably qualified Palaeontologist must evaluate the finds or monitor the exposed areas as soon as possible.

Several modern structures were recorded on severely degraded terrain; including the remains of a small, $\pm 56 \text{ m}^2$, modern rubbish dump (**Fig. 7 & 8**). There is no above-ground evidence of building structures

older than 60 years, Stone Age archaeological remains, graves or material of cultural significance within the confines of the development footprint. As far as the archaeological heritage is concerned, the proposed development is considered to be of low archaeological significance and is assigned a site rating of Generally Protected C.

References

- Amery, L.S. 1905. *The Times history of the war in South Africa 1899 – 1902*. Vol 3. Sampson Low, Marston and Company, Ltd. 597 pp.
- Broom, R. 1909. On a large extinct species of *Bubalus* *Annals of the South African Museum* 7:219 - 280
- Churchill, S.E., Brink, J.S., Berger, L.R. Hutchison, R.A., Rossouw L., *et. al.* 2000. Erfkroon: a new Florisian fossil locality from fluvial contexts in the western Free State, South Africa. *South.African Journal of Science* 96: 161 – 163.
- Cooke, H.B.S. 1955. Some fossil mammals in the South African Museum collections. *Annals of the South African Museum* 42(3): 161-168.
- Dreyer, C. 2004a. Archaeological and Historical Investigation of the proposed development at subdivisions 20 & 24 of the farm Lilyvale 2313, Bloemfontein. Unpublished report for CEBO Environmental Consultants cc.
- Dreyer, C. 2004b. First phase archaeological/ heritage assessment of the proposed residential development at Hillandale, Bloemfontein. Unpublished report for CEBO Environmental Consultants cc.
- Dreyer, C. 2004c. EIA report on the archaeological and historical investigation of the proposed Rayton Estate township, on subdivision 29 of the farm Lilyvale 2313, Bloemfontein. Unpublished report for CEBO Environmental Consultants cc.
- Dreyer, C. 2004d. Archaeological and historical investigation of the proposed developments at the remainder of the farm Boven Teme 203, Bloemfontein. Unpublished report for CEBO Environmental Consultants cc.
- Dreyer, C. 2005. Archaeological and Historical Investigation of the proposed residential development on a portion of the farm Bayswater 2865, Bloemfontein. Unpublished report for CEBO Environmental Consultants cc.
- Henderson, Z.L. 2004. Report on the archaeological survey of subdivision 7, remainder and portion of subdivision 25, of the farm Lilyvale 2313, Bloemfontein. Unpublished report for The Roodt Partnership.

- Henderson, Z. 2006. Walls and a remount farm: the Anglo-Boer War landscape of northern Bloemfontein. *Culna* 61:14-15
- Henderson, Z.L. Koortzen, C. Philip, L. and Uys, T. 2008. Assessment of Bayswater 2865/10,11,12, 3, Mangaung Municipality, Free State Province, in terms of archaeological and other heritage sites. Unpublished report for the Mangaung Municipality.
- Johnson, M.R. *et al.* 2006. Sedimentary Rocks of the Karoo Supergroup. **In:** M.R. Johnson, *et al.* (eds). *The Geology of South Africa*. Geological Society of South Africa.
- Kitching, J.W. 1995. The Dicynodont AZ. **In:** B.S. Rubidge (ed) *Biostratigraphy of the Beaufort Group*. Biostrat. Ser. S.Afr. Comm. Strat. 1, 1 – 45.
- Nolte, C. C. 1995. *The geology of the Winburg area*. Pretoria, South Africa: Council for Geoscience, Geological Survey of South Africa.
- Partridge, T.C. *et al.* 2006. Cenozoic deposits of the interior. **In:** M.R. Johnson, *et al.* (eds). *The Geology of South Africa*. Geological Society of South Africa.
- Maggs, T O’C 1976. Iron Age Patterns and Sotho History on the Southern Highveld, South Africa. *World Archaeology* 7(3) 318-332.
- Rossouw, L 2000. Preliminary species list of Late Pleistocene / Holocene fossil vertebrate remains from erosional gullies along the Modder River NE of Sannaspos, Free State Unpublished Report , Palaeo-Anthropological Research Group, University of the Witwatersrand.
- Rossouw, L. 2006. Florisian mammal fossils from erosional gullies along the Modder River at Mitasrust farm, central Free State, South Africa. *Navorsing van die Nasionale Museum* 22(6): 145-162.
- Rossouw, L. 2012. Phase 1 Archaeological Impact Assessment of Portions of Lilyvale 2313 and Bayswater 2865, Bloemfontein. Unpublished report for Terraworks Environmental Consultants.

AUTHOR DETAILS

Dr. Lloyd Rossouw specializes in the southern African Quaternary and has over twenty years of extensive fieldwork experience. He graduated with Archaeology and Cultural Anthropology for his BA degree and went on to receive training in southern African archaeology at Honors level at the University of Stellenbosch's Archaeology Department. He received specialized training in faunal osteology and Quaternary palaeontology for his MSc-degree at the Bernard Price Institute of Palaeontology (Wits) and obtained his PhD-degree at the University of the Free State, specializing in plant microfossil research. He is currently Head of the Archaeology Department at the National Museum in Bloemfontein and a member of the Association for Southern African Professional Archaeologists (ASAPA) and the Palaeontological Society of Southern Africa (PSSA).

DECLARATION OF INDEPENDENCE

I, Lloyd Rossouw, declare that I act as an independent specialist consultant. I do not have or will not have any financial interest in the undertaking of the activity other than remuneration for work as stipulated in the terms of reference. I have no interest in secondary or downstream developments as a result of the authorization of this project.

A handwritten signature in black ink, appearing to read 'L Rossouw', with a stylized, cursive script.

23 / 05 / 2018

Tables and Figures

Table 1. Field rating categories as prescribed by SAHRA.

Field Rating	Grade	Significance	Mitigation
National Significance (NS)	Grade 1	-	Conservation; national site nomination
Provincial Significance (PS)	Grade 2	-	Conservation; provincial site nomination
Local Significance (LS)	Grade 3A	High significance	Conservation; mitigation not advised
Local Significance (LS)	Grade 3B	High significance	Mitigation (part of site should be retained)
Generally Protected A (GP.A)	-	High/medium significance	Mitigation before destruction
Generally Protected B (GP.B)	-	Medium significance	Recording before destruction
Generally Protected C (GP.C)	-	Low significance	Destruction



Figure 1. Aerial view of the study area (located on 1:50 000 scale topographic 2926 AA Bloemfontein).



Figure 2. General view of the study area, looking north (left) and south (below).





Figure 3. General view of the site, looking northeast.



Figure 4. The development footprint is located within an area considered to be of high palaeontological sensitivity represented by Permian, Beaufort Group (Adelaide Subgroup) sedimentary rocks, (indicated by green areas on portion of 1:250 000 scale geological map 2926 Bloemfontein),




Figure 5. The sedimentary strata underlying the Bloemfontein area are assigned to the *Dicynodon* Assemblage Zone. (Map = distribution of vertebrate biozones of the Beaufort Group after Rubidge 1995.




Figure 6. British march on Bloemfontein, March 1900. The position of Rooidam is indicated by the yellow star. According to Amery (1905) “On the morning of the 12th, French pushed on to Venter’s Vallei. Here Roberts joined him, and directed him, to turn in to the north-east and make a dash for Brand Kop. At 1 P.M. French brought the column a mile west of Ferreira Siding, nearly 30 miles from the bivouac at Doornboom. A detachment was sent to the right to cut the railway at Leeuwberg. French himself at once hurried forward towards Brand Kop with the mounted troops, leaving the weary French, who was with the reconnoitring line, ordered Major Allenby, with the advanced guard squadron of the Greys, to seize a ridge 2,000 yards south of the Brand Kop.”




Figure 7. Rooidam marked on portion of 1:18000 scale topographic C1 1-18000 Bloemfontein dated circa 1948.



Figure 8. Remnants of a rubbish dump which also includes modern bricks, plastic and modern glass fragments. Scale 1 = 10 cm.