

**Palaeontological Impact Assessment for the
Lyra Energy (Pty) (Lyra 1 Solar Park) Renewable Energy
Generation Project on Farm Welgelegen, 469-LQ with
Overhead Powerline to the Eskom Matimba Substation
and/or to the Eskom Waterberg Distribution Substation,
within The Lephalale Local Municipality, Waterberg District
Municipality, Limpopo Province**

Site Visit Report (Phase 2)

For

Exigent Environmental

18 March 2023

Prof Marion Bamford
Palaeobotanist
P Bag 652, WITS 2050
Johannesburg, South Africa
Marion.bamford@wits.ac.za

Expertise of Specialist

The Palaeontologist Consultant: Prof Marion Bamford
Qualifications: PhD (Wits Univ, 1990); FRSSAf, ASSAf
Experience: 34 years research; 26 years PIA studies
Over 350 projects completed.

Declaration of Independence

This report has been compiled by Professor Marion Bamford, of the University of the Witwatersrand, sub-contracted by Exigent Environmental. Richards Bay and Erasmuskloof, South Africa. The views expressed in this report are entirely those of the author and no other interest was displayed during the decision making process for the Project.

Specialist: Prof Marion Bamford

A handwritten signature in blue ink, appearing to read 'MKBamford', with a horizontal line underneath it.

Signature:

Executive Summary

A Palaeontological Impact Assessment was requested for the Lyra Energy (Pty) (Lyra 1 Solar Park) Renewable Energy Generation Project on Farm Welgelegen, 469-LQ with Overhead Powerline to the Eskom Matimba Substation and/or to the Eskom Waterberg Distribution Substation, within The Lephhalale Local Municipality, Waterberg District Municipality, Limpopo Province.

To comply with the regulations of the South African Heritage Resources Agency (SAHRA) in terms of Section 38(8) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) (NHRA), a site visit (Phase 2) Palaeontological Impact Assessment (PIA) was completed for the proposed development.

The proposed site lies on the potentially fossiliferous Swartrand formation (Equivalent of the Pietermaritzburg Formation, Ecca Group, Karoo Supergroup) that could preserve fossil plants of the *Glossopteris* flora. The site visit and walk through on 11th March 2023 by palaeontologists confirmed that there were NO FOSSILS in the project footprint. Nonetheless, a Fossil Chance Find Protocol should be added to the EMPr. Based on this information it is recommended that no further palaeontological impact assessment is required unless fossils are found by the contractor, developer, environmental officer or other designated responsible person once excavations for foundations and infrastructure have commenced.

The impact will only be during the construction phase and pre-mitigation will be low risk and post-mitigation will be low risk. There will be no cumulative impact or risk and there are no no-go areas. As far as the palaeontology is concerned, the project should be authorised.

Table of Contents

| | | |
|------|---|-------|
| 1. | Background | 4 |
| 2. | Methods and Terms of Reference..... | 11 |
| 3. | Geology and Palaeontology..... | 11 |
| i. | Project location and geological context | 11 |
| ii. | Palaeontological context..... | 15 |
| iii. | Site visit observations..... | 16 |
| 4. | Impact assessment..... | 22 |
| 5. | Assumptions and uncertainties..... | 26 |
| 6. | Recommendation..... | 27 |
| 7. | References | 27 |
| 8. | Chance Find Protocol | 30 |
| 9. | Appendix A – Examples of fossils from the Pietermaritzburg and Vryheid Formations | 32 |
| 10. | Appendix B – Details of specialists | 33 |
| | Figure 1: Google Earth map of the project area | 10 |
| | Figure 2: Google Earth Map of the project footprint | 10 |
| | Figure 3: Geological map of the area around the project site..... | 11 |
| | Figure 4: SAHRIS palaeosensitivity map for the site for the project | 15 |
| | Figure 5: Site visit map and coordinates | 16 |
| | Figures 6-10: Site visit photographs | 18-21 |

1. Background

Lyra Energy (Pty) is proposing the development, construction and operation of a renewable energy generation facilities (Photovoltaic Power Plants) and associated infrastructure, and structures on Farm Welgelegen, 469-LQ located within the Lephhalale Local Municipality, Waterberg District Municipality, Limpopo Province.

The projects envisage the establishment of a solar power plant with a maximum generation capacity at the delivery point (Maximum Export Capacity) of up to 240 MW. The proposed Lyra 1 Solar Park will deliver the electrical energy to the Eskom Matimba Power station or the Eskom Waterberg Distribution Sub-station through a new power line of approximately 12 km in length. Two 132 kV feeder bays will be commissioned and equipped at the Eskom Matimba (or Waterberg) substations.

This report is part of a project titled “Lyra Energy (Pty) (Lyra 1 Solar Park) and Cygnis Energy (Pty) Ltd (Lyra 2 Solar Park) Renewable Energy Generation Projects, on Farm Welgelegen 469-LQ and Farm Groot Vogelstruisfontein 644 LQ, with Overhead Powerlines to the Eskom Matimba Substation and/or to the Eskom Waterberg Distribution Substation, within The Lephhalale Local Municipality, Waterberg District Municipality.” Department of Forestry, Fisheries and Environment has requested a Scoping Report submission for each Solar Park.

Table 1: Project details.

| Component | Descriptions/dimensions |
|--|---|
| Output capacity of the PVPP | 240MW |
| Height of PV panels | Up to 4.5m |
| Area of the PV Array | Total area of the PV Array: 174.71 ha (considering 625,000 PV modules of 2.795 m ² each) |
| Number of inverters required | Each Medium voltage station will be equipped with DC/AC inverters that convert Direct Current (DC) into Alternate Current (AC) at a low voltage (typically 600 V). There will be 100 medium voltage stations of 3.0 MW each throughout the proposed development. PV technology is in constant and rapid evolution, this means that the final choice of the type (e.g. central inverters or string inverters) and model of inverter can be taken at the time of the commission date, on the basis of the availability of inverters of the worldwide market and of the cost-efficiency curve. In any case, the total installed capacity of the inverters (AC side) will be up to 300 MWac. |
| Area occupied by inverter/transformer stations/substations | There will be 100 medium voltage stations throughout the proposed development. Each will have an area of approximately 30 m ² . Therefore, the combined area of the medium voltage stations will be 3000 m ² |
| Control rooms | The substation will be equipped with 2 control rooms. The control rooms will have a length of 30 m and a width of 11 m. Therefore, each of the control room will have an area of 330 m ² . |

| | |
|--|--|
| Workshops/Warehouses | Two warehouses / workshops will be constructed within close proximity to the on-site substation and switching station. The three warehouses will have an area of approximately 300 m ² each: 900 m ² in total |
| Capacity of the On-site Substation | <p>The on-site 22kV/132kV step-up substation and 132kV switching station will host two 250 MVA 22kV/132kV transformers (one as spare).</p> <p>Should the connection solution proposed by Eskom be at 400kV, additional infrastructure is required - outside the project footprint:</p> <ul style="list-style-type: none"> • one 132kV/400kV step-up substation with high-voltage power transformers, stepping up the voltage to 400kV, and one 400kV busbar with metering and protection devices (switching station), to be built in proximity of the Eskom Matimba Substation (Connection Alternative 1 @ 400kV). |
| Area occupied by both permanent and construction laydown areas | <p>Project footprint / fenced area is up to approximately 600 ha Surface area (within the project footprint) will be covered by PV modules, internal roads, MV stations, HV substation and switching station, control buildings, warehouses and Battery Energy Storage System (BESS).</p> <p>The construction camp (temporary) will be up to 20 ha in extent and will correspond to the area used for BESS.</p> |
| Area occupied by the Building | <p>Medium-voltage stations occupy a footprint up to 3,000 m². On-site substation and switching station occupy a footprint of approx. 11,250 m². This area includes the control buildings.</p> <p>Workshop & Warehouse occupy a footprint of approx. 300 m² each. In total, 3 warehouses are foreseen.</p> <p>The Battery Energy Storage Systems (BESS) will be located in the area where the camp site will be for the purpose of the construction phase. This area will be approximately 20 ha in size.</p> <p>Should the connection solution proposed by Eskom be at 400kV, additional infrastructure is required - outside the project footprint:</p> <p>For Lyra 1 Solar Park: one 132kV/400kV step-up substation and switching station, to be built in proximity of the Eskom Matimba Substation. with a footprint of approx. 22,500 m² (Connection Alternative 1 @ 400kV).</p> |
| Length of internal roads | Approximately 40,000 m |
| Width of internal roads | Up to 8.0 m, with a road reserve up to 13.5 m |
| Access roads | For Lyra 1 Solar Park: The project footprints / development areas will have direct access from the regional road R510 (or so-called P84/1), which runs along the Eastern boundary of the Lyra 2 project footprint located on the farm GROOT VOGELSTRUISFONTEIN 644 LQ. |
| Proximity to the grid connection | For Lyra 1 Solar Park: one 132 kV power line (double circuit), approximately 7.6 to 10.9 km long, connecting the on-site 132kV switching station to the 132 kV busbar of the Eskom Matimba Substation (Connection Alternative 1 @ |

| | |
|---|---|
| | <p>132kV) or of the Eskom Waterberg Distribution Substation (Connection Alternative 2).</p> <p>Should the connection solution proposed by Eskom be at 400kV, additional infrastructure is required:</p> <p>For Lyra 1 Solar Park:</p> <ul style="list-style-type: none"> • One 132kV/400kV step-up substation with high-voltage power transformers, stepping up the voltage to 400kV, and one 400kV busbar with metering and protection devices (switching station), to be built in proximity of the Eskom Matimba Substation (Connection Alternative 1 @ 400kV). • One 400 kV power line, approximately 0.5 km long, connecting the on-site 400kV switching station to the 400 kV busbar of the Eskom Matimba Substation (Connection Alternative 1 @ 400kV). |
| Height of fencing | 3m |
| Type of fencing | Wire mesh fencing with video-surveillance system |
| Height of overhead powerlines | <p>132kV: up to 25 m above the ground level</p> <p>400 kV (if required): up to 45 m above the ground level</p> |
| Length and width of servitude of 132kV powerlines | <ul style="list-style-type: none"> • One 132 kV power line (double circuit), approximately 7.6 to 10.9 km long, connecting the on-site 132kV switching station to the 132 kV busbar of the Eskom Matimba Substation (Connection Alternative 1 @ 132kV) or of the Eskom Waterberg Distribution Substation (Connection Alternative 2). • One 132 kV power line (double circuit), approximately 7.1 km long, connecting the on-site 132kV switching station to the 132 kV busbar of the 132kV/400kV step-up substation and 400kV switching station to be built in proximity of the Eskom Matimba Substation (Connection Alternative 1 @ 400kV). <p>Servitude width: 36 m (18 m from each side of the centre line).</p> |
| Length and width of servitude of 400kV powerlines | <p>Should the connection solution proposed by Eskom be at 400kV, additional infrastructure is required:</p> <p>For Lyra 1 Solar Park: One 400 kV power line, approximately 0.5 km long, connecting the on-site 400kV switching station to the 400 kV busbar of the Eskom Matimba Substation (Connection Alternative 1 @ 400kV).</p> <p>Servitude width: 55 m (27.5 m from each side of the center line)</p> |
| On-site substation and switching station | For each project, one on-site 22kV/132kV step-up substation and 132kV switching station is required, having a footprint of 11,250 m ² each. |
| 400kV Substation dimensions | <p>Should the connection solution proposed by Eskom be at 400kV, additional infrastructure is required - outside the project footprint:</p> <p>For Lyra 1 Solar Park: one 132kV/400kV step-up substation and switching station, to be built in proximity of the Eskom Matimba Substation. with a footprint of approx. 22,500 m² (Connection Alternative 1 @ 400kV).</p> |
| Battery Energy Storage Facility | BESS with a Maximum Export Capacity up to 240 MW each and a 6-hour storage capacity up to 1440 MWh, with a |

| | |
|--|--|
| | footprint up to 20 ha within the proposed PV plant footprint / fenced area |
|--|--|

The proposed development (the Photovoltaic (PV) Power Plants and its connection infrastructure) consists of the installation of the following equipment:

- Photovoltaic modules (mono-crystalline, poly-crystalline, mono or bi-facial modules)
- Mounting systems for the PV arrays (single-axis horizontal trackers or fixed structures) and related foundations
- Internal cabling and string boxes
- Medium voltage stations, hosting DC/AC inverters and LV/MV power transformers
- Medium voltage receiving station(s)
- Workshops & warehouses
- Two on-site 22kV/132kV step-up substations (one per project) with high-voltage power transformers, stepping up the voltage from 22kV (or 33kV) to 132kV, and one 132kV busbar with metering and protection devices (switching station)
- One 132 kV power line (double circuit), approximately 7.6 to 10.9 km long, connecting the on-site 132kV switching station to the 132 kV busbar of the Eskom Matimba Substation (Connection Alternative 1 @ 132kV) or of the Eskom Waterberg Distribution Substation (Connection Alternative 2)
- Should the connection solution proposed by Eskom be at 400kV (Connection Alternative 1 @ 400kV):
 - For Lyra 1 Solar Park: one 132 kV power line (double circuit), approximately 7.1 km long, connecting the on-site 132kV switching station to the 132 kV busbar of the 132kV/400kV step-up substation and 400kV switching station to be built in proximity of the Eskom Matimba Substation (Connection Alternative 1 @ 400kV)
 - For Lyra 1 Solar Park: one 132kV/400kV step-up substation with high-voltage power transformers, stepping up the voltage to 400kV, and one 400kV busbar with metering and protection devices (switching station), to be built in proximity of the Eskom Matimba Substation (Connection Alternative 1 @ 400kV)
 - For Lyra 1 Solar Park: one 400 kV power line, approximately 0.5 km long, connecting the on-site 400kV switching station to the 400 kV busbar of the Eskom Matimba Substation (Connection Alternative 1 @ 400kV)
- An extension of the 132kV and/or 400kV busbar of the Eskom substation(s) may be required
- Battery Energy Storage System (BESS) with a Maximum Export Capacity up to 240 MW
- each and a 6-hour storage capacity up to 1440 MWh, with a footprint up to 20 ha within the proposed PV plant footprint / fenced area
- Electrical system and UPS (Uninterruptible Power Supply) devices
- Lighting system
- Grounding system
- Internal roads
- Fencing of the site and alarm and video-surveillance system

- Water access point, water supply pipelines, water treatment facilities
- Sewage system
- During the construction phase, the site may be provided with additional:
- Water access point, water supply pipelines, water treatment facilities
- Pre-fabricated buildings
- Workshops & warehouses to be removed at the end of construction.

The connection may also entail interventions on the Eskom grid, according to Eskom's connection requirements/solution.

A Palaeontological Impact Assessment was requested for the Lyra 1 Solar Park project. To comply with the regulations of the South African Heritage Resources Agency (SAHRA) in terms of Section 38(8) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) (NHRA), a site visit and walkthrough (Phase 2) Palaeontological Impact Assessment (PIA) was completed for the proposed development and is reported herein.

Table 2: National Environmental Management Act, 1998 (Act No. 107 of 1998) (NEMA) and Environmental Impact Assessment (EIA) Regulations, 2014 (as amended) - Requirements for Specialist Reports (Appendix 6).

| | A specialist report prepared in terms of the Environmental Impact Regulations of 2017 must contain: | Relevant section in report |
|-----|--|-----------------------------------|
| ai | Details of the specialist who prepared the report, | Appendix B |
| aii | The expertise of that person to compile a specialist report including a curriculum vitae | Appendix B |
| b | A declaration that the person is independent in a form as may be specified by the competent authority | Page 1 |
| c | An indication of the scope of, and the purpose for which, the report was prepared | Section 1 |
| ci | An indication of the quality and age of the base data used for the specialist report: SAHRIS palaeosensitivity map accessed – date of this report | Section 3 |
| cii | A description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change | Section 5 |
| d | The date and season of the site investigation and the relevance of the season to the outcome of the assessment | Section 3iii |
| e | A description of the methodology adopted in preparing the report or carrying out the specialised process | Section 2 |
| f | The specific identified sensitivity of the site related to the activity and its associated structures and infrastructure | Section 4 |
| g | An identification of any areas to be avoided, including buffers | Section 4 |
| h | A map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers; | Section 3-4 |

| | A specialist report prepared in terms of the Environmental Impact Regulations of 2017 must contain: | Relevant section in report |
|-----|--|-----------------------------------|
| i | A description of any assumptions made and any uncertainties or gaps in knowledge; | Section 5 |
| j | A description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives, on the environment | Section 4 |
| k | Any mitigation measures for inclusion in the EMPr | Section 8, Appendix A |
| l | Any conditions for inclusion in the environmental authorisation | Section 8 Appendix A |
| m | Any monitoring requirements for inclusion in the EMPr or environmental authorisation | Section 8, Appendix A |
| ni | A reasoned opinion as to whether the proposed activity or portions thereof should be authorised | Section 6 |
| nii | If the opinion is that the proposed activity or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan | Sections 6, 8 |
| o | A description of any consultation process that was undertaken during the course of carrying out the study | None |
| p | A summary and copies of any comments that were received during any consultation process | EAP |
| q | Any other information requested by the competent authority. | N/A |
| 2 | Where a government notice gazetted by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply. | N/A |




Figure 1: Google Earth map of the proposed Buffalo and Lyra projects with the Lyra 1 Solar Park in the east (left side green polygon).




Figure 2: Google Earth map for the proposed Lyra 1 Solar Park on Farm Farm Welgelegen 469-LQ shown by the orange polygon.

2. Methods and Terms of Reference

The Terms of Reference (ToR) for this study were to undertake a PIA and provide feasible management measures to comply with the requirements of SAHRA.

The methods employed to address the ToR included:

1. Consultation of geological maps, literature, palaeontological databases, published and unpublished records to determine the likelihood of fossils occurring in the affected areas. Sources included records housed at the Evolutionary Studies Institute at the University of the Witwatersrand and SAHRA databases; <https://sahris.sahra.org.za/mal/palaeo> and Palaeotechnical report for the province.
2. Where necessary, **site visits** by a qualified palaeontologist to verify the palaeosensitivity, locate any fossils and assess their importance, as is the case here;
3. Where appropriate, collection of unique or rare fossils with the necessary permits for storage and curation at an appropriate facility (*possibly applicable to this assessment*); and
4. Determination of fossils' representivity or scientific importance to decide if the fossils can be destroyed or a representative sample collected (*not applicable to this assessment*).

3. Geology and Palaeontology

i. Project location and geological context




Figure 3: Geological map of the area around the Lyra 1 Solar Park project on Farm Welgelegen 469-LQ shown by the blue polygon. Abbreviations of the rock types are explained in Table 3. Map enlarged from the Geological Survey 1: 250 000 map 2326 Ellisras.

Table 3: Explanation of symbols for the geological map and approximate ages (Johnson et al., 2006; Partridge et al., 2006). SG = Supergroup; Fm = Formation; Ma = million years; grey shading = formations impacted by the project.

| Symbol | Group/Formation | Lithology | Approximate Age |
|--------|---|---|-------------------------------------|
| Qs | Quaternary | Alluvium, sand, calcrete | Quaternary, ca 1.0 Ma to present |
| Tr-c | Clarens Fm, Stormberg Group, Karoo SG | Fine-grained cream coloured sandstone | Late Triassic |
| Tr-e | Eendtrgtpan Fm, Stormberg Group, Karoo SG | Variegated shales | Late Triassic |
| Pgr | Grootgeluk Fm = Vryheid Fm, Eccca Group, Karoo SG | Mudstone, carbonaceous shale, coal | Early Permian |
| Ps | Swartrand Fm = Pietermaritzburg Fm, Eccca Group, Karoo SG | Shales, mudstones | Early Permian |
| C-Pwe | Wellington Fm, Dwyka Group, Karoo SG | Mudstone, siltstone, minor grit | Late Carboniferous to Early Permian |
| Mm | Mogalakwena Fm, Kransberg Sugbroup, Waterberg Group | Sandstone, arenites, rudites, o=pebble washes | 2000 – 1700 Ma |

The site lies in the Ellisras Basin, an equivalent of the main Karoo basin where the lower Karoo Supergroup strata are exposed. These sediments unconformably overlie the much older Waterberg Group quartzites. Much of the area is overlain by aeolian sands and alluvium, especially along the rivers and streams (Figure 3).

The Palaeoproterozoic rocks of southern Africa occur in Limpopo, Mpumalanga and Gauteng Provinces and extend westwards into Botswana, and occur in three basins. Three main strata are recognised, the Soutspansberg Group, the Waterberg Group and the Blouberg Formation. A number of attempts have been made to correlate the strata in the different basins, the Waterberg Basin, the Soutspansberg Basin and the Middelburg Basin.

The Waterberg Group occurs in the Waterberg and Nylstroom Basins (Barker et al., 2006) and rests unconformably on rocks of the Transvaal Supergroup and the Bushveld Complex. It is overlain by Karoo Supergroup rocks. Three subgroups are recognised throughout the main Waterberg Basin but only the oldest subgroup occurs in the Nylstroom Basin. Different formations are noted in the south, southwest and central areas compared to the North, northeast and central areas according to SACS, (1980). In the northern part the upper Kransberg Subgroup has three formations in its southern part but in the northern part are the **Mogalawena**, Cleremont and Vaalwater Formations (Barker et al., 2006).

The Waterberg Group was deposited between 2000 and 1700 million years ago, well after the Great Oxidation Event (GOE, ca 2.5Ga) so oxygen was available and these shallow water deposits are known as red beds. It has been divided into three subgroups with only the basal group, the Nylstroom Subgroup, occurring in the study area (Figure 3). The Nylstroom and Matlabas Subgroups form a crude upward-fining sequence with rudites and arenites at the base and grading to lutites and well-sorted arenites at the top. The overlying Kransberg Subgroup forms a second, similar, upward-fining sequence in the Waterberg Basin (Barker et al., 2006).

This site occurs in the northern Mogalakwena Formation that is composed of granule-rich lithic arenites and granule rudites with pebble washes and interbedded pebble to cobble rudites (Barker et al., 2006). Palaeocurrents are towards the west-southwest from large braided rivers from highlands in the north-northeast (ibid). The equivalent aged Sandriviersberg Formation represents the more distal facies of the large rivers and the Mogalakwena the more proximal facies.

The **Karoo Supergroup** rocks cover a very large proportion of South Africa and extend from the northeast (east of Pretoria) to the southwest and across to almost the KwaZulu Natal south coast. It is bounded along the southern margin by the Cape Fold Belt and along the northern margin by the much older Transvaal Supergroup rocks. Representing some 120 million years (300 – 183Ma), the Karoo Supergroup rocks have preserved a diversity of fossil plants, insects, vertebrates and invertebrates.

During the Carboniferous Period South Africa was part of the huge continental landmass known as Gondwanaland and it was positioned over the South Pole. As a result, there were several ice sheets that formed and melted, and covered most of South Africa (Visser, 1986, 1989; Isbell et al., 2012). Gradual melting of the ice as the continental mass moved northwards and the earth warmed, formed fine-grained sediments in the large inland sea. These are the oldest rocks in the system and are exposed around the outer part of the ancient Karoo Basin, and are known as the Dwyka Group in the Main Karoo Basin. They comprise tillites, diamictites, mudstones, siltstones and sandstones that were deposited as the basin filled (Johnson et al., 2006).

The Ellisras Basin is a northern outlier of the Main Karoo Basin with equivalent aged rocks but different names. Descriptions of the geology were derived mainly from borehole cores (Brandl, 1996; Johnson et al., 2006) because exposures are very poor. Palynology of the cores and succession has been described by MacRae (1988) but has not been updated.

Nine formations have been recognised (Brandl, 1996; Johnson et al., 2006) and they are from the base upwards the Waterkloof, Wellington, Swartrand, Goedgedacht, Grootegeluk, Eendragtpan. Greenwich, Lisbon and Clarens Formations.

The basal **Waterkloof Formation**, equivalent of the Dwyka Group in the Main Karoo Basin, is composed of diamictite, mudstone, rhythmites and conglomerate, and interpreted as subaqueous outwash deposits that were deposited after the reworking of tills from retreating glaciers (Johnson et al., 2006). The glaciers came from the north and northeast so the mudstones probably represent distal glaciolacustrine deposits (ibid).

The **Wellington Formation** outcrops in the southern part of the Ellisras Basin and is much thicker the farther south it goes. It comprises dark grey horizontally laminated mudstone and siltstone with some sandstone lenses. Higher up the sequence it becomes more silty with coarsening-upward cycles (Johnson et al., 2006). This formation is interpreted as suspension deposits that formed in a large body of standing water.

The **Swartrand Formation** has been divided into three zones on the basis of varying proportions of mudstone, siltstone, sandstone and coals. The lower zone probably represents a delta front that built out from the east, and has no coal seams. The middle zone represents a transgressive phase and is capped by alternating coal seams and mudstones that are interpreted as having been deposited in a glaciolacustrine environment. The upper zone has thin coal seams interspersed with mudstones and sandstones and has been interpreted as channel fill deposits and a northern crevasse-splay deposit. It is the equivalent of the Pietermaritzburg Formation of the Main Karoo Basin.

The **Goedgedagt Formation** is a small section of the **Grootgeluk Formation** and both are considered to be equivalent of the Vryheid Formation with numerous coal seams (Johnson et al., 2006). While the mudstones of the Goedgedagt Formation are believed to have formed as high velocity mudflows in a proglacial environment, the Grootgeluk coal seams formed in a stable tectonic environment where the peats accumulated in poorly drained swamps. These peats were later buried and converted to coal seams (Johnson et al., 2006). This is the most economically important formation in the Ellisras Basin.

Next is the **Eendragtpan Formation** that is composed of sandstones that were deposited in a much drier environment so no coals were formed. These oxidised sands likely were deposited in a well-drained low-energy setting under subaerial conditions (semi-desert).

The **Greenwich Formation** has darker sandstones and minor mudstone lenses and probably represents channel deposits in a braided stream environment (ibid).

The **Lisbon Formation** is finer-grained than the underlying formation and has mudstones and siltstones with some trace fossils, interpreted as fining-upward sequences along extensive floodplains and meandering rivers (Johnson et al., 2006). Some sandstones are aeolian in origin and indicate a drier environment, like the Clarens Formation of the Main Karoo Basin.

Even drier conditions are indicated by the massive palaeo-dunes and ridges of the **Clarens Formation** in the Ellisras Basin. Small ephemeral rivers may have introduced the minor coarse detrital material while the cross-beds indicate that the palaeo-winds came from the WSW (ibid).

Sands and alluvium of **Quaternary** age cover much of the area. They are the weathered and transported sediments from the older consolidated rocks and sandstones and may have been reworked a number of times so are difficult to date and correlate (Botha, 2021).

ii. Palaeontological context

The palaeontological sensitivity of the area under consideration is presented in Figure 4. The site for development is entirely in the Swartrand Formation. From the SAHRIS map above the area is indicated as very highly sensitive (red) for the Swartrand and Grootgeluk Formations, highly sensitive (orange) for the Clarens Formation and moderately sensitive (green) for the Mogalakwena Formation and the Quaternary sands. According to SAHRA rules, a site visit must be completed for the very highly sensitive sites (red) so this was done and is reported herein.




Figure 4: SAHRIS palaeosensitivity map for the site for the proposed Lyra 1 Solar Park shown within the blue rectangle. Background colours indicate the following degrees of sensitivity: red = very highly sensitive; orange/yellow = high; green = moderate; blue = low; grey = insignificant/zero.

In the Swartrand and Grootegelik Formations one expects to find fossil plants of the *Glossopteris* flora in the carbonaceous shales (Plumstead, 1969; MacRae, 1988; Johnson et al., 2006) but not in the coal seams. Coal is the result of alteration of peats (buried plant matter) by high temperatures and pressures after burial and considerable time. The remaining carbon compounds have no recognisable plant material. In contrast, the carbonaceous shales may preserve impressions, or rarely compressions of the plants that grew in the environment. For Gondwanaland these are the *Glossopteris* flora that includes *Glossopteris* leaves, seeds, roots, wood and reproductive structures and other plants such as lycopods, sphenophytes, ferns, cordaitaleans and early gymnosperms (Plumstead,

1969; Anderson and Anderson, 1985; Bamford, 2004; McLoughlin, 2020; Gastaldo et al., 2021a,b).

Quaternary sands and soils overlies much of the formations but they seldom have fossils as they are heavily bioturbated by the modern vegetation invertebrates and vertebrates.

iii. Site visit observations




Figure 5: Annotated Google Earth map for the site stops and observations for the Lyra 1 Solar Park on Farm Welgelegen (refer to Table 4).

Table 4: Site observations, GPS points and relevant figures – Site visit photographs in Figures 7-10.

| GPS | Observations | Figures |
|--|---|---------|
| L1-1 23° 39' 06" S 27° 41' 20" E | Southern part of the project area. Savanna woodland and bushes with some open grassy areas that had been cleared previously for agriculture. Sandy soils, reddish in colour. No rocks and no fossils. | 6A, B |
| L1-2 23° 39' 18" S 27° 40' 47" E | Same thick Bushveld to savanna with few taller trees as in previous stop. No rocky outcrops and no fossils. | 6C, D |
| L1-3 23° 39' 29" S 27° 40' 38" E | Old cattle camp so very little grass remaining, some weeds and tall trees. No rocks and no fossils | 7A-D |

| | | |
|--|---|-------|
| L1-4 23° 39' 07" S 27° 40' 25" E | Private dwelling in the south western corner that is not part of the project, but has the same sandy soils and vegetation | 8A-D |
| L1-5 23° 38' 26" S 27° 40' 17" E | Following power lines towards Lyra East. In the cleared area below there are no trees but thick grassland on sandy soils with no rocks or rocky outcrops. | 9A, B |
| L1-6 23° 38' 26" S 27° 40' 17" E | The ever-present powerlines with sandy soils and no rocks. Matimba Power station in the distance. | 9C, D |



Figure 7.



Figure 8



Figure 9.



Figure 10.

4. Impact assessment

An assessment of the potential impacts to possible palaeontological resources considers the criteria encapsulated in **Error! Reference source not found.**:

Table 5: Impact Assessment Criteria

| ASPECT | IMPACT RATING | | | | | | | | | | |
|---|--|-----------|---|------------|---|--------|---|----------|---|---------------|---|
| Status of the impact: A statement of whether the impact is positive (a benefit), negative (a cost), or neutral Status | | | | | | | | | | | |
| Direct impacts | Impacts that are caused directly by the activity and generally occur at the same time and at the place of the activity. These impacts are usually associated with the construction, operation or maintenance of an activity and are generally obvious and quantifiable | | | | | | | | | | |
| Indirect impacts | Impacts of an activity are indirect or induced changes that may occur as a result of the activity. These types of impacts include all the potential impacts that do not manifest immediately when the activity is undertaken, or which occur at a different place as a result of the activity. | | | | | | | | | | |
| Cumulative impacts | Impacts that result from the incremental impact of the proposed activity on a common resource when added to the impacts of other past, present or reasonably foreseeable future activities. Cumulative impacts can occur from the collective impacts of individual minor actions over a period of time and can include both direct and indirect impacts. | | | | | | | | | | |
| Nature of the impact: The evaluation of the nature is impact specific. Most negative impacts will remain negative, however, after mitigation, significance should reduce: <ul style="list-style-type: none"> • Positive. • Negative. | | | | | | | | | | | |
| Extent: A description of whether the impact would occur on a scale limited to within the study area (local), limited to within 5 km of the study area (area); on a regional scale i.e. Local Municipality (region); or would occur at a national or international scale. | | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>Local</td> <td>1</td> </tr> <tr> <td>Area</td> <td>2</td> </tr> <tr> <td>Region</td> <td>3</td> </tr> <tr> <td>National</td> <td>4</td> </tr> <tr> <td>International</td> <td>5</td> </tr> </tbody> </table> | | Local | 1 | Area | 2 | Region | 3 | National | 4 | International | 5 |
| Local | 1 | | | | | | | | | | |
| Area | 2 | | | | | | | | | | |
| Region | 3 | | | | | | | | | | |
| National | 4 | | | | | | | | | | |
| International | 5 | | | | | | | | | | |
| Duration: A prediction of whether the duration of the impact would be Immediate and once-off (less than one month), more than once, but short term (less than one year), regular, medium term (1 to 5 years), Long term (6 to 15 years), Project life/permanent (> 15 years, with the impact ceasing after the operational life of the development or should be considered as permanent). | | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>Immediate</td> <td>1</td> </tr> <tr> <td>Short term</td> <td>2</td> </tr> </tbody> </table> | | Immediate | 1 | Short term | 2 | | | | | | |
| Immediate | 1 | | | | | | | | | | |
| Short term | 2 | | | | | | | | | | |

| | | | |
|--|------------------------|---|--|
| | Medium term | 3 | |
| | Long term | 4 | |
| | Project life/permanent | 5 | |

Criteria by which impacts are to be assessed

Severity(extent +duration + intensity)

Intensity: This provides an order of magnitude of whether or not the intensity (magnitude/size/frequency) of the impact would be negligible, low, medium, high or very high. This is based on the following aspects:

- an assessment of the reversibility of the impact (permanent loss of resources, or impact is reversible after project life);
- whether or not the aspect is controversial;
- an assessment of the irreplaceability of the resource loss caused by the activity (whether the project will destroy the resources which are easily replaceable, or the project will destroy resources which are irreplaceable and cannot be replaced);
- the level of alteration to the natural systems, processes or systems

| | | |
|-------------------------|--|---|
| Negligible | The impact does not affect physical, biophysical or socio-economic functions and processes. | 1 |
| Low/potential harmful | The impact has limited impacts on physical, biophysical or socioeconomic functions and processes. | 2 |
| Medium/slightly harmful | The impact has an effect on physical, biophysical and socioeconomic functions and processes, but in such a way that these processes can still continue to function albeit in a modified fashion. | 3 |
| High/Harmful | Where the physical, bio-physical and socio-economic functions and processes are impacted on in such a way as to cause them to temporarily or permanently cease. | 4 |
| Very high/Disastrous | Where the physical, bio-physical and socio-economic functions and processes are highly impacted on in such a way as to cause them to permanently cease. | 5 |

Incidence (frequency + probability)

Frequency: This provides a description of any repetitive, continuous or time-linked characteristics of the impact: Once Off (occurring any time during construction or operation); Intermittent (occurring from time to time, without specific periodicity); Periodic (occurring at more or less regular intervals); Continuous (without interruption).

| | | |
|---------------|-------------------------|---|
| Once | Off Once | 1 |
| Rare | 1/5 to 1/10 years | 2 |
| Frequent | Once a year | 3 |
| Very frequent | Once a month | 4 |
| Continuous | ≥ Once a day/ per shift | 5 |

Probability of occurrence: A description of the chance that consequences of that selected level of severity could occur during the exposure.

| | | |
|-----------------|--|---|
| Highly unlikely | The probability of the impact occurring is highly unlikely due to its design or historic experience. | 1 |
| Improbable | The probability of the impact occurring is low due to its design or historic experience. | 2 |
| Probable | There is a distinct probability of the impact occurring. | 3 |
| Almost certain | It is most likely that the impact will occur. | 4 |
| Definite | The impact will occur regardless of any prevention measures. | 5 |
| | | |

Risk rating

The risk rating is calculated based on input from the above assessments. The incidence of occurrence is calculated by adding the Extent of the impact to the duration of the impact. The Severity of the impact is calculated based on input from the extent of the impact, the duration and the intensity.

Risk = Severity (extent + duration + intensity) x Incidence (frequency + probability)

Significance: The significance of the risk based on the identified impacts has been expressed qualitatively as follows:

- **low** - the impact is of little importance/insignificant, but may/may not require minimal management
- **medium** - the impact is important, management is required to reduce negative impacts to acceptable levels.
- **high** - the impact is of great importance, negative impacts could render development options or the entire project unacceptable if they cannot be reduced to acceptable levels and/or if they are not balanced by significant positive impacts, management of negative impacts is essential.

| | |
|-----------------|-----------|
| Low risk | 0 - 50 |
| Medium risk | 51 - 100 |
| High risk | 101 - 150 |
| Low positive | 0 - 50 |
| Medium positive | 51 - 100 |
| High positive | 101 - 150 |

Table 5b: Impact Rating for the Lyra 1 Solar Park using the criteria in Table 5a, where mitigation is the removal of fossils from the project footprint.

| ASPECT | Rating Pre-mitigation | Rating Post-mitigation |
|------------------|-----------------------|------------------------|
| Phase | PLANNING | |
| Status if impact | | |
| Nature of impact | | |
| Extent | | |

| | | |
|------------------------|----------------------------------|------------------------|
| Duration | | |
| Intensity | | |
| Severity (E + D + Int) | | |
| Frequency | | |
| Probability | | |
| Incidence (F + P) | | |
| Risk (S x I) | | |
| ASPECT | Rating Pre-mitigation | Rating Post-mitigation |
| Phase | CONSTRUCTION | |
| Status if impact | Direct | Direct |
| Nature of impact | Negative | Positive |
| Extent | 1 | 1 |
| Duration | 1 | 1 |
| Intensity | 3 | 1 |
| Severity (E + D + Int) | 1 + 1 + 3 = 5 | 1 + 1 + 1 = 3 |
| Probability | 3 | 1 |
| Frequency | 1 | 1 |
| Incidence (F + P) | 1 + 3 = 4 | 1 + 1 = 2 |
| Risk (S x I) | 5 x 4 = 20 = LOW RISK | 3 x 2 = 6 = LOW RISK |
| ASPECT | Rating Pre-mitigation | Rating Post-mitigation |
| Phase | OPERATION | |
| Status if impact | | |
| Nature of impact | | |
| Extent | | |
| Duration | | |
| Intensity | | |
| Severity (E + D + Int) | | |
| Probability | | |
| Frequency | | |
| Incidence (F + P) | | |
| Risk (S x I) | None | None |
| ASPECT | Rating Pre-mitigation | Rating Post-mitigation |
| Phase | DECOMMISSIONING / REHABILITATION | |
| Status if impact | | |
| Nature of impact | | |
| Extent | | |
| Duration | | |
| Intensity | | |
| Severity (E + D + Int) | | |
| Probability | | |
| Frequency | | |
| Incidence (F + P) | | |
| Risk (S x I) | None | None |

Mitigation

The impact on the palaeontological heritage can be reduced greatly by a palaeontologist conducting a pre-construction site visit to look for fossils and removing any scientifically important fossils with the relevant SAHRA permit. (See Section 8 and Appendix A).

Positive/Negative Impact

The discovery and removal of fossils as a direct result of this project has a positive impact because prior to this the particular fossils or fossil deposit were unknown to science.

Alternative Routes

As far as the palaeontology is concerned both routes are the same. They only differ in the southwestern section where both routes are on non-fossiliferous dolerite.

Additional Environmental Impacts

As far as the palaeontology is concerned, there are no additional impacts because the fossils are inert and inactive.

Cumulative Impacts

As far as the palaeontology is concerned, there are no cumulative impacts because each site is unique and may or may not have fossils. Fossil bones may be scattered over the landscape but their distribution is erratic and unpredictable. If a bone-bed or plant outcrop occurs this would be an aeriially small concentration of fossils and very unlikely to extend beyond tens of metres. Therefore, projects on adjacent land parcels are unlikely to add any impact on this project.

No-Go areas

There are no no-go areas because the fossils, if present, can be removed and curated in a recognised institution such as a museum or university that has the facilities to store and research the fossil material.

Only the **construction phase** could have any impact on the palaeontology because this is when the ground will be excavated and any fossils, if present, would be removed (Annexure 2). During the operational and decommissioning phases no new ground will be excavated so there will be no impact.

Summary of impacts

Based on the nature of the project, surface activities may impact upon the fossil heritage if preserved in the development footprint. The geological structures suggest that the rocks are the correct age and type to preserve fossils. The site visit and walk through confirmed that there were NO FOSSILS in the project footprint. Furthermore, the material to be excavated is soil and this does not preserve fossils. Since there is an extremely small chance that fossils from below the ground surface in the Swartrand Formation may be disturbed a Fossil Chance Find Protocol has been added to this report. Taking account of the defined criteria, the potential impact to the fossil heritage resources will only occur in the construction phase and is low pre-mitigation and very low post-mitigation. There are no cumulative impacts and no no-go areas.

5. Assumptions and uncertainties

Based on the geology of the area and the palaeontological record as we know it, it can be assumed that the formation and layout of the dolomites, sandstones, shales and sands are

typical for the country and some do contain fossil plant, insect, invertebrate and vertebrate material. The site visit verification and walk through on 11th March 2023 by palaeontologists confirmed that there are NO FOSSILS of any kind on the ground surface in the project footprint. The sands of the Quaternary period would not preserve fossils. It is not known what lies below the surface soils and sands.

6. Recommendation

Based on the fossil record but confirmed by the site visit and walk through there are NO FOSSILS of the *Glossopteris* flora even though fossils have been recorded from rocks of a similar age and type in South Africa. It is extremely unlikely that any fossils would be preserved in the overlying soils and sands of the Quaternary. There is a very small chance that fossils may occur in below the ground surface in the shales of the Swartrand Formation so a Fossil Chance Find Protocol should be added to the EMPr. If fossils are found by the environmental officer, or other responsible person once excavations and drilling have commenced, then they should be rescued and a palaeontologist called to assess and collect a representative sample. This mitigation process must be added to the EMPr.

The impact will only be during the construction phase and pre-mitigation will be low risk and post-mitigation will be low risk. There will be no cumulative impact or risk and there are no no-go areas.

7. References

Anderson, J.M., Anderson, H.M., 1985. Palaeoflora of Southern Africa: Prodrum of South African megaflores, Devonian to Lower Cretaceous. A.A. Balkema, Rotterdam. 423 pp.

Barker, O B., Brandl, G., Callaghan, C.C., Eriksson, P.G., van der Neut, M., 2006. The Soutpansberg and Waterberg Groups and the Blouberg Formation. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). The Geology of South Africa. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. Pp 301-318.

Botha, G.A., 2021. Cenozoic stratigraphy of South Africa: current challenges and future possibilities. South African Journal of Geology 124, 817-842.
Doi: 10.25131/sajg.124.0054.

Brandl, G., 1996. The geology of the Ellisras area. Explanation Sheet 2326 Ellisras. Geological Survey of South Africa, 46pp.

Corcoran, P.L., Bumby, A.J. and Davis, D.W., 2013. The Paleoproterozoic Waterberg Group, South Africa: provenance and its relation to the timing of the Limpopo orogeny. Precambrian Research, 230, 45-60.

Gastaldo, R.A., Bamford, M., Calder, J., DiMichele, W.A., Ianuzzi, R., Jasper, A., Kerp, H., McLoughlin, S., Opluštil, S., Pfefferkorn, H.W., Roessler, R., and Wang, J., 2020, The non-analog vegetation of the Late Paleozoic icehouse-hothouse and their coal-forming

forested environments: in Martinetto, E. Tschopp, E., and Gastaldo, R.A., eds., *Nature Through Time*: Springer Nature Switzerland, Cham, Switzerland, p. 291-316. ISBN 978-3-030-35057-4.

<https://doi.org/10.1007/978-3-030-35058-1>

Gastaldo, R.A., Bamford, M., Calder, J., DiMichele, W.A., Ianuzzi, R., Jasper, A., Kerp, H., McLoughlin, S., Opluštil, S., Pfefferkorn, H.W., Roessler, R., and Wang, J., 2020, *The Coal Farms of the Late Paleozoic*: in Martinetto, E. Tschopp, E., and Gastaldo, R.A., eds., *Nature Through Time*: Springer Nature Switzerland, Cham, Switzerland, p. 317-343 . ISBN 978-3-030-35057-4.

<https://doi.org/10.1007/978-3-030-35058-1>

Groenewald, G., Groenewald, D., Groenewald, S., 2014. SAHRA Palaeotechnical Report. Palaeontological Heritage of Limpopo. 22 pages.

Isbell, J.L., Henry, L.C., Gulbranson, E.L., Limarino, C.O., Fraiser, F.L., Koch, Z.J., Ciccioli, P.I., Dineen, A.A., 2012. Glacial paradoxes during the late Paleozoic ice age: Evaluating the equilibrium line altitude as a control on glaciation. *Gondwana Research* 22, 1-19.

Johnson, M.R., van Vuuren, C.J., Visser, J.N.J., Cole, D.I., Wickens, H.deV., Christie, A.D.M., Roberts, D.L., Brandl, G., 2006. Sedimentary rocks of the Karoo Supergroup. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). *The Geology of South Africa*. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. Pp 461 – 499.

Kitching, J.W., Raath, M.A., 1984. Fossils from the Elliot and Clarens formations (Karoo Sequence) of the north-eastern Cape, Orange Free State and Lesotho, and a suggested biozonation based on tetrapods. *Palaeontologia africana* 25, 111-125.

MacRae, C.S., 1988. Palynostratigraphic correlation between the lower Karoo Sequence of the Waterberg and Pafuri coal-bearing basins and the Hammanskraal macrofossil locality, Republic of South Africa. *Memoirs of the Geological Survey of South Africa* 75, 1-217.

McLoughlin, S., 2020. Fossil Plants: Gymnosperms. *Encyclopedia of Geology*, 2nd edition <https://doi.org/10.1016/B978-0-08-102908-4.00068-0>

Noffke, N., Gerdes, G., Klenke, Th., Krumbein, W.E., 2001. Microbially induced sedimentary structures indicating climatological, hydrologically, and depositional conditions within recent and Pleistocene coastal facies zones (southern Tunisia). *Facies* 44, 23–30.

Partridge, T.C., Botha, G.A., Haddon, I.G., 2006. Cenozoic deposits of the interior. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). *The Geology of South Africa*. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. Pp 585-604.

Plumstead, E.P., 1969. Three thousand million years of plant life in Africa. Geological Society of southern Africa, Annexure to Volume LXXII. 72pp + 25 plates.

Simpson, E.L., Heness, E., Bumby, A., Eriksson, P.G., Eriksson, K.A, Hilbert-Wolf, H.L., Linnevelt, S., Malenda, H.F., Modungwa, T., Okaforba, O.J., 2013. Evidence for 2.0 Ga continental microbial mats in a paleodesert setting. *Precambrian Research* 327, 36-50.

Smith, R.M.H., Rubidge, B.S., Day, M.O., Botha, J., 2020. Introduction to the tetrapod biozonation of the Karoo Supergroup. *South African Journal of Geology* 123, 131-140.
doi:10.25131/sajg.123.0009

Visser, J.N.J., 1986. Lateral lithofacies relationships in the glaciogene Dwyka Formation in the western and central parts of the Karoo Basin. *Transactions of the Geological Society of South Africa* 89, 373-383.

Visser, J.N.J., 1989. The Permo-Carboniferous Dwyka Formation of southern Africa: deposition by a predominantly subpolar marine icesheet. *Palaeogeography, Palaeoclimatology, Palaeoecology* 70, 377-391.

Yates, A.M., Bonnan, M.F., Neveling, J., Chinsamy, A., Blackbeard, M.G., 2010. A new transitional sauropodomorph dinosaur from the Early Jurassic of South Africa and the evolution of sauropod feeding and quadrupedalism. *Proceedings of the Royal Society, Biological Sciences Ser. B* 277, 787-794.

Abbreviations

| | |
|-----------------|---|
| AMAFA | Heritage Kwazulu-Natal |
| BID | Background Information Document |
| BGIS | Biodiversity GIS |
| BSP | Biodiversity Sector Plan |
| CARA | Conservation of Agricultural Resources Act, 1983 (Act No. 43 of 1983) |
| CBA | Critical Biodiversity Area |
| DBAR | Draft Basic Assessment Report |
| DEDTEA | Department of Economic Development, Tourism and Environmental Affairs |
| DFFE | Department of Fisheries, Forestry and Environment |
| DMRE | Department of Mineral and Resources and Energy |
| DWS | Department of Water and Sanitation |
| EA | Environmental Authorisation |
| EAP | Environmental Assessment Practitioner |
| ECO | Environmental Control Officer |
| EI | Ecological Importance |
| EIA | Environmental Impact Assessment |
| EIA Regulations | Environmental Impact Assessment Regulations, 2014 (as amended 2017) |
| EMPR | Environmental Management Programme |
| ES | Ecological Sensitivity |
| ESA | Ecological Support Areas |
| eWULAAS | Electronic Water Use Licence Application and Authorisation System |
| EZEMVELO | KZN Wildlife |
| FBAR | Final Basic Assessment Report |
| GDP | Gross Domestic Product |
| GNR | Government Notice |
| GPS | Global Positioning System |
| HDSA | Historically Disadvantaged South Africans |
| HSA | Hazardous Substances Act, 1973 (Act No. 15 of 1973) |
| I&AP's | Interested and Affected Parties |

| | |
|---------|---|
| IDP | Integrated Development Plan |
| MHSA | Mine Health and Safety Act, 1996 (Act No. 29 of 1996) |
| MP | Mining Permit |
| MPRDA | Minerals and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002) |
| NEMA | National Environmental Management Act, 1998 (Act No. 107 of 1998) |
| NEM:AQA | National Environmental Management: Air Quality Control Act, 2004 (Act No. 39 of 2004) |
| NEM:BA | National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004) |
| NEM:PAA | National Environmental Management: Protected Areas Amendment Act, 2014 (Act No. 21 of 2014) |
| NEM:WA | National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008) |
| NFA | National Forest Act, 1998 (Act No. 84 of 1998) |
| NFEPA | National Freshwater Ecosystem Priority Areas |
| NHRA | National Heritage Resources Act, 1999 (Act No. 25 of 1999) |
| NRTA | National Road Traffic Act, 1996 (Act No. 93 of 1996) |
| NWA | National Water Act, 1998 (Act No. 36 of 1998) |
| OHSA | Occupational Health and Safety Act, 1993 (Act No. 85 of 1993) |
| OHSAS | Occupational Health and Safety Management Systems |
| PCB's | Polychlorinated Biphenyl |
| PCO | Pest Control Officer |
| PES | Present Ecological State |
| PPE | Personal Protective Equipment |
| PIA | Palaeontological Impact Assessment |
| PSM | Palaeontological Sensitivity Map |
| S1 | Site Alternative 1 |
| S2 | Site Alternative 2 |
| SAHRA | South African Heritage Resources Agency |
| SAHRIS | South African Heritage Resources Information System |
| SAMBF | South African Mining and Biodiversity Forum |
| SANS | South African National Standards |
| SDS | Safety Data Sheet |
| SEF | Solar Energy Facility / Photovoltaic Facility |
| WEF | Wind Energy Facility |
| WMA | Water Management Area |
| WUL | Water Use Licence |
| WULA | Water Use Licence Application |

8. Chance Find Protocol

Monitoring Programme for Palaeontology – to commence once the excavations / drilling activities begin.

1. The following procedure is only required if fossils are seen on the surface and when drilling/excavations commence.
2. When excavations begin the rocks and discard must be given a cursory inspection by the environmental officer or designated person. Any fossiliferous material (trace fossils, fossils of plants, insects, bone or coalified material) should be put aside in a suitably protected place. This way the project activities will not be interrupted.

3. Photographs of similar fossils must be provided to the developer to assist in recognizing the fossil plants, vertebrates, invertebrates or trace fossils in the shales and mudstones (for example see Figure 10). This information will be built into the EMP's training and awareness plan and procedures.
4. Photographs of the putative fossils can be sent to the palaeontologist for a preliminary assessment.
5. If there is any possible fossil material found by the developer/environmental officer then the qualified palaeontologist sub-contracted for this project, should visit the site to inspect the selected material and check the dumps where feasible.
6. Fossil plants or vertebrates that are considered to be of good quality or scientific interest by the palaeontologist must be removed, catalogued and housed in a suitable institution where they can be made available for further study. Before the fossils are removed from the site a SAHRA permit must be obtained. Annual reports must be submitted to SAHRA as required by the relevant permits.
7. If no good fossil material is recovered then no site inspections by the palaeontologist will be necessary. A final report by the palaeontologist must be sent to SAHRA once the project has been completed and only if there are fossils.
8. If no fossils are found and the excavations have finished then no further monitoring is required.

9. Appendix A – Examples of fossils from the Pietermaritzburg and Vryheid Formations



Figure 10: Photographs of fossils plants from the Vryheid Formation.

10. Appendix B – Details of specialists

Prof Marion Bamford is a palaeobotanist with a PhD in Palaeontology from the University of the Witwatersrand. She conducts her own research in palaeontology from various sites in Africa, lectures to undergraduate students and supervises post-graduate students. She has been doing palaeontological impact assessments in her spare time for the last 26 years and has been doing fieldwork for more than 35 years.

Curriculum vitae (short) - Marion Bamford PhD January 2023

Present employment: Professor; Director of the Evolutionary Studies Institute.
Member Management Committee of the NRF/DSI Centre of Excellence Palaeosciences, University of the Witwatersrand, Johannesburg, South Africa

Telephone : +27 11 717 6690
Cell : 082 555 6937
E-mail : marion.bamford@wits.ac.za ;
marionbamford12@gmail.com

ii) Academic qualifications

Tertiary Education: All at the University of the Witwatersrand:

1980-1982: BSc, majors in Botany and Microbiology. Graduated April 1983.

1983: BSc Honours, Botany and Palaeobotany. Graduated April 1984.

1984-1986: MSc in Palaeobotany. Graduated with Distinction, November 1986.

1986-1989: PhD in Palaeobotany. Graduated in June 1990.

iii) Professional qualifications

Wood Anatomy Training (overseas as nothing was available in South Africa):

1994 - Service d'Anatomie des Bois, Musée Royal de l'Afrique Centrale, Tervuren, Belgium, by Roger Dechamps

1997 - Université Pierre et Marie Curie, Paris, France, by Dr Jean-Claude Koeniguer

1997 - Université Claude Bernard, Lyon, France by Prof Georges Barale, Dr Jean-Pierre Gros, and Dr Marc Philippe

iv) Membership of professional bodies/associations

Palaeontological Society of Southern Africa

Royal Society of Southern Africa - Fellow: 2006 onwards

Academy of Sciences of South Africa - Member: Oct 2014 onwards

International Association of Wood Anatomists - First enrolled: January 1991

International Organization of Palaeobotany – 1993+

Botanical Society of South Africa

South African Committee on Stratigraphy – Biostratigraphy - 1997 - 2016

SASQUA (South African Society for Quaternary Research) – 1997+
 PAGES - 2008 –onwards: South African representative
 ROCEEH / WAVE – 2008+
 INQUA – PALCOMM – 2011+onwards

v) Supervision of Higher Degrees

All at Wits University

| Degree | Graduated/completed | Current |
|----------------------|---------------------|---------|
| Honours | 13 | 0 |
| Masters | 13 | 3 |
| PhD | 13 | 7 |
| Postdoctoral fellows | 14 | 4 |

vi) Undergraduate teaching

Geology II – Palaeobotany GEOL2008 – average 65 students per year
 Biology III – Palaeobotany APES3029 – average 25 students per year
 Honours – Evolution of Terrestrial Ecosystems; African Plio-Pleistocene Palaeoecology;
 Micropalaeontology – average 12 - 20 students per year.

vii) Editing and reviewing

Editor: Palaeontologia africana: 2003 to 2013; 2014 – Assistant editor
 Guest Editor: Quaternary International: 2005 volume
 Member of Board of Review: Review of Palaeobotany and Palynology: 2010 –
 Associate Editor: Cretaceous Research: 2018-2020
 Associate Editor: Royal Society Open: 2021 -
 Review of manuscripts for ISI-listed journals: 30 local and international journals

viii) Palaeontological Impact Assessments

25 years' experience in PIA site and desktop projects

- Selected from recent projects only – list not complete:
- Skeerpoort Farm Mast 2020 for HCAC
- Vulindlela Eco village 2020 for 1World
- KwaZamakhule Township 2020 for Kudzala
- Sunset Copper 2020 for Digby Wells
- McCarthy-Salene 2020 for Prescali
- VLNR Lodge 2020 for HCAC
- Madadeni mixed use 2020 for Enviropro
- Frankfort-Windfield Eskom Powerline 2020 for 1World
- Beaufort West PV Facility 2021 for ACO Associates
- Copper Sunset MR 2021 for Digby Wells
- Sannaspos PV facility 2021 for CTS Heritage
- Smithfield-Rouxville-Zastron PL 2021 for TheroServe
- Glosam Mine 2022 for AHSA
- Wolf-Skilpad-Grassridge OHPL 2022 for Zutari
- Iziduli and Msenge WEFs 2022 for CTS Heritage
- Hendrina North and South WEFs & SEFs 2022 for Cabanga

- Dealesville-Springhaas SEFs 2022 for GIBB Environmental
- Vhuvhili and Mukondeleli SEFs 2022 for CSIR
- Chemwes & Stilfontein SEFs 2022 for CTS Heritage
- Equestria Exts housing 2022 for Beyond Heritage
- Zeerust Salene boreholes 2022 for Prescali
- Tsakane Sewer upgrade 2022 for Tsimba
- Transnet MPP inland and coastal 2022 for ENVASS
- Ruighoek PRA 2022 for SLR Consulting (Africa)
- Namli MRA Steinkopf 2022 for Beyond Heritage

ix) Research Output

Publications by M K Bamford up to January 2022 peer-reviewed journals or scholarly books: over 170 articles published; 5 submitted/in press; 14 book chapters. Scopus h-index = 31; Google Scholar h-index = 39; -i10-index = 116 based on 6568 citations.

Conferences: numerous presentations at local and international conferences.

APPENDIX D – SPECIALIST DECLARATION

| | | | |
|--------------------------------------|---|-------|--------------|
| Company Name | Marion Bamford Consulting | | |
| Specialist Name | Prof Marion Bamford | | |
| Specialist Qualifications | PhD Palaeontology (Wits, 1990) | | |
| Specialist Affiliations/Registration | FRSSAf, mASSAf, PSSA (Palaeontological Society of southern Africa), SASQUA, IOP, IAWA | | |
| Physical Address | 24A Eighth Avenue, Parktown North, 2193 | | |
| Postal Address | P O Box 652, WITS | | |
| Postal Code | 2050 | Cell: | 082 555 6937 |
| Telephone | 011 717 6690 | Fax: | -- |
| Email | Marion.bamford@wits.ac.za ; marionbamford12@gmail.com | | |

DECLARATION BY THE SPECIALIST

I, Marion Bamford, declare that –

- I act as the independent specialist in this Standard registration process;
- I have performed the work relating to the specialist assessment and/or route or substation location confirmation in an objective manner;
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting the specialist input and confirming statement relevant to this request for registration, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, and all other applicable legislation;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the proponent all material information in my possession that reasonably has or may have the potential of influencing compliance with the Standards registration process; and
- all the particulars furnished by me in this form are true and correct.

Signature of the Specialist:



Name of Company:

Marion Bamford Consulting

Date:

28 March 2023