# HERITAGE IMPACT ASSESSMENT

In terms of Section 38(8) of the NHRA for the

# PROPOSED BONSMARA SOLAR PHOTOVOLTAIC (PV) RENEWABLE ENERGY FACILITY NEAR KROONSTAD, FREE STATE PROVINCE

Prepared by CTS Heritage



For SiVEST

February 2023

SAHRIS Case No: 15709



# EXECUTIVE SUMMARY

1. Site Name:

Bonsmara PV Facility

2. Location:

Remainder and Portion 1 of Farm Scheveningen 636

# 3. Locality Plan:




Figure 1: Location of the proposed development area

4. Description of Proposed Development:

Bonsmara Solar PV (RF) (Pty) Ltd is proposing the construction of the 100MW Bonsmara Solar PV Facility, BESS and associated infrastructure on a site approximately 12km south-east from the town of Kroonstad, in the Free State Province. The facility will be located on Portion 0 of Farm 636 and Portion 1 of Farm 636 located in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality. The facility will compromise of several arrays



of PV panels and associated infrastructure that includes BESS and will have a contracted capacity of 100MW. The Solar PV facility will connect to the grid via a 2km 132kv powerline from the on-site substation to the Kroonstad Switching Station.

5. Heritage Resources Identified:

### Table A: Sites identified during the assessment

Site No.	Description	Density	Co-ord	linates	Grading	Mitigation
KS1	Historical stone structures	NA	-27.76014296337	27.3097089584	IIIC	NA
KS2	Isolated Middle Stone Age core	~1-2/m2	-27.7530999854	27.31901396065	IIIC	NA
KS3	Middle Pleistocene scatter with MSA and ESA artefacts	~3-6/m2	-27.7530060242	27.3192510008	IIIC	50m Buffer
KS4	Middle Pleistocene scatter with MSA blade production and bifacial tools	~3-6/m2	-27.75347499176	27.3203409835	IIIC	50m Buffer
KS5	Isolated Middle Stone Age core	~3-6/m2	-27.76228697039	27.32221199199	IIIC	NA
KS6	Dense ESA scatter. Very extensive with clear sub-surface deposit	~4-8/m2	-27.76886701583	27.3229549638	IIIB	100m Buffer
KS7	ESA MSA site with partially submerged artefacts. Very extensive with clear sub-surface deposit	~3-6/m2	-27.76768399402	27.3294500168	IIIB	100m Buffer
KS8	ESA site with large flake blanks. Very extensive with clear sub-surface deposit.	~3-6/m2	-27.76499197818	27.3222829867	IIIB	100m Buffer

6. Anticipated Impacts on Heritage Resources:

The survey proceeded with two minor constraints and limitations, yet the project area was comprehensively surveyed for heritage resources, and only two archaeological heritage resources of significance were identified as being impacted in the layout provided - KS3 and KS4. These sites have been graded IIIC for their contextual scientific value and it is recommended that these sites are not impacted by the proposed development through the implementation of a 50m buffer around these sites.

Further, highly significant Early Stone Age open sites were identified within the property but are not impacted directly in the layout provided - KS6, KS7 and KS8. These sites are graded IIIB for their greater scientific value associated with their sub-surface and, likely *in-situ*, deposit. It is recommended that none of these sites be impacted by the development through the implementation of a 100m no-development buffer around these sites.



Furthermore, areas of higher archaeological sensitivity have been identified around the koppies and the pan located within the broader development area. It is recommended that no development takes place within this identified area. The present layout assessed in this report does not impact on this archaeologically sensitive area. No mitigation recommendations are made for KS1 and KS5.

Should significant archaeological materials – such as well-preserved subsurface artefacts or fossils – be exposed during construction, the on-duty Environmental Control Officer should protect these (preferably in primary exposed context), and should immediately consult a professional archaeologist. In this circumstance, the South African Heritage Resources Authority should be immediately alerted so that appropriate mitigation measures by a professional archaeologist can be implemented, at the expense of the developer. In such a scenario, mitigation measures would normally involve the application for an excavation permit and the digital documentation of the occurrences with modern archaeological recording standards, as well as the collection of a reflective sample of material to be deposited in a local approved curation facility.

No impacts to palaeontological resources are anticipated, however it is recommended that, due to the high palaeontological sensitivity of the development area, the attached Chance Fossil Finds procedure is implemented for the duration of construction activities.

# 7. Recommendations:

Based on the outcomes of this report, it is not anticipated that the proposed development of the solar energy facility and its associated grid connection infrastructure will negatively impact on significant heritage resources on condition that:

- A no development buffer of 50m is implemented around sites KS3 and KS4
- A no development buffer of 100m is implemented around sites KS6, KS7 and KS8
- The area identified as having higher levels of archaeological sensitivity in Figure 5 must not be impacted by any development activities.
- The attached Chance Fossil Finds procedure must be implemented for the duration of construction activities
- Although all possible care has been taken to identify sites of cultural importance during the investigation of the study area, it is always possible that hidden or subsurface sites could be overlooked during the assessment. If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils, burials or other categories of heritage resources are found during the proposed development, work must cease in the vicinity of the find and SAHRA must be alerted immediately to determine an appropriate way forward.



8. Author/s and Date: Jenna Lavin February 2023



# Details of Specialist who prepared the HIA

Jenna Lavin, an archaeologist with an MSc in Archaeology and Palaeoenvironments, and currently completing an MPhil in Conservation Management , heads up the heritage division of the organisation, and has a wealth of experience in the heritage management sector. Jenna's previous position as the Assistant Director for Policy, Research and Planning at Heritage Western Cape has provided her with an in-depth understanding of national and international heritage legislation. Her 8 years of experience at various heritage authorities in South Africa means that she has dealt extensively with permitting, policy formulation, compliance and heritage management at national and provincial level and has also been heavily involved in rolling out training on SAHRIS to the Provincial Heritage Resources Authorities and local authorities.

Jenna is a member of the Association of Professional Heritage Practitioners (APHP), and is also an active member of the International Committee on Monuments and Sites (ICOMOS) as well as the International Committee on Archaeological Heritage Management (ICAHM). In addition, Jenna has been a member of the Association of Southern African Professional Archaeologists (ASAPA) since 2009. Recently, Jenna has been responsible for conducting training in how to write Wikipedia articles for the Africa Centre's WikiAfrica project.

Since 2016, Jenna has drafted over 200 Heritage Impact Assessments throughout South Africa.



# CONTENTS

1. INTRODUCTION	8
1.1 Background Information on Project	8
1.2 Description of Property and Affected Environment	8
2. METHODOLOGY	13
2.1 Purpose of HIA	13
2.2 Summary of steps followed	13
2.3 Assumptions and uncertainties	13
2.4 Constraints & Limitations	14
2.5 SiVEST Impact Assessment Methodology	15
2.5.1 Determination of Significance of Impacts	15
2.5.2 Impact Rating System	15
3. HISTORY AND EVOLUTION OF THE SITE AND CONTEXT	19
3.1 Desktop Assessment	19
4. IDENTIFICATION OF HERITAGE RESOURCES	27
4.1 Summary of findings of Specialist Reports	27
4.2 Heritage Resources identified	30
4.3 Mapping and spatialisation of heritage resources	31
5. ASSESSMENT OF THE IMPACT OF THE DEVELOPMENT	32
5.1 Assessment of impact to Heritage Resources (See Table 5)	32
5.2 Sustainable Social and Economic Benefit	33
5.3 Proposed development alternatives	33
5.4 Site Verification Statement	33
5.5 Cumulative Impacts	34
6. RESULTS OF PUBLIC CONSULTATION	34
7. LEGISLATIVE AND PERMIT REQUIREMENTS	34
8. ENVIRONMENTAL MANAGEMENT PROGRAMME INPUTS (See Table 7)	35
9. FINAL SPECIALIST STATEMENT AND AUTHORISATION RECOMMENDATION	36
9.1 Statement and Reasoned Opinion	36
9.2 EA Condition Recommendations	36



### APPENDICES

- 1 Archaeological Impact Assessment 2022
- 2 Palaeontological Impact Assessment 2022
- 3 Visual Impact Assessment and Visual Statement
- 4 Heritage Screening Assessment



# 1. INTRODUCTION

# 1.1 Background Information on Project

Bonsmara Solar PV (RF) (Pty) Ltd has appointed SiVEST Environmental (hereafter referred to as "SiVEST") to undertake the required EIA / BA Processes for the proposed construction of the Bonsmara Solar PV Energy Facility (SEF) and associated grid connection infrastructure near Kroonstad in the Free State Province. The distinct EA's that are required for the Projects are as follows:

- Bonsmara SEF (up to 100MW)
- Bonsmara Grid Connection Infrastructure (up to 132kV)

The overall objective of the development is to generate electricity by means of renewable energy technology capturing energy to feed into the National Grid.

Bonsmara Solar PV (RF) (Pty) Ltd is proposing the construction of the 100MW Bonsmara Solar PV Facility, BESS and associated infrastructure on a site approximately 12km south-east from the town of Kroonstad, in the Free State Province. The facility will be located on Portion 0 of Farm 636 and Portion 1 of Farm 636 located in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality. The facility will compromise of several arrays of PV panels and associated infrastructure that includes BESS and will have a contracted capacity of 100MW. The Solar PV facility will connect to the grid via a 2km 132kv powerline from the on-site substation to the Kroonstad Switching Station.

# 1.2 Description of Property and Affected Environment

The footprint of the proposed development for the Bonsmara PV facility and associated grid infrastructure is located across three private agricultural camps, approximately 12 km southeast of the town of Kroonstad, in the Grassland Biome of the summer rainfall region of the Free State Province, South Africa.

Where retained and unaffected by agriculture, the natural vegetation comprises relatively dense grassland interspersed with shrubs that are typical of the Free State Grassland summer rainfall Biome. Both local and exotic wildlife are more abundant in the south eastern portion of the footprint which is used currently for hunting safaris, with evidence of both large and smaller antelope, suids, alcelaphines including various wildebeest species, indigenous and exotic fowl including francolin, spurfowl, guineafowl and ostrich, as well as some traces of burrowing rodents (hares and meerkats).

The north western portion of the footprint has camps that have been used historically for agricultural purposes. In some areas where cattle have aggregated for watering and feeding, the landscape is more heavily modified (trampled) which has impacted the archaeological potential of these areas substantially. As a result of such disturbance, in these localities little of the original natural landscape - in terms of vegetation, geology and



probably also archaeology - is visible today.

The potentially affected footprint has a relatively high frequency of active non-perennial drainages both within it and immediately to the north of the footprint. These drainages are associated with deposits of riverine quartzite cobbles (evident from the rock cortex), and other secondary deposits of sedimentary rocks that derive from the parent formations of the goldfields region. In addition to the primary outcrops on the koppies in the south east, these cobbles would also have been sources of raw-material for Stone Age occupants of the area. Other rock types evident within the footprint include quartz and indurated shales (Hornfels), which are artefact manufacturing quality in terms of homogeneity and lithic fracture properties.

The historical use of the north western portion of the footprint for agricultural purposes, and recently abandoned structures in one area (KS1), raise the potential for graves and isolated burials. Due to unusual recent Free State winter rainfall in September, grass coverage was a relevant constraint to documenting graves where the above surface material indicators may be partially or completely obstructed. Grass cover made potential grave locations challenging to exhaustively assess in areas where above surface material indicators may have been removed through crop related activities, through trampling related to stock farming or through natural processes such as seasonal flooding.






Figure 1.1: Satellite image indicating proposed location of development

Cedar Tower Services (Pty) Ltd t/a CTS Heritage Bon Espirance, 238 Queens Road, Simons Town Email info@ctsheritage.com Web <u>http://www.ctsheritage.com</u>






Figure 1.2: Proposed project boundary






Figure 1.3: Proposed project boundary on the extract from the 1:50 000 Topo Map



# 2. METHODOLOGY

# 2.1 Purpose of HIA

The purpose of this Heritage Impact Assessment (HIA) is to satisfy the requirements of section 38(8), and therefore section 38(3) of the National Heritage Resources Act (Act 25 of 1999).

# 2.2 Summary of steps followed

- A Desktop Study was conducted of relevant reports previously written (please see the reference list for the age and nature of the reports used)
- Two archaeologists conducted an assessment of archaeological resources likely to be disturbed by the proposed development. The archaeologist conducted his site visit from 3 to 4 October 2022.
- A palaeontologist conducted an assessment of palaeontological resources likely to be disturbed by the proposed development. The palaeontologist conducted her site visit on 1 October 2022.
- A VIA specialist drafted a Visual Statement which was integrated into this HIA
- The identified resources were assessed to evaluate their heritage significance
- Alternatives and mitigation options were discussed with the Environmental Assessment Practitioner

# 2.3 Assumptions and uncertainties

- The *significance* of the sites and artefacts is determined by means of their historical, social, aesthetic, technological and scientific value in relation to their uniqueness, condition of preservation and research potential. It must be kept in mind that the various aspects are not mutually exclusive, and that the evaluation of any site is done with reference to any number of these.
- It should be noted that archaeological and palaeontological deposits often occur below ground level. Should artefacts or skeletal material be revealed at the site during construction, such activities should be halted, and it would be required that the heritage consultants are notified for an investigation and evaluation of the find(s) to take place.
- The focal point of geological maps is the geology of the area and the sheet explanations of the Geological Maps were not meant to focus on palaeontological heritage. Many inaccessible regions of South Africa have never been reviewed by palaeontologists and data is generally based on aerial photographs alone. Locality and geological information of museums and universities databases have not been kept up to date or data collected in the past have not always been accurately documented.
- Comparable Assemblage Zones in other areas is also used to provide information on the existence of fossils in an area which has not documented in the past. When using similar Assemblage Zones and



geological formations for Desktop studies it is generally assumed that exposed fossil heritage is present within the footprint. A field-assessment will thus improve the accuracy of the desktop assessment.

However, despite this, sufficient time and expertise was allocated to provide an accurate assessment of the heritage sensitivity of the area.

# 2.4 Constraints & Limitations

- (1) Grasses and occasional shrubs that have flourished recently due to September (2022) rainfall, cover portions of the project area. This coverage inhibited the visibility of surface archaeology, although this is not regarded as a major problem in relation to the Stone Age archaeological remains, which in most cases look to have been reflectively documented.
- (2) The northernmost portion of the footprint area was challenging to comprehensively assess at ground surface level (due to relatively denser modern vegetation cover). This should be regarded as a constraint to the documentation of potential graves.
- (3) Large male ostriches were roaming freely in the northernmost portion of the footprint which made some localities challenging to access for safety reasons. Herds of *Alcelaphines* were present in the south east which also made foot access in some places challenging.
- (4) The upper sediments are disturbed in portions of the potentially affected area that have been used as localities for feeding and watering stock, and potentially also as enclosures for animals, inhibiting visibility (pertains primarily to the western most property).
- (5) In the south eastern portion of the affected area, access was not possible where people are actively living in dwelling structures today; however, any archaeology occurring in these areas apart from graves would probably be *ex situ* and of limited scientific importance.

(6) Access to the Power line was not allowed. But as the whole of the development is not deemed highly fossiliferous it is assumed that it is also the case in the power line footprint.



# 2.5 SiVEST Impact Assessment Methodology

The Environmental Impact Assessment (EIA) Methodology assists in evaluating the overall effect of a proposed activity on the environment. Determining the significance of an environmental impact on an environmental parameter is determined through a systematic analysis.

# 2.5.1 Determination of Significance of Impacts

Significance is determined through a synthesis of impact characteristics which include context and intensity of an impact. Context refers to the geographical scale (i.e. site, local, national or global), whereas intensity is defined by the severity of the impact e.g. the magnitude of deviation from background conditions, the size of the area affected, the duration of the impact and the overall probability of occurrence. Significance is calculated as shown in **Table 1**.

Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The total number of points scored for each impact indicates the level of significance of the impact.

# 2.5.2 Impact Rating System

The impact assessment must take account of the nature, scale and duration of effects on the environment and whether such effects are positive (beneficial) or negative (detrimental). Each issue / impact is also assessed according to the various project stages, as follows:

- Planning;
- Construction;
- Operation; and
- Decommissioning.

Where necessary, the proposal for mitigation or optimisation of an impact should be detailed. A brief discussion of the impact and the rationale behind the assessment of its significance has also been included.

# Rating System Used to Classify Impacts

The rating system is applied to the potential impact on the receiving environment and includes an objective evaluation of the possible mitigation of the impact. Impacts have been consolidated into one (1) rating. In assessing the significance of each issue the following criteria (including an allocated point system) is used:



#### Table 1: Rating of impacts criteria

#### ENVIRONMENTAL PARAMETER

A brief description of the environmental aspect likely to be affected by the proposed activity.

#### ISSUE / IMPACT / ENVIRONMENTAL EFFECT / NATURE

Include a brief description of the impact of environmental parameter being assessed in the context of the project. This criterion includes a brief written statement of the environmental aspect being impacted upon by a particular action or activity (e.g. oil spill in surface water).

#### EXTENT (E)

This is defined as the area over which the impact will be expressed. Typically, the severity and significance of an impact have different scales and as such bracketing ranges are often required. This is often useful during the detailed assessment of a project in terms of further defining the determined

1	Site	The impact will only affect the site									
2	Local/district	Will affect the local area or district									
3	Province/region	Will affect the entire province or region									
4	International and National	Will affect the entire country									
PROBABILITY (P)											
This describes the chance of occurrence of an impact											
1	1 Unlikely The chance of the impact occurring is extremely low (Less than a 25% chance of occurrence										
2	Possible	The impact may occur (Between a 25% to 50% chance of occurrence).									
3	Probable	The impact will likely occur (Between a 50% to 75% chance of occurrence)									
4	4 Definite Impact will certainly occur (Greater than a 75% chance of occurre										
	REVERSIBILITY (R)										
This c	lescribes the degree to which an i	impact on an environmental parameter can be successfully reversed upon completion of the proposed activity.									
1	Completely reversible	The impact is reversible with implementation of minor mitigation measures									
2	Partly reversible	The impact is partly reversible but more intense mitigation measures are required.									
3	Barely reversible	The impact is unlikely to be reversed even with intense mitigation measures.									
4	Irreversible	The impact is irreversible and no mitigation measures exist.									
		IRREPLACEABLE LOSS OF RESOURCES (L)									
	This describes the degree	e to which resources will be irreplaceably lost as a result of a proposed activity.									
1	No loss of resource.	The impact will not result in the loss of any resources.									
2	Marginal loss of resource	The impact will result in marginal loss of resources.									
3	Significant loss of resources	The impact will result in significant loss of resources.									



4	Complete loss of resources	The impact is result in a complete loss of all resources.								
		DURATION (D)								
This desc	cribes the duration of the impacts	s on the environmental parameter. Duration indicates the lifetime of the impact as a result of the proposed activity								
1	Short term	The impact and its effects will either disappear with mitigation or will be mitigated through natural process in a span shorter than the construction phase (0 – 1 years), or the impact and its effects will last for the period of a relatively short construction period and a limited recovery time after construction, thereafter it will be entirely negated (0 – 2 years).								
2	Medium term	The impact and its effects will continue or last for some time after the construction phase but will be mitigated by direct human action or by natural processes thereafter (2 – 10 years).								
3	Long term	The impact and its effects will continue or last for the entire operational life of the development, but will be mitigated by direct human action or by natural processes thereafter (10 – 50 years).								
4	Permanent	The only class of impact that will be non-transitory. Mitigation either by man or natural process will not occur in such a way or such a time span that the impact can be considered transient (Indefinite).								
		INTENSITY / MAGNITUDE (I / M)								
Describe	es the severity of an impact (i.e. w	hether the impact has the ability to alter the functionality or quality of a system permanently or temporarily).								
1	Low	Impact affects the quality, use and integrity of the system/component in a way that is barely perceptible.								
2	Medium	Impact alters the quality, use and integrity of the system/component but system/ component still continues to function in a moderately modified way and maintains general integrity (some impact on integrity).								
3	High	Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component is severely impaired and may temporarily cease. High costs of rehabilitation and remediation.								
4	Very high	Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component permanently ceases and is irreversibly impaired (system collapse). Rehabilitation and remediation often impossible. If possible rehabilitation and remediation often unfeasible due to extremely high costs of rehabilitation and remediation.								
		SIGNIFICANCE (S)								
	both physical extent and time sc impact on the environmental p	thesis of impact characteristics. Significance is an indication of the importance of the impact in ale, and therefore indicates the level of mitigation required. This describes the significance of the arameter. The calculation of the significance of an impact uses the following formula: probability + reversibility + irreplaceability + duration) x magnitude/intensity.								
The summation of the different criteria will produce a non-weighted value. By multiplying this value with the magnitude/intensity, the resultant value acquires a weighted characteristic which can be measured and assigned a significance rating.										
Points	Impact Significance Rating	Description								
5 to 23	Negative Low impact	The anticipated impact will have negligible negative effects and will require little to no mitigation.								
5 to 23	Positive Low impact The anticipated impact will have minor positive effects.									



24 to 42	Negative Medium impact	The anticipated impact will have moderate negative effects and will require moderate mitigation measures.
24 to 42	Positive Medium impact	The anticipated impact will have moderate positive effects.
43 to 61	Negative High impact	The anticipated impact will have significant effects and will require significant mitigation measures to achieve an acceptable level of impact.
43 to 61	Positive High impact	The anticipated impact will have significant positive effects.
62 to 80	Negative Very high impact	The anticipated impact will have highly significant effects and are unlikely to be able to be mitigated adequately. These impacts could be considered "fatal flaws".
62 to 80	Positive Very high impact	The anticipated impact will have highly significant positive effects.



# 3. HISTORY AND EVOLUTION OF THE SITE AND CONTEXT

# 3.1 Desktop Assessment

# Background:

This application is for the proposed development of a PV facility and associated grid infrastructure located approximately southeast of Kroonstad along the R76 in the Free State Province. Kroonstad was established as a town in 1855. During the Second Boer War, from 13 March to 11 May 1900, the city became the capital of the Orange Free State, and subsequently the site of a British concentration camp to contain Boer women and children. Kroonstad still boasts much of the inherent rugged beauty which led the Voortrekkers to establish the town where they did and it is situated in an area characterised by open spaces and an abundant variety of vegetation that makes it particularly beautiful. According to Van Schalkwyk (2013), "Most farmsteads were burned down during the Anglo-Boer War, with the result that very little of the built environment dates to the 19th century." According to Matenga (2019), the Black and Coloured townships are significant as landscapes of segregation occupying the north-western fringe of the CBD, while the exclusive white suburbs were located northeast of the town and south of the Valsch River.


According to Van Schalkwyk (2013), "The cultural landscape qualities of the region essentially consist of a rural setup. In this the human occupation is made up of a pre-colonial element consisting of limited Stone Age and Iron Age occupation, as well as a much later colonial (farmer) component. This was soon followed by the development of a number of urban centres or towns. Originally these mostly served the surrounding farming communities, but with the discovery of the Free State Gold Fields, they expanded rapidly in order to serve this industry as well." The proposed Solar Energy Facility and its associated grid connections are located some distance from the historic core of Kroonstad town. Furthermore, the areas proposed for development are located more than 10km away from the site of the Boer War concentration camps and associated burial grounds.

# Archaeology

Prior to colonial settlement in 1855, the area proposed for development formed part of a landscape that was occupied by indigenous Khoe herders and San hunter-gatherers. These indigenous communities were displaced by Bantu-speaking people who began to occupy the area in the Iron Age. According to Van Schalkwyk (2013), "Sites dating to the Late Iron Age are known to occur in the region, especially... in the vicinity of the Sandrivier, whereas some are known to occur to the northwest of Ventersburg, These are typical stone walled sites that are linked with Sothospeakers and date to the period after 1600." As such, it is possible that Early, Middle or Later Stone Age artefacts may be located within the proposed development footprint. Furthermore, it is possible that evidence of Iron Age settlement may also be located within the proposed development areas. Recent archaeological field assessment conducted for the Vrede and Rondawel PV Facilities located approximately 10km from the proposed development area identified some cultural remains but with varied value and preservation.




The isolated and scattered lithic artefacts identified are typical of a deflated landscape and have very limited cultural value given that they have been accumulated and modified by various natural processes to their current *ex situ* state. The stone piles found in the south west of the property are more noteworthy (Grade IIIA) and require sensitive treatment. It is likely that similar heritage resources may be present within this development area. As such, it is recommended that an archaeological assessment of the areas proposed for development is completed and anticipated impacts to such resources assessed.



Map 2.1: Spatialisation of heritage assessments conducted in proximity to the proposed development





Map 2.2: Spatialisation of heritage resources known in proximity to the proposed development (see Appendices for insets)






Figure 2.3. Heritage Resources Map. Potential heritage resources identified from the 1:50 000 Topo Map



### Palaeontology

According to the SAHRIS Palaeosensitivity Map (Figure 3.1), the areas proposed for development are underlain by sediments of moderate to very high palaeontological sensitivity. According to the Council of GeoScience 2726 Kroonstad Map (Figure 3.2), the development area is underlain by sediments of the Karoo Supergroup including the Adelaide Subgroup (Pa) which have very high palaeontological sensitivity. This formation forms part of the Dicynodon and Lystrosaurus assemblage zones and is known to include fossils of fish, amphibians, reptiles, therapsids and vertebrate burrows. Diverse terrestrial and freshwater tetrapods of *Pristerognathus* to *Dicynodon* Assemblage Zones (amphibians, true reptiles, synapsids – especially therapsids) have been found in this formation, as well as, palaeoniscoid fish, freshwater bivalves, trace fossils (including tetrapod trackways), sparse to rich assemblages of vascular plants (*Glossopteris* Flora, including spectacular petrified logs) and insects. Based on the known palaeontological sensitivities of the Adelaide Subgroup, it is recommended that a palaeontological assessment of the areas proposed for development is completed and anticipated impacts to such resources assessed.

### Geology (Appendix 2)

The district is known for the presence of fluvial deposits along the present river courses that are terrestrial sediments and includes diatomite (diatom deposits), calcareous tufa, pedocretes, peats, spring deposits, soils and gravel and other Tertiary calcrete deposits, that is very important for understanding the Early and Late Pliocene period in this region (De Ruiter et al, 2010). The late Cenozoic (Plio-Pleistocene) floodplain deposits (overbank sediments) found near the Sand, Doring-, Vals- and Vet River systems including pan sites, contain confined but abundant mammal vertebrate fossil sites. In 1955, Meiring, described an *in situ* proboscidian fossil (mammoth), comprising of a lower molar, large part of a tusk as well as a proximal portion of an ulna from the Sand River near Virginia. This specimen was found in pebbly channel-fill sediments about 40m above the current riverbed. Originally described as *Archidiskodon scotti* (Meiring 1955) this specimen was later assigned to the Pliocene species *Mammuthus subplanifrons* (Coppens et al. 1978). Later investigations uncovered diverse fauna that include amphibians, birds, fish, reptiles, as well as several proboscideans, perissodactyls and artiodactyls from the same site (De Ruiter 2010).

Terrace gravels above the Vet River, southwest of Welkom have uncovered Pliocene fossils while surveys along the Doring, Vals, Sand and Vet Rivers produced moderately fossiliferous overbank sediments and erosional gullies that comprise of a variety of Quaternary-aged mammals (Brink et al. 1999; De Ruiter et al. 2011) Ancient pan sites, for example near Whites, produced rich Quaternary-aged mammal fossil remains. Quaternary fossils are usually very rare but may also include mammalian teeth and bone, ostrich eggshells, tortoise remains, ostracods, diatoms, and reptilian skeletons, trace fossils include burrows, vertebrate tracks, rhizoliths as well as calcretised



termitaria (termite heaps). Plant remains include foliage, pear, wood, pollens. Microfossils and vertebrate remains are often found in Quaternary deposits near water courses and drainage lines.


The superficial deposits (represented by yellow on the geological maps, Qs, /Qc, /Qd) are the youngest geological deposits formed during the most recent geological period (approximately 2.6 million years ago to present). Most of the superficial deposits are unconsolidated sediments and consist of clay, gravel, sand, silt, that form relatively thin, discontinuous patches of sediments or larger spreads onshore. These sediments comprise of channel, floodplain and stream deposits, talus gravels and glacial drift sediments. Quaternary deposits are very important because palaeoclimatic changes are reflected in the different geological formations (Hunter et al., 2006). During the climate fluctuations in the Quaternary Era most geomorphologic features in southern Africa where formed (Maud, 2012). Barnosky (2005) indicated that various warming and cooling events occurred in the Quaternary but states that climatic changes during the Quaternary, specifically the last 1.8 Ma, were the most drastic climate changes relative to all climate variations in the past. Climate variations that occurred in the Quaternary were both drier and wetter than the present and resulted in changes in river flow patterns, sedimentation processes and vegetation variation (Tooth et al., 2004).

The Ventersdorp Supergroup in the development footprint is represented by the Klipriviersberg Group. This Supergroup comprise of the biggest and most wide-spread system of volcanic rocks in the Kaapvaal Craton. This Supergroup unconformably overlies the Witwatersrand Supergroup and is also unconformably overlain by the Transvaal Supergroup. The elliptical basin is approximately 300 000km<sup>2</sup> in extent. The type-area is located between Klerksdorp (North West), and Welkom and Bothaville (Free State). This Supergroup mantles most of the distribution area of the Witwatersrand Supergroup as well as the Dominion Group.

The best exposures of the Ventersdorp Supergroup are in the North West Province as well as in the Northern Cape Province, Gauteng, and southern Botswana. This Supergroup is divided in the Klipriviersberg Group (oldest) which is overlain by the Platberg Group followed by the sedimentary Bothaville Formation and the volcanic Allanridge Formation (uppermost Ventersdorp unit, youngest Formation). Stromatolites may be present in the Klipriviersberg Group as in the rest of the Ventersdorp Supergroup.


The proposed development is underlain by Quaternary alluvium (yellow single bird figure), the Adelaide Subgroup (Pa, green) of the Beaufort Group (Karoo Supergroup) as well as the Klipriviersberg Group of the Ventersdorp Supergroup.





Map 3.1: Palaeontological sensitivity of the proposed development area





Map 3.2 Geology Map. Extract from the CGS 2726 Kroonstad Geology Map indicating that the development area is underlain by sediments of the Adelaide Subgroup of the Beaufort Group (Pa), Klipriviersberg (Rk) and Quaternary Sands



# 4. IDENTIFICATION OF HERITAGE RESOURCES

# 4.1 Summary of findings of Specialist Reports

# Cultural Landscape and VIA Summary

According to the VIA completed for this project, "the basis for the visual character is provided by the topography, vegetation and land use of the area, which is a predominantly rural environment characterised by the undulating, vegetated landscape, albeit with pockets of settlements and regional and national roads routed through the surrounding area. The rolling expanse of vegetated landscape surrounding the site evokes a rural, undeveloped environment. The project area can therefore be defined as a modified rural landscape as it is mostly rural but settlements, powerlines and roads and railway are visible in the landscape

The visual quality of the area can be experienced through rolling views of the gentle hills in the landscape, especially from and across the site. The study area is defined by the fabric of the agricultural grazing activity taking place in the area. The naturally undulating landscape is intermittently interrupted by powerlines and railway lines which detract from the visual quality of the surrounding area. The streams, rivers and dams in the area add to the somewhat unspectacular visual quality.

The region has scenic value in terms of its undulating natural landscape and the views over large portions of agricultural land. The natural landscape and rustic character contrast with the anthropogenic influence in the region, viz. urban development, albeit, some 12 km away. The sense of place of the surrounding area is strongly influenced by the surrounding land use, which can generally be described as a rural agricultural area."

# Archaeology

The survey was conducted on foot and by vehicle, and sought to assess the presence and significance of archaeological occurrences within the project area. Field assessment documented a number of stone artefact scatters in both primary and secondary contexts, located at lithic raw-material sources, in eroded river terraces and dongas, and in deflated open landscape settings. These sites suggest the area may have been traversed by Stone Age groups potentially through Pleistocene periods in both the Middle Stone Age (MSA – ~300ka:~40ka) and the later Early Stone Age (later ESA: <1ma-250ka). Holocene archaeology was largely not documented. The presence of substantial unworked artefact-quality raw-materials in the project area as well as relatively abundant standing water (including sedimentary evidence for active drainages in the past) were the resources that likely attracted groups there, and resulted in them leaving behavioural traces in the form of stone artefacts.

In addition to the abundant lithic raw-materials available, there is also sedimentary evidence for past seasonal and permanent water within the footprint of the proposed Bonsmara PV facility. The broader Free state region is well-known archaeologically for its quaternary river terraces, springs and seasonal lake pans that are



occasionally associated with Pleistocene archaeology. Fresh water was the main attractor for hominins and fauna to these areas and, when eroded through natural or anthropogenic processes, remains of ancient drainages occasionally yield material remains pertaining to human-environment interactions in the past. As mentioned above, the footprint in question is no exception, and has abundant evidence for water and past lithic raw-material exploitation.


Field assessment of the footprint for the proposed development for the Bonsmara PV facility and associated grid infrastructure documented several stone artefact scatters in secondary contexts and also potential for archaeological material in primary - or close to primary - context that needs to be avoided (KS6, KS7 and KS8). The koppies surrounding the modern pan in the south eastern portion of the area should, in general, be completely avoided (Fig. 4.6). This should not be an issue as the plans for development do not appear to encroach on the most sensitive (active) pan and koppies. The stone artefacts at KS2, KS3, KS4 and KS5 are *ex-situ* and occur in deflated contexts, whereas the denser ESA and MSA occupations of the koppies and associated pan margins (KS6, KS7 and KS8) need to be avoided.

### Palaeontology

The proposed Bonsmara Solar PV Facility The proposed development is underlain by Quaternary alluvium, the Adelaide Subgroup of the Beaufort Group (Karoo Supergroup) as well as the Klipriviersberg Group of the Ventersdorp Supergroup. According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS) the Palaeontological Sensitivity of Quaternary sediments is Moderate, that of the Adelaide Subgroup is Very High while that of the Klipriviersberg Group is Low (blue) (Almond and Pether, 2009; Almond *et al.*, 2013). Updated Geology (Council of Geosciences) indicates that the proposed development is mainly underlain by alluvium, colluvium, eluvium, gravel; the Balfour Formation of the Adelaide Subgroup and the Klipriviersberg Group of the Ventersdorp Supergroup.

A site-specific field survey of the development footprint was conducted on foot and by motor vehicle on 1 October 2022. No fossiliferous outcrop was detected in the proposed development area. However, loose, fragmented and weathered tree fossils and well-preserved trace fossils were detected. The latter was probably brought in from nearby areas and placed near the homestead (now in ruins). However, the apparent rarity of well-preserved fossil heritage in the proposed development footprint suggests that the impact of the development will be of a Low significance in palaeontological terms. It is therefore considered that the proposed development will not lead to damaging impacts on the palaeontological resources of the area. The construction of the development may thus be permitted in its whole extent, as the development footprint is not considered sensitive in terms of palaeontological resources.





Map 4.1: Map of heritage resources identified during the archaeological and palaeontological field assessments relative to the proposed development footprint (see appendices for

#### detailed mapping)

Cedar Tower Services (Pty) Ltd t/a CTS Heritage Bon Espirance, 238 Queens Road, Simons Town Email info@ctsheritage.com Web <u>http://www.ctsheritage.com</u>



# 4.2 Heritage Resources identified

# Cultural Landscape and VIA

No elements of high cultural landscape value have been identified within close proximity to the area proposed for development. While dominated by agricultural activities, the naturally undulating landscape is intermittently interrupted by powerlines and railway lines which detract from the visual quality of the surrounding area.

# Archaeology

#### Table 2: Heritage resources known to be located within the development area


Site No.	Description	Density	Co-ord	linates	Grading	Mitigation
KS1	Historical stone structures	NA	-27.76014296337	27.3097089584	IIIC	NA
KS2	Isolated Middle Stone Age core	~1-2/m2	-27.7530999854	27.31901396065	IIIC	NA
KS3	Middle Pleistocene scatter with MSA and ESA artefacts	~3-6/m2	-27.7530060242	27.3192510008	IIIC	50m Buffer
KS4	Middle Pleistocene scatter with MSA blade production and bifacial tools	~3-6/m2	-27.75347499176	27.3203409835	IIIC	50m Buffer
KS5	Isolated Middle Stone Age core	~3-6/m2	-27.76228697039	27.32221199199	IIIC	NA
KS6	Dense ESA scatter. Very extensive with clear sub-surface deposit	~4-8/m2	-27.76886701583	27.3229549638	IIIB	100m Buffer
KS7	ESA MSA site with partially submerged artefacts. Very extensive with clear sub-surface deposit	~3-6/m2	-27.76768399402	27.3294500168	IIIB	100m Buffer
KS8	ESA site with large flake blanks. Very extensive with clear sub-surface deposit.	~3-6/m2	-27.76499197818	27.3222829867	IIIB	100m Buffer

# Palaeontology

No significant fossils were identified during the field analysis. This is mostly due to the soil cover and lack of outcrop in the area.



4.3 Mapping and spatialisation of heritage resources



Map 5: All known heritage resources located within the proposed development



# 5. ASSESSMENT OF THE IMPACT OF THE DEVELOPMENT

# 5.1 Assessment of impact to Heritage Resources (See Table 5)

# Planning Phase

No impacts to heritage resources are anticipated during this phase.

# **Construction Phase**

Impacts to archaeological, palaeontological and other heritage resources are anticipated during this phase. The sites of cultural significance located within the proposed development area can be avoided through the implementation of buffer areas and no-go areas.

No archaeological heritage resources of significance were identified as being impacted in the layout provided. Further, highly significant Early and Middle Stone Age open sites were identified within the property but are not impacted directly in the layout provided - KS6, KS7 and KS8. These sites are graded IIIB for their greater scientific value associated with their sub-surface and, likely *in-situ*, deposits. It is recommended that none of these sites be impacted by the development through the implementation of a 100m no-development buffer around these sites. Furthermore, areas of higher archaeological sensitivity have been identified around the koppies and the pan located within the broader development area. It is recommended that no development takes place within this identified area. The present layout assessed in this report does not impact on this archaeologically sensitive area.

No mitigation recommendations are made for KS1 and KS5 as these sites have limited to zero scientific value.

No impacts to palaeontological resources are anticipated, however it is recommended that, due to the high palaeontological sensitivity of the development area, the attached Chance Fossil Finds procedure is implemented for the duration of construction activities.

# **Operational Phase**

No impacts to heritage resources are anticipated during this phase.

# Decommissioning Phase

No impacts to heritage resources are anticipated during this phase.

Table 5: Impacts To	able																						
-										Bonsmara	PV Facility				1								
	ISSUE / IMPACT /		ENVIRONMENTAL SIGNIFICANCE BEFORE MITIGATION										ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION										
ENVIRONMENTAL PARAMETER	ENVIRONMENTAL EFFECT/ NATURE	E	Р	R	L	D	1/м	TOTAL	STATUS (+ OR -)	S	RECOMMENDED MITIGATION MEASURES	Е	Р	R	L	D	1/м	TOTAL	STATUS (+ OR -)	S			
Construction Phase	2							1															
Impacts to archaeological heritage resources	Construction activities that take place near to archaeological resources may result in their destruction	1	2	4	3	4	3	42	(-)	Negative Medium	A no development buffer of 50m is implemented around sites KS3 and KS4 A no development buffer of 100m is implemented around sites KS6, KS7 and KS8 The area identified as having higher levels of archaeological sensitivity in Figure 5 must not be impacted by any development activities. Should any previously unknown archaeological resources be impacted during construction, work must cese in the vicinity of the find and the relevant heritage authority must be contacted	1	1	4	1	4	1	11	(-)	Negative Low			
Impacts to palaeontological resources	Construction activities that take place near to palaeontological resources may result in their destruction	1	2	4	3	4	3	42	(-)	Negative Medium	Implementation of the Chance Fossil Finds Procedure	1	1	4	1	4	1	11	(-)	Negative Low			
Impacts to the cultural ladscape	Construction activities that take place near to cultural landscape elements may result in their destruction	1	2	4	3	4	3	42	(-)	Negative Medium	Implementation of the recommendations included in the VIA	1	1	4	1	4	1	11	(-)	Negative Low			
Operational Phase																							
Impacts to archaeological heritage resources	Operational activities that take place near to archaeological resources may result in their destruction	1	2	4	3	4	3	42	(*)	Negative Medium	A no development buffer of 50m is implemented around sites KS3 and KS4 A no development buffer of 100m is implemented around sites KS6, KS7 and KS8 The area identified as having higher levels of archaeological sensitivity in Figure 5 must not be impacted by any development activities. Should any previously unknown archaeological resources be impacted during construction, work must cese in the vicinity of the find and the relevant heritage authority must be contacted	1	1	4	1	4	1	11	(-)	Negative Low			
Impacts to palaeontological resources	Operational activities that take place near to palaeontological resources may result in their destruction	1	2	4	3	4	3	42	(-)	Negative Medium	Implementation of the Chance Fossil Finds Procedure	1	1	4	1	4	1	11	(-)	Negative Low			

	1		·							1	1									
Impacts to the	Operational activities that take place near to cultural landscape elements may result in their destruction	1	2	4	3	4	3	42	(-)	Negative Medium	Implementation of the recommendations included in the VIA	1	1	4	1	4	1	11	(-)	Negative Low
Decommissioning P		1	2	-	5	7	5	72	()	Negative Medioini		· ·	'	-	1	7		11	()	Negative Low
Decommissioning											A no development buffer of 50m is implemented around sites KS3 and KS4									
Impacts to archaeological heritage resources	Decommissioning activities that take place near to archaeological resources may result in their destruction	1	2	4	3	4	3	42	(-)	Negative Medium	A no development buffer of 100m is implemented around sites KS6, KS7 and KS8 The area identified as having higher levels of archaeological sensitivity in Figure 5 must not be impacted by any development activities. Should any previously unknown archaeological resources be impacted during construction, work must cese in the vicinity of the find and the relevant heritage authority must be contacted	1	1	4	1	4	1	11	(-)	Negative Low
Impacts to palaeontological resources	Decommissioning activities that take place near to palaeontological resources may result in their destruction	1	2	4	3	4	3	42	(-)	Negative Medium	Implementation of the Chance Fossil Finds Procedure	1	1	4	1	4	1	11	(-)	Negative Low
Impacts to the	Decommissioning activities that take place near to cultural landscape elements may result in their destruction	1	2	4	3	4	3	42	(-)	Negative Medium	Implementation of the recommendations included in the VIA	1	1	4	1	4	1	11	(-)	Negative Low
Cumulative					-		-		()										()	
Impacts to archaeological heritage resources	Cumulative destruction of significant archaeological heritage Cumulative	1	2	4	3	4	3	42	(*)	Negative Medium	A no development buffer of 50m is implemented around sites KS3 and KS4 A no development buffer of 100m is implemented around sites KS6, KS7 and KS8 The area identified as having higher levels of archaeological sensitivity in Figure 5 must not be impacted by any development activities. Should any previously unknown archaeological resources be impacted during construction, work must cese in the vicinity of the find and the relevant heritage authority must be contacted	1	1	4	1	4	1	11	(-)	Negative Low
Impacts to palaeontological resources	destruction of significant palaeontological heritage	1	2	4	3	4	3	42	(-)	Negative Medium	Implementation of the Chance Fossil Finds Procedure	1	1	4	1	4	1	11	(-)	Negative Low
Impacts to the cultural landscape	Cumulative impact to the cultural landscape	1	2	4	3	4	3	42	(-)	Negative Medium	Implementation of the recommendations included in the VIA	1	1	4	1	4	1	11	(-)	Negative Low



# 5.2 Sustainable Social and Economic Benefit

The findings of the social impact scoping assessment show that the development of the Bonsmara SEF will create skilled and unskilled jobs during the construction and operational phases. While skilled employment will be open to experts across the country, unskilled labour may be mostly reserved for the locals. There will also be business opportunities associated with the project that local businesses may benefit from. Skills transfer may also be one of the positive impacts of the project on local people.

On condition that the recommendations indicated below are implemented, the anticipated socio-economic benefits will outweigh the negative impacts identified to heritage resources.

# 5.3 Proposed development alternatives

No other location alternatives are being considered. Many areas in South Africa are constrained from exporting capacity as per the Generation Connection Capacity Assessment of the 2024 Transmission Network (GCCA - 2024). The site is located approximately 2km from a grid connection point that has been confirmed to have sufficient capacity to evacuate the generation. The land has been confirmed as available in the form of private landowners who have made the development possible on the site. Agriculture is the largest constraint in this region; however, a prefeasibility study was conducted by the agricultural specialist, and the site has been identified in terms of agricultural sensitivity.

Design and layout alternatives will be considered and assessed as part of the EIA, taking into consideration the environmental constraints identified by the various specialists, and the amended layout where necessary. In terms of the BESS, laydown areas and substations etc. these are all optimally located in the south-east corner of the site, closest to the grid connection point and access roads.

# 5.4 Site Verification Statement

According to the DFFE Screening Tool analysis, the development area has Very High levels of sensitivity for impacts to palaeontological heritage and Low levels of sensitivity for impacts to archaeological and cultural heritage resources. The results of this assessment in terms of site sensitivity are summarised below:

- The cultural value of the broader area has some significance in terms of its sense of place and scenic qualities (Moderate)
- Some significant archaeological resources were identified within the broader area (Very High)
- No highly significant palaeontological resources were identified within the development area and the sediments underlying the development area have zero palaeontological sensitivity (Low)



As per the findings of this assessment, and its supporting documentation, the outcome of the sensitivity verification disputes the results of the DFFE Screening Tool for Cultural Heritage, Archaeology and Palaeontology.

#### 5.5 Cumulative Impacts

At this stage, there is the potential for the cumulative impact of the proposed PV facility and associated infrastructure to negatively impact the cultural landscape due to a change in the landscape character from rural to semi-industrial. Based on the available information, very few renewable energy facilities and their associated grid infrastructure (power lines and substations) have been approved in the immediate vicinity of the proposed development. As such, cumulative impacts are not anticipated. It is noted that it is preferable to have renewable energy facility development and associated infrastructure focused in an area such as a REDZ or Strategic Transmission Corridor.

#### 6. RESULTS OF PUBLIC CONSULTATION

The public consultation process will be undertaken by the EAP during the Environmental Impact Assessment process. Any comments received on heritage concerns will be responded to directly and included in this section in the Final Report.

#### 7. LEGISLATIVE AND PERMIT REQUIREMENTS

This proposed development triggers sections 38(1) and 38(8) of the National Heritage Resources Act (Act 25 of 1999) as this proposed development constitutes a change of character to a site exceeding 50000m<sup>2</sup> and this proposed development requires an evaluation of impacts to heritage resources in terms of other legislation (NEMA). This section states that the consenting authority must ensure that the assessment completed for impacts to heritage satisfies the requirements of the relevant heritage authority in terms of section 38(3) of the NHRA (SAHRA in the Free State), and that the recommendations of the relevant heritage authority must be taken into consideration prior to the granting of consent.

Section 38(3) of the NHRA details the information that MUST be included in a Heritage Impact Assessment drafted in terms of section 38 of the NHRA. Furthermore, SAHRA has published Minimum Standards for Archaeological and Palaeontological Impact Assessments. All such guidelines and minimum standards have been complied with in the drafting of this HIA.

In terms of section 38(10) of the NHRA, if the applicant complies with the recommendations and requirements of the relevant heritage authority issued in terms of section 38(8) of the NHRA, then the applicant MUST be exempted from compliance with all other (general) protections included in the NHRA. As such, as long as the



requirements of the heritage authority are satisfied, no permit application is required for the destruction of or impact to any heritage resource that has been identified in the HIA.

Should any heritage resources be newly uncovered during excavation activities i.e. heritage resources that were not identified in the HIA, then as per the recommendations of the HIA, work must cease in that area and the relevant heritage authority must be contacted regarding a way forward. This HIA recommends that the attached Chance Fossils Finds procedure be implemented in order to direct such actions.

## 8. ENVIRONMENTAL MANAGEMENT PROGRAMME INPUTS (See Table 7)

The following recommendations must be included in the EMPr for this project:

- A no development buffer of 50m is implemented around sites KS3 and KS4
- A no development buffer of 100m is implemented around sites KS6, KS7 and KS8
- The area identified as having higher levels of archaeological sensitivity in Figure 5 must not be impacted by any development activities.
- The attached Chance Fossil Finds Procedure must be implemented for the duration of construction activities.
- Although all possible care has been taken to identify sites of cultural importance during the
  investigation of the study area, it is always possible that hidden or subsurface sites could be
  overlooked during the assessment. If any evidence of archaeological sites or remains (e.g.
  remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell
  fragments, charcoal and ash concentrations), fossils, burials or other categories of heritage
  resources are found during the proposed development, work must cease in the vicinity of the find
  and SAHRA must be alerted immediately to determine an appropriate way forward.



## 9. FINAL SPECIALIST STATEMENT AND AUTHORISATION RECOMMENDATION

## 9.1 Statement and Reasoned Opinion

The survey proceeded with two minor constraints and limitations, yet the project area was comprehensively surveyed for heritage resources, and only two archaeological heritage resources of significance were identified as being impacted in the layout provided - KS3 and KS4. These sites have been graded IIIC for their contextual scientific value and it is recommended that these sites are not impacted by the proposed development through the implementation of a 50m buffer around these sites.

Further, highly significant Early Stone Age open sites were identified within the property but are not impacted directly in the layout provided - KS6, KS7 and KS8. These sites are graded IIIB for their greater scientific value associated with their sub-surface and, likely *in-situ*, deposit. It is recommended that none of these sites be impacted by the development through the implementation of a 100m no-development buffer around these sites. Furthermore, areas of higher archaeological sensitivity have been identified around the koppies and the pan located within the broader development area. It is recommended that no development takes place within this identified area. The present layout assessed in this report does not impact on this archaeologically sensitive area. No mitigation recommendations are made for KS1 and KS5.

Should significant archaeological materials – such as well-preserved subsurface artefacts or fossils – be exposed during construction, the on-duty Environmental Control Officer should protect these (preferably in primary exposed context), and should immediately consult a professional archaeologist. In this circumstance, the South African Heritage Resources Authority should be immediately alerted so that appropriate mitigation measures by a professional archaeologist can be implemented, at the expense of the developer. In such a scenario, mitigation measures would normally involve the application for an excavation permit and the digital documentation of the occurrences with modern archaeological recording standards, as well as the collection of a reflective sample of material to be deposited in a local approved curation facility.

No impacts to palaeontological resources are anticipated, however it is recommended that, due to the high palaeontological sensitivity of the development area, the attached Chance Fossil Finds procedure is implemented for the duration of construction activities.

#### 9.2 EA Condition Recommendations

Based on the outcomes of this report, it is not anticipated that the proposed development of the solar energy facility and its associated grid connection infrastructure will negatively impact on significant heritage resources on condition that:

- A no development buffer of 50m is implemented around sites KS3 and KS4



- A no development buffer of 100m is implemented around sites KS6, KS7 and KS8
- The area identified as having higher levels of archaeological sensitivity in Figure 6 must not be impacted by any development activities.
- The attached Chance Fossil Finds procedure must be implemented for the duration of construction activities
- Although all possible care has been taken to identify sites of cultural importance during the investigation of the study area, it is always possible that hidden or subsurface sites could be overlooked during the assessment. If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils, burials or other categories of heritage resources are found during the proposed development, work must cease in the vicinity of the find and SAHRA must be alerted immediately to determine an appropriate way forward.

Objective: Mitigating negative impact to significant Archaeological, Palaeontological and Cultural Landscape heritage resources					
Project Components	Construction phase of the development, ground disturbance and excavation				
Potential Impact	Disturbance and destruction of scientifically valuable archaeological and palaeontological resources located either at the ground surface or below ground				
Activity/Risk Source	Extensive bedrock excavations and surface disturbance ( <i>e.g.</i> laydown areas, new access roads, transmission line pylon footings, on-site substation, foundations for the office / workshop, underground cables).				
Mitigation: Target/Objective	Recording, judicious sampling and curation of any important archaeological or fossil heritage exposed during construction within the OHL development area. Safeguarding of scientifically-important archaeological and fossil sites that cannot be effectively mitigated				
Mitigation: Action/Control	Responsibility	Timeframe			
Monitoring of all bedrock excavations for archaeological resources or fossil remains during the construction phase.	ESO	Construction Phase			
Fossil finds to be safeguarded as per the Chance Finds Procedure and reported to SAHRA for possible mitigation.	ESO	Construction Phase			
Recording and judicious sampling of exceptional new fossil material or archaeological resources from the development footprint.	Archaeologist/Palaeontologist depending on the nature of the finds	Construction Phase			
Curation of fossil specimens or archaeological resources at an approved repository ( <i>e.g.</i> museum).	Archaeologist/Palaeontologist depending on the nature of the finds	Following mitigation			
Final technical report on palaeontological or archaeological heritage mitigated within	Archaeologist/Palaeontologist depending on the nature of the finds	Following mitigation			

#### Table 3: Measures for inclusion in the EMP



study area submitted to SAHRA.	
Performance Indicator	Identification of any new archaeological or palaeontological hotspots within the broader development footprint by ESO. Submission of interim and final technical reports to HWC by palaeontologist or archaeologist involved with mitigation work. <u>Palaeontoloau</u> : Cumulative acquisition of geographically and stratigraphically well-localised fossil records, samples and relevant geological data from successive subsections of the development area. <u>Archaeologu</u> : Controlled sampling and collection or recording of any significant archaeological resources identified.
Monitoring	Monitoring on on-going basis during construction phase of fresh bedrock exposures within development footprint by ESO and, if necessary, by professional palaeontologist/archaeologist.



#### 10. REFERENCES

Heritage Impact Assessments					
Nid	Report Type	Author/s	Date	Title	
5968	Cobus Dreyer	20/06/2005	AIA Phase 1	Archaeological and Historical Investigation of the Proposed New Filling Station at Kroonstad, Free State	
5969	Cobus Dreyer	25/08/2005	AIA Phase 1	Historical Investigation of the Existing Outbuildings at the Farm Smaldeel 202, Kroonstad, Free State	
5970	Cobus Dreyer	29/05/2006	AIA Phase 1	First Phase Archaeological and Cultural Heritage Assessment of the Proposed Residential Developments at the Farm Middenspruit 151, Kroonstad, Free State	
5971	Cobus Dreyer	12/07/2006	AIA Phase 1	Archaeological and Historical Investigation of the Proposed Township Developments at Maokeng, Kroonstad, Free State	
5972	Cobus Dreyer	26/10/2006	AIA Phase 1	First Phase Archaeological and Cultural Heritage Assessment of the Proposed Residential Developments at the Farm Boschpunt 2218 Kroonstad, Free State	

#### Additional References:

Lavin and Wiltshire. November 2020. ARCHAEOLOGICAL SPECIALIST STUDY In terms of Section 38(8) of the NHRA for a Proposed development of the Vrede and Rondavel Solar Energy Facilities near Kroonstad, Free State Province. Unpublished. Section 38(8) Heritage Impact assessment process.



APPENDICES



## **APPENDIX 1: Archaeological Assessment**

# ARCHAEOLOGICAL SPECIALIST STUDY

In terms of Section 38(8) of the NHRA for a

# PROPOSED BONSMARA SOLAR PHOTOVOLTAIC (PV) RENEWABLE ENERGY FACILITY NEAR KROONSTAD, FREE STATE PROVINCE

Prepared by



CTS HERITAGE

Jenna Lavin and Dr. Darya Presnyakova

In Association with

Sivest

October 2022



#### EXECUTIVE SUMMARY

Bonsmara Solar PV (RF) (Pty) Ltd has appointed SiVEST Environmental (hereafter referred to as "SiVEST") to undertake the required EIA / BA Processes for the proposed construction of the Bonsmara Solar PV Energy Facility (SEF) and associated grid connection infrastructure near Kroonstad in the Free State Province. The distinct EA's that are required for the Projects are as follows:

- Bonsmara SEF (up to 100MW)
- Bonsmara Grid Connection Infrastructure (up to 132kV)

The overall objective of the development is to generate electricity by means of renewable energy technology capturing energy to feed into the National Grid.

Bonsmara Solar PV (RF) (Pty) Ltd is proposing the construction of the 100MW Bonsmara Solar PV Facility, BESS and associated infrastructure on a site approximately 12km south-east from the town of Kroonstad, in the Free State Province. The facility will be located on Portion 0 of Farm 636 and Portion 1 of Farm 636 located in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality. The facility will compromise of several arrays of PV panels and associated infrastructure that includes BESS and will have a contracted capacity of 100MW. The Solar PV facility will connect to the grid via a 2km 132kv powerline from the on-site substation to the Kroonstad Switching Station. This heritage screening assessment forms part of the Scoping Phase of the EIA for the Bonsmara PV Project.

The survey proceeded with two minor constraints and limitations, yet the project area was comprehensively surveyed for heritage resources, and only two archaeological heritage resources of significance were identified as being impacted in the layout provided - KS3 and KS4. These sites have been graded IIIC for their contextual scientific value and it is recommended that these sites are not impacted by the proposed development through the implementation of a 50m buffer around these sites.

Further, highly significant Early Stone Age open sites were identified within the property but are not impacted directly in the layout provided - KS6, KS7 and KS8. These sites are graded IIIB for their greater scientific value associated with their sub-surface and, likely *in-situ*, deposit. It is recommended that none of these sites be impacted by the development through the implementation of a 100m no-development buffer around these sites. Furthermore, areas of higher archaeological sensitivity have been identified around the koppies and the pan located within the broader development area. It is recommended that no development takes place within this identified area. The present layout assessed in this report does not impact on this archaeologically sensitive area. No mitigation recommendations are made for KS1 and KS5.

Should significant archaeological materials – such as well-preserved subsurface artefacts or fossils – be exposed during construction, the on-duty Environmental Control Officer should protect these (preferably in primary exposed context), and should immediately consult a professional archaeologist. In this circumstance, the South African Heritage Resources Authority should be immediately alerted so that appropriate mitigation measures by a professional archaeologist can be implemented, at the expense of the developer. In such a scenario, mitigation measures would



normally involve the application for an excavation permit and the digital documentation of the occurrences with modern archaeological recording standards, as well as the collection of a reflective sample of material to be deposited in a local approved curation facility.

#### Recommendations

Based on the outcomes of this report, it is not anticipated that the proposed development of the solar energy facility and its associated grid connection infrastructure will negatively impact on significant archaeological heritage on condition that:

- A no development buffer of 50m is implemented around sites KS3 and KS4
- A no development buffer of 100m is implemented around sites KS6, KS7 and KS8
- The area identified as having higher levels of archaeological sensitivity in Figure 6 must not be impacted by any development activities.
- Although all possible care has been taken to identify sites of cultural importance during the investigation of the study area, it is always possible that hidden or subsurface sites could be overlooked during the assessment. If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils, burials or other categories of heritage resources are found during the proposed development, work must cease in the vicinity of the find and SAHRA must be alerted immediately to determine an appropriate way forward.



## CONTENTS

1. INTRODUCTION	4
1.1 Background Information on Project	4
1.2 Description of Property and Affected Environment	4
2. METHODOLOGY	9
2.1 Purpose of Archaeological Study	9
2.2 Summary of steps followed	9
2.3 Constraints & Limitations	9
3. HISTORY AND EVOLUTION OF THE SITE AND CONTEXT	11
4. IDENTIFICATION OF HERITAGE RESOURCES	14
4.1 Field Assessment	14
4.2 Archaeological Resources identified	21
4.3 Selected Photographic Record	23
5. ASSESSMENT OF THE IMPACT OF THE DEVELOPMENT	29
5.1 Assessment of impact to Archaeological Resources	29
6. CONCLUSION AND RECOMMENDATIONS	33
7. REFERENCES	35



## 1. INTRODUCTION

## 1.1 Background Information on Project

Bonsmara Solar PV (RF) (Pty) Ltd has appointed SiVEST Environmental (hereafter referred to as "SiVEST") to undertake the required EIA / BA Processes for the proposed construction of the Bonsmara Solar PV Energy Facility (SEF) and associated grid connection infrastructure near Kroonstad in the Free State Province. The distinct EA's that are required for the Projects are as follows:

- Bonsmara SEF (up to 100MW)
- Bonsmara Grid Connection Infrastructure (up to 132kV)

The overall objective of the development is to generate electricity by means of renewable energy technology capturing energy to feed into the National Grid.

Bonsmara Solar PV (RF) (Pty) Ltd is proposing the construction of the 100MW Bonsmara Solar PV Facility, BESS and associated infrastructure on a site approximately 12km south-east from the town of Kroonstad, in the Free State Province. The facility will be located on Portion 0 of Farm 636 and Portion 1 of Farm 636 located in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality. The facility will compromise of several arrays of PV panels and associated infrastructure that includes BESS and will have a contracted capacity of 100MW. The Solar PV facility will connect to the grid via a 2km 132kv powerline from the on-site substation to the Kroonstad Switching Station. This heritage screening assessment forms part of the Scoping Phase of the EIA for the Bonsmara PV Project.

#### 1.2 Description of Property and Affected Environment

The footprint of the proposed development for the Bonsmara PV facility and associated grid infrastructure is located across three private agricultural camps, approximately 12 km southeast of the town of Kroonstad, in the Grassland Biome of the summer rainfall region of the Free State Province, South Africa.

Where retained and unaffected by agriculture, the natural vegetation comprises relatively dense grassland interspersed with shrubs that are typical of the Free State Grassland summer rainfall Biome. Both local and exotic wildlife are more abundant in the south eastern portion of the footprint which is used currently for hunting safaris, with evidence of both large and smaller antelope, suids, alcelaphines including various wildebeest species, indigenous and exotic fowl including francolin, spurfowl, guineafowl and ostrich, as well as some traces of burrowing rodents (hares and meerkats).

The north western portion of the footprint has camps that have been used historically for agricultural purposes. In some areas where cattle have aggregated for watering and feeding, the landscape is more heavily modified (trampled) which has impacted the archaeological potential of these areas substantially. As a result of such disturbance, in these localities little of the original natural landscape - in terms of vegetation, geology and probably also archaeology - is visible today.

The potentially affected footprint has a relatively high frequency of active non-perennial drainages both within it and immediately to the north of the footprint. These drainages are associated with deposits of riverine quartizte cobbles



(evident from the rock cortex), and other secondary deposits of sedimentary rocks that derive from the parent formations of the goldfields region. In addition to the primary outcrops on the koppies in the south east, these cobbles would also have been sources of raw-material for Stone Age occupants of the area. Other rock types evident within the footprint include quartz and indurated shales (Hornfels), which are artefact manufacturing quality in terms of homogeneity and lithic fracture properties.

The historical use of the north western portion of the footprint for agricultural purposes, and recently abandoned structures in one area (KS1), raise the potential for graves and isolated burials. Due to unusual recent Free State winter rainfall in September, grass coverage was a relevant constraint to documenting graves where the above surface material indicators may be partially or completely obstructed. Grass cover made potential grave locations challenging to exhaustively assess in areas where above surface material indicators may have been removed through crop related activities, through trampling related to stock farming or through natural processes such as seasonal flooding.






Figure 1.1: Satellite image indicating proposed location of development






Figure 1.2: Proposed project boundary

7






Figure 1.3: Proposed project boundary on the extract from the 1:50 000 Topo Map



## 2. METHODOLOGY

## 2.1 Purpose of Archaeological Study

The purpose of this archaeological study is to satisfy the requirements of section 38(8), and therefore section 38(3) of the National Heritage Resources Act (Act 25 of 1999) in terms of impacts to archaeological resources.

## 2.2 Summary of steps followed

- An archaeologist conducted a survey of the site and its environs on from 3 to 4 October 2022 to determine what archaeological resources are likely to be impacted by the proposed development.
- The area proposed for development was assessed on foot, photographs of the context and finds were taken, and tracks were recorded using a GPS.
- The identified resources were assessed to evaluate their heritage significance in terms of the grading system outlined in section 3 of the NHRA (Act 25 of 1999).
- Alternatives and mitigation options were discussed with the Environmental Assessment Practitioner.

## 2.3 Constraints & Limitations

- (1) Grasses and occasional shrubs that have flourished recently due to September (2022) rainfall, cover portions of the project area. This coverage inhibited the visibility of surface archaeology, although this is not regarded as a major problem in relation to the Stone Age archaeological remains, which in most cases look to have been reflectively documented.
- (2) The northernmost portion of the footprint area was challenging to comprehensively assess at ground surface level (due to relatively denser modern vegetation cover). This should be regarded as a constraint to the documentation of potential graves.
- (3) Large male ostriches were roaming freely in the northernmost portion of the footprint which made some localities challenging to access for safety reasons. Herds of *Alcelaphines* were present in the south east which also made foot access in some places challenging.
- (4) The upper sediments are disturbed in portions of the potentially affected area that have been used as localities for feeding and watering stock, and potentially also as enclosures for animals, inhibiting visibility (pertains primarily to the western most property).
- (5) In the south eastern portion of the affected area, access was not possible where people are actively living in dwelling structures today; however, any archaeology occurring in these areas apart from graves would probably be *ex situ* and of limited scientific importance.






Figure 2: Close up satellite image indicating proposed location of development in relation to heritage studies previously conducted



## 3. HISTORY AND EVOLUTION OF THE SITE AND CONTEXT

## Background:

This application is for the proposed development of a PV facility and associated grid infrastructure located approximately southeast of Kroonstad along the R76 in the Free State Province. Kroonstad was established as a town in 1855. During the Second Boer War, from 13 March to 11 May 1900, the city became the capital of the Orange Free State, and subsequently the site of a British concentration camp to contain Boer women and children. Kroonstad still boasts much of the inherent rugged beauty which led the Voortrekkers to establish the town where they did and it is situated in an area characterised by open spaces and an abundant variety of vegetation that makes it particularly beautiful. According to Van Schalkwyk (2013), "Most farmsteads were burned down during the Anglo-Boer War, with the result that very little of the built environment dates to the 19th century." According to Matenga (2019), the Black and Coloured townships are significant as landscapes of segregation occupying the north-western fringe of the CBD, while the exclusive white suburbs were located northeast of the town and south of the Valsch River.

According to Van Schalkwyk (2013), "The cultural landscape qualities of the region essentially consist of a rural setup. In this the human occupation is made up of a pre-colonial element consisting of limited Stone Age and Iron Age occupation, as well as a much later colonial (farmer) component. This was soon followed by the development of a number of urban centres or towns. Originally these mostly served the surrounding farming communities, but with the discovery of the Free State Gold Fields, they expanded rapidly in order to serve this industry as well." The proposed Solar Energy Facility and its associated grid connections are located some distance from the historic core of Kroonstad town. Furthermore, the areas proposed for development are located more than 10km away from the site of the Boer War concentration camps and associated burial grounds.

#### Archaeology

Prior to colonial settlement in 1855, the area proposed for development formed part of a landscape that was occupied by indigenous Khoe herders and San hunter-gatherers. These indigenous communities were displaced by Bantu-speaking people who began to occupy the area in the Iron Age. According to Van Schalkwyk (2013), "Sites dating to the Late Iron Age are known to occur in the region, especially... in the vicinity of the Sandrivier, whereas some are known to occur to the northwest of Ventersburg, These are typical stone walled sites that are linked with Sothospeakers and date to the period after 1600." As such, it is possible that Early, Middle or Later Stone Age artefacts may be located within the proposed development footprint. Furthermore, it is possible that evidence of Iron Age settlement may also be located within the proposed development areas. Recent archaeological field assessment conducted for the Vrede and Rondawel PV Facilities located approximately 10km from the proposed development area identified some cultural remains but with varied value and preservation. The isolated and scattered lithic artefacts identified are typical of a deflated landscape and have very limited cultural value given that they have been accumulated and modified by various natural processes to their current *ex situ* state. The stone piles found in the south west of the property are more noteworthy (Grade IIIA) and require sensitive treatment. It is likely that similar heritage resources may be present within this development area. As such, it is recommended that an archaeological assessment of the areas proposed for development is completed and anticipated impacts to such resources assessed.






Figure 3.1. Heritage Resources Map. Heritage Resources previously identified in and near the study area, with SAHRIS Site IDs indicated






Figure 3.2. Heritage Resources Map. Potential heritage resources identified from the 1:50 000 Topo Map



## 4. IDENTIFICATION OF HERITAGE RESOURCES

#### 4.1 Field Assessment

The survey was conducted on foot and by vehicle, and sought to assess the presence and significance of archaeological occurrences within the project area. Field assessment documented a number of stone artefact scatters in both primary and secondary contexts, located at lithic raw-material sources, in eroded river terraces and dongas, and in deflated open landscape settings. These sites suggest the area may have been traversed by Stone Age groups potentially through Pleistocene periods in both the Middle Stone Age (MSA – ~300ka:~40ka) and the later Early Stone Age (later ESA: <1ma-250ka). The presence of substantial unworked artefact-quality raw-materials in the project area as well as relatively abundant standing water (including sedimentary evidence for active drainages in the past) were the resources that likely attracted groups there, and resulted in them leaving behavioural traces in the form of stone artefacts.

In addition to the abundant lithic raw-materials available, there is also sedimentary evidence for past seasonal and permanent water within the footprint of the proposed Bonsmara PV facility. The broader Free state region is well-known archaeologically for its quaternary river terraces, springs and seasonal lake pans that are occasionally associated with Pleistocene archaeology. Fresh water was the main attractor for hominins and fauna to these areas and, when eroded through natural or anthropogenic processes, remains of ancient drainages occasionally yield material remains pertaining to human-environment interactions in the past. As mentioned above, the footprint in question is no exception, and has abundant evidence for water and past lithic raw-material exploitation.

Field assessment of the footprint for the proposed development for the Bonsmara PV facility and associated grid infrastructure documented several stone artefact scatters in secondary contexts and also potential for archaeological material in primary - or close to primary - context that needs to be avoided (KS6, KS7 and KS8). The koppies surrounding the modern pan in the south eastern portion of the area should, in general, be completely avoided (Fig. 4.6). This should not be an issue as the plans for development do not appear to encroach on the most sensitive (active) pan and koppies. The stone artefacts at KS2, KS3, KS4 and KS5 are *ex-situ* and occur in deflated contexts, whereas the denser ESA and MSA occupations of the koppies and associated pan margins (KS6, KS7 and KS8) need to be avoided.

The proposed development is unlikely to affect the scientific potential of the deflated stone artefacts as they do not occur in geological contexts that can be easily dated or excavated, whereas the *in situ* remains, particularly at KS7, are sensitive and scientifically valuable. Cumulatively these finds suggest the area was occupied or traversed intermittently by Stone Age groups through periods in the Middle and Early Stone Age (KS2-8), as well as historical periods associated with more recent occupations of the region (KS1).

The sites of KS2-KS5 comprise predominantly MSA artefacts occurring in *ex-situ* contexts, and the weathering of the artefact edges, in addition to the cortex of the rocks exploited, suggests that these finds have been exposed for substantial periods of time, and have limited scientific value. KS2-5 are deflated finds that have eroded out of quaternary sediments through fluvial activity, and implicate occupation of a paleo-drainage terrace, which may have been more extensive (wider with standing water) in wetter (inter-glacial) periods in the past. The artefacts at KS2-KS5 document the prehistoric occupation of drainage margins by MSA hominins in the past. Several bifacial tool fragments



were present in addition to Levallois point cores (Nubian like), and flakes with facetted platforms, all of which are characteristic MSA technologies. Given the deflated context of these finds, the recommendation is that they have relatively limited relevance to modern scientific analysis and as such, have been graded IIIC for their contextual value.

The sites at KS6-KS8 document an interesting and unusual context for Early Stone Age archaeology in that they are associated with higher elevation koppies (koppie ridges) surrounding a modern pan (which may have been active in a different spatial configuration in the past). Abundant large flake production is documented at these sites, likely in association with Large Bifacial Cutting Tool (LCT) production. The sites at KS6-8 are dense and extensive and some indicators of partially submerged artefacts were documented, potentially in dateable contexts (Fig. 7.1). The artefact edges in several instances were fresh and sharp, potentially indicative of recent exposure. These sites may be useful for modern scientific analyses, and may be important to future generations of researchers, and should therefore be completely avoided. The modern pan terrace deposits may be Pleistocene in origin and are possibly dateable with luminescence techniques, although the direct association of the archaeology with the pan sediments would require further geoarchaeological investigation. Due to their scientific value, these sites have been graded IIIB. These areas of higher archaeological sensitivity associated with the koppies and the pan have been mapped in Figure 6.

The historical structures located at KS1 were documented, but are largely demolished and may be relatively recent, having limited scientific value. This site has been graded IIIC for its contextual value.





Figure 4.1: Grass coverage and limited visibility during survey, documented at CKS1.



Figure 4.2: Extensive grass coverage and limited visibility during survey, documented at CKS2.





Figure 4.3: Pleistocene sediments exposed through donga formation at CKS3 (see scale in top right corner).



Figure 4.4: Collapsed rock shelter on spring margin at CKS5.





Figure 4.5: Extensive grass coverage and limited visibility during survey, documented at CKS12.



Figure 4.6: Context of pan margin and koppies with abundant artefact scatters at CKS11.





Figure 4.7: Extensive grass and shrub coverage that limited visibility during survey, documented at CKS12.



Figure 4.8: Visibility and ecological context at CKS 21.






Figure 5.1: Overall track paths of foot survey for development



# 4.2 Archaeological Resources identified

Site No.	Description	Density	Co-ordinates		Grading	Mitigation
KS1	Historical stone structures	NA	-27.76014296337	27.3097089584	IIIC	NA
KS2	Isolated Middle Stone Age core	~1-2/m2	-27.7530999854	27.31901396065	IIIC	NA
KS3	Middle Pleistocene scatter with MSA and ESA artefacts	~3-6/m2	-27.7530060242	27.3192510008	IIIC	50m Buffer
KS4	Middle Pleistocene scatter with MSA blade production and bifacial tools	~3-6/m2	-27.75347499176	27.3203409835	IIIC	50m Buffer
KS5	Isolated Middle Stone Age core	~3-6/m2	-27.76228697039	27.32221199199	IIIC	NA
KS6	Dense ESA scatter. Very extensive with clear sub-surface deposit	~4-8/m2	-27.76886701583	27.3229549638	IIIB	100m Buffer
KS7	ESA MSA site with partially submerged artefacts. Very extensive with clear sub-surface deposit	~3-6/m2	-27.76768399402	27.3294500168	IIIB	100m Buffer
KS8	ESA site with large flake blanks. Very extensive with clear sub-surface deposit.	~3-6/m2	-27.76499197818	27.3222829867	IIIB	100m Buffer






Figure 6: Heritage Observations made during field assessment



## 4.3 Selected Photographic Record

A full photographic record is available on request



Figure 7.1: Stone structures documented at KS1



Figure 7.2: Isolated Middle Stone Age core at KS2






Figure 7.3 Middle and Early Stone Age artefacts at KS3





Figure 7.4: Middle Stone Age laminar technology at KS4.



Figure 7.5: Isolated MSA cores at KS5





Figure 7.6: Dense Early Stone Age artefact scatter with bifacial tools and large cores at KS6.





Figure 7.7: ESA and MSA site with partially submerged artefacts on a koppie ridge at KS7





Figure 7.8: Large ESA flake blank production site at KS8.



### 5. ASSESSMENT OF THE IMPACT OF THE DEVELOPMENT

### 5.1 Assessment of impact to Archaeological Resources

The survey proceeded with two minor constraints and limitations, yet the project area was comprehensively surveyed for heritage resources, and only two archaeological heritage resources of significance were identified as being impacted in the layout provided - KS3 and KS4. These sites have been graded IIIC for their contextual scientific value and it is recommended that these sites are not impacted by the proposed development through the implementation of a 50m buffer around these sites.

Further, highly significant Early and Middle Stone Age open sites were identified within the property but are not impacted directly in the layout provided - KS6, KS7 and KS8. These sites are graded IIIB for their greater scientific value associated with their sub-surface and, likely *in-situ*, deposits. It is recommended that none of these sites be impacted by the development through the implementation of a 100m no-development buffer around these sites. Furthermore, areas of higher archaeological sensitivity have been identified around the koppies and the pan located within the broader development area. It is recommended that no development takes place within this identified area. The present layout assessed in this report does not impact on this archaeologically sensitive area.

No mitigation recommendations are made for KS1 and KS5 as these sites have limited to zero scientific value.

Based on surface observations of the footprint of the proposed Bonsmara PV facility, excavation associated with the development should be aware of the potential for sub-surface Stone Age materials if activities encroach in any way on the koppies associated with the sites KS6-KS8. Apart from KS6-KS8, the documented archaeology at Bonsmara PV is classified as scientifically low significance. Should significant archaeological remains – such as well-preserved subsurface artefacts or fossils – be exposed during construction, the on-duty Environmental Control Officer should protect these (preferably in primary exposed context), and should immediately consult a professional archaeologist. In this circumstance, the South African Heritage Resources Authority should be immediately alerted so that appropriate mitigation measures by a professional archaeologist can be implemented, at the expense of the developer. In such a scenario, mitigation measures would normally involve the application for an excavation permit and the digital documentation of the occurrences with modern archaeological recording standards, as well as the collection of a reflective sample of material to be deposited in a locally approved curation facility.

Concerning the Stone Age archaeology within the prospective layout of the proposed Bonsmara PV facility, there are no objections to the authorization of the development provided that the buffering described is adhered to. Further, that if any evidence of human remains are exposed during excavation, that development activities cease in the area of the identified remains.






Figure 8: Heritage Observations made during field assessment with recommended mitigation measures






Figure 8.1: Heritage Observations made during field assessment with recommended mitigation measures






Figure 8.2: Heritage Observations made during field assessment with recommended mitigation measures



### 6. CONCLUSION AND RECOMMENDATIONS

The survey proceeded with two minor constraints and limitations, yet the project area was comprehensively surveyed for heritage resources, and only two archaeological heritage resources of significance were identified as being impacted in the layout provided - KS3 and KS4. These sites have been graded IIIC for their contextual scientific value and it is recommended that these sites are not impacted by the proposed development through the implementation of a 50m buffer around these sites.

Further, highly significant Early Stone Age open sites were identified within the property but are not impacted directly in the layout provided - KS6, KS7 and KS8. These sites are graded IIIB for their greater scientific value associated with their sub-surface and, likely *in-situ*, deposit. It is recommended that none of these sites be impacted by the development through the implementation of a 100m no-development buffer around these sites. Furthermore, areas of higher archaeological sensitivity have been identified around the koppies and the pan located within the broader development area. It is recommended that no development takes place within this identified area. The present layout assessed in this report does not impact on this archaeologically sensitive area. No mitigation recommendations are made for KS1 and KS5.

Should significant archaeological materials – such as well-preserved subsurface artefacts or fossils – be exposed during construction, the on-duty Environmental Control Officer should protect these (preferably in primary exposed context), and should immediately consult a professional archaeologist. In this circumstance, the South African Heritage Resources Authority should be immediately alerted so that appropriate mitigation measures by a professional archaeologist can be implemented, at the expense of the developer. In such a scenario, mitigation measures would normally involve the application for an excavation permit and the digital documentation of the occurrences with modern archaeological recording standards, as well as the collection of a reflective sample of material to be deposited in a local approved curation facility.

#### Recommendations

Based on the outcomes of this report, it is not anticipated that the proposed development of the solar energy facility and its associated grid connection infrastructure will negatively impact on significant archaeological heritage on condition that:

- A no development buffer of 50m is implemented around sites KS3 and KS4
- A no development buffer of 100m is implemented around sites KS6, KS7 and KS8
- The area identified as having higher levels of archaeological sensitivity in Figure 6 must not be impacted by any development activities.
- Although all possible care has been taken to identify sites of cultural importance during the investigation of the study area, it is always possible that hidden or subsurface sites could be overlooked during the assessment. If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils, burials or other



categories of heritage resources are found during the proposed development, work must cease in the vicinity of the find and SAHRA must be alerted immediately to determine an appropriate way forward.




### 7. REFERENCES

			Herit	age Impact Assessments
Nid	Report Type	Author/s	Date	Title
5968	Cobus Dreyer	20/06/2005	AIA Phase 1	Archaeological and Historical Investigation of the Proposed New Filling Station at Kroonstad, Free State
5969	Cobus Dreyer	25/08/2005	AIA Phase 1	Historical Investigation of the Existing Outbuildings at the Farm Smaldeel 202, Kroonstad, Free State
5970	Cobus Dreyer	29/05/2006	AIA Phase 1	First Phase Archaeological and Cultural Heritage Assessment of the Proposed Residential Developments at the Farm Middenspruit 151, Kroonstad, Free State
5971	Cobus Dreyer	12/07/2006	AIA Phase 1	Archaeological and Historical Investigation of the Proposed Township Developments at Maokeng, Kroonstad, Free State
5972	Cobus Dreyer	26/10/2006	AIA Phase 1	First Phase Archaeological and Cultural Heritage Assessment of the Proposed Residential Developments at the Farm Boschpunt 2218 Kroonstad, Free State

Lavin and Wiltshire. November 2020. ARCHAEOLOGICAL SPECIALIST STUDY In terms of Section 38(8) of the NHRA for a Proposed development of the Vrede and Rondavel Solar Energy Facilities near Kroonstad, Free State Province. Unpublished. Section 38(8) Heritage Impact assessment process.



### **APPENDIX 2: Palaeontological Assessment**





PALAEONTOLOGICAL IMPACT ASSESSMENT

PROPOSED BONSMARA SOLAR PHOTOVOLTAIC RENEWABLE ENERGY FACILITY

NEAR KROONSTAD, FREE STATE PROVINCE

2022

COMPILED for: CTS HERITAGE

BANZAI ENVIRONMENTAL (PTY) LTD. Reg No. 2015/332235/07 |



### Declaration of Independence

I, Elize Butler, declare that –

General declaration:

- I act as the independent palaeontological specialist in this application
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favorable to the applicant
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting palaeontological impact assessments, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation;
- I will take into account, to the extent possible, the matters listed in section 38 of the NHRA when preparing the application and any report relating to the application;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing any decision to be taken with respect to the application by the competent authority; and the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;
- I will ensure that information containing all relevant facts in respect of the application is distributed or made available to interested and affected parties and the public and that participation by interested and affected parties is facilitated in such a manner that all interested and affected parties will be provided with a reasonable opportunity to participate and to provide comments on documents that are produced to support the application;
- I will provide the competent authority with access to all information at my disposal regarding the application, whether such information is favorable to the applicant or not
- All the particulars furnished by me in this form are true and correct;
- I will perform all other obligations as expected a palaeontological specialist in terms of the Act and the constitutions of my affiliated professional bodies; and
- I realize that a false declaration is an offense in terms of regulation 71 of the Regulations and is punishable in terms of section 24F of the NEMA.



### **Disclosure of Vested Interest**

I do not have and will not have any vested interest (either business, financial, personal or other) in the proposed activity proceeding other than remuneration for work performed in terms of the Regulations.

PALAEONTOLOGICAL CONSULTANT:

CONTACT PERSON:

Banzai Environmental (Pty) Ltd Elize Butler Tel: +27 844478759 Email: elizebutler002@gmail.com

+ Cor

SIGNATURE:

BANZAI ENVIRONMENTAL (PTY) LTD. Reg No. 2015/332235/07 |



The Palaeontological impact assessment report has been compiled considering the National Environmental Management Act 1998 (NEMA) and Environmental Impact Regulations 2014 as amended, requirements for specialist reports, Appendix 6, as indicated in the table below.

# Table 1: Checklist for Specialist studies conformance with Appendix 6 of the EIA Regulations of2014 (as amended)

Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	The relevant section in the report	Comment where not applicable.
1.(1) (a) (i) Details of the specialist who prepared the report	Page ii and Section 3 of Report – Contact details and company and Appendix A	-
(ii) The expertise of that person to compile a specialist report including a curriculum vita	Section 2 – refer to <b>Appendix A</b>	-
(b) A declaration that the person is independent in a form as may be specified by the competent authority	Page ii of the report	-
(c) An indication of the scope of, and the purpose for which, the report was prepared	Section 4 – Objective	-
(cA) An indication of the quality and age of base data used for the specialist report	Section 5 – Geological and Palaeontologica I history	-
(cB) a description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change;	Section 10	-
(d) The duration, date and season of the site investigation and the relevance of the season to the outcome of the assessment	Section 1;9 & 11	



Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	The relevant section in the report	Comment where not applicable.
(e) a description of the methodology adopted in preparing the report or carrying out the specialised process inclusive of equipment and modelling used	Section 7 Approach and Methodology	-
<ul> <li>(f) details of an assessment of the specifically identified sensitivity of the site related to the proposed activity or activities and its associated structures and infrastructure, inclusive of a site plan identifying site alternatives;</li> </ul>	Section 1; & 11	
(g) An identification of any areas to be avoided, including buffers	Section 1 & 11	
<ul> <li>(h) A map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers;</li> </ul>	Section 5 – Geological and Palaeontologica I history	
<ul> <li>(i) A description of any assumptions made and any uncertainties or gaps in knowledge;</li> </ul>	Section 7.1 – Assumptions and Limitation	-
<ul> <li>(j) A description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives, on the environment</li> </ul>	Section 1 and 11	
(k) Any mitigation measures for inclusion in the EMPr	Section 12	
(I) Any conditions for inclusion in the environmental authorisation	Section 12	
(m) Any monitoring requirements for inclusion in the EMPr or environmental authorisation	Section 12	



Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	The relevant section in the report	Comment where not applicable.
<ul> <li>(n)(i) A reasoned opinion as to whether the proposed activity, activities or portions thereof should be authorised and</li> </ul>	Section 1 & 11	
(n)(iA) A reasoned opinion regarding the acceptability of the proposed activity or activities; and		
(n)(ii) If the opinion is that the proposed activity, activities or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan	Section 1 and 11	-
(o) A description of any consultation process that was undertaken during the course of carrying out the study	N/A	Not applicable. A public consultation process was handled as part of the Environmenta I Impact Assessment (EIA) and Environmenta I Management Plan (EMP) process.
(p) A summary and copies of any comments that were received during any consultation process	N/A	Not applicable. To date, no comments regarding

6	

Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	The relevant section in the report	Comment where not applicable.
		heritage resources that require input from a specialist have been raised.
(q) Any other information requested by the competent authority.	N/A	Not applicable.
(2) Where a government notice by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply.	Section 4 compliance with SAHRA guidelines	



### EXECUTIVE SUMMARY

Banzai Environmental was appointed by CTS Heritage to conduct the Palaeontological Impact Assessment (PIA) to assess the Bonsmara Solar Photovoltaic (PV) Renewable Energy Facility near Kroonstad in the Free State Province. In accordance with the National Environmental Management Act 107 of 1998 (NEMA) and to comply with the National Heritage Resources Act (No 25 of 1999, section 38) (NHRA), this PIA is necessary to confirm if fossil material could potentially be present in the planned development area, to evaluate the potential impact of the proposed development on the Palaeontological Heritage and to mitigate possible damage to fossil resources.

The proposed Bonsmara Solar PV Facility The proposed development is underlain by Quaternary alluvium, the Adelaide Subgroup of the Beaufort Group (Karoo Supergroup) as well as the Klipriviersberg Group of the Ventersdorp Supergroup. According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS) the Palaeontological Sensitivity of Quaternary sediments is Moderate, that of the Adelaide Subgroup is Very High while that of the Klipriviersberg Group is Low (blue) (Almond and Pether, 2009; Almond *et al.*, 2013). Updated Geology (Council of Geosciences) indicates that the proposed development is mainly underlain by alluvium, colluvium, eluvium, gravel; the Balfour Formation of the Adelaide Subgroup and the Klipriviersberg Group of the Ventersdorp Supergroup.

A site-specific field survey of the development footprint was conducted on foot and by motor vehicle on 1 October 2022. No fossiliferous outcrop was detected in the proposed development. However, loose, fragmented and weathered tree fossils and well-preserved loose, trace fossils were detected. The latter was probably brought in from nearby areas and placed near the homestead (now in ruins). However, the apparent rarity of well-preserved fossil heritage in the proposed development footprint suggests that the impact of the development will be of a Low significance in palaeontological terms. It is therefore considered that the proposed development will not lead to damaging impacts on the palaeontological resources of the area. The construction of the development may thus be permitted in its whole extent, as the development footprint is not considered sensitive in terms of palaeontological resources.

#### Recommendations:

- The ECO for this project must be informed that the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) has a Very High Palaeontological Sensitivity.
- The well-preserved trace fossils will be located in the solar footprint. It is recommended that these slabs are removed and placed near the offices of the PV as an informative example of trace fossils found on the development.
- If Palaeontological Heritage is uncovered during surface clearing and excavations the **Chance find Protocol** attached should be implemented immediately. Fossil discoveries ought to be protected and the ECO/site manager must report to South African Heritage



Resources Agency (SAHRA) (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: <u>www.sahra.org.za</u>) so that mitigation (recording and collection) can be carried out.

- Before any fossil material can be collected from the development site the specialist involved would need to apply for a collection permit from SAHRA. Fossil material must be housed in an official collection (museum or university), while all reports and fieldwork should meet the minimum standards for palaeontological impact studies proposed by SAHRA (2012).
- These recommendations should be incorporated into the Environmental Management Plan for the Bonsmara Solar PV Facility.



### Impact Summary

Environmental parameter	Issues	Rating prior to mitigatio n	Average	Ratin g post mitig ation	Average
<b>Planning Phase</b> Bonsmara Solar PV Facility	No Impact	0	No Impact	0	No Impact
Construction Stage Bonsmara Solar PV Facility Loss of fossil heritage	Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study	48	Negative Medium impact	16	Negative Low impact
<b>Operational Phase</b> Bonsmara Solar PV Facility	No Impact	0	No Impact	0	No Impact
Decommissioning Phase Bonsmara Solar PV Facility	No Impact	0	No Impact	0	No Impact
Planning Phase Power Line	No Impact	0	No Impact	0	No Impact
Construction Stage Power Line Loss of fossil heritage	Destroy or permanently seal-in fossils at or below the surface that are then no longer	48	Negative Medium impact	16	Negative Low impact



	available for scientific study				
Power Line Operational Phase	No Impact	0	No Impact	0	No Impact
Power Line Decommissioning Phase	No Impact	0	No Impact	0	No Impact

It is therefore considered that the proposed Bonsmara Solar PV Facility is deemed appropriate and will not lead to detrimental impacts on the palaeontological reserves of the area. Thus, the construction of the development may be authorised in its whole extent.




### TABLE OF CONTENT

1	INTRODUCTION	15	
2	QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR	16	
3.	LEGISLATION	16	
4.	OBJECTIVE	18	
5.	GEOLOGICAL AND PALAEONTOLOGICAL HISTORY	19	
6.	GEOGRAPHICAL LOCATION OF THE SITE	36	
7.	Methods	36	
7.1 <i>4</i>	Assumptions and Limitations		36
8.	Additional Information Consulted	36	
9.	SITE VISIT	37	
10.	Assessment methodologt	40	
10.1	Method of Environmental Assessment		40
10.2	Impact Rating System	40	
11.	FINDINGS AND RECOMMENDATIONS	45	
12.	CHANCE FINDS PROTOCOL	46	
13.	BIBLIOGRAPHY	47	



## List of Figures

Figure 1:Regional locality of the proposed Bonsmara Solar PV Renewable Energy Facility	y near
Kroonstad in the Free State Province.	15
Figure 2:Locality map of the proposed Bonsmara Solar PV Renewable Energy Facility	/ near
Kroonstad in the Free State Province.	16
Figure 3: Extract of the 1:250 000 Kroonstad 2726 (2000) Geological Map (Council for Geosci	ences,
Pretoria) indicating the proposed Bonsmara Solar PV development near Kroonstad in the	e Free
State.	24
Figure 4: Extract of the 1 in 250 000 SAHRIS PalaeoMap (Council of Geosciences) indicati	ng the
proposed Bonsmara Solar PV development near Kroonstad in the Free State	27
Figure 5: Updated Geology (Council of Geosciences, Pretoria) of the proposed Bonsmara	Solar
Facility	28
Figure 6: Vertebrate biozonation range chart for the Main Karoo Basin of South Africa.	29
Figure 7: Lateral and dorsal views of skull of the dicynodont Daptocephalus leoniceps, the	e main
biozone defining fossil (Image taken from Viglietti, 2020) and dorsal views (Image taker	ı from
Viglietti, 2020).	30
Figure 8:Skulls of the biozone defining fossils of the Dicynodon-Theriognathus Subzone in	lateral
and dorsal views. Dicynodon lacerticeps (top), Theriognathus microps (bottom) (Image take	า from
Viglietti, 2020).	31
Figure 9: Biozone defining fossils of the Lystrosaurus maccaigi- Moschorhinus Subzone. The	skulls
of the Lystrosaurus maccaigi (top) and Moschorhinus kitchingi (bottom) in lateral (Image	taken
from Viglietti, 2020).	32
Figure 10: Lateral and dorsal views of the index taxa defining the Lystrosaurus declivis Assen	nblage
Zone. (top) Lystrosaurus declivis, (centre) Thrinaxodon liorhinus, (bottom) Procolophon trigo	niceps
(Image taken from Botha and Smith, 2020). Image taken from Viglietti, 2020	33
Figure 11: Reconstruction of Lystrosaurus sp.	34
Figure 12: Ventersdorp stratigraphy (Taken from Van Der Westhuizen and Bruiyn, 2006 after V	Ninter,
1965, 1976; Linton et al., 1990 Meyers, 1990 and Meintjes, 1978).	35
Figure 13:General view of the proposed development indicates a low topography with gra-	ssveld
vegetation	37
Figure 14:Alluvium deposits in the northern section of the development	38
Figure 15: Klipriviersberg Group outcrop on the western margin of the development footprint	38
Figure 16: Isolated fragments of tree fossils	39
Figure 17: Trace fossils, well preserved	39





### List of Tables

Table 1: Checklist for Specialist studies conformance with Appendix 6 of the EIA Regulation	ons of
2014 (as amended)	4
Table 2: Legend to the Kroonstad 2726 (2000) Geological Map (Council for Geosciences, Pretor	ria). <b>25</b>
Table 3:Palaeontological Sensitivity according to the SAHRIS PalaeoMap (Almond et al,	2013;
SAHRIS website	27
Table 4:The rating system	40
Table 5: Summary of Impacts	44

Appendix A: CV




### 1 INTRODUCTION

SiVEST Environmental has been appointed by WKN Windcurrent SA (Pty) Ltd to commence with the required EIA / BA Processes for the construction of the 100MW Bonsmara Solar PV Facility, BESS and associated infrastructure on Portion 0 of Farm 636 and Portion 1 of Farm 636 in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality. The proposed development will be located about 12 km south-east of Kroonstad in the Free State.

The proposed development will entail the following


- Bonsmara Solar Energy Facility (SEF) (up to 100MW)
- Bonsmara Grid Connection Infrastructure (up to 132kV).

The Facility will consist of several arrays of PV panels, and the infrastructure will include a BESS with a 100MW capacity. The Solar Facility will be connected via a 2 km, 132 KV power line from the on-site substation to the Kroonstad Switching Station. The aim of the project is to generate renewable energy feeding it into the National Grid.



**Figure 1:**Regional locality of the proposed Bonsmara Solar PV Renewable Energy Facility near Kroonstad in the Free State Province.

BANZAI ENVIRONMENTAL (PTY) LTD. Reg No. 2015/332235/07 |



**Figure 2**:Locality map of the proposed Bonsmara Solar PV Renewable Energy Facility near Kroonstad in the Free State Province.

### 2 QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR

This study has been conducted by Mrs Elize Butler. She has conducted approximately 300 palaeontological impact assessments for developments in the Free State, KwaZulu-Natal, Eastern, Central, and Northern Cape, Northwest, Gauteng, Limpopo, and Mpumalanga. She has an MSc (*cum laude*) in Zoology (specializing in Palaeontology) from the University of the Free State, South Africa and has been working in Palaeontology for more than twenty-eight years. She has experience in locating, collecting, and curating fossils. She has been a member of the Palaeontological Society of South Africa (PSSA) since 2006 and has been conducting PIAs since 2014.

### 3. LEGISLATION

### National Heritage Resources Act (25 of 1999)

Cultural Heritage in South Africa, includes all heritage resources, is protected by the National Heritage Resources Act (Act 25 of 1999) (NHRA). Heritage resources as defined in Section 3 of the Act include **"all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens**".



The identification, evaluation and assessment of any cultural heritage site, artefact or finds in the South African context is required and governed by the following legislation:

- National Environmental Management Act (NEMA) Act 107 of 1998
- National Heritage Resources Act (NHRA) Act 25 of 1999
- Minerals and Petroleum Resources Development Act (MPRDA) Act 28 of 2002
- Notice 648 of the Government Gazette 45421- general requirements for undertaking an initial site sensitivity verification where no specific assessment protocol has been identified.

The next section in each Act is directly applicable to the identification, assessment, and evaluation of cultural heritage resources.

GNR 982 (Government Gazette 38282, 14 December 2014) promulgated under the National Environmental Management Act (NEMA) Act 107 of 1998

- Basic Assessment Report (BAR) Regulations 19 and 23
- Environmental Impacts Assessment (EIA) Regulation 23
- Environmental Scoping Report (ESR) Regulation 21
- Environmental Management Programme (EMPr) Regulations 19 and 23

National Heritage Resources Act (NHRA) Act 25 of 1999

- Protection of Heritage Resources Sections 34 to 36
- Heritage Resources Management Section 38

MPRDA Regulations of 2014

Environmental reports to be compiled for application of mining right – Regulation 48

- Contents of scoping report Regulation 49
- Contents of environmental impact assessment report Regulation 50
- Environmental management programme Regulation 51
- Environmental management plan Regulation 52

The NEMA (No 107 of 1998) states that an integrated EMP should (23:2 (b)) "...identify, predict and evaluate the actual and potential impact on the environment, socio-economic conditions and cultural heritage".

In agreement with legislative requirements, EIA rating standards as well as SAHRA policies the following comprehensive and legally compatible PIA report have been compiled.



Palaeontological heritage is exceptional and non-renewable and is protected by the NHRA. Palaeontological resources and may not be unearthed, broken moved, or destroyed by any development without prior assessment and without a permit from the relevant heritage resources authority as per section 35 of the NHRA.

This Palaeontological Impact assessment forms part of the Heritage Impact Assessment (HIA) and adhere to the conditions of the Act. According to **Section 38 (1)**, an HIA is required to assess any potential impacts to palaeontological heritage within the development footprint where:

- the construction of a road, wall, power line, pipeline, canal or other similar form of linear development or barrier exceeding 300 m in length.
- the construction of a bridge or similar structure exceeding 50 m in length.
- any development or other activity which will change the character of a site-
- (Exceeding 5 000 m<sup>2</sup> in extent; or
- involving three or more existing erven or subdivisions thereof; or
- involving three or more erven or divisions thereof which have been consolidated within the past five years; or
- the costs of which will exceed a sum set in terms of regulations by SAHRA or a provincial heritage resources authority
- the re-zoning of a site exceeding 10 000 m<sup>2</sup> in extent.
- or any other category of development provided for in regulations by SAHRA or a Provincial heritage resources authority.

### 4. OBJECTIVE

The objective of a Palaeontological Impact Assessment (PIA) is to determine the impact of the development on potential palaeontological material at the site.

According to the "SAHRA APM Guidelines: Minimum Standards for the Archaeological and Palaeontological Components of Impact Assessment Reports" the aims of the PIA are: 1) to **identify** the palaeontological status of the exposed as well as rock formations just below the surface in the development footprint 2) to estimate the **palaeontological importance** of the formations 3) to determine the **impact** on fossil heritage; and 4) to recommend how the developer ought to protect or mitigate damage to fossil heritage.

The terms of reference of a PIA are as follows:

#### General Requirements:

 Adherence to the content requirements for specialist reports in accordance with Appendix 6 of the EIA Regulations 2014, as amended;



- Adherence to all applicable best practice recommendations, appropriate legislation and authority requirements;
- Submit a comprehensive overview of all appropriate legislation, guidelines;
- Description of the proposed project and provide information regarding the developer and consultant who commissioned the study,
- Description and location of the proposed development and provide geological and topographical maps
- Provide palaeontological and geological history of the affected area.
- Identification of sensitive areas to be avoided (providing shapefiles/kmls) in the proposed development;
- Evaluation of the significance of the planned development during the Pre-construction, Construction, Operation, Decommissioning Phases and Cumulative impacts. Potential impacts should be rated in terms of the direct, indirect and cumulative:
  - a. **Direct impacts** are impacts that are caused directly by the activity and generally occur at the same time and at the place of the activity.
  - b. **Indirect impacts** of an activity are indirect or induced changes that may occur as a result of the activity.
  - c. Cumulative impacts are impacts that result from the incremental impact of the proposed activity on a common resource when added to the impacts of other past, present or reasonably foreseeable future activities.
- Fair assessment of alternatives (infrastructure alternatives have been provided):
- Recommend mitigation measures to minimise the impact of the proposed development; and
- Implications of specialist findings for the proposed development (such as permits, licenses etc).

### 5. GEOLOGICAL AND PALAEONTOLOGICAL HISTORY

The geology of the proposed Bonsmara Solar PV near Virginia in the Free State is depicted on the 1: 250 000 Kroonstad 2726 (2000) Geological Map (Council for Geosciences, Pretoria) (**Figure 3**, **Table 2**). The proposed development is underlain by Quaternary alluvium (yellow single bird figure), the Adelaide Subgroup (Pa, green) of the Beaufort Group (Karoo Supergroup) as well as the Klipriviersberg Group of the Ventersdorp Supergroup (brown). According to the PalaeoMap (**Figure 4**) of the South African Heritage Resources Information System (SAHRIS) the Palaeontological



Sensitivity of Quaternary sediments is Moderate (green), that of the Adelaide Subgroup is Very High while that of the Klipriviersberg Group is Low (blue) (Almond and Pether, 2009; Almond *et al.*, 2013,) (**Figure 5**). Updated Geology (Council of Geosciences) indicates that the proposed development is mainly underlain by alluvium, colluvium, eluvium, gravel; the Balfour Formation of the Adelaide Subgroup and the Klipriviersberg Group of the Ventersdorp Supergroup (**Figure 6**, Groenewald *et al.*, 2014).

The Quaternary Era is also known as the "Age of the Mammals" and is preserved on coastal plains (Langebaanweg), cave systems (Makapan), and river gravel terraces (Cornelia), as well as other basins. These deposits have been subdivided in six African Land Mammal Ages, namely Recent, Florisian, Cornelian, Makapanian, Langebaanian, and Namibian (MacRae 1999). Quaternary deposits best known in the Free State is the Florisbad and Cornelia localities. Fossils recovered from these sites include teeth and bones of mammals, fish, reptiles, freshwater mollusks, trace fossils, wood, rhizoliths and diatom floras (Groenewald and Groenewald 2014).

The district is known for the presence of fluvial deposits along the present river courses that are terrestrial sediments and includes diatomite (diatom deposits), calcareous tufa, pedocretes, peats, spring deposits, soils and gravel and other Tertiary calcrete deposits, that is very important for understanding the Early and Late Pliocene period in this region (De Ruiter et al, 2010). The late Cenozoic (Plio-Pleistocene) floodplain deposits (overbank sediments) found near the Sand, Doring-, Vals- and Vet River systems including pan sites, contain confined but abundant mammal vertebrate fossil sites. In 1955, Meiring, described an *in situ* proboscidian fossil (mammoth), comprising of a lower molar, large part of a tusk as well as a proximal portion of an ulna from the Sand River near Virginia. This specimen was found in pebbly channel-fill sediments about 40m above the current riverbed. Originally described as *Archidiskodon scotti* (Meiring 1955) this specimen was later assigned to the Pliocene species *Mammuthus subplanifrons* (Coppens et al. 1978). Later investigations uncovered diverse fauna that include amphibians, birds, fish, reptiles, as well as several proboscideans, perissodactyls and artiodactyls from the same site (De Ruiter 2010).

Terrace gravels above the Vet River, southwest of Welkom have uncovered Pliocene fossils while surveys along the Doring, Vals, Sand and Vet Rivers produced moderately fossiliferous overbank sediments and erosional gullies that comprise of a variety of Quaternary-aged mammals (Brink et al. 1999; De Ruiter et al. 2011) Ancient pan sites, for example near Whites, produced rich Quaternary-aged mammal fossil remains. Quaternary fossils are usually very rare but may also include mammalian teeth and bone, ostrich eggshells, tortoise remains, ostracods, diatoms, and reptilian skeletons, trace fossils include burrows, vertebrate tracks, rhizoliths as well as calcretised termitaria (termite heaps). Plant remains include foliage, pear, wood, pollens. Microfossils and vertebrate remains are often found in Quaternary deposits near water courses and drainage lines.

The superficial deposits (represented by yellow on the geological maps, Qs, /Qc, /Qd) are the youngest geological deposits formed during the most recent geological period (approximately 2.6



million years ago to present). Most of the superficial deposits are unconsolidated sediments and consist of clay, gravel, sand, silt, that form relatively thin, discontinuous patches of sediments or larger spreads onshore. These sediments comprise of channel, floodplain and stream deposits, talus gravels and glacial drift sediments. Quaternary deposits are very important because palaeoclimatic changes are reflected in the different geological formations (Hunter et al., 2006). During the climate fluctuations in the Quaternary Era most geomorphologic features in southern Africa where formed (Maud, 2012). Barnosky (2005) indicated that various warming and cooling events occurred in the Quaternary but states that climatic changes during the Quaternary, specifically the last 1.8 Ma, were the most drastic climate changes relative to all climate variations in the past. Climate variations that occurred in the Quaternary were both drier and wetter than the present and resulted in changes in river flow patterns, sedimentation processes and vegetation variation (Tooth et al., 2004).

Underlying the superficial deposits is a series of Karoo sandstones, mudstones, and shales, that was deposited under fluvial environments of the Adelaide Subgroup (Beaufort Group). The Beaufort Group is the third of the main subdivisions of the Karoo Supergroup. The Beaufort group overlays the Ecca Group and consists essentially of sandstones and shales, deposited in the Karoo Basin from the Middle Permian to the early part of the Middle Triassic periods and was deposited on land through alluvial processes. The Beaufort Group covers a total land surface area of approximately 200 000 km<sup>2</sup> in South Africa and is the first fully continental sequence in the Karoo Supergroup and is divided into the Adelaide subgroup and the overlying Tarkastad subgroup (**Figure 6**). The Adelaide subgroup rocks are deposited under a humid climate that allowed for the establishment of wet floodplains with high water tables and are interpreted to be fluvio-lacustrine sediments. The Adelaide Subgroup is approximately 5 000m thick in the southeast, but this decreases to about 800m in the centre of the basin which decreases to about 100 to 200m in the north.

The Adelaide Subgroup contains alternating greyish-red, bluish-grey, or greenish grey mudrocks in the southern and central parts of the Karoo Basin with very fine to medium-grained, grey lithofeldspathic sandstones. Thicker sandstones of the Adelaide are usually multi-storey and usually have cut-and-fill features. The sandstones are characterized internally by horizontal lamination together with parting lineation and less frequent trough crossbedding as well as current ripple lamination. The bases of the sandstone units are extensive beds, while ripple lamination is usually confined to thin sandstones towards the top of the thicker units. The mudrocks of the Adelaide Subgroup usually have massive and blocky weathering. Sometimes desiccation cracks and impressions of raindrops are present. In the mudstones of the Beaufort Group calcareous nodules and concretions occur throughout.

The flood plains of the Beaufort Group (Karoo Supergroup) are internationally renowned for the early diversification of land vertebrates and provide the worlds' most complete transition from early "reptiles" to mammals. The Beaufort Group is subdivided into a series of biostratigraphic units
BANZAI ENVIRONMENTAL (PTY) LTD.
Reg No. 2015/332235/07 | Page 21 of 71

based on its faunal content (Kitching1977, 1978; Keyser *et al*, 1977, Rubidge 1995, Smith *et al*, 2020; Viglietti 2020) (**Figure 6**). A portion of the proposed development is underlain by the Balfour Formation (**Figure 5**) which is divided in the *Daptocephalus* (DAZ) which in turn is divided in the upper (younger) *Lystrosaurus maccaigi - Moschorhinus* and lower (older) *Dicynodon-Theriognathus Subzones* (**Figure 7-11**; Viglietti, 2020).

The dicynodont, *Daptocephalus leoniceps* is the main biozone defining fossil of the Daptocephalus Assemblage Zone (Figure 7). The *Daptocephalus* Assemblage Zone (DaAZ) is characterised by the co-occurrence of the dicynodontoid *Daptocephalus leoniceps*, the therocephalian *Theriognathus* microps, and the cynodont *Procynosuchus delaharpeae*. The DaAZ comprise of two subzones representing the two distinct faunal assemblages in this assemblage zone. The Dicynodon -Theriognathus Subzone (Figure 8) (in co-occurrence with *Daptocephalus*) is present in the lower *Daptocephalus* Assemblage Zone while the *Lystrosaurus maccaigi* – Moschorhinus kitchingi Subzone (Figure 9) is present in the upper DaAZ. The defining taxa of the latter subzone is *L. maccaigi, Daptocephalus* and *Moschorhinus*. This Zone is characterized by the co-occurrence of the two therapsids namely *Dicynodon* and *Theriognathus* (*Figure 8*). The *Daptocephalus* Assemblage Zone of the Beaufort Group shows the greatest vertebrate diversity and includes numerous well-preserved genera and species of dicynodonts, biarmosuchians, gorgonopsian, therocephalian and cynodont therapsid Synapsida. Captorhinid Reptilia are also present while eosuchian Reptilia, Amphibia and Pisces are rarer in occurrence. Trace fossils of vertebrates and invertebrates as well as *Glossopteris* flora plants have also been described.

The *Daptocephalus Assemblage Zone* (AZ) expands into the lower Palingkloof of the Upper Balfour Formation. The lower Palingkloof Member is of special importance as it precedes the Permo-Triassic Extinction Event which destroyed the vertebrate fauna and extinguished the diverse glossopterid plants. The lower *Lystrosaurus* declivis AZ forms part of the Katberg Formation. Fauna and flora from this assemblage zone is rare as few genera survived the Permo-Triassic Extinction Event. The *Lystrosaurus* declivis AZ is characterized by the dicynodont, *Lystrosaurus*, and captorhinid reptile, *Procolophon*, biarmosuchian and gorgonopsian Therapsida that did not survive into the *Lystrosaurus* Assemblage Zone although the therocephalian and cynodont Therapsida are present in moderate quantities. Captorhinid Reptilia is reduced, but this interval is characterised by a unique diversity of oversize amphibians while fossil fish, millipedes and diverse trace fossils have also been recorded.

The Ventersdorp Supergroup in the development footprint is represented by the Klipriviersberg Group. This Supergroup comprise of the biggest and most wide-spread system of volcanic rocks in the Kaapvaal Craton. This Supergroup unconformably overlies the Witwatersrand Supergroup and is also unconformably overlain by the Transvaal Supergroup. The elliptical basin is approximately 300 000km<sup>2</sup> in extent. The type-area is located between Klerksdorp (North West), and Welkom and



Bothaville (Free State). This Supergroup mantles most of the distribution area of the Witwatersrand Supergroup as well as the Dominion Group.

The best exposures of the Ventersdorp Supergroup are in the North West Province as well as in the Northern Cape Province, Gauteng, and southern Botswana. This Supergroup is divided in the Klipriviersberg Group (oldest) which is overlain by the Platberg Group followed by the sedimentary Bothaville Formation and the volcanic Allanridge Formation (uppermost Ventersdorp unit, youngest Formation) (**Figure 12**). Stromatolites may be present in the Klipriviersberg Group as in the rest of the Ventersdorp Supergroup.

The Platberg Group is subdivided in four formations namely the Kameeldoorns-, Goedgenoeg-, Makwassie-, and Rietgat Formations. These formations consist of heterogenous rock varying from chemical and classic sediments, to felsic and mafic volcanics. These rocks were deposited in linear vault troughs during grabed developments (Visser et al, 1975-1976, Buck, 1980). These deep intermontane grabens formed in older underlying andesitic terranes and formed areas of alluvial fan deposits and debris as well as scree flows. Ooids and stromatolites accumulated under lacustrine conditions in fine-grained chemical and terrigenous sediments. (Buck, 1980) Stromatolites were identified in the Rietgat Formation between Prieska and Britstown. In time fluvial processes prevailed causing widespread prograding of alluvial fans across basins (Buck, 1980).

The Platberg is mostly absent in the north-east of the Ventersdorp depository while the outcrops are erratic with changes in thickness. The type-area of the Platberg Group is between Welkom and Klerksdorp and was described by Winter (1976), while the Klerksdorp area was described by J.M. Myers (1990). The Rietgat Formation crops out in the, north, northwest, and southwest of Vryburg, south-southeast of Douglas, Taungs-Hartswater area, west of Klerksdorp, T'Kuip in the Northern Cape Province and southwest of Ventersdorp. The Rietgat Formation consist of alternating sedimentary and volcanic rocks which varies in thickness across the basin.

The uppermost volcanic Allanridge Formation crops out in the North West, Northern Cape, and Free State Provinces. Witmer (1976) came to the conclusion that the Allanridge Formation has a conformable relationship with the Bothaville Formation (deeper parts of the basin) while Keyser (1998), found a very prominent unconformable relationship in the direction of the northwestern boundary of the Ventersdorp depository. The Allanridge formations consists primary of light green–grey porphyritic lava and pyroclastic rocks as well as dark-green amygdaloidal lava. The dark-green lava is the thickest unit in the Allanridge Formation. Both lava types consist of amygdales but is more widespread in the dark-green lava.

Stromatolites may be present in the Klipriviersberg Group as in the rest of the Ventersdorp Supergroup.




Figure 3: Extract of the 1:250 000 Kroonstad 2726 (2000) Geological Map (Council for Geosciences, Pretoria) indicating the proposed Bonsmara Solar PV development near Kroonstad in the Free State.

The proposed development is underlain by Quaternary alluvium (yellow single bird figure), the Adelaide Subgroup (Pa, green) of the Beaufort Group (Karoo Supergroup) as well as the Klipriviersberg Group of the Ventersdorp Supergroup.

#### Alluvium Alluvium Rivierterrasgruis KWARTER River terrace gravel QUATERNARY Kalksteen, toefa Od Qc Limestone, tufa Duinsand Qd -Qs Dune sand Eoliese sand Qs 0c Aeolian sand Doleriet Jd JURA Dolerite JURASSIC Grofkorrelrige sandsteen Τkm Coarse-grained sandstone Im Molteno TRIAS Fynkorrelrige sandsteen, rooi moddersteen, mangaanryke kleipilkonglomeraat Fine-grained sandstone, red mudstone, manganiferous clay-pellet conglomerate Τŧ TRIASSIC 24 GROEF BEAUFORT Sandsteen, moddersteen, sliksteen GROI Pa Pa Sandstone, mudstone, siltstone Adelaide KAROO SUPE KAROO SUPE PERM Volksrust Pvo PERMIAN ECCA Vryheid PV.

### Table 2: Legend to the Kroonstad 2726 (2000) Geological Map (Council for Geosciences, Pretoria).

Relevant sediments are indicated in a red square

100P	Allanridge Bothaville	Rb
VENTERSDORP SUPERGROLP VENTERSDORP SUPERGROLP	Rietgat	Rr
dHOOSS PLATBERG	Makwassie	Rm
N TERR	Goedgenoeg	Rgb
VE	Kameeldoorns	Rim
KLIPRIVIERSBERG (Rk)	Alberton (Ral)	-

Ra	Amandelhoudende lawa Amygdaloidal lava
Rb	Kwartsiet, konglomeraat, grouwak Quartzite, conglomerate, greywacke
Rr	Lawa; chert en tuf (
Rg	Kwartsiet, grintsteen, horingfels, diamiktiet, skalie, ysterryke skalie, grouwak Quartzite, gritstone, hornfels, diamictite, shale, ferruginous shale, greywacke
Rkm	Konglomeraat, kwartsiet, skalie Conglomerate, quartzite, shale
Rk	Porfiritiese lawa, amandelvrye en amandelhoudende lawa Porphyritic lava, amygdale-free and amygdaloidal lava





Figure 4: Extract of the 1 in 250 000 SAHRIS PalaeoMap (Council of Geosciences) indicating the proposed Bonsmara Solar PV development near Kroonstad in the Free State

Table 3: Palaeontological Sensitivity according to the SAHRIS PalaeoMap	(Almond et al, 2013; SAHRIS website
---	-------------------------------------

Colour	Sensitivity	Required Action
RED	VERY HIGH	Field assessment and protocol for finds is required
ORANGE/YELLOW	HIGH	Desktop study is required and based on the outcome of the desktop study; a field assessment is likely
GREEN	MODERATE	Desktop study is required
BLUE	LOW	No palaeontological studies are required however a protocol for finds is required
GREY	INSIGNIFICANT/ZERO	No palaeontological studies are required

WHITE/CLEAR	UNKNOWN	These areas will require a minimum of a
		desktop study. As more information
		comes to light, SAHRA will continue to
		populate the map.

According to the SAHRIS Palaeosensitivity map (**Figure 4**) the proposed development is underlain by sediments with a Very High (red) moderate (green) and Low (blue) Palaeontological Significance.



**Figure 5:** Updated Geology (Council of Geosciences, Pretoria) of the proposed Bonsmara Solar Facility indicates that development is underlain by superficial alluvium, colluvium, eluvium and gravel, the Balfour Formation of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) and the Klipriviersberg Group of the Ventersdorp Supergroup.

Groenewald *et al*, 2014, allocated the following Sensitivities to these sediments: Alluvium, alluvium, colluvium, eluvium and gravel - Moderate Adelaide Subgroup (Beaufort Group, Karoo Supergroup - Very High Klipriviersberg Group (Ventersdorp Supergroup) - Low



	ECCA	3		Waterford Fm		Waterford Fm					
	_		Abrahamskraal Fm Koonap Fm					Endicynodon			
					Volksruist Fm	Tapinocephalus	Eosimops-Glanosuchus				
H						AND DATE OF THE OWNER	Dictodon-Styracocephalu				
R				Poortjie M.	Hoedemaker M. Middleton Fm		Endothiodon	Lycosuchus-Eunotosaunu			
PERMIAN	BEAUFORT	Adelaide Subgp		Hoedemaker M.					1000000	Tropidastoma-Gorgonop	
	UFC	Ge S	Teek	Oukloof M.		Oudeberg M.			Cistecephalus		
	RT	inthg	Feeloof Fm					Frankfort M.		-	
				E	Steenkampsvlakte M.		Deggaboersnek M.	2			Disynation menographias
				1 A	Batt		orma	Rooinekke M.	1	Dicynodon-Theriognathus	
						Balfour Fm	Ripplemead M.	ndar		Daptocephalus	
					E	clanosoerg M.	Normandem Fm	Schoondraal M.		Lystrosaurus maccaigi- Moschorhinus	
							Elandsberg M.		Harrismith M.		
		1		Palingkloof M.	-	$\sim\sim\sim$					
TR		Tarkasta				Kalberg Fm	1	/erkykenskop Fm	Lystrosaurus decivis		
TRIASSIC		Tarkastad Subgo				Burgersdorp Fm		Driekoppen Fm	Cynognathus	Cricodon-Uludocyclops Trirachodon-Kannemeyen Langbergia-Gargainia	
	0				-	Molteno Fm	~	Molteno Fm			
-	TOF					lower Elliot Fm	lower Ellick Fm		Scalenodontoides		
2	STORMBERG					upper Elliot Fm		upper Elliot Fm			
JURASSIC	g					Clarens Fm Clarens Fm		Clarens Fm	Massospondylus		
SIC						Drakensberg Gp		Drakensberg Gp		·	
Age	Gp			West of 24° E		East of 24° E	к	Free State / waZulu-Natal	Vertebrate Assemblage Zones	Vertebrate Subzones	

Figure 6: Vertebrate biozonation range chart for the Main Karoo Basin of South Africa.

Solid lines indicate known ranges, dotted lines indicate suspected but not confirmed ranges, single dot represents the stratigraphic position of the taxa that have

only been recovered from a single bed.

Wavy lines indicate unconformities. (PLYCSR=Pelycosauria and MAMMFMES+Mammaliaformes. Gp=group, Subgp-Supbroup, Fm=Formation, M=Member The geology of the proposed development is indication by the red line

6






Figure 7: Lateral and dorsal views of skull of the dicynodont Daptocephalus leoniceps, the main biozone defining fossil (Image taken from Viglietti, 2020) and dorsal views (Image taken from Viglietti, 2020).



*Figure 8*:Skulls of the biozone defining fossils of the Dicynodon-Theriognathus Subzone in lateral and dorsal views. Dicynodon lacerticeps (top), Theriognathus microps (bottom) (Image taken from Viglietti, 2020).

6



*Figure 9*: Biozone defining fossils of the Lystrosaurus maccaigi- Moschorhinus Subzone. The skulls of the Lystrosaurus maccaigi (top) and Moschorhinus kitchingi (bottom) in lateral (Image taken from Viglietti, 2020).





Figure 10: Lateral and dorsal views of the index taxa defining the Lystrosaurus declivis Assemblage Zone. (top) Lystrosaurus declivis, (centre) Thrinaxodon liorhinus, (bottom) Procolophon trigoniceps (Image taken from Botha and Smith, 2020). Image taken from Viglietti, 2020

6



**Figure 11**: Reconstruction of Lystrosaurus sp. <u>https://i.pinimg.com/564x/ac/7b/13/ac7b132d1d9882e6d9f9af804820a21e.jpg</u>

BANZAI ENVIRONMENTAL (PTY) LTD. Reg No. 2015/332235/07 |








Figure 12: Ventersdorp stratigraphy (Taken from Van Der Westhuizen and Bruiyn, 2006 after Winter, 1965, 1976; Linton et al., 1990 Meyers, 1990 and Meintjes, 1978).

The Klipriviersberg Group is indicated by the blue line.

## 6. GEOGRAPHICAL LOCATION OF THE SITE

The 100MW Bonsmara Solar PV Facility, BESS and associated infrastructure is located on Portion 0 of Farm 636 and Portion 1 of Farm 636 in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality. The proposed development will be located about 12 km south-east of Kroonstad in the Free State and is located just south of the Vals River (Figure 1-2).

## 7. METHODS

The aim of a desktop study is to evaluate the possible risk to palaeontological heritage in the proposed development. This includes all trace fossils as well as all fossils in the proposed footprint. All possible information is consulted to compile a desktop study, and this includes the following: all Palaeontological Impact Assessment reports in the same area; aerial photos and Google Earth images, topographical as well as geological maps.

## 7.1 Assumptions and Limitations

The focal point of geological maps is the geology of the area and the sheet explanations of the Geological Maps were not meant to focus on palaeontological heritage. Many inaccessible regions of South Africa have never been reviewed by palaeontologists and data is generally based on aerial photographs alone. Locality and geological information of museums and universities databases have not been kept up to date or data collected in the past have not always been accurately documented.

Comparable Assemblage Zones in other areas is also used to provide information on the existence of fossils in an area which has not documented in the past. When using similar Assemblage Zones and geological formations for Desktop studies it is generally **assumed** that exposed fossil heritage is present within the footprint. A field-assessment will thus improve the accuracy of the desktop assessment.

Access to the Power line was not allowed. But as the whole of the development is not deemed highly fossiliferous it is assumed that it is also the case in the power line footprint.

#### 8. Additional Information Consulted

In compiling this report the following sources were consulted:

- Geological map 1:100 000, Geology of the Republic of South Africa (Visser 1984)
- A Google Earth map with polygons of the proposed development was obtained from SiVEST.
- 1:250 000 2726 Kroonstad (2000) Geological Map (Council for Geosciences, Pretoria)

BANZAI ENVIRONMENTAL (PTY) LTD. Reg No. 2015/332235/07 | • Updated geological shape files (Council for Geosciences, Pretoria)

## 9. SITE VISIT

A site-specific field survey of the development footprint was conducted on foot and by motor vehicle on 1 October 2022. No fossiliferous outcrops were identified during the site visit.



Figure 13: General view of the proposed development indicates a low topography with grassveld vegetation



Figure 14:Alluvium deposits in the northern section of the development



Figure 15: Klipriviersberg Group outcrop on the western margin of the development footprint

6




Figure 16: Isolated fragments of tree fossils

-27.760419; 27.310406



Figure 17: Trace fossils, well preserved -27.760036; 27.309569

The trace fossils are grouped near the ruins of an old homestead and most probably was brought in from a nearby locality as this was the only locality with trace fossils

6

#### **10.** Assessment methodologt

#### 10.1 Method of Environmental Assessment

The environmental assessment aims to identify the various possible environmental impacts that could results from the proposed activity. Different impacts need to be evaluated in terms of its significance and in doing so highlight the most critical issues to be addressed.

Significance is determined through a synthesis of impact characteristics which include context and intensity of an impact. Context refers to the geographical scale i.e., site, local, national, or global whereas intensity is defined by the severity of the impact e.g., the magnitude of deviation from background conditions, the size of the area affected, the duration of the impact and the overall probability of occurrence. Significance is calculated as shown in Table below.

Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The total number of points scored for each impact indicates the level of significance of the impact.

#### 10.2 Impact Rating System

Impact assessment must take account of the nature, scale, and duration of impacts on the environment whether such impacts are positive or negative. Each impact is also assessed according to the project phases:

- planning
- construction
- operation
- decommissioning

Where necessary, the proposal for mitigation or optimisation of an impact should be detailed. A brief discussion of the impact and the rationale behind the assessment of its significance should also be included. The rating system is applied to the potential impacts on the receiving environment and includes an objective evaluation of the mitigation of the impact. In assessing the significance of each impact, the following criteria is used:

#### Table 4:The rating system

## NATURE

Include a brief description of the impact of environmental parameter being assessed in the context of the project. This criterion includes a brief written statement of the environmental aspect being impacted upon by a particular action or activity.

#### GEOGRAPHICAL EXTENT

This is	defined as the area over which t	he impact will be experienced.
1	Site	The impact will only affect the site.
2	Local/district	Will affect the local area or district.
3	Province/region	Will affect the entire province or region.
4	International and National	Will affect the entire country.
PROB	ABILITY	
This d	escribes the chance of occurrenc	e of an impact.
1	Unlikely	The chance of the impact occurring is extremely low (Less than a 25% chance of occurrence).
2	Possible	The impact may occur (Between a 25% to 50% chance of occurrence).
3	Probable	The impact will likely occur (Between a 50% to 75% chance of occurrence).
4	Definite	Impact will certainly occur (Greater than a 75% chance of occurrence).
DURA	ΓΙΟΝ	
	escribes the duration of the impo proposed activity.	acts. Duration indicates the lifetime of the impact as a result
1	Short term	The impact will either disappear with mitigation or will be mitigated through natural processes in a span shorter than the construction phase (0 – 1 years), or the impact will last for the period of a relatively short construction period and a limited recovery time after construction, thereafter it will be entirely negated (0 – 2 years).
2	Medium term	The impact will continue or last for some time after the construction phase but will be mitigated by direct human action or by natural processes thereafter (2 – 10 years).
3	Long term	The impact and its effects will continue or last for the entire operational life of the development, but will be

		mitigated by direct human action or by natural processes
		thereafter (10 – 30 years).
4	Permanent	The only class of impact that will be non-transitory.
		Mitigation either by man or natural process will not occur
		in such a way or such a time span that the impact can be
		considered indefinite.
INTENS	ITY/ MAGNITUDE	1
Describe	es the severity of an impact.	
1	Low	Impact affects the quality, use and integrity of the
		system/component in a way that is barely perceptible.
2	Medium	Impact alters the quality, use and integrity of the
		system/component but system/component still
		continues to function in a moderately modified way and
		maintains general integrity (some impact on integrity).
3	High	Impact affects the continued viability of the system/
		component and the quality, use, integrity and
		functionality of the system or component is severely
		impaired and may temporarily cease. High costs of
		rehabilitation and remediation.
4	Very high	Impact affects the continued viability of the
		system/component and the quality, use, integrity and
		functionality of the system or component permanently
		ceases and is irreversibly impaired. Rehabilitation and
		remediation often impossible. If possible rehabilitation
		and remediation often unfeasible due to extremely high
		costs of rehabilitation and remediation.
REVERS		1
This des	scribes the degree to which an in	npact can be successfully reversed upon completion of the
	ed activity.	
1	Completely reversible	The impact is reversible with implementation of minor
		mitigation measures.

6

2	Partly reversible	The impact is partly reversible but more intense			
2	r al try reversible				
		mitigation measures are required.			
	Development in the	The factor of the last has been as the second second state for the second			
3	Barely reversible	The impact is unlikely to be reversed even with intense			
		mitigation measures.			
4	Irreversible	The impact is irreversible and no mitigation measures			
		exist.			
IRREPL	ACEABLE LOSS OF RESOURCES				
This de	scribes the degree to which res	ources will be irreplaceably lost as a result of a proposed			
activity.					
1	No loss of resource	The impact will not regult in the loss of any resources			
	INO IOSS OF resource	The impact will not result in the loss of any resources.			
2	Marginal loss of resource	The impact will result in marginal loss of resources.			
3	Significant loss of resources	The impact will result in significant loss of resources.			
4	Complete loss of resources	The impact is result in a complete loss of all resources.			
CUMUL	ATIVE EFFECT				
This des	scribes the cumulative effect of t	he impacts. A cumulative impact is an effect which in itself			
may no	t be significant but may become	e significant if added to other existing or potential impacts			
-		activities as a result of the project activity in question.			
emanat		activities as a result of the project activity in question.			
1	Negligible cumulative impact	The impact would result in negligible to no cumulative			
		effects.			
2	Low cumulative impact	The impact would result in insignificant cumulative			
		effects.			
3	Medium cumulative impact	The impact would result in minor cumulative effects.			
Ũ					
4	High cumulative impact	The impact would result in significant cumulative effects			
SIGNIFI	CANCE	•			
Significa	ance is determined through a	synthesis of impact characteristics. Significance is an			
indication of the importance of the impact in terms of both physical extent and time scale, and					
therefor	e indicates the level of mitigatio	n required. The calculation of the significance of an impact			
uses th	e following formula: (Extent +	probability + reversibility + irreplaceability + duration +			

cumulative effect) x magnitude/intensity.

6

The summation of the different criteria will produce a non-weighted value. By multiplying this value with the magnitude/intensity, the resultant value acquires a weighted characteristic which can be measured and assigned a significance rating.

Points	Impact significance rating	Description
6 to 28	Negative low impact	The anticipated impact will have negligible negative effects and will require little to no mitigation.
6 to 28	Positive low impact	The anticipated impact will have minor positive effects.
29 to 50	Negative medium impact	The anticipated impact will have moderate negative effects and will require moderate mitigation measures.
29 to 50	Positive medium impact	The anticipated impact will have moderate positive effects.
51 to 73	Negative high impact	The anticipated impact will have significant effects and will require significant mitigation measures to achieve an acceptable level of impact.
51 to 73	Positive high impact	The anticipated impact will have significant positive effects.
74 to 96		The anticipated impact will have highly significant effects and are unlikely to be able to be mitigated adequately. These impacts could be considered "fatal flaws".
74 to 96	Positive very high impact	The anticipated impact will have highly significant positive effects.

(Extent + probability + reversibility + irreplaceability + duration + cumulative effect) x magnitude/intensity

Impacts	Extent	Duration	Magnitude	Reversibility	Irreplaceable loss	Cumulative effect	Impact
Pre-mitigation	1	4	3	4	4	2	45
Post mitigation	1	4	1	4	4	2	15

# Table 5: Summary of Impacts

## 11. FINDINGS AND RECOMMENDATIONS

The proposed Bonsmara Solar PV Facility The proposed development is underlain by Quaternary alluvium, the Adelaide Subgroup of the Beaufort Group (Karoo Supergroup) as well as the Klipriviersberg Group of the Ventersdorp Supergroup. According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS) the Palaeontological Sensitivity of Quaternary sediments is Moderate, that of the Adelaide Subgroup is Very High while that of the Klipriviersberg Group is Low (blue) (Almond and Pether, 2009; Almond *et al.*, 2013). Updated Geology (Council of Geosciences) indicates that the proposed development is mainly underlain by alluvium, colluvium, eluvium, gravel; the Balfour Formation of the Adelaide Subgroup of the Ventersdorp Supergroup.

A site-specific field survey of the development footprint was conducted on foot and by motor vehicle on 1 October 2022. No fossiliferous outcrop was detected in the proposed development area. However, loose, fragmented and weathered tree fossils and well-preserved trace fossils were detected. The latter was probably brought in from nearby areas and placed near the homestead (now in ruins). However, the apparent rarity of well-preserved fossil heritage in the proposed development footprint suggests that the impact of the development will be of a Low significance in palaeontological terms. It is therefore considered that the proposed development will not lead to damaging impacts on the palaeontological resources of the area. The construction of the development may thus be permitted in its whole extent, as the development footprint is not considered sensitive in terms of palaeontological resources.

## Recommendations:

- The ECO for this project must be informed that the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) has a Very High Palaeontological Sensitivity.
- The well-preserved trace fossils will be located in the solar footprint. It is recommended that these slabs are removed and placed near the offices of the PV as an informative example of trace fossils found on the development
- If Palaeontological Heritage is uncovered during surface clearing and excavations the Chance find Protocol attached should be implemented immediately. Fossil discoveries ought to be protected and the ECO/site manager must report to South African Heritage Resources Agency (SAHRA) (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: <u>www.sahra.org.za</u>) so that mitigation (recording and collection) can be carried out.
- Before any fossil material can be collected from the development site the specialist involved would need to apply for a collection permit from SAHRA. Fossil material must be housed in an official collection (museum or university), while all reports and fieldwork should meet the minimum standards for palaeontological impact studies proposed by SAHRA (2012).

• These recommendations should be incorporated into the Environmental Management Plan for the Bonsmara Solar PV Facility.

## 12. CHANCE FINDS PROTOCOL

The following procedure will only be followed if fossils are uncovered during the excavation phase of the development.

## Legislation

Cultural Heritage in South Africa (includes all heritage resources) is protected by the National Heritage Resources Act (Act No 25 of 1999) (NHRA). According to Section 3 of the Act, all Heritage resources include "all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens".

Palaeontological heritage is unique and non-renewable and is protected by the NHRA and are the property of the State. It is thus the responsibility of the State to manage and conserve fossils on behalf of the citizens of South Africa. Palaeontological resources may not be excavated, broken, moved, or destroyed by any development without prior assessment and without a permit from the relevant heritage resources authority as per section 35 of the NHRA.

A fossil is the naturally preserved remains (or traces thereof) of plants or animals embedded in rock. These organisms lived millions of years ago. Fossils are extremely rare and irreplaceable. By studying fossils, it is possible to determine the environmental conditions that existed in a specific geographical area millions of years ago.

This informational document is intended for workmen and foremen on construction sites. It describes the actions to be taken when mining or construction activities accidentally uncovers fossil material.

It is the responsibility of the Environmental Site Officer (ESO) or site manager of the project to train the workmen and foremen in the procedure to follow when a fossil is accidentally uncovered. In the absence of the ESO, a member of the staff must be appointed to be responsible for the proper implementation of the chance find protocol as not to compromise the conservation of fossil material.

## Chance Find Procedure

- If a chance find is made the person responsible for the find must immediately **stop working** and all work that could impact that finding must cease in the immediate vicinity of the find.
- The person who made the find must immediately **report** the find to his/her direct supervisor which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager



- Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: <u>www.sahra.org.za</u>). The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS co-ordinates.
- A preliminary report must be submitted to the Heritage Agency within **24 hours** of the find and must include the following: 1) date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.
- Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.
- Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.
- The site must be secured to protect it from any further damage. **No attempt** should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.
- If the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO. Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.
- Once the Heritage Agency has issued the written authorization, the developer may continue with the development on the affected area.

# 13. **BIBLIOGRAPHY**

Almond, J., Pether, J, and Groenewald, G. 2013. South African National Fossil Sensitivity Map. SAHRA and Council for Geosciences. Schweitzer *et al.* (1995) pp p288.

Almond, J.E. & Pether, J. 2009. Palaeontological heritage of the Northern Cape. Interim SAHRA technical report, 124 pp. Natura Viva cc., Cape Town.

Anderson, J.M. and Anderson, H.M., 1985. Palaeoflora of Southern Africa: *Prodromus of South African megafloras, Devonian to Lower Cretaceous*. A.A. Balkema, Rotterdam. 423 pp.

Backwell, L.R., T. S. McCarthy, L. Wadley, Z. Henderson, C. M. Steininger, B. De Klerk, M. Barré, M. Lamothe, B. M. Chase, S. Woodbourne, G.J. Susino, M.K. Bamford, C. Sievers, J.S. Brink, L. Rossouw, L. Pollarolo, G. Trower, L. Scott, F. D'errico. 2014. Multiproxy record of late Quaternary climate change and Middle Stone Age human occupation at Wonderkrater, South Africa. *Quaternary Science Reviews*. 99: 42–59.

Bamford M. 1999. Permo-Triassic Fossil Woods from the South African Karoo Basin. Palaeontologia Africana, 35-36, p25.

Barnosky, A.D. 2005. Effects of Quaternary Climatic Change on Speciation in Mammals. *Journal of Mammalian Evolution*. 12:247-264

Bordy, E.M., Sztanó, O., Rubidge, B.S. and Bumby, A., 2011. Early Triassic vertebrate burrows from the Katberg Formation of the south-western Karoo Basin, South Africa. Lethaia, 44, 33-45.

Botha JF, Verwey JP, Van der Voort I, Vivier JJP, Buys J, Colliston WP and Loock JC, 1998. Karoo Aquifers – Their Geology, Geometry and Physical Properties, WRC Report No 487/1/98, August 1998.

Botha, J., and Smith, R.M.H., 2006. Rapid vertebrate recuperation in the Karoo Basin of South Africa following the end-Permian extinction. Journal of African Earth Sciences, 45, 502-514.

Botha, J., and Smith, R.M.H., 2007. Lystrosaurus species composition across the Permo-Triassic boundary of South Africa. Lethaia, 40, 125-137.

Botha, J., Huttenlocker, A.K., Smith, R.M.H., Prevec, R., Viglietti, P. And Modesto, S., 2020. New geochemical and palaeontological data from the Permo-Triassic boundary in the South African Karoo Basin test the synchrony of terrestrial and marine extinctions. Palaeogeography, Palaeoclimatology, Palaeoecology, DOI: 10.1016/j.palaeo.2019.109467

Botha., J., 2020. Biostratigraphy of the Lystrosaurus declivis Assemblage Zone (Beaufort Group, Karoo Supergroup), South Africa. *South African Journal of Geology*: 123(2):207-216.

Botha-Brink, J., 2017. Burrowing in Lystrosaurus: preadaptation to a post extinction environment? Journal of Vertebrate Paleontology, 37, (5): e1365080.

Brink, J.S. 1987. The archaeozoology of Florisbad, Orange Free State. *Memoirs of the National Museum* 24:1 – 151.

Brink, J.S. 2012. The post-1.0 Ma evolution of large mammal endemism in southern Africa in relation to East Africa and subsequent biogeographic isolation of the Cape coastal region. *Quaternary International* vol. 279–280: 69.

Brink, J.S. 2016. Faunal evidence for mid- and late Quaternary environmental change in southern Africa. In: Knight, J. and Grab, S.W. (eds) *Quaternary environmental change in southern Africa: physical and human dimensions*. Cambridge University Press, pp. 286-307

Brink, J.S., Berger, L.R., Churchill, S.E. 1999. Mammalian Fossils from Erosional Gullies (Dongas) In the Doring River Drainage, Central Free State Province, South Africa, pp. 79-90. In: Becker, C., Manhart, H., Peters, J., Schibler, J. (eds), *Historia Animalium ex Ossibus. Beiträge zur Paläoanatomie, Archäologie, Ägyptologie, Ethnologie und Geschichte der Tiermedizin: Festschrift für Angela Von Den Driesch* zum 65. Geburtstag. Rahden/Westf.: Verlag Marie Leidorf GmbH.

Broom, R., 1906. On the Permian and Triassic faunas of South Africa. Geological Magazine, 5, 29-30.

Buck, S.G., 1980. Stromatolite and ooid deposits within fluvial and lacustrine sediments of the Precambruim Ventersdorp Supergroup of South Africa. Precambruim Res., 12:311-330.

Buick, K. 2001. *Life in the Archaean*. In: Briggs, D.E.G. & Crowther, P.R. (eds.) Palaeobiology II, 13-21. Blackwell Science, London.

Coppens, Y. *et al.* 1978. Proboscidea. In: V. Maglio and H.B.S. Cooke (eds). Evolution of African Mammals. Cambridge. Harvard University Press

Cowan, R., 1995. History of Life. 2nd Edition. Blackwell Scientific Publications, Boston. 462pp.

Damiani, R., Modesto, S., Yates, A. and Neveling, J., 2003. Earliest evidence of cynodont burrowing. Proceedings of the Royal Society London B, 270, 1747-1751.

Damiani, R.J., Neveling, J., Hancox, P.J. and Rubidge B.S., 2000. First trematosaurid temnospondyl from the Lystrosaurus Assemblage Zone of South Africa and its biostratigraphic implications. Geological Magazine 137, 659-665.

Day M, Rubidge B, Almond J, Jirah S. 2013. Biostratigraphic correlation in the Karoo: The case of the Middle Permian parareptile *Eunotosaurus*. S Afr J Sci. 2013;109(3/4), Art. #0030, 4 pages. http://dx.doi.org/10.1590/sajs.2013/20120030

De Ruiter, Darryl J.; Brophy, Juliet K.; Lewis, Patrick J.; Kennedy, Alicia M.; Stidham, Thomas A.; Carlson, Keely B.; Hancox, P. John. 2010. *Preliminary investigation of the Matjhabeng, a Pliocene fossil locality in the Free State of South Africa*. http://hdl.handle.net10539/13821

De Wit, M.C.J., Marshall, T.R. & Partridge, T.C. 2000. Fluvial deposits and drainage evolution. In: Partridge, T.C. & Maud, R.R. (Eds.) The Cenozoic of southern Africa, pp.55-72. Oxford University Press, Oxford.

Dingle, R.V., Siesser, W.G. & Newton, A.R. 1983. Mesozoic and Tertiary geology of southern Africa. viii + 375 pp. Balkema, Rotterdam.

Du Toit, A. 1954. The geology of South Africa. xii + 611pp, 41 pls. Oliver & Boyd, Edinburg.

Du Toit, A.L., 1918. The zones of the Karroo System and their distribution. Proceedings of the Geological Society of South Africa, 21, 17-37.

Duncan, R.A., Hooper, P.R., Rehacek, J., Marsh J.S. and Duncan, A.R., 1997. The timing and duration of the Karoo igneous event, southern Gondwana. Journal of Geophysical Research, 102, 18127-18138.

Eales, H.V., Marsh, J.S. and Cox, K.G. (1984). The Karoo Igneous Province: an introduction. *In*: Erlank, A.J. (Ed.), Petrogenesis of the Volcanic Rocks of the Karoo Province Spec. Publ. Geol. Soc. S. Afr., 13, 1–26.

Eales, H.V., Marsh, J.S. and Cox, K.G. (1984). The Karoo Igneous Province: an introduction. In: Erlank, A.J. (Ed.), Petrogenesis of the Volcanic Rocks of the Karoo Province. Spec. Publ. Geol. Soc. S. Afr., 13, 1–26

Fernandez, V., Abdala, F., Carlson, K.J., Cook, D.C., Rubidge, B.S., Yates, A. and Tafforeau, P., 2013. Synchrotron reveals Early Triassic odd couple: Injured amphibian and aestivating therapsid share burrow. PLoS ONE 8, e64978. doi:10.1371/journal.pone.0064978.

Gastaldo, R.A., Kamo, S.L., Neveling, J., Geissman, W., Looy, C.V. and Martini, A.M., 2020. The base of the Lystrosaurus Assemblage Zone, Karoo Basin, predates the end-Permian marine extinction. Nature Communications 11, 1428. doi.org/10.1038/s41467-020-15243-7

Groenewald GH. 2012. Palaeontological Impact Assessment Report Proposed Senekal Solid Waste

Groenewald, G., 2019. Ichnoassociations of Permian and Triassic tetrapod footprints in the Karoo Basin of South Africa. Gondwana Research 72,139-168.

Groenewald G.H., Groenewald D.P. and Groenewald S.M., 2014. *Palaeontological Heritage of the Free State, Gauteng, Limpopo, Mpumalanga and North West Provinces*. Internal Palaeotechnical Reports, SAHRA.

Groenewald, G., And Groenewald, D., 2014. SAHRA Palaeotechnical Report: Palaeontological Heritage of the Free State Province. Pp1-20.

Groenewald, G.H. and Kitching, J.W., 1995. Biostratigraphy of the Lystrosaurus Assemblage Zone. South African Committee for Stratigraphy. Biostratigraphic Series 1, 35-39.

Hancox PJ. and Rubidge BS., 1997. The role of fossils in interpreting the development of the Karoo Basin. Palaeontologia Africana, 33, 41-54.

Hunter, D.R., Johnson, M.R., Anhaeusser, C. R. and Thomas, R.J. 2006. Introduction. (*In*: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J. (Eds), *The Geology of South Africa*. Geological Society of South Africa, Johannesburg/Council for Geoscience, Pretoria, 585-604.)

Johnson, M.R., Visser, J.N.J., et al.2006. Sedimentary rocks of the Karoo Supergroup In Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (eds). The geology of South Africa. 691 pp. Geological Society of South Africa, Johannesburg and Council for Geoscience, Pretoria.

Kent, L. E., 1980. Part 1: Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia and the Republics of Bophuthatswana, Transkei, and Venda. SACS, Council for Geosciences, Pp 535-574.

Keyser, A.W. and Smith, R.H.M., 1979. Vertebrate biozonation of the Beaufort Group with special reference to the Western Karoo Basin. Annals Geological Survey South Africa, 12, 1-36.

Keyser, A.W., 1979. A review of the biozonation of the Beaufort Group in the Karoo basin of South Africa. Geological Society of South Africa, Abstracts 1979 Geological Congress 2, 13-31.

Kitching, J.W., 1970. A short review of the Beaufort zoning in South Africa. In: S.H. Haughton (Editor), I.U.G.S., 2nd Gondwana Symposium Proceedings and Papers, 309-312.

Kitching, J.W., 1977. The distribution of the Karroo vertebrate fauna. Bernard Price Institute for Palaeontological Research Memoir 1, 1-131.

Kitching, J.W., Collinson, J.W., Elliot, D.H. and Colbert, E.H., 1972. Lystrosaurus Zone (Triassic) fauna from Antarctica. Science, 175, 524-527.

Klein, R.G. 1984. The large mammals of southern Africa: Late Pliocene to Recent. In: Klein, R.G. (Ed.) Southern African prehistory and paleoenvironments, pp 107-146. Balkema, Rotterdam.

Lewis, Patrick J.; Brink, James S.; Kennedy, Alicia M.; Campbell, Timothy L. (2011).<u>"Examination of the Florisbad microvertebrates"</u>. *South African Journal of Science*.**107**(7/8). MACRAE, C. 1999. Life etched in stone. Fossils of South Africa. 305 pp. The Geological Society of South Africa, Johannesburg.

Lock, B.E., Paverd, A.L. and Broderick, T.J. (1974). Stratigraphy of the Karroo volcanic rocks of the Barkly East District. Trans. Geol. Soc. S. Afr., 77, 117–129

Lock, B.E., Paverd, A.L. and Broderick, T.J. (1974). Stratigraphy of the Karroo volcanic rocks of the Barkly East District. Trans. Geol. Soc. S. Afr., 77, 117–129

Lucas, S.G., 1998. Global Triassic tetrapod biostratigraphy and biochronology. Palaeogeography, Palaeoclimatology, Palaeoecology, 143, 347-384.

Macrae, C. 1999. Life etched in stone. Fossils of South Africa. 305 pp. The Geological Society of South Africa, Johannesburg.

Marchetti, L., Klein, H., Buchwitz, M., Ronchi, A., Smith, R.M.H., De Klerk, E., Sciscio, L. and Meiring, A.J.D. 1955. Fossil Proboscidean teeth and ulna from Virginia, OFS. *Navorsinge van die Nasionale Museum*, Bloemfontein 1, 187–201.

Maud, R. 2012. Macroscale Geomorphic Evolution. (*In* Holmes, P. and Meadows, M. Southern Africa Geomorphology, New trends and new directions. Bloemfontein: Sun Press. p. 7-21)

McCarthy, T. & Rubidge, B. 2005. The story of Earth and life: a southern African perspective on a 4.6-billion-year journey. 334pp. Struik, Cape Town

McClaren, C.H., And LIEBENBERG, J. (1975-1976). The Ventersdorp Group between Taungs and Britstown, Northern Cape Province. Ann Geol. Surv. S. Afri. 11: 15-28.

Michaelsen, P., 2002. Mass extinction of peat-forming plants and the effect on fluvial styles across the Permian-Triassic boundary, northern Bowen Basin, Australia, Palaeogeography Palaeoclimatology Palaeoecology, 179, 173-188.

Modesto, S.P. and Botha-Brink, J., 2010. A burrow cast with Lystrosaurus skeletal remains from the Lower Triassic of South Africa. Palaios, 25, 274-281.

Neveling, J., 2004. Stratigraphic and sedimentological investigation of the contact between the Lystrosaurus and Cynognathus Assemblage Zones (Beaufort Group: Karoo Supergroup). Council for Geoscience Bulletin 137, 1-165.

Neveling, J., Hancox, P.J. and Rubidge, B.S., 2004. Biostratigraphy of the lower Burgersdorp Formation (Beaufort Group; Karoo Supergroup) of South Africa – implications for the stratigraphic ranges of Early Triassic tetrapods. Palaeontologia africana, 41, 81-87.

Nicolas, M.V.M., 2007. Tetrapod Biodiversity through the Permo Triassic Beaufort Group (Karoo Supergroup) of South Africa. Unpublished PhD thesis, University of the Witwatersrand, Johannesburg. 356pp

Partridge, T.C. & Scott, L. 2000. Lakes and pans. In: Partridge, T.C. & Maud, R.R. (Eds.) The Cenozoic of southern Africa, pp.145 - 161. Oxford University Press, Oxford.

Partridge, T.C., Botha, G.A. & Haddon, I.G. 2006. Cenozoic deposits of the interior. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) The geology of South Africa, pp. 585-604. Geological Society of South Africa, Marshalltown.

Rubidge B.S., 1995 Biostratigraphy of the Beaufort Group (Karoo Supergroup). South African Committee for Stratigraphy Biostratigraphic Series 1: 1-46 Pretoria South African Committee for Stratigraphy and Biostratigraphy

S.A.C.S. (South African Committee for Stratigraphy), 1980. Stratigraphy of South Africa. Part 1. Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia, and the Republics of Bophuthatswana, Transkei, and Venda. Handbook of the Geological Survey of South Africa, 8, 690pp

SAHRA 2012. Minimum standards: palaeontological component of heritage impact assessment reports, 15 pp. South African Heritage Resources Agency, Cape Town.

Scott, L, & Rossouw, L. 2005 Reassessment of botanical evidence for palaeoenvironments at Florisbad, South Africa. *South African Archaeological Bulletin* 60: 96-102.

Scott, L. & J.S. Brink. 1992. Quaternary palynology, palaeontology and palaeoenvironments in central South Africa. *South African Geographer* 19: 22-34.

Scott, L. and Klein, R.G. 1981. A hyena-accumulated bone assemblage from Late Holocene deposits at Deelpan, Orange Free State. Annals of the South African Museum 86(6): 217 – 227.

SG 2.2 SAHRA APMHOB Guidelines, 2012. Minimum standards for palaeontological components of Heritage Impact Assessment Reports, Pp 1-15.

Smith R.M.H., 1990. A review of stratigraphy and sedimentary environments in the Karoo Basin of South Africa. Journal of African Earth Sciences, 10, 117-137

Smith, R.M.H. and Botha-Brink, J., 2011. Anatomy of an extinction: End-Permian drought induced die-off in the Karoo Basin, South Africa. Abstracts SVP Annual Meeting Las Vegas Journal Vertebrate Palaeontology, SVP Program and Abstracts Book, 2011, 196.

Smith, R.M.H. and Botha-Brink, J., 2014. Anatomy of an extinction: Sedimentological and taphonomic evidence for drought-induced die-offs during the Permo-Triassic mass extinction in the main Karoo Basin, South Africa. Palaeogeography, Palaeoclimatology, Palaeoecology, 396, 99-118.

Smith, R.M.H. and Ward, P.D., 2001. Pattern of vertebrate extinctions across an event bed at the Permian–Triassic boundary in the Karoo Basin of South Africa. Geological Society of America Bulletin, 29, 1147-1150.

Smith, R.M.H., 1995. Changing fluvial environments across the Permian–Triassic boundary in the Karoo Basin, South Africa, and possible causes of the extinctions. Palaeogeography, Palaeoclimatology, Palaeoecology, 117, 81-104.

Smith, R.M.H., Rubidge, B.S. and van der Walt, M., 2012. Therapsid biodiversity patterns and paleoenvironments of the Karoo Basin, South Africa. In: A. Chinsamy (Editor), The forerunners of mammals: radiation, histology, and biology. Indiana University Press, Bloomington, 31-62.

Smith, R.M.H., Rubidge, B.S., Day, M.O., Botha; J. 2020. Introduction to the tetrapod biozonation of the Karoo Supergroup. *South African Journal of Geology*123 (2): 131–140. Doi: <u>https://doi.org/10.25131/sajg.123.0009</u>.

Tankard, A.J., Jackson, M.P.A., ERIKSSON, K.A., HOBDAY, D.K., HUNTER, D.R. & Minter, W.E.L. 1982. Crustal evolution of southern Africa – 3.8 billion years of earth history, xv + 523pp. Springer Verlag, New York.

Thomas, M.J. 1981. The geology of the Kalahari in the Northern Cape Province (Areas 2620)

Tooth, S. Brandt, D., Hancox P.J. And McCarthy, T. S. 2004. Geological controls on alluvial river behaviour: a comparative study of three rivers in the South African Highveld. *Journal of African Earth Sciences*, 38(2004): 79-97, 15 Aug.

Van der Walt M., Day M. and Rubidge BS. 2010. A new GIS based biozone map of the Beaufort Group (Karoo Supergroup) South Africa. Palaeontologia Africana 45, 1-6.

Van Der Westhuizen, W.A., De Bruiyn, H., Meintjes, P.G., 2006. The Ventersdorp Supergroup. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). The Geology of South Africa. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. pp 187208.

Van Zyl, W., S. Badenhorst & J.S. Brink. 2016. Pleistocene Bovidae from X Cave on Bolt's Farm in the Cradle of Humankind in South Africa. *Annals of the Ditsong National Museum of Natural History* 6: 39–73.

Viglietti P.A., Smith R.M.H. and Compton J.S., 2013. Origin and palaeoenvironmental significance of Lystrosaurus bonebeds in the earliest Triassic Karoo Basin, South Africa. Palaeogeography, Palaeoecology, Palaeoclimatology, 392, 9-21.

Viglietti P.A.,2020. The Daptocephalus Assemblage Zone (Lopingian), South Africa: A proposed biostratigraphy based on a new compilation of stratigraphic ranges. *South African Journal of Geology*123 (2): 191-206. DOI: <u>10.1016/j.jafrearsci.2015.10.011</u>

Visser, D.J.L. (ed) 1984. Geological Map of South Africa 1:100 000. South African Committee for Stratigraphy, Council for Geoscience, Pretoria.

Visser, D.J.L. (ed) 1984. Geological Map of South Africa 1:100 000. South African Committee for Stratigraphy, Council for Geoscience, Pretoria.

Visser, D.J.L. (ed) 1989. Toeligting: Geologiese kaart (1:100 000). Die Geologie van die Republieke van Suid Afrika, *Transkei, Bophuthatswana, Venda, Ciskei en die Koningkryke van Lesotho en Swaziland*. South African Committee for Stratigraphy. Council for Geoscience, Pretoria, Pp 494.

Visser, J.N.J., Grobler, N.J., Joubert, C.W., Potgieter, C.D., Potgieter G.J.A. McLaren, C.H., and Liebenberg, J. (1975-1976). The Ventersdorp Group between Taungs and Britstown, Northern Cape Province. Ann Geol. Surv. S. Afri. 11: 15-28.



# Appendix A

#### CURRICULUM VITAE

ELIZE BUTLER	
PROFESSION:	Palaeontologist
YEARS' EXPERIENCE:	29 years in Palaeontology
EDUCATION:	B.Sc Botany and Zoology, 1988
	University of the Orange Free State
	B. Sc (Hons) Zoology, 1991
	University of the Orange Free State
	Management Course, 1991
	University of the Orange Free State
	M. Sc. Cum laude (Zoology), 2009
	University of the Free State

**Dissertation title:** The postcranial skeleton of the Early Triassic non-mammalian Cynodont *Galesaurus planiceps*: implications for biology and lifestyle

#### MEMBERSHIP

Palaeontological Society of South Africa (PSSA) 2006-currently

#### EMPLOYMENT HISTORY

Part-time Laboratory assistant	Department of Zoology & Entomology University of the Free State Zoology 1989-1992
Part-time laboratory assistant	Department of Virology
	University of the Free State Zoology 1992
Research Assistant	National Museum, Bloemfontein 1993 – 1997
Principal Research Assistant	National Museum, Bloemfontein
and Collection Manager	1998-currently

# **TECHNICAL REPORTS**

**Butler, E. 2014.** Palaeontological Impact Assessment of the proposed development of private dwellings on portion 5 of farm 304 Matjesfontein Keurboomstrand, Knysna District, Western Cape Province. Bloemfontein.

**Butler, E. 2014.** Palaeontological Impact Assessment for the proposed upgrade of existing water supply infrastructure at Noupoort, Northern Cape Province. 2014. Bloemfontein.

**Butler, E. 2015.** Palaeontological impact assessment of the proposed consolidation, re-division, and development of 250 serviced erven in Nieu-Bethesda, Camdeboo local municipality, Eastern Cape. Bloemfontein.

**Butler, E. 2015.** Palaeontological impact assessment of the proposed mixed land developments at Rooikraal 454, Vrede, Free State. Bloemfontein.

**Butler, E. 2015.** Palaeontological exemption report of the proposed truck stop development at Palmiet 585, Vrede, Free State. Bloemfontein.

**Butler, E. 2015.** Palaeontological impact assessment of the proposed Orange Grove 3500 residential development, Buffalo City Metropolitan Municipality East London, Eastern Cape. Bloemfontein.

**Butler, E. 2015.** Palaeontological Impact Assessment of the proposed Gonubie residential development, Buffalo City Metropolitan Municipality East London, Eastern Cape Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Ficksburg raw water pipeline. Bloemfontein.

**Butler, E. 2015.** Palaeontological Heritage Impact Assessment report on the establishment of the 65 mw Majuba Solar Photovoltaic facility and associated infrastructure on portion 1, 2 and 6 of the farm Witkoppies 81 HS, Mpumalanga Province. Bloemfontein.

**Butler, E. 2015.** Palaeontological Impact Assessment of the proposed township establishment on the remainder of portion 6 and 7 of the farm Sunnyside 2620, Bloemfontein, Mangaung metropolitan municipality, Free State, Bloemfontein.

**Butler, E. 2015.** Palaeontological Impact Assessment of the proposed Woodhouse 1 photovoltaic solar energy facilities and associated infrastructure on the farm Woodhouse729, near Vryburg, North West Province. Bloemfontein.

**Butler, E. 2015.** Palaeontological Impact Assessment of the proposed Woodhouse 2 photovoltaic solar energy facilities and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.

**Butler, E. 2015**.Palaeontological Impact Assessment of the proposed Orkney solar energy farm and associated infrastructure on the remaining extent of Portions 7 and 21 of the farm Wolvehuis 114, near Orkney, North West Province. Bloemfontein.

**Butler, E. 2015.** Palaeontological Impact Assessment of the proposed Spectra foods broiler houses and abattoir on the farm Maiden Manor 170 and Ashby Manor 171, Lukhanji Municipality, Queenstown, Eastern Cape Province. Bloemfontein.

**Butler, E. 2016.** Palaeontological Impact Assessment of the proposed construction of the 150 MW Noupoort concentrated solar power facility and associated infrastructure on portion 1 and 4 of the farm Carolus Poort 167 and the remainder of Farm 207, near Noupoort, Northern Cape. Prepared for Savannah Environmental. Bloemfontein.

**Butler, E. 2016.** Palaeontological Impact Assessment of the proposed Woodhouse 1 Photovoltaic Solar Energy facility and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.

**Butler, E. 2016.** Palaeontological Impact Assessment of the proposed Woodhouse 2 Photovoltaic Solar Energy facility and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.



**Butler, E. 2016.** Palaeontological Impact Assessment of the proposed Senqu Pedestrian Bridges in Ward 5 of Senqu Local Municipality, Eastern Cape Province. Bloemfontein.

**Butler, E. 2016.** Recommendation from further Palaeontological Studies: Proposed Construction of the Modderfontein Filling Station on Erf 28 Portion 30, Founders Hill, City of Johannesburg, Gauteng Province. Bloemfontein.

**Butler, E. 2016.** Recommendation from further Palaeontological Studies: Proposed Construction of the Modikwa Filling Station on a Portion of Portion 2 of Mooihoek 255 Kt, Greater Tubatse Local Municipality, Limpopo Province. Bloemfontein.

**Butler, E. 2016.** Recommendation from further Palaeontological Studies: Proposed Construction of the Heidedal filling station on Erf 16603, Heidedal Extension 24, Mangaung Local Municipality, Bloemfontein, Free State Province. Bloemfontein.

**Butler, E. 2016.** Recommended Exemption from further Palaeontological studies: Proposed Construction of the Gunstfontein Switching Station, 132kv Overhead Power Line (Single or Double Circuit) and ancillary infrastructure for the Gunstfontein Wind Farm Near Sutherland, Northern Cape Province. Savannah South Africa. Bloemfontein.

**Butler, E. 2016.** Palaeontological Impact Assessment of the proposed Galla Hills Quarry on the remainder of the farm Roode Krantz 203, in the Lukhanji Municipality, division of Queenstown, Eastern Cape Province. Bloemfontein.

**Butler, E. 2016.** Chris Hani District Municipality Cluster 9 water backlog project phases 3a and 3b: Palaeontology inspection at Tsomo WTW. Bloemfontein.

**Butler, E. 2016.** Palaeontological Impact Assessment of the proposed construction of the 150 MW Noupoort concentrated solar power facility and associated infrastructure on portion 1 and 4 of the farm Carolus Poort 167 and the remainder of Farm 207, near Noupoort, Northern Cape. Savannah South Africa. Bloemfontein.

**Butler, E. 2016.** Palaeontological Impact Assessment of the proposed upgrading of the main road MR450 (R335) from Motherwell to Addo within the Nelson Mandela Bay Municipality and Sunday's River valley Local Municipality, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment construction of the proposed Metals Industrial Cluster and associated infrastructure near Kuruman, Northern Cape Province. Savannah South Africa. Bloemfontein.

**Butler, E. 2016**. Palaeontological Impact Assessment for the proposed construction of up to a 132kv power line and associated infrastructure for the proposed Kalkaar Solar Thermal Power Plant near Kimberley, Free State and Northern Cape Provinces. PGS Heritage. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed development of two burrow pits (DR02625 and DR02614) in the Enoch Mgijima Municipality, Chris Hani District, Eastern Cape.

Butler, E. 2016. Ezibeleni waste Buy-Back Centre (near Queenstown), Enoch Mgijima Local Municipality, Eastern Cape. Bloemfontein.

**Butler, E. 2016.** Palaeontological Impact Assessment for the proposed construction of two 5 Mw Solar Photovoltaic Power Plants on Farm Wildebeestkuil 59 and Farm Leeuwbosch 44, Leeudoringstad, North West Province. Bloemfontein.

**Butler, E. 2016.** Palaeontological Impact Assessment for the proposed development of four Leeuwberg Wind farms and basic assessments for the associated grid connection near Loeriesfontein, Northern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological impact assessment for the proposed Aggeneys south prospecting right project, Northern Cape Province. Bloemfontein.

**Butler, E. 2016.** Palaeontological impact assessment of the proposed Motuoane Ladysmith Exploration right application, KwaZulu Natal. Bloemfontein.



**Butler, E. 2016.** Palaeontological impact assessment for the proposed construction of two 5 MW solar photovoltaic power plants on farm Wildebeestkuil 59 and farm Leeuwbosch 44, Leeudoringstad, North West Province. Bloemfontein.

**Butler, E. 2016**: Palaeontological desktop assessment of the establishment of the proposed residential and mixed-use development on the remainder of portion 7 and portion 898 of the farm Knopjeslaagte 385 Ir, located near Centurion within the Tshwane Metropolitan Municipality of Gauteng Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological impact assessment for the proposed development of a new cemetery, near Kathu, Gamagara local municipality and John Taolo Gaetsewe district municipality, Northern Cape. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of The Proposed Development of The New Open Cast Mining Operations on The Remaining Portions Of 6, 7, 8 And 10 Of the Farm Kwaggafontein 8 In the Carolina Magisterial District, Mpumalanga Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment for the Proposed Development of a Wastewater Treatment Works at Lanseria, Gauteng Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Scoping Report for the Proposed Construction of a Warehouse and Associated Infrastructure at Perseverance in Port Elizabeth, Eastern Cape Province.

**Butler, E. 2017.** Palaeontological Desktop Assessment for the Proposed Establishment of a Diesel Farm and a Haul Road for the Tshipi Borwa mine Near Hotazel, In the John Taolo Gaetsewe District Municipality in the Northern Cape Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment for the Proposed Changes to Operations at the UMK Mine near Hotazel, In the John Taolo Gaetsewe District Municipality in the Northern Cape Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment for the Development of the Proposed Ventersburg Project-An Underground Mining Operation near Ventersburg and Henneman, Free State Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological desktop assessment of the proposed development of a 3000 MW combined cycle gas turbine (CCGT) in Richards Bay, Kwazulu-Natal. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment for the Development of the Proposed Revalidation of the lapsed General Plans for Elliotdale, Mbhashe Local Municipality. Bloemfontein.

**Butler, E. 2017.** Palaeontological assessment of the proposed development of a 3000 MW Combined Cycle Gas Turbine (CCGT) in Richards Bay, Kwazulu-Natal. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed development of the new open cast mining operations on the remaining portions of 6, 7, 8 and 10 of the farm Kwaggafontein 8 10 in the Albert Luthuli Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed mining of the farm Zandvoort 10 in the Albert Luthuli Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed Lanseria outfall sewer pipeline in Johannesburg, Gauteng Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed development of open pit mining at Pit 36W (New Pit) and 62E (Dishaba) Amandelbult Mine Complex, Thabazimbi, Limpopo Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological impact assessment of the proposed development of the sport precinct and associated infrastructure at Merrifield Preparatory school and college, Amathole Municipality, East London. PGS Heritage. Bloemfontein.

**Butler, E. 2017.** Palaeontological impact assessment of the proposed construction of the Lehae training and fire station, Lenasia, Gauteng Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed development of the new open cast mining operations of the Impunzi mine in the Mpumalanga Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the construction of the proposed Viljoenskroon Munic 132 KV line, Vierfontein substation and related projects. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed rehabilitation of 5 ownerless asbestos mines. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed development of the Lephalale coal and power project, Lephalale, Limpopo Province, Republic of South Africa. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed construction of a 132KV powerline from the Tweespruit distribution substation (in the Mantsopa local municipality) to the Driedorp rural substation (within the Naledi local municipality), Free State province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed development of the new coal-fired power plant and associated infrastructure near Makhado, Limpopo Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed construction of a Photovoltaic Solar Power station near Collett substation, Middelburg, Eastern Cape. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment for the proposed township establishment of 2000 residential sites with supporting amenities on a portion of farm 826 in Botshabelo West, Mangaung Metro, Free State Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment for the proposed prospecting right project without bulk sampling, in the Koa Valley, Northern Cape Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment for the proposed Aroams prospecting right project, without bulk sampling, near Aggeneys, Northern Cape Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed Belvior aggregate quarry II on portion 7 of the farm Maidenhead 169, Enoch Mgijima Municipality, division of Queenstown, Eastern Cape. Bloemfontein.

**Butler, E. 2017.** PIA site visit and report of the proposed Galla Hills Quarry on the remainder of the farm Roode Krantz 203, in the Lukhanji Municipality, division of Queenstown, Eastern Cape Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed construction of Tina Falls Hydropower and associated power lines near Cumbu, Mthlontlo Local Municipality, Eastern Cape. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed construction of the Mangaung Gariep Water Augmentation Project. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed Belvoir aggregate quarry II on portion 7 of the farm Maidenhead 169, Enoch Mgijima Municipality, division of Queenstown, Eastern Cape. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed construction of the Melkspruit-Rouxville 132KV Power line. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed development of a railway siding on a Portion of portion 41 of the farm Rustfontein 109 is, Govan Mbeki local municipality, Gert Sibande district municipality, Mpumalanga Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed consolidation of the proposed Ilima Colliery in the Albert Luthuli local municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.



**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed extension of the Kareerand Tailings Storage Facility, associated borrow pits as well as a storm water drainage channel in the Vaal River near Stilfontein, North West Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed construction of a filling station and associated facilities on the Erf 6279, district municipality of John Taolo Gaetsewe District, Ga-Segonyana Local Municipality Northern Cape. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed of the Lephalale Coal and Power Project, Lephalale, Limpopo Province, Republic of South Africa. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed Overvaal Trust PV Facility, Buffelspoort, North West Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed development of the  $H_2$  Energy Power Station and associated infrastructure on Portions 21; 22 And 23 of the farm Hartebeestspruit in the Thembisile Hani Local Municipality, Nkangala District near Kwamhlanga, Mpumalanga Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed upgrade of the Sandriver Canal and Klippan Pump station in Welkom, Free State Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed upgrade of the 132kv and 11kv power line into a dual circuit above ground power line feeding into the Urania substation in Welkom, Free State Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment of the proposed Swaziland-Mozambique border patrol road and Mozambique barrier structure. Bloemfontein.

**Butler, E. 2017.** Palaeontological Impact Assessment of the proposed diamonds alluvial & diamonds general prospecting right application near Christiana on the remaining extent of portion 1 of the farm Kaffraria 314, registration division HO, North West Province. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment for the proposed development of Wastewater Treatment Works on Hartebeesfontein, near Panbult, Mpumalanga. Bloemfontein.

**Butler, E. 2017.** Palaeontological Desktop Assessment for the proposed development of Wastewater Treatment Works on Rustplaas near Piet Retief, Mpumalanga. Bloemfontein.

**Butler, E. 2018.** Palaeontological Impact Assessment for the Proposed Landfill Site in Luckhoff, Letsemeng Local Municipality, Xhariep District, Free State. Bloemfontein.

**Butler, E. 2018.** Palaeontological Impact Assessment of the proposed development of the new Mutsho coal-fired power plant and associated infrastructure near Makhado, Limpopo Province. Bloemfontein.

**Butler, E. 2018.** Palaeontological Impact Assessment of the authorisation and amendment processes for Manangu mine near Delmas, Victor Khanye local municipality, Mpumalanga. Bloemfontein.


**Butler, E. 2018.** Palaeontological Desktop Assessment for the proposed Mashishing township establishment in Mashishing (Lydenburg), Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the Proposed Mlonzi Estate Development near Lusikisiki, Ngquza Hill Local Municipality, Eastern Cape. Bloemfontein.

**Butler, E. 2018**. Palaeontological Phase 1 Assessment of the proposed Swaziland-Mozambique border patrol road and Mozambique barrier structure. Bloemfontein.

**Butler, E. 2018.** Palaeontological Desktop Assessment for the proposed electricity expansion project and Sekgame Switching Station at the Sishen Mine, Northern Cape Province. Bloemfontein.

**Butler, E. 2018.** Palaeontological field assessment of the proposed construction of the Zonnebloem Switching Station (132/22kV) and two loop-in loop-out power lines (132kV) in the Mpumalanga Province. Bloemfontein.



**Butler, E. 2018.** Palaeontological Desktop Assessment of the proposed Villa Rosa development In the Buffalo City Metropolitan Municipality, East London. Bloemfontein.

**Butler, E. 2018.** Palaeontological field Assessment of the proposed Villa Rosa development In the Buffalo City Metropolitan Municipality, East London. Bloemfontein.

**Butler, E. 2018.** Palaeontological desktop assessment of the proposed Mookodi – Mahikeng 400kV line, North West Province. Bloemfontein.

**Butler, E. 2018.** Palaeontological Desktop Assessment for the proposed Thornhill Housing Project, Ndlambe Municipality, Port Alfred, Eastern Cape Province. Bloemfontein.

**Butler, E. 2018.** Palaeontological desktop assessment of the proposed housing development on portion 237 of farm Hartebeestpoort 328. Bloemfontein.

**Butler, E. 2018.** Palaeontological desktop assessment of the proposed New Age Chicken layer facility located on holding 75 Endicott near Springs in Gauteng. Bloemfontein.

**Butler, E. 2018** Palaeontological Desktop Assessment for the development of the proposed Leslie 1 Mining Project near Leandra, Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological field assessment of the proposed development of the Wildealskloof mixed use development near Bloemfontein, Free State Province. Bloemfontein.

Butler, E. 2018. Palaeontological Field Assessment of the proposed Megamor Extension, East London. Bloemfontein

**Butler, E. 2018.** Palaeontological Impact Assessment of the proposed diamonds Alluvial & Diamonds General Prospecting Right Application near Christiana on the Remaining Extent of Portion 1 of the Farm Kaffraria 314, Registration Division HO, North West Province. Bloemfontein.

**Butler, E. 2018**. Palaeontological Impact Assessment of the proposed construction of a new 11kV (1.3km) Power Line to supply electricity to a cell tower on farm 215 near Delportshoop in the Northern Cape. Bloemfontein.

**Butler, E. 2018.** Palaeontological Field Assessment of the proposed construction of a new 22 kV single wood pole structure power line to the proposed MTN tower, near Britstown, Northern Cape Province. Bloemfontein.

**Butler, E. 2018**. Palaeontological Exemption Letter for the proposed reclamation and reprocessing of the City Deep Dumps in Johannesburg, Gauteng Province. Bloemfontein.

**Butler, E.** 2018. Palaeontological Exemption letter for the proposed reclamation and reprocessing of the City Deep Dumps and Rooikraal Tailings Facility in Johannesburg, Gauteng Province. Bloemfontein.

**Butler, E.** 2018. Proposed Kalabasfontein Mine Extension project, near Bethal, Govan Mbeki District Municipality, Mpumalanga. Bloemfontein.

**Butler, E.** 2018. Palaeontological Desktop Assessment for the development of the proposed Leslie 1 Mining Project near Leandra, Mpumalanga Province. Bloemfontein.

**Butler, E.** 2018. Palaeontological Desktop Assessment of the proposed Mookodi – Mahikeng 400kV Line, North West Province. Bloemfontein.

**Butler, E.** 2018. Environmental Impact Assessment (EIA) for the Proposed 325mw Rondekop Wind Energy Facility between Matjiesfontein and Sutherland in the Northern Cape Province.

**Butler, E.** 2018. Palaeontological Impact Assessment of the proposed construction of the Tooverberg Wind Energy Facility, and associated grid connection near Touws River in the Western Cape Province. Bloemfontein.

**Butler, E.** 2018. Palaeontological impact assessment of the proposed Kalabasfontein Mining Right Application, near Bethal, Mpumalanga.

**Butler, E.,** 2019. Palaeontological Desktop Assessment of the proposed Westrand Strengthening Project Phase II.

**Butler, E.,** 2019. Palaeontological Field Assessment for the proposed Sirius 3 Photovoltaic Solar Energy Facility near Upington, Northern Cape Province

**Butler, E.,** 2019. Palaeontological Field Assessment for the proposed Sirius 4 Photovoltaic Solar Energy Facility near Upington, Northern Cape Province

**Butler, E.,** 2019. Palaeontological Field Assessment for Heuningspruit PV 1 Solar Energy Facility near Koppies, Ngwathe Local Municipality, Free State Province.

Butler, E., 2019. Palaeontological Field Assessment for the Moeding Solar Grid Connection, North West Province.

**Butler, E.,** 2019. Recommended Exemption from further Palaeontological studies for the Proposed Agricultural Development on Farms 1763, 2372 And 2363, Kakamas South Settlement, Kai! Garib Municipality, Mgcawu District Municipality, Northern Cape Province.

**Butler, E., 2019.** Recommended Exemption from further Palaeontological studies: of Proposed Agricultural Development, Plot 1178, Kakamas South Settlement, Kai! Garib Municipality

**Butler, E., 2019.** Palaeontological Desktop Assessment for the Proposed Waste Rock Dump Project at Tshipi Borwa Mine, near Hotazel, Northern Cape Province:

**Butler, E., 2019**. Palaeontological Exemption Letter for the proposed DMS Upgrade Project at the Sishen Mine, Gamagara Local Municipality, Northern Cape Province

**Butler, E., 2019.** Palaeontological Desktop Assessment of the proposed Integrated Environmental Authorisation process for the proposed Der Brochen Amendment project, near Groblershoop, Limpopo

Butler, E., **2019**. Palaeontological Desktop Assessment of the proposed updated Environmental Management Programme (EMPr) for the Assmang (Pty) Ltd Black Rock Mining Operations, Hotazel, Northern Cape

**Butler, E., 2019**. Palaeontological Desktop Assessment of the proposed Kriel Power Station Lime Plant Upgrade, Mpumalanga Province

**Butler, E., 2019**. Palaeontological Impact Assessment for the proposed Kangala Extension Project Near Delmas, Mpumalanga Province.

**Butler, E., 2019**. Palaeontological Desktop Assessment for the proposed construction of an iron/steel smelter at the Botshabelo Industrial area within the Mangaung Metropolitan Municipality, Free State Province.

**Butler, E., 2019**. Recommended Exemption from further Palaeontological studies for the proposed agricultural development on farms 1763, 2372 and 2363, Kakamas South settlement, Kai! Garib Municipality, Mgcawu District Municipality, Northern Cape Province.

**Butler, E., 2019.** Recommended Exemption from further Palaeontological Studies for Proposed formalisation of Gamakor and Noodkamp low-cost Housing Development, Keimoes, Gordonia Rd, Kai !Garib Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province.

**Butler, E., 2019**. Recommended Exemption from further Palaeontological Studies for proposed formalisation of Blaauwskop Low-Cost Housing Development, Kenhardt Road, Kai !Garib Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province.

**Butler, E., 2019**. Palaeontological Desktop Assessment of the proposed mining permit application for the removal of diamonds alluvial and diamonds kimberlite near Windsorton on a certain portion of Farm Zoelen's Laagte 158, Registration Division: Barkly Wes, Northern Cape Province.

**Butler, E., 2019**. Palaeontological Desktop Assessment of the proposed Vedanta Housing Development, Pella Mission 39, Khâi-Ma Local Municipality, Namakwa District Municipality, Northern Cape.

**Butler, E., 2019**. Palaeontological Desktop Assessment for The Proposed 920 KWP Groenheuwel Solar Plant Near Augrabies, Northern Cape Province

**Butler, E., 2019.** Palaeontological Desktop Assessment for the establishment of a Super Fines Storage Facility at Amandelbult Mine, Near Thabazimbi, Limpopo Province

**Butler, E., 2019.** Palaeontological Impact Assessment for the proposed Sace Lifex Project, Near Emalahleni, Mpumalanga Province

**Butler, E., 2019.** Palaeontological Desktop Assessment for the proposed Rehau Fort Jackson Warehouse Extension, East London

**Butler, E., 2019.** Palaeontological Desktop Assessment for the proposed Environmental Authorisation Amendment for moving 3 Km of the Merensky-Kameni 132KV Powerline

**Butler, E., 2019.** Palaeontological Impact Assessment for the proposed Umsobomvu Solar PV Energy Facilities, Northern and Eastern Cape

**Butler, E., 2019.** Palaeontological Desktop Assessment for six proposed Black Mountain Mining Prospecting Right Applications, without Bulk Sampling, in the Northern Cape.

**Butler, E., 2019.** Palaeontological field Assessment of the Filling Station (Rietvlei Extension 6) on the Remaining Portion of Portion 1 of the Farm Witkoppies 393JR east of the Rietvleidam Nature Reserve, City of Tshwane, Gauteng

**Butler, E., 2019.** Palaeontological Desktop Assessment of The Proposed Upgrade of The Vaal Gamagara Regional Water Supply Scheme: Phase 2 And Groundwater Abstraction

**Butler, E., 2019.** Palaeontological Desktop Assessment of The Expansion of The Jan Kempdorp Cemetery on Portion 43 Of Farm Guldenskat 36-Hn, Northern Cape Province

**Butler, E., 2019.** Palaeontological Desktop Assessment of the Proposed Residential Development on Portion 42 Of Farm Geldunskat No 36 In Jan Kempdorp, Phokwane Local Municipality, Northern Cape Province

**Butler, E.,** 2019. Palaeontological Impact Assessment of the proposed new Township Development, Lethabo Park, on Remainder of Farm Roodepan No 70, Erf 17725 And Erf 15089, Roodepan Kimberley, Sol Plaatjies Local Municipality, Frances Baard District Municipality, Northern Cape

**Butler, E.,** 2019. Palaeontological Protocol for Finds for the proposed 16m WH Battery Storage System in Steinkopf, Northern Cape Province

**Butler, E.,** 2019. Palaeontological Exemption Letter of the proposed 4.5WH Battery Storage System near Midway-Pofadder, Northern Cape Province

**Butler, E.,** 2019. Palaeontological Exemption Letter of the proposed 2.5ml Process Water Reservoir at Gloria Mine, Black Rock, Hotazel, Northern Cape

**Butler, E.,** 2019. Palaeontological Desktop Assessment for the Establishment of a Super Fines Storage Facility at Gloria Mine, Black Rock Mine Operations, Hotazel, Northern Cape:

**Butler, E.,** 2019. Palaeontological Desktop Assessment for the Proposed New Railway Bridge, and Rail Line Between Hotazel and the Gloria Mine, Northern Cape Province

**Butler, E.,** 2019. Palaeontological Exemption Letter of The Proposed Mixed Use Commercial Development on Portion 17 of Farm Boegoeberg Settlement Number 48, !Kheis Local Municipality in The Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Desktop Assessment of the Proposed Diamond Mining Permit Application Near Kimberley, Sol Plaatjies Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.



**Butler, E.,** 2019. Palaeontological Desktop Assessment of the Proposed Diamonds (Alluvial, General & In Kimberlite) Prospecting Right Application near Postmasburg, Registration Division; Hay, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Desktop Assessment of the proposed diamonds (alluvial, general & in kimberlite) prospecting right application near Kimberley, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Phase 1 Impact Assessment of the proposed upgrade of the Vaal Gamagara regional water supply scheme: Phase 2 and groundwater abstraction. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Desktop Assessment of the proposed seepage interception drains at Duvha Power Station, Emalahleni Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Desktop Assessment letter for the Proposed PV Solar Facility at the Heineken Sedibeng Brewery, near Vereeniging, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Phase 1 Assessment letter for the Proposed PV Solar Facility at the Heineken Sedibeng Brewery, near Vereeniging, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological field Assessment for the Proposed Upgrade of the Kolomela Mining Operations, Tsantsabane Local Municipality, Siyanda District Municipality, Northern Cape Province, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.**, 2019. Palaeontological Desktop Assessment of the proposed feldspar prospecting rights and mining application on portion 4 and 5 of the farm Rozynen 104, Kakamas South, Kai! Garib Municipality, Zf Mgcawu District Municipality, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.**, 2019. Palaeontological Phase 1 Field Assessment of the proposed Summerpride Residential Development and Associated Infrastructure on Erf 107, Buffalo City Municipality, East London. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Impact Assessment for the proposed re-commission of the Old Balgay Colliery near Dundee, KwaZulu Natal.

**Butler, E.,** 2019. Palaeontological Phase 1 Impact Assessment for the Proposed Re-Commission of the Old Balgay Colliery near Dundee, KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Desktop Assessment for the Proposed Environmental Authorisation and Amendment Processes for Elandsfontein Colliery. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Impact Assessment and Protocol for Finds of a Proposed New Quarry on Portion 9 (of 6) of the farm Mimosa Glen 885, Bloemfontein, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Impact Assessment and Protocol for Finds of a proposed development on Portion 9 and 10 of the Farm Mimosa Glen 885, Bloemfontein, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Exemption Letter for the proposed residential development on the Remainder of Portion 1 of the Farm Strathearn 2154 in the Magisterial District of Bloemfontein, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.**, 2019. Palaeontological Field Assessment for the Proposed Nigel Gas Transmission Pipeline Project in the Nigel Area of the Ekurhuleni Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Desktop Assessment for five Proposed Black Mountain Mining Prospecting Right Applications, Without Bulk Sampling, in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.



**Butler, E.** 2019. Palaeontological Desktop Assessment for the Proposed Environmental Authorisation and an Integrated Water Use Licence Application for the Reclamation of the Marievale Tailings Storage Facilities, Ekurhuleni Metropolitan Municipality - Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Impact Assessment for the Proposed Sace Lifex Project, near Emalahleni, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Desktop Assessment for the proposed Golfview Colliery near Ermelo, Msukaligwa Local Municipality, Mpumalanga Province

**Butler, E.,** 2019. Palaeontological Desktop Assessment for the Proposed Kangra Maquasa Block C Mining development near Piet Retief, in the Mkhondo Local Municipality within the Gert Sibande District Municipality. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Desktop Assessment for the Proposed Amendment of the Kusipongo Underground and Opencast Coal Mine in Support of an Environmental Authorization and Waste Management License Application. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2019. Palaeontological Exemption Letter of the Proposed Mamatwan Mine Section 24g Rectification Application, near Hotazel, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Field Assessment for the Proposed Environmental Authorisation and Amendment Processes for Elandsfontein Colliery. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Extension of the South African Nuclear Energy Corporation (Necsa) Pipe Storage Facility, Madibeng Local Municipality, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Field Assessment for the Proposed Piggery on Portion 46 of the Farm Brakkefontien 416, Within the Nelson Mandela Bay Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological field Assessment for the proposed Rietfontein Housing Project as part of the Rapid Land Release Programme, Gauteng Province Department of Human Settlements, City of Johannesburg Metropolitan Municipality. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Choje Wind Farm between Grahamstown and Somerset East, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application for the Prospecting of Diamonds (Alluvial, General & In Kimberlite), Combined with A Waste License Application, Registration Division: Gordonia and Kenhardt, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.


**Butler, E.,** 2020. Palaeontological Impact Assessment for the Proposed Clayville Truck Yard, Ablution Blocks and Wash Bay to be Situated on Portion 55 And 56 Of Erf 1015, Clayville X11, Ekurhuleni Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Hartebeesthoek Residential Development. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Mooiplaats Educational Facility, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Impact Assessment for the Proposed Monument Park Student Housing Establishment. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Field Assessment for the Proposed Standerton X10 Residential and Mixed-Use Developments, Lekwa Local Municipality Standerton, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.



**Butler, E.,** 2020. Palaeontological Field Assessment for the Proposed Matla Power Station Reverse Osmosis Plant, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application Without Bulk Sampling for the Prospecting of Diamonds Alluvial near Bloemhof on Portion 3 (Portion 1) of the Farm Boschpan 339, the Remaining Extent of Portion 8 (Portion 1), Portion 9 (Portion 1) and Portion 10 (Portion 1) and Portion 17 (Portion 1) of the Farm Panfontein 270, Registration Division: Ho, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application Combined with a Waste Licence Application for the Prospecting of Diamonds Alluvial, Diamonds General and Diamonds near Wolmaransstad on the Remaining Extent, Portion 7 and Portion 8 Of Farm Rooibult 152, Registration Division: HO, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application With Bulk Sampling combined with a Waste Licence Application for the Prospecting of Diamonds Alluvial (Da), Diamonds General (D), Diamonds (Dia) and Diamonds In Kimberlite (Dk) near Prieska On Portion 7, a certain Portion of the Remaining Extent of Portion 9 (Wouter), Portion 11 (De Hoek), Portion 14 (Stofdraai) (Portion of Portion 4), the Remaining Extent of Portion 16 (Portion Of Portion 9) (Wouter) and the Remaining Extent of Portion 18 (Portion of Portion 10) of the Farm Lanyon Vale 376, Registration Division: Hay, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Area and Mining Permit Area near Ritchie on the Remaining Extent of Portion 3 (Anna's Hoop) of the Farm Zandheuvel 144, Registration Division: Kimberley, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment of the Proposed Okapi Diamonds (Pty) Ltd Mining Right of Diamonds Alluvial (Da) & Diamonds General (D) Combined with a Waste Licence Application on the Remaining Extent of Portion 9 (Wouter) of the Farm Lanyon Vale 376; Registration Division: Hay; Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Field Assessment of the Proposed Prospecting Right Application for the Prospecting of Diamonds (Alluvial & General) between Douglas and Prieska on Portion 12, Remaining Extent of Portion 29 (Portion of Portion 13) and Portion 31 (Portion of Portion 29) on the Farm Reads Drift 74, Registration Division; Herbert, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Mining Permit Application Combined with a Waste License Application for the Mining of Diamonds (Alluvial) Near Schweitzer-Reneke on a certain Portion of Portion 12 (Ptn of Ptn 7) of the Farm Doornhoek 165, Registration Division: HO, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.


**Butler, E.,** 2020. Palaeontological Desktop Assessment for Black Mountain Koa South Prospecting Right Application, Without Bulk Sampling, in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Impact Assessment of the Proposed AA Bakery Expansion, Sedibeng District Municipality, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Boegoeberg Township Expansion,! Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Gariep Township Expansion, !Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Groblershoop Township Expansion, !Kheis Local Municipality, Zf Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.



**Butler, E.,** 2020. Palaeontological Exemption Letter for the Proposed Opwag Township Expansion,! Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Exemption Letter for the Proposed Topline Township Expansion, !Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment for the Proposed Wegdraai Township Expansion, !Kheis Local Municipality, Zf Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2020.** Palaeontological field Assessment for the Proposed Establishment of an Emulsion Plant on Erf 1559, Hardustria, Harrismith, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler.** 2020. Part 2 Environmental Authorisation (EA) Amendment Process for the Kudusberg Wind Energy Facility (WEF) near Sutherland, Western and Northern Cape Provinces- Palaeontological Impact Assessment. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Desktop Assessment Proposed for the Construction and Operation of the Battery Energy Storage System (BESS) and Associated Infrastructure and inclusion of Additional Listed Activities for the Authorised Droogfontein 3 Solar Photovoltaic (PV) Energy Facility Located near Kimberley in the Sol Plaatje Local Municipality, Francis Baard District Municipality, in the Northern Cape Province of South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2020. Palaeontological Impact Assessment for the Proposed Development of a Cluster of Renewable Energy Facilities between Somerset East and Grahamstown in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the Proposed Amaoti Secondary School, Pinetown, eThekwini Metropolitan Municipality KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2021. Palaeontological Impact Assessment for the Proposed an Inland Diesel Depot, Transportation Pipeline and Associated Infrastructure on Portion 5 of the Farm Franshoek No. 1861, Swinburne, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2021. Palaeontological Impact Assessment for the proposed erosion control gabion installation at Alpine Heath Resort on the farm Akkerman No 5679 in the Bergville district Kwazulu-Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2021. Palaeontological Impact Assessment for the proposed Doornkloof Residential development on portion 712 of the farm Doornkloof 391 Jr, City of Tshwane Metropolitan Municipality in Gauteng, South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.**, 2021. Palaeontological Desktop Assessment for the Proposed Expansion of the Square *Kilometre* Array (SKA) Meerkat Project, on the Farms Mey's Dam RE/68, Brak Puts RE /66, Swartfontein RE /496 & Swartfontein 2/496, in the Kareeberg Local Municipality, Pixley Ka Seme District Municipality, and the Farms Los Berg 1/73 & Groot Paardekloof RE /74, in the Karoo Hoogland Local Municipality, Namakwa District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling on Portion 6 of Scholtzfontein 165 and Farm Arnotsdale 175, Herbert District in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling on the Remaining Extent of Biessie Laagte 96, and Portion 2 and 6 of Aasvogel Pan 141, Near Hopetown in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling in the North West Province: on Portions 7 (RE) (of Portion 3), 11, 12 (of Portion 3), 34 (of Portion 30), 35 (of Portion 7) of the Farm Holfontein 147 IO and Portions 1, 2 and the RE) of the Farm Kareeboschbult 76 Ip and Portions 1, 2, 4, 5, 6, (of Portion 3), 7 (of Portion 3), 13, 14, and the Re of the farm Oppaslaagte 100IP and portions 25 (of Portion 24) and 30 of the farm Slypsteen 102 IP. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E.,** 2021. Palaeontological Desktop Assessment for the Proposed Expansion of the Cavalier Abattoir on farm Oog Van Boekenhoutskloof of Tweefontein 288 JR, near Cullinan, City of Tshwane Metropolitan Municipality, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the Proposed Doornkloof Residential Development on Portion 712 of the Farm Doornkloof 391 JR, City of Tshwane Metropolitan Municipality in Gauteng, South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed High Density Social Housing Development on part of the Remainder of Portion 171 and part of Portion 306 of the farm Derdepoort 326 JR, City of Tshwane. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Red Rock Mountain Farm activities on Portions 2, 3 and 11 of the Farm Buffelskloof 22, near Calitzdorp in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Mixed-use Development on a Part of Remainder of Portion 171 and Portion 306 of the farm Derdepoort 326 JR, City of Tshwane. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the Proposed Realignment of the D 2809 Provincial Road as well as the Mining Right Application for the Glisa and Paardeplaats Sections of the NBC Colliery (NBC) near Belfast (eMakhazeni), eMakhazeni Local Municipality, Nkangala District Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed construction of Whittlesea Cemetery within Enoch Mgijima Local Municipality area, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the establishment of a mixed-use development on Portion 0 the of Erf 700, Despatch, Nelson Mandela Bay Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed East Orchards Poultry Farm, Delmas/Botleng Transitional Local Council, Mpumalanga. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the proposed East Orchards Poultry Farm, Delmas/Botleng Transitional Local Council, Mpumalanga. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment to assess the proposed Gariep Road upgrade near Groblershoop, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Ngwedi Solar Plant which forms part of the authorised Paleso Solar Powerplant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the Noko Solar Power Plant and power line which forms part of the authorised Paleso Solar Powerplant near Orkney in the North West. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the Proposed Power Line as part of the Paleso Solar Power Plant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.



**Butler, E., 2021.** Palaeontological Impact Assessment for the Thakadu Solar Plant which forms part of the authorised Paleso Solar Powerplant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2020.** Palaeontological Desktop Assessment for the proposed Farming Expansions on Portions 50 of the Farm Rooipoort 555 JR, Portion 34 of the Farm Rooipoort 555 JR, Portions 20 and 49 of the Farm Rooipoort 555 JR and Portion 0(RE) of the Farm Oudou Boerdery 626 JR, Tshwane Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2020.** Palaeontological Desktop Assessment for the proposed Saselamani CBD on the Remainder of Tshikundu's Location 262 MT, and the Remainder of Portion 1 of Tshikundu's Location 262 MT, Collins Chabane Local Municipality, Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the proposed expansions of the existing Molare Piggery infrastructure and related activities on Portion 0(Re) of the farm Arendsfontein 464 JS, Portion 0(Re) of the farm Wanhoop 443 JS, Portion 0(Re) of the farm Eikeboom 476 JS and Portions 2 & 7 of the farm Klipbank 467 JS within the jurisdiction of the Steve Tshwete Local Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Nchwaning Rail Balloon Turn Outs at Black Rock Mine Operations (BRMO) near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Black Rock Mining Operations (BRMO) new rail loop and stacker reclaimer Project at Gloria Mine near Hotazel in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2020.** Palaeontological Desktop Assessment for the proposed Nchwaning Rail Balloon Turn Outs at Black Rock Mine Operations (BRMO) near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape.

**Butler, E., 2021.** Palaeontological Impact Assessment for the proposed utilization of one Borrow Pit for the planned Clarkebury DR08034 Road Upgrade, Engcobo Local Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Kappies Kareeboom Prospecting Project on Portion 1 and the Remainder of the farm Kappies Kareeboom 540, the Remainder of Farm 544, Portion 5 of farm 534 and Portion 1 of the farm Putsfontein 616, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Kameel Fontein Prospecting Project on the Remainder of the farm Kameel Fontein 490, a portion of the farm Strydfontein 614 and the farm Soetfontein 606, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Lewis Prospecting Project on Portions of the Farms Lewis 535, Spence 537, Wright 538, Symthe 566, Bredenkamp 567, Brooks 568, Beaumont 569 and Murray 570, John Taolo Gaetsewe District Municipality in the Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the Construction of the Ganspan Pering 132kV Powerline, <u>Phokwane Local Municipality, Frances Baard District Municipality in the Northern Cape</u>. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the Longlands Prospecting Project on a Portion of the farm Longlands 350, Frances Baard District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed development of 177 new units in the northern section of Mpongo Park in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.



**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Raphuti Settlement Project on Portions of the Farm Weikrans 539KQ in the Waterberg District Municipality of the Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the Senqu Rural Project, Joe Gqabi District Municipality, Senqu Local Municipality, in the Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the proposed new Township development on portion of the farm Klipfontein 716 and farm Ceres 626 in Bloemfontein, Mangaung Metropolitan Municipality, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the ECDOT Borrow Pits and WULA near Sterkspruit, Joe Gqabi District Municipality in the Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed SANRAL Stone Crescent Embankment Stabilisation Works along the N2 on the farm Zyfer Fonteyn 253 (Portion 0, 11 and 12RE) and Palmiet Rivier 305 (Portion 34, 36) near Grahamstown in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Klein Rooipoort Trust Citrus Development, in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed Victoria West water augmentation project in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Campbell Sewer, Internal Reticulation, Outfall Sewer Line and Oxidation Ponds, located on ERF 1, Siyancuma Local Municipality in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed Development and Upgrades within the Great Fish River Nature Reserve, Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for proposed Parsons Power Park a portion of Erf 1. within the Nelson Mandela Bay Municipality in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the proposed expansion of the farming operations on part of portions 7 and 8 of farm Boerboonkraal 353 in the Greater Tubatse Local Municipality of Sekhukhune District, Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021**. Palaeontological Desktop Assessment to assess the proposed low-level pedestrian bridge, in Heilbron, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment to assess the proposed township developments in Hertzogville, Malebogo, in Heilbron, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment for the proposed construction of Malangazana Bridge on Farm No.64 Nkwenkwana, Engcobo Local Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Impact Assessment to assess the proposed Construction of Middelburg Integrated Transport Control Centre on Portion 14 of Farm 81 Division of Middelburg, Chris Hani District Municipality in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment for the Witteberge Sand Mine on the remainder of farm Elandskrag Plaas 269 located in the Magisterial District of Laingsburg and Central Karoo District Municipality in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment (PIA) to assess the proposed Agrizone 2, Dube Trade Port in KwaZulu Natal Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2021.** Palaeontological Desktop Assessment assessing the proposed Prospecting Right application without bulk sampling for the prospecting of Chrome ore and platinum group metals on the Remaining Extent of the farm Doornspruit 106, Registration Division: HO; North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Desktop Assessment for the proposed Ennerdale Extension 2 Township Establishment on the Undeveloped Part of Portion 134 of the Farm Roodepoort 302IQ, City of Johannesburg Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Desktop Assessment for the Construction of the ESKOM Mesong 400kV Loop-In Loop-Out Project, Ekurhuleni Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Desktop Assessment for the Proposed Vinci Prospecting Right Application on the Remainder of the Farm Vinci 580, ZF Mgcawu District Municipality, in the Northern Cape Province, Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Desktop Assessment for the proposed Farm 431 Mining Right Application (MRA), near Postmasburg, ZF Mgcawu District Municipality, in the Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Impact Assessment for the Leeuw Braakfontein Colliery Expansion Project (LBC) in the Amajuba District Municipality, KwaZulu-Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Desktop Assessment for the proposed reclamation of the 5L23 TSF in Ekurhuleni, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Desktop Assessment for the Proposed Mogalakwena Mine Infrastructure Expansion (near Mokopane in the Mogalakwena Local Municipality, Limpopo Province). Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Desktop Assessment for the proposed 10km Cuprum to Kronos Double Circuit 132kV Line and Associated Infrastructure in Copperton in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Impact Assessment for the proposed Hoekplaas WEF near Victoria West in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Desktop Assessment (PDA) assessing the proposed Prospecting Right Application without bulk sampling for the Prospecting of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) on the Remaining Extent of the Farm Goede Hoop 547, Remaining Extent of the Farm 548, Remaining Extent of Portion 2 and Portion 3 of the Farm Skeyfontein 536, Registration Division: Hay, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Impact Assessment for the proposed extension of Duine Weg Road between Pellsrus and Marina Martinique as well as a Water Use Authorisation (WUA) for the project. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Proposed Mimosa Residential Development and Associated Infrastructure on Fairview Erven, in Gqeberha (Port Elizabeth), Nelson Mandela Bay Metropolitan Municipality, Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

**Butler, E., 2022.** Palaeontological Impact Assessment for the Witteberge Sand Mine on the remainder of farm Elandskrag Plaas 269 located in the Magisterial District of Laingsburg and Central Karoo District Municipality in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment to assess the Palaeontology for the Somkhele Anthracite Mine's Prospecting Right Application, on the Remainder of the Farm Reserve no 3 No 15822



within the uMkhanyakude District Municipality and the Mtubatuba Local Municipality, KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

BANZAI ENVIRONMENTAL (PTY) LTD. Reg No. 2015/332235/07 |



APPENDIX 3: Visual Impact Assessment and Visual Statement







Bonsmara Solar PV (RF) (Pty) Ltd

# Bonsmara Solar PV Facility near Kroonstad, Free State Province

# Visual Impact Assessment

DFFE Reference: TBCReport Prepared by: Kelly Armstrong and Chris DalglieshIssue Date:3 October 2022Version No.:2

# Bonsmara Solar PV (RF) (Pty) Ltd

# Bonsmara Solar PV Facility near Kroonstad, Free State Province

# Visual Impact Assessment

# EXECUTIVE SUMMARY

Bonsmara Solar PV (RF) (Pty) Ltd proposes to develop the 100 MW Bonsmara Solar Photovoltaic (PV) Facility, Battery Energy Storage System and associated infrastructure on a site ~12 km south-east of Kroonstad, in the Free State Province (project). The PV Facility will occupy ~390 ha across Portion 0 and Portion 1 of Farm 636 in Moqhaka Local Municipality. A 2 km long 132 kV powerline will evacuate power to the grid by connecting the on-site substation to the Kroonstad Switching Station.

SRK Consulting (South Africa) (Pty) Ltd has been appointed by SiVEST (SA) (Pty) Ltd to undertake the Visual Impact Assessment to inform the Environmental Impact Assessment process required in terms of the National Environmental Management Act 107 of 1998, conducted by SiVEST.

Impacts of the PV Facility components and the grid connection component (132 kV powerline and onsite substation) are assessed separately and are likely to be associated with visual intrusion and visual quality.

Construction (and decommissioning) activities associated with the PV Facility and the 132 kV powerline are anticipated to be visually intrusive. The impact is assessed to be of *medium* significance and with implementation of mitigation is reduced to *low*.

During the operational phase it is anticipated that the PV array, BESS, internal grid infrastructure, substation and 132 kV powerline will alter the sense of place and be visually intrusive. These impacts are assessed to be of *high, medium* and *low* significance respectively, and with the implementation of mitigation is reduced to *medium* or *low*. The visual impact of nightglow is anticipated to be of *medium* significance and with the implementation of mitigation is reduced to *medium* or *low*.

Key mitigation measures include:

- Limit vegetation clearance and the footprint of construction to what is absolutely essential;
- Consolidate the footprint of the construction camp to a functional minimum;
- Avoid excavation, handling and transport of materials which may generate dust under very windy conditions;
- Keep stockpiled aggregate and sand covered to minimise dust generation;
- Keep construction site tidy;
- Plant vegetation (that will reach >3 m in height) or establish a vegetated berm (>3 m) along the south-western boundary of the site bordering the R76;
- Install the 33 kV powerlines underground, where possible;
- Fence the perimeter of the site with a green or black fencing;
- Ensure that the roof colour of the proposed buildings blends into the landscape;

- Do not install or affix lights on pylons;
- Reduce the height of lighting masts to a workable minimum; and
- Direct lighting inwards and downwards to limit light pollution.

The visual quality and sense of place is already affected by existing substations and powerlines within the visual landscape. As such, the proposed powerlines, BESS and substations associated with this project will not be the first of their kind. A number of other PV facilities are proposed in the 35 km radius of the proposed project, however, are located far apart and do not constitute a spatially concentrated, high-density network of PV facilities. Therefore, the cumulative impact of the PV facility and 132 kV powerline is assessed to be of medium significance and with the implementation of mitigation is reduced to low.

This project will be largely incongruent with the existing agricultural landscape. As such, visual impacts include altered sense of place, visual intrusion and light pollution. This VIA demonstrates that the project will generally result in a moderate visual impact, despite not being located within a REDZ. The construction, operational, decommissioning and cumulative impacts are deemed to be acceptable on the assumption that the mitigation measures listed in this VIA are implemented.

Based on the assessment and the assumption that the proposed mitigation measures will be implemented, the specialist is of the opinion that the visual impacts of the project are acceptable and, from a visual perspective, there is no reason not to authorise the project.

# NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT NO. 107 OF 1998) AND ENVIRONMENTAL IMPACT REGULATIONS, 2014 (AS AMENDED) - REQUIREMENTS FOR SPECIALIST REPORTS (APPENDIX 6)

Regula Appen	tion GNR 326 of 4 December 2014, as amended 7 April 2017, dix 6	Section of Report
	<ul> <li>specialist report prepared in terms of these Regulations must containdetails of-</li> <li>i. the specialist who prepared the report; and</li> <li>ii. the expertise of that specialist to compile a specialist report including a curriculum vitae;</li> </ul>	1.3
b)	a declaration that the specialist is independent in a form as may be specified by the competent authority;	Page 6
c)	an indication of the scope of, and the purpose for which, the report was prepared;	1
	(cA) an indication of the quality and age of base data used for the specialist report;	1.4.3
	(cB) a description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change;	6
d)	d) the date and season of the site investigation and the relevance of the season to the outcome of the assessment;	
e)	a description of the methodology adopted in preparing the report or carrying out the specialised process inclusive of equipment and modelling used;	1.4
f)	details of an assessment of the specific identified sensitivity of the site related to the proposed activity or activities and its associated structures and infrastructure, inclusive of a site plan identifying site alternatives;	6 and 7
g)	an identification of any areas to be avoided, including buffers;	7
<ul> <li>h) a map superimposing the activity including the associated structures</li> <li>N/A</li> <li>and infrastructure on the environmental sensitivities of the site</li> <li>including areas to be avoided, including buffers;</li> </ul>		N/A
i)	a description of any assumptions made and any uncertainties or gaps in knowledge;	2
j)	<ul> <li>a description of the findings and potential implications of such findings</li> <li>on the impact of the proposed activity, (including identified alternatives on the environment) or activities;</li> </ul>	
k)	any mitigation measures for inclusion in the EMPr;	7.9

Regula Appen	tion GNR 326 of 4 December 2014, as amended 7 April 2017, dix 6	Section of Report
I)	any conditions for inclusion in the environmental authorisation;	8.1
m)	any monitoring requirements for inclusion in the EMPr or environmental authorisation;	7.9
n)	a reasoned opinion- i. (as to) whether the proposed activity, activities or portions thereof should be authorised;	8.1
	<ul> <li>(iA) regarding the acceptability of the proposed activity or activities; and</li> </ul>	
	<li>ii. if the opinion is that the proposed activity, activities or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan;</li>	
o)	a description of any consultation process that was undertaken during the course of preparing the specialist report;	N/A
p)	a summary and copies of any comments received during any consultation process and where applicable all responses thereto; and	N/A
q)	any other information requested by the competent authority.	N/A
protoco	ere a government notice <i>gazetted</i> by the Minister provides for any I or minimum information requirement to be applied to a specialist the requirements as indicated in such notice will apply.	N/A



# environmental affairs

Department: Environmental Affairs REPUBLIC OF SOUTH AFRICA

# DETAILS OF THE SPECIALIST, DECLARATION OF INTEREST AND UNDERTAKING UNDER OATH

File Reference Number: NEAS Reference Number: Date Received: (For official use only)

DEA/EIA/

Application for authorisation in terms of the National Environmental Management Act, Act No. 107 of 1998, as amended and the Environmental Impact Assessment (EIA) Regulations, 2014, as amended (the Regulations)

## **PROJECT TITLE**

Bonsmara Solar PV Facility near Kroonstad, Free State Province

## Kindly note the following:

- 1. This form must always be used for applications that must be subjected to Basic Assessment or Scoping & Environmental Impact Reporting where this Department is the Competent Authority.
- This form is current as of 01 September 2018. It is the responsibility of the Applicant / Environmental Assessment Practitioner (EAP) to ascertain whether subsequent versions of the form have been published or produced by the Competent Authority. The latest available Departmental templates are available at https://www.environment.gov.za/documents/forms.
- 3. A copy of this form containing original signatures must be appended to all Draft and Final Reports submitted to the department for consideration.
- 4. All documentation delivered to the physical address contained in this form must be delivered during the official Departmental Officer Hours which is visible on the Departmental gate.
- All EIA related documents (includes application forms, reports or any EIA related submissions) that are faxed; emailed; delivered to Security or placed in the Departmental Tender Box will not be accepted, only hardcopy submissions are accepted.

## Departmental Details

Postal address: Department of Environmental Affairs Attention: Chief Director: Integrated Environmental Authorisations Private Bag X447 Pretoria 0001

Physical address: Department of Environmental Affairs Attention: Chief Director: Integrated Environmental Authorisations Environment House 473 Steve Biko Road Arcadia

Queries must be directed to the Directorate: Coordination, Strategic Planning and Support at: Email: EIAAdmin@environment.gov.za

## 1. SPECIALIST INFORMATION

Specialist Company Name:	SRK Consulting (South Africa) (Pty) Ltd				
B-BBEE	Contribution level (indicate 1 to 8 or non- compliant)	1	Percent Procure recogni	ement	125%
Specialist name:	Kelly Armstrong		• =		
Specialist Qualifications:	BSocSc (Hons) Environmental Science				
Professional N/A					
affiliation/registration:					
Physical address:	183 Main Road, Albion Sp	ring Clos	se, Rondebosch	n, 7700	
Postal address:	Postnet Suite #206, P. Bag X18, Rondebosch, 7701				
Postal code:	7700		Cell:	076 114 9254	
Telephone:	021 659 3060 Fax: 086 530 7003		/003		
E-mail:	karmstrong@srk.co.za				

## 2. DECLARATION BY THE SPECIALIST

- I, \_\_\_\_Kelly Armstrong\_\_\_\_\_, declare that –
- I act as the independent specialist in this application;
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my
  possession that reasonably has or may have the potential of influencing any decision to be taken with
  respect to the application by the competent authority; and the objectivity of any report, plan or document to
  be prepared by myself for submission to the competent authority;
- all the particulars furnished by me in this form are true and correct; and
- I realise that a false declaration is an offence in terms of regulation 48 and is punishable in terms of section 24F of the Act.

## Signature of the Specialist

## SRK Consulting (South Africa) (Pty) Ltd

Name of Company:

Date:

## 3. UNDERTAKING UNDER OATH/ AFFIRMATION

I, \_\_\_\_\_ Kelly Armstrong \_\_\_\_\_, swear under oath / affirm that all the information submitted or to be submitted for the purposes of this application is true and correct.

Signature of the Specialist

SRK Consulting (South Africa) (Pty) Ltd

Name of Company

Date

Signature of the Commissioner of Oaths

Date

# Bonsmara Solar PV (RF) (Pty) Ltd

# Bonsmara Solar PV Facility near Kroonstad, Free State Province

# **Visual Impact Assessment**

# Contents

1.	SPECIALIST INFORMATION	
2.	DECLARATION BY THE SPECIALIST	
3.	UNDERTAKING UNDER OATH/ AFFIRMATION 6	
1.	INTRODUCTION1	
1.1	Scope and Objectives 1	
1.2	Terms of Reference	
1.3	Specialist Credentials 3	
1.4	Assessment Methodology4	
1.4.1	Approach4	
1.4.2	Method	
1.4.3	Site Visit and Data Acquisition	
2.	ASSUMPTIONS AND LIMITATIONS7	
3.	TECHNICAL DESCRIPTION	
3.1	Project Location	
3.1.1	Location Alternatives	
3.2	Project Description	
3.2.1	Technology Alternatives9	
3.2.2	Layout Alternatives9	
3.2.3	No Go Alternative	
4.	LEGAL REQUIREMENTS AND GUIDELINES9	
5.	DESCRIPTION OF THE RECEIVING ENVIRONMENT – VISUAL CONTEXT	
<b>5.</b>		
-	CONTEXT	

5.1.3	Land Use	14
5.2	Visual Character	15
5.3	Visual Quality	17
5.4	Visual Receptors	
5.5	Sense of Place	18
6.	ANALYSIS OF THE MAGNITUDE OF THE VISUAL IMPACT	19
6.1	Visual Exposure	
6.2	Visual Absorption Capacity	22
6.3	Sensitivity of Visual Receptors	
6.4	Viewing Distance and Visibility	
6.5	Compatibility with Landscape Integrity	
6.6	Magnitude of the Overall Visual Impact	31
7.	SPECIALIST FINDINGS / IDENTIFICATION AND ASSESSM	
7.1	Construction Phase – PV Facility Components	33
7.1.1	Altered Sense of Place and Visual Intrusion caused by Construction of the PV	Facility . 33
7.2	Construction Phase – Grid Connection	
7.2.1	Altered Sense of Place and Visual Intrusion caused by Construction of the Grid Connectior	
7.3	Operational Phase – PV Facility Components	
7.3.1	Altered Sense of Place and Visual Intrusion caused by the PV Array	34
7.3.2	Altered Sense of Place and Visual Intrusion caused by the BESS and In Infrastructure	
7.3.3	Altered Visual Quality caused by Light Pollution at Night	35
7.4	Operational Phase – Grid Connection	35
7.4.1	Altered Sense of Place and Visual Intrusion caused by the Grid Connection	35
7.4.2	Altered Visual Quality caused by Light Pollution at Night	35
7.5	Decommissioning Phase – PV Facility Components	
7.5.1	Altered Sense of Place caused by Decommissioning Activities	
7.6	Decommissioning Phase – Grid Connection	
7.6.1	Altered Sense of Place caused by the Decommissioning Activities	
7.7	Cumulative Impacts	
7.7.1	Introduction	
7.7.2	Cumulative Impacts Analysis	
7.8	Overall Impact Rating	40
7.9	Input into the EMPr	48
7.10	No-Go Alternative	51

8.	CONCLUSION	51
8.1	Impact Statement	53

9.	REFERENCES	54	ŀ

# List of Tables

Table 1-1:	VIA staff	3
Table 3-1:	Affected properties for the PV facility	7
Table 3-2:	Affected properties for the 132 kV powerline	7
Table 4-1:	Expected visual impact significance	. 11
Table 4-2:	Recommended approach for visual assessment	. 11
Table 5-1:	Relationship to place	. 19
Table 6-1:	Visual absorption capacity criteria	. 23
Table 6-2:	Distance categories	. 25
Table 6-3:	Visibility criteria	. 26
Table 6-4:	Visibility from viewpoints	. 27
Table 6-5:	Landscape integrity criteria	. 31
Table 6-6:	Magnitude of overall visual impact	. 32
Table 7-1:	PV projects within a 35 km radius of the project site	. 37
Table 7-2:	Rating of impacts – PV Facility Components	. 41
Table 7-3:	Rating of impacts – grid connection	. 45
Table 7-4:	EMPr measures	. 48

## List of Figures

Figure 1-1:	Locality map	. 2
Figure 1-2:	Approach to and method for the VIA	. 5
Figure 5-1:	Vegetation in the project area. Photo taken at Viewpoint (VP) 4	
looking toward	d the project site	12
Figure 5-2:	Topography map	13
Figure 5-3:	Agricultural land to the east of the site. Photo taken at VP11 looking	
toward the pro	pject site	14
Figure 5-4:	Existing 132 kV powerline extending across the site and over the R7	6.
Photo taken a	t VP3 looking toward the project	15
Figure 5-5:	Modified rural landscape	15
Figure 5-6:	Typical visual character attributes	16
Figure 5-7:	Typical views in the landscape	17
Figure 5-8:	Rolling views of the undulating landscape. Photo taken from VP 8	
looking toward	d the project site	18
Figure 6-1:	Viewshed	21
Figure 6-2:	Visual exposure vis-à-vis distance	25
Figure 6-3:	Viewpoints	29
Figure 6-4:	Viewshed and viewpoints	30
Figure 7-1:	Location of surrounding PV Facility projects	39

## List of Appendices

Appendix A: Appendix B: Appendix C: Specialist CV

- Impact Assessment Methodology Viewpoint Photographs

#### **Glossary of Terms**

This list contains definitions of symbols, units, abbreviations, and terminology that may be unfamiliar to the reader.

Landscape Integrity	The compatibility of the development/visual intrusion with the existing landscape.
Sense of Place	The identity of a place related to uniqueness and/or distinctiveness. Sometimes referred to as genius loci meaning 'spirit of the place'.
Viewshed	The topographically defined area from which the project could be visible.
Visibility	The area from which the project components would actually be visible and which depends upon topography, vegetation cover, built structures and distance.
Visual Absorption Capacity	The potential for the area to conceal the proposed development.
Visual Character	The elements that make up the landscape including geology, vegetation and land-use of the area.
Visual Exposure	The zone of visual influence or viewshed. Visual exposure tends to diminish exponentially with distance.
Visual Impact	A change to the existing visual, aesthetic or scenic environment, either adverse or beneficial, that is directly or indirectly due to the development of the project and its associated activities.
Visual Intrusion	The effect of the artificial insertion (construction) of an object into a landscape, typically – but not always - reducing the visual quality of the environment, and sense of place.
Visual Quality	The experience of the environment with its particular natural and cultural attributes.
Visual Receptors	Potential viewers (individuals or communities) who are subjected to the visual influence of a project.

## List of Abbreviations

BESS	Battery Energy Storage System
CSP	Concentrated Solar Power
DEA&DP	Department of Environmental Affairs and Development Planning
DFFE	Department of Forestry, Fisheries and the Environment
EA	Environmental Authorisation
EIA	Environmental Impact Assessment
EMPr	Environmental Management Programme
mamsl	Metres Above Mean Sea Level
MW	Megawatt
NEMA	National Environmental Management Act 107 of 1998
PV	Photovoltaic
REDZ	Renewable Energy Development Zone
SiVEST	SiVEST Environmental
SRK	SRK Consulting (South Africa) (Pty) Ltd
ToR	Terms of Reference
VAC	Visual Absorption Capacity
VIA	Visual Impact Assessment
VP	Viewpoint
WEF	Wind Energy Facility

# Bonsmara Solar PV (RF) (Pty) Ltd

# Bonsmara Solar PV Facility near Kroonstad, Free State Province

# **Visual Impact Assessment**

# 1. INTRODUCTION

Bonsmara Solar PV (RF) (Pty) Ltd proposes to develop the 100 MW Bonsmara Solar Photovoltaic (PV) Facility, Battery Energy Storage System (BESS) and associated infrastructure on a site approximately 12 km south-east of the town of Kroonstad, in the Free State Province (the project - Figure 1-1) The PV Facility and BESS will be located on Portion 0 of Farm 636 and Portion 1 of Farm 636 located in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality. A 2 km long 132 kV powerline will evacuate power to the grid by connecting the on-site substation to the Kroonstad Switching Station.

SRK Consulting (South Africa) (Pty) Ltd (SRK) has been appointed by SiVEST Environmental (SiVEST) to undertake the Visual Impact Assessment (VIA) to inform the Environmental Impact Assessment (EIA) process required in terms of the National Environmental Management Act 107 of 1998 (NEMA), conducted by SiVEST.

## 1.1 Scope and Objectives

The primary aims of the study are to describe the visual baseline, assess the visual impacts of the project and identify effective and practicable mitigation measures. The VIA informs the EIA process required in terms of NEMA, and conducted by SiVEST.




Figure 1-1: Locality map

Prepared by: Kelly Armstrong

# 1.2 Terms of Reference

The Terms of Reference (ToR) for the study are as follows:

- Describe the baseline visual characteristics of the study area, including landform, visual character and sense of place, and place this in a regional context;
- Identify potential impacts of the project on the visual environment through analysis and synthesis of the following factors:
  - Visual exposure;
  - Visual absorption capacity (VAC);
  - Sensitivity of viewers (visual receptors);
  - Viewing distance and visibility; and
  - Landscape integrity;
- Assess potential the impacts of the project on the visual environment and sense of place using SiVEST's impact assessment methodology (see Appendix B);
- Identify and assess the direct, indirect and cumulative impacts (pre- and post-mitigation) of the proposed project (and alternatives, if applicable) on visual resources in relation to other proposed and existing developments in the surrounding area;
- Compile a report compliant with Appendix 6 of the EIA Regulations and any relevant legislation and guidelines; and
- Recommend practicable mitigation measures to avoid and/or minimise impacts and/or optimise benefits.

## **1.3 Specialist Credentials**

The VIA was conducted by staff listed in Table 1-1.

Table 1-1: VIA staff

Staff	Role	Qualification
Christopher Dalgliesh	Project Review and Director	Chris Dalgliesh is a Partner and Principal Environmental Consultant with over 35 years' experience, primarily in South Africa, Southern Africa, West Africa and South America (Suriname). Chris has worked on a wide range of projects, notably in the natural resources, Oil & Gas, waste, infrastructure (including rail and ports) and industrial sectors. He has managed and regularly reviews Visual Impact Assessments. He has directed and managed numerous Environmental and Social Impact Assessments (ESIAs) and associated management plans, in accordance with international standards. He regularly provides high level review of ESIAs, frequently directs Environmental and Social Due Diligence studies for lenders, and also has a depth of experience in Strategic Environmental Assessment, State of Environment Reporting and Resource Economics. He

		holds a BBusSci (Hons) and M Phil (Env) and is a registered Environmental Assessment Practitioner.
Kelly Armstrong	Specialist Consultant	Kelly Armstrong is an Environmental Consultant at SRK Consulting. She has four years' experience in managing Basic Assessment, Environmental Impact Assessment and Water Use Authorisation processes and acting as an Environmental Control Officer in the renewable energy, residential, aquaculture, marine and mining sectors. She also manages and contributes to Visual Impact Assessments for infrastructure, renewable energy and mining projects. Kelly holds a BSocSc (Hons) in Environmental and Geographical Studies from the University of Cape Town.

## 1.4 Assessment Methodology

Visual impacts are a function of the physical transformation of a landscape on account of the introduced object, and the experiential perceptions of viewers.

Given the subjective nature of visual issues, assessing the visual impacts of a project in absolute and objective terms is not achievable. Thus, qualitative as well as quantitative techniques are required.

In this VIA, emphasis has therefore been placed on ensuring that the methodology and rating criteria are clearly stated and transparent. The focus of the study is to determine the character and sensitivity of the visual environment, identify visual receptors and viewing corridors and identify and assess potential visual impacts and mitigation measures.

#### 1.4.1 Approach

The approach adopted for the VIA is intended to be as accurate and thorough as possible. Analytical techniques are selected to endorse the reliability and credibility of the assessment.

The approach to and reporting of the VIA study comprises three major, phased elements (as summarised in Figure 1-2 below):

- Description of the visual context;
- Identification and discussion of the potential visual impacts; and
- Assessment of those potential impacts.

Visual impacts are assessed as one of many interrelated effects on people (i.e. the viewers and the impact of an introduced object into a particular view or scene) (Young, 2000). In order to assess the visual impact the project has on the affected environment, the visual context (baseline) in which the project is located must be described. The inherent value of the visual landscape to viewers is informed by geology / topography, vegetation and land-use and is expressed as Visual Character (overall impression of the landscape), Visual Quality (how the landscape is experienced) and Sense of Place (uniqueness and identity).

Visual impact is measured as the change to the existing visual environment caused by the project as perceived by the viewers (Young, 2000). The visual impact(s) may be negative, positive or neutral (i.e. the visual quality is maintained). The magnitude or intensity of the visual impacts is determined through analysis and synthesis of the VAC of the landscape (potential of the landscape to absorb the project), zone of visual

influence or exposure<sup>1</sup>, visibility (viewing distances), compatibility of the project with landscape integrity (congruence) and the sensitivity of the viewers (receptors).

Sources of visual impacts are identified for the construction, operational and decommissioning phases of the project. The significance of those visual impacts is then assessed using the prescribed impact rating methodology, which includes the rating of:

- Impact consequence, determined by extent, duration and magnitude/intensity of impact (see above);
- Impact probability;
- Impact significance, determined by combining the ratings for consequence and probability; and
- Confidence in the significance rating.

The significance rating methodology is described in more detail in Appendix B.

Mitigation measures recommended to avoid and/or reduce the significance of negative impacts, or to optimise positive impacts, are identified for the project. Impact significance is re-assessed assuming the effective implementation of mitigation measures.




Figure 1-2: Approach to and method for the VIA

## 1.4.2 Method

The following method was used to assess the visual context (baseline) for the project:

1. Describe the project using information supplied by the proponent and EIA team;

<sup>&</sup>lt;sup>1</sup> Visual exposure of a project can be determined through the analysis of viewsheds, however due to the existing road infrastructure and congruence of the proposed project with the existing infrastructure in the project area viewshed analysis will not be undertaken.

- 2. Collect and review visual data, including data on topography, vegetation cover, land-use and other background information;
- 3. Undertake fieldwork, comprising a reconnaissance of the study area, particularly the project site and key viewpoints. The objectives of the fieldwork were to:
- Familiarise the specialist with the site and its surroundings;
- Identify key viewpoints / corridors; and
- Determine and groundtruth the existing visual character and quality in order to understand the sensitivity of the landscape.

Visual 'sampling' using photography was undertaken to illustrate the likely zone of influence and visibility. The location of the viewpoints was recorded with a GPS;

- 4. Undertake a mapping exercise to define the visual character of the study area; and
- 5. Identify sensitive receptors.

The following method was used to assess the visual impact of the project:

- 1. Determine the visual zone of influence or exposure by superimposing the proposed development on aerial imagery, and verified during the site visit;
- 2. Make field observations at key viewpoints to determine the likely distance at which visual impacts will become indistinguishable;
- 3. Rate impacts on the visual environment and sense of place based on professional opinion and the prescribed impact rating methodology;
- 4. Recommend practicable mitigation measures to avoid and/or minimise impacts; and
- 5. Provide environmental management measures to be included in the Environmental Management Programme for the project (EMPr).

## 1.4.3 Site Visit and Data Acquisition

A site visit was undertaken on 13 September 2022. The site visit duration and timing were appropriate to provide the specialist with a representative impression of the site and surroundings.

The following additional information sources were used:

- Maps indicating the location and layout of the project;
- Topographic data, including spatial files with 5 m contours obtained from the Department of Rural Development and Land Reform;
- Aerial images; and
- Other available data on geology, vegetation, land use, receptors etc.

The information is sufficiently recent and detailed to provide appropriate inputs into the VIA.

# 2. ASSUMPTIONS AND LIMITATIONS

As is standard practice, the VIA is based on a number of assumptions and is subject to certain limitations, which should be borne in mind when considering information presented in this report. These assumptions and limitations include:

- VIA is not, by nature, a purely objective, quantitative process, and depends to some extent on subjective judgments. Where subjective judgments are required, appropriate criteria and motivations for these have been clearly stated;
- The study is based on technical information supplied to SRK, which is assumed to be accurate. This includes the proposed locations, dimensions and layouts of the project components;
- This study conservatively assumes a single contiguous PV array of approximately ~390 ha;
- The study area is defined as the area within a 5 km radius of the site, as the visual impact beyond this distance is considered negligible; and
- This study does not provide motivation for or against the project, but rather seeks to give insight into the visual character and quality of the area, its VAC and the potential visual impacts of the project.

The findings of the VIA are not expected to be affected by these assumptions and limitations.

# 3. TECHNICAL DESCRIPTION

This section provides a concise description of the proposed project as provided at the time of assessment, focusing on elements relevant to the VIA. The general project description may still be refined, and a more detailed description is provided in the EIA Report for the project. Unless changes to the project description affect aspects directly assessed in this VIA, they are not expected to affect the findings of this study.

## 3.1 Project Location

Bonsmara Solar PV (RF) (Pty) Ltd is proposing the construction of the 100MW Bonsmara PV Facility, BESS and associated infrastructure, ~12km south-east of Kroonstad, in the Free State Province (Figure 1-1). The facility will occupy a footprint of ~390 ha and will be located on Portion 0 of Farm 636 and Portion 1 of Farm 636 located in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality.

The project is located over the following farm portions as detailed in Table 3-1 and Table 3-2 below.

#### Table 3-1: Affected properties for the PV facility

Farm Name	SG Code		
Farm Scheveningen No. 636 Portion 0	F020000000063600000		
Farm Scheveningen No. 636 Portion 1	F020000000063600001		

#### Table 3-2:Affected properties for the 132 kV powerline

Farm Name	SG Code	
Farm Scheveningen No. 636 Portion 0	F020000000063600000	
Farm Scheveningen No. 636 Portion 1	F020000000063600001	
Farm Oslaagte No. 2564 Portion 0	F020000000256400000	

This project is not located within one of the 11 designated Renewable Energy Development Zones (REDZ) in South Africa. The REDZ are geographically defined areas in which the South African Government has encouraged the development of PV and wind renewable energy projects by promulgating a streamlined authorisation approach. As such, the REDZ have become areas in which the development of PV projects is considered more acceptable, though sites outside REDZ are not precluded.

## 3.1.1 Location Alternatives

No other location alternatives are being considered. The site is located approximately 2 km from a grid connection point that has been confirmed to have sufficient capacity to evacuate the generated electricity. The land has been confirmed as available by private landowners. A prefeasibility study by an agricultural specialist found the site to be suitable in terms of agricultural sensitivity.

## 3.2 **Project Description**

The 100 MW PV Facility will compromise several arrays of PV panels, BESS and associated infrastructure. An on-site substation and a 2 km 132 kV powerline will evacuate the power to the grid.

Preliminary PV Facility components include:

- PV modules and mounting structures (monofacial or bifacial) with fixed, single or double axis tracking mounting structures;
- Associated stormwater management infrastructure;
- BESS;
- Site and internal access roads (up to 6 m wide);
- Temporary laydown area during the construction phase for the construction camp and laydown area (which will be a permanent laydown area for the BESS during the operational phase);
- Infrastructure including offices, operational control centre, operation and maintenance area, ablution facilities etc;
- Grid connection infrastructure including medium-voltage cabling between the project components and the facility substation (underground cabling will be used where practical (up to 33 kV));
- Perimeter fencing; and
- Rainwater and/or groundwater storage tanks and associated water transfer infrastructure.

The on-site 33 kV/132 kV substation (facility substation) will step up power from 33 kV to 132 kV for transmission to the national grid. The power will then be evacuated to the national grid by the proposed  $\sim$ 2 km 132 kV powerline that connects the on-site substation to the Kroonstad Switching Station. A 300 m powerline corridor was assessed (150 m on either side).

## 3.2.1 Technology Alternatives

No other activity alternatives are being considered. Concentrated Solar Power (CSP) technology has not been considered suitable for this site because it requires a flat surface, has a high visual impact and requires large volumes of water. In addition, CSP has not been catered for in the IRP2019.

A wind energy facility has not been considered as a technology alternative, as the climatic conditions show that wind resources in the area are not suitable.

## 3.2.2 Layout Alternatives

The design and layout alternatives will be considered and assessed as part of the EIA taking into consideration the environmental constraints identified by the specialists.

The BESS, laydown area and substation are optimally located in the south-east corner of the site closest to the grid connection point and access road. The powerline follows the shortest route to the grid connection point and follows an existing 132 kV powerline.

## 3.2.3 No Go Alternative

The 'no-go' alternative is the option of not undertaking the development of the proposed PV Facility and / or grid connection infrastructure. Hence, if the 'no-go' option is implemented, there would be no development. The 'no-go' option assumes that the site remains in its current state and the status quo would be preserved.

This alternative would result in no environmental impacts from the proposed project on the site or the surrounding local area. It provides the baseline against which other alternatives are compared and will be considered throughout the report.

# 4. LEGAL REQUIREMENTS AND GUIDELINES

Relevant guidelines that provide direction for visual assessment include the Department of Environmental Affairs and Development Planning's (DEA&DP) "Guideline for Involving Visual and Aesthetic Specialists in EIA Processes" (DEA&DP, 2005) and the Landscape Institute's "Guidelines for Landscape and Visual Impact Assessments" (2013), which have been considered in this VIA.

DEA&DP's Guideline (2005) identifies typical components of a visual study:

- Identification of issues and values relating to visual, aesthetic and scenic resources through involvement of stakeholders;
- Identification of landscape types, landscape character and sense of place, generally based on geology, landforms, vegetation cover and land use patterns;
- Identification of viewsheds, view catchment area and the zone of visual influence, generally based on topography;
- Identification of important viewpoints and view corridors within the affected environment, including sensitive receptors;
- Indication of distance radii from the proposed project to the various viewpoints and receptors;

- Determination of the VAC of the landscape, usually based on topography, vegetation cover or urban fabric in the area;
- Determination of the relative visibility, or visual intrusion, of the proposed project;
- Determination of the relative compatibility or conflict of the project with the surroundings; and
- A comparison of the existing situation with the probable effect of the proposed project.

Projects that warrant a visual specialist study include those:

- Located in a receiving environment with:
- Protection status, such as national parks or nature reserves;
- Proclaimed heritage sites or scenic routes;
- Intact wilderness qualities, or pristine ecosystems;
- Intact or outstanding rural or townscape qualities;
- A recognized special character or sense of place;
- Outside a defined urban edge line;
- Sites of cultural or religious significance;
- Important tourism or recreation value;
- Important vistas or scenic corridors;
- Visually prominent ridgelines or skylines; and/or
- Where the project is:
- High intensity, including large-scale infrastructure;
- A change in land use from the prevailing use;
- In conflict with an adopted plan or vision;
- A significant change to the fabric and character of the area;
- A significant change to the townscape or streetscape;
- A possible visual intrusion in the landscape; or
- Obstructing views of others in the area.

In terms of the guideline, the proposed PV Facility and associated infrastructure can be classified as a Category 5 development, which includes powerlines and large-scale infrastructure. As the project is situated in an area of medium scenic, cultural, and historical significance, a high visual impact is expected (see Table 4-1), since the project introduces:

- Potential intrusion on protected landscapes or scenic resources;
- Noticeable change in the visual character of the area; and
- Establishes a new precedent for development in the area.

Such a project typically warrants a Level 4 assessment (see Table 4-2), which includes the following generic steps:

Identification of issues and site visit;

- Description of receiving environment and proposed project;
- Establishment of view catchment area, view corridors, viewpoints and receptors;
- Indication of potential visual impacts using established criteria;
- Inclusion of potential lighting impacts at night;
- Description of alternatives, mitigation measures and monitoring programmes; and
- Completion of 3D modelling and simulations, with and without mitigation.

Type of environment	Type of development					
	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5	
Protected / wild areas	Moderate	High	High	Very high	Very high	
High scenic, cultural, historical value	Minimal	Moderate	High	High	Very high	
Medium scenic, cultural, historical value	Little or none	Minimal	Moderate	High	High	
Low scenic, cultural, historical value / disturbed	Little or none Possible benefits	Little or none	Minimal	Moderate	High	
Disturbed or degraded sites	Little or none Possible benefits	Little or none Possible benefits	Little or none	Minimal	Moderate	

#### Table 4-1: Expected visual impact significance

Table 4-2:Recommended approach for visual assessment

Approach	Type of issue expected				
	Little or no visual impact	Minimal visual impact	Moderate visual impact	High visual impact	Very high visual impact
Level of visual impact recommended	Level 1 visual input	Level 2 visual input	Level 3 visual assessment	Level 4 visual assessment	

# 5. DESCRIPTION OF THE RECEIVING ENVIRONMENT - VISUAL CONTEXT

The following description of the affected environment focuses on the Visual Character of the area surrounding and including the project (the study area) and discusses the Visual Quality and Sense of Place<sup>2</sup>. This baseline information provides the context for the visual analysis.

## 5.1 Landscape Character

Landscape character is the description of the pattern of the landscape, resulting from particular combinations of natural (physical and biological) and cultural (land use) characteristics. It focuses on the inherent nature of the land rather than the response of a viewer (Young, 2000).

<sup>&</sup>lt;sup>2</sup> These terms are explained in the relevant sections below.

## 5.1.1 Geology and Topography

The geology and topography of the area, together with the temperate climate, provide the framework for the basic landscape features and visual elements of the study area.

The site is located on a relatively flat portion of land, on the crest of a hill, in an undulating landscape between the Blomspruit and Vals Rivers (Figure 5-2). The  $\sim$  600 ha site gently slopes from  $\sim$ 1450 m above mean sea level (mamsl) in the south-west of the site to  $\sim$ 1371 mamsl in the north-east.


The project is underlain by the sandstones of the Normadien Formation, of the Beaufort Group.

## 5.1.2 Vegetation

The project is located within the original extent of the Central Free State Grassland, one of the vegetation types that dominates the Dry Highveld Grassland Biome spatially. The Dry Highland Grassland Biome occurs at mid-altitudes of  $1\ 300\ -\ 1\ 600\ mamsl$ , characterised by undulating topography with small rocky outcrops and river valleys. The biome comprises grasses (veld) and low shrubby vegetation with small clusters of trees and bushes, partially reminiscent of African savannah landscapes (Figure 5-1).



Figure 5-1: Vegetation in the project area. Photo taken at Viewpoint (VP) 4 looking toward the project site.



Path: J:\Proj\590893 SIVEST KROONSTAD PV VIA\8GIS\GISPROJ\MXD\590893 SIVEST BONSMARA TOPOGRAFHY MAPmxd

Figure 5-2: Topography map

### 5.1.3 Land Use

The highveld is home to some of South Africa's most important commercial farming areas, as well as its largest concentration of metropolitan centres. Kroonstad, located ~ 12 km north-west of the site, is the third largest city in the Free State Province. The Free State Province's key economic sectors include agriculture and mining activities, with the province producing over 70% of South Africa's grain.

The area surrounding the site is predominantly characterised by agricultural activities, small urban centres, infrastructure (roads and rail) and natural highveld grassland. Agriculture, mainly crop and cattle farming, is the predominant land use surrounding the site, with farmsteads interspersed throughout the area. National, regional and provincial roads criss-cross the region, converging in Kroonstad. A railway line runs parallel to the R76 (regional road) to the south-west of the site. An existing 132 kV powerline traverses the site in a northeasterly – southwesterly direction (Figure 5-4).

The site is located adjacent to the R76 road connecting the towns of Kroonstad and Steynrus. Surrounding land use includes:

- Agricultural activities including livestock farming (cattle and sheep (Figure 5-3));
- Farmsteads;
- Electrical grid infrastructure including a substation and powerlines (Figure 5-4);
- Serfontein Dam;
- Bossiespruit Military Base;
- Bossiespruit Shooting Range; and
- Kroonstad Airport.



Figure 5-3: Agricultural land to the east of the site. Photo taken at VP11 looking toward the project site.



Figure 5-4: Existing 132 kV powerline extending across the site and over the R76. Photo taken at VP3 looking toward the project.

The two farms that constitute the project site are undeveloped, covered in grasslands and small clusters of trees and used for grazing.

### 5.2 Visual Character


Visual character is descriptive and non-evaluative, which implies that it is based on defined attributes that are neither positive nor negative. It refers to the overall experience and impression of the landscape, such as natural or transformed.

A change in visual character cannot be described as having positive or negative attributes until the viewer's response to that change has been taken into consideration. The probable change caused by the project is assessed against the existing degree of change caused by previous development.

The basis for the visual character is provided by the topography, vegetation and land use of the area, which is a predominantly rural environment characterised by the undulating, vegetated landscape, albeit with pockets of settlements and regional and national roads routed through the surrounding area. The rolling expanse of vegetated landscape surrounding the site evokes a rural, undeveloped environment. The project area can therefore be defined as a modified rural landscape as it is mostly rural but settlements, powerlines and roads and railway are visible in the landscape (Figure 5-5 and Figure 5-6).



Figure 5-5: Modified rural landscape





## 5.3 Visual Quality

Aesthetic value is an emotional response derived from our experience and perceptions. As such, it is subjective and difficult to quantify in absolute terms. Studies in perceptual psychology have shown that humans prefer landscapes with higher complexity (Crawford, 1994). Landscape quality can be said to increase when:

- Topographic ruggedness and relative relief increases;
- Water forms are present;
- Diverse patterns of grasslands, shrubs and trees occur;
- Natural landscape increases and man-made landscape decreases; and
- Where land use compatibility increases.

The visual quality of the area can be experienced through rolling views of the gentle hills in the landscape, especially from and across the site (Figure 5-7). The study area is defined by the fabric of the agricultural grazing activity taking place in the area. The naturally undulating landscape is intermittently interrupted by powerlines and railway lines which detract from the visual quality of the surrounding area. The streams, rivers and dams in the area add to the somewhat unspectacular visual quality.




Figure 5-7: Typical views in the landscape

Sources: (CNDV, 2006)



Figure 5-8: Rolling views of the undulating landscape. Photo taken from VP 8 looking toward the project site.

### 5.4 Visual Receptors

Visual receptors have been identified based on surrounding land uses, including the residential and recreational areas (see Section 5.1.3). The visual receptors are briefly described below and linked to viewpoints (VP) indicated in Table 6-4 and Figure 6-3:

- Surrounding Residents (VP 1, VP 4 VP 7, VP 11 VP 12): Isolated farmsteads are interspersed throughout the area surrounding the PV Facility in all directions.
- Railway Passengers and Personnel (VP 1 and VP 4): A railway line extends parallel to the R76 to the south-west of the site.
- Motorists (VP 2 VP 3, VP 6 VP 12): Two roads are located in close proximity to the project site; the R76 and the Unnamed Gravel Road. The south-western boundary of the site directly abuts the tarred R76<sup>3</sup>, which extends in a north-westerly to south-easterly direction, connecting Kroonstad and Steynrus. The Unnamed Gravel Road branches off from the R76 to the north of the site, then extends in a south-easterly direction, and borders the site to the north-east.

The Serfontein Dam, Bossiespruit Shooting Range and Military Base and Kroonstad Airport were identified within ~10 km from the site. However, the viewshed (Figure 6-1), topographical map (Figure 5-2) and site verification, indicate that receptors at these locations will not have a view of the proposed facility and therefore are not considered to be visual receptors, nor considered further in this VIA.

## 5.5 Sense of Place

Our sense of a place depends not only on spatial form and quality, but also on culture, temperament, status, experience and the current purpose of the observer (Lynch, 1992). Central to the idea of 'sense of place' or *genius loci* is identity. An area will have a stronger sense of place if it can easily be identified, that is to say if it is unique and distinct from other places. Lynch defines 'sense of place' as "the extent to which a person can recognise or recall a place as being distinct from other places – as having a vivid or unique, or at least a particular, character of its own" (Lynch, 1992).

<sup>&</sup>lt;sup>3</sup> At the time of the site visit, the R76 was being re-sealed.

It is often the case that sense of place is linked directly to visual quality and that areas / spaces with high visual quality have a strong sense of place. However, this is not an inviolate relationship and it is plausible that areas of low visual quality may have a strong sense of place or – more commonly – that areas of high visual quality have a weak sense of place. The defining feature of sense of place is uniqueness, generally real or biophysical (e.g. trees in an otherwise treeless expanse), but sometimes perceived (e.g. visible but unspectacular sacred sites and places which evoke defined responses in receptors). In this context Cross (2001) identified six categories of relationships with place: biographical, spiritual, ideological, narrative, cognitive and dependent (Table 5-1).

The region has scenic value in terms of its undulating natural landscape and the views over large portions of agricultural land. The natural landscape and rustic character contrast with the anthropogenic influence in the region, *viz.* urban development, albeit, some 12 km away.

Type of Relationship	Process
Biographical (historical and familial)	Being born in and living in a place. Develops over time
Spiritual (emotional, intangible)	Feeling a sense of belonging
Ideological (moral and ethical)	Living according to moral guidelines for human responsibility to place Guidelines may be religious or secular
Narrative (mythical)	Learning about a place through stories, family histories, political accounts and fictional accounts
Cognitive (based on choice and desirability)	Choosing a place based on a list of desirable traits and lifestyle preferences
Dependent (material)	Constrained by lack of choice, dependency on another person or economic opportunity

#### Table 5-1: Relationship to place

Sources: Adapted from Cross (2001)

The sense of place of the surrounding area is strongly influenced by the surrounding land use, which can generally be described as a rural agricultural area. The sense of place is not particularly distinct from the rest of the wider region and is not overly memorable.

The relationship of receptors in the study area (Section 5.4) to place may be predominantly biographical and dependent. A family, for example, whose has farmed in this area for a few generations will have a biographical and dependent attachment to the area.

# 6. ANALYSIS OF THE MAGNITUDE OF THE VISUAL IMPACT

The following section outlines the analysis that was undertaken to determine the **magnitude or intensity** of the overall visual impact resulting from the project. Various factors were considered in the assessment, including:

- Visual exposure;
- Visual absorption capacity;
- Sensitivity of visual receptors;
- Visibility and viewing distance; and

• Integrity with existing landscape / townscape.

The analysis of the magnitude or intensity of the visual impact, as described in this section, is summarized and integrated in Table 6-6 and forms the basis for the assessment and rating of the impact as documented in Section 6.

## 6.1 Visual Exposure

Visual exposure is determined by the zone of visual influence or viewshed. The viewshed is the topographically defined area that includes all the major observation sites from which the project *could* be visible. The viewshed analysis assumes maximum visibility of the project in an environment stripped bare of vegetation and structures. The viewshed indicates the visibility of the project, accounting for the decrease in visibility as distance from the project increases (Figure 6-1).

It is anticipated that visibility of the PV array will be moderate due to the size and nature of the project (i.e. a large ~390 ha reflective PV array located in a rural area). It is anticipated that the BESS and on-site substation will be visible to receptors to the north-west, south-east and west of the site due to the location of this infrastructure along the south-western boundary of the site. The smaller dimensions of these components are expected to limit their visibility from across the site to the north. The visual exposure of the proposed ~2 km powerline is limited due its short length (~2 km). Furthermore, existing powerlines within close proximity to the proposed powerline route are expected to have inured receptors to powerlines within the landscape.

The viewshed analysis shows the proposed PV array will be highly visible from the few elevated areas to the north-east, east and south-east of the site. Few of the isolated farmsteads surrounding the site are located within areas identified as having visibility of the site (Figure 6-4). Motorists on the R76 will have a view of the project when travelling adjacent to the south-western boundary of the site, however beyond this portion of the R76 motorists will have limited visibility of the project.

The visual exposure of proposed infrastructure is thus deemed *moderate*.




Figure 6-1: Viewshed

## 6.2 Visual Absorption Capacity

The VAC is the potential for an area to conceal and assimilate the proposed project. Criteria used to determine the VAC of the affected area are defined in Table 6-1. The VAC of an area is increased by:

- 1. Topography and vegetation that is able to provide screening and increase the VAC of a landscape;
- 2. The degree of urbanisation compared to open space. A highly urbanised landscape is better able to absorb the visual impacts of similar developments, whereas an undeveloped rural landscape will have a lower VAC; and
- 3. The scale and density of surrounding development.

These factors frequently apply at different scales, by influencing the VAC in the foreground (e.g. dense bush, existing roads and bridges, small structures), middleground and background (e.g. tall forests, hills, cityscapes).

Generally rural areas have a lower VAC, however the VAC of the project area is marginally increased by undulating topography and - to a far more limited extent - by grassland (veld) and small clusters of trees, providing screening to the project. The low vertical profile of the PV panels is anticipated to increase the screening potential of the vegetation and topography. However, vegetation is not able to provide screening to the associated infrastructure such as the substation and pylons (associated with the powerline). The undulating topography will marginally absorb the associated infrastructure.

Urban development can help to increase VAC, but is some distance from the project site, reducing this effect. In addition, the large ~390 ha footprint of the PV array also reduces the VAC.

The study area has a *low* VAC for the PV Facility and a *moderate* VAC for the proposed powerline.

#### Table 6-1:Visual absorption capacity criteria

High	Moderate	Low
<ul> <li>The area is able to absorb the visual impact as it has:</li> <li>Undulating topography and relief</li> <li>Good screening vegetation (high and dense)</li> <li>Is highly urbanised in character (existing development is of a scale and density to absorb the visual impact).</li> </ul>	<ul> <li>The area is moderately able to absorb the visual impact, as it has:</li> <li>Moderately undulating topography and relief</li> <li>Some or partial screening vegetation</li> <li>A relatively urbanised character (existing development is of a scale and density to absorb the visual impact to some extent.</li> </ul>	<ul> <li>The area is not able to absorb the visual impact as it has:</li> <li>Flat topography</li> <li>Low growing or sparse vegetation</li> <li>Is not urbanised (existing development is not of a scale and density to absorb the visual impact to some extent.)</li> </ul>
http://www.franschhoek.co.za	http://wikipedia.org	http://www.butbn.cas.cz
http://commons.wikimedia.org	http://blogs.agu.org	http://fortheinterim.com

## 6.3 Sensitivity of Visual Receptors

Receptors are important insofar as they inform visual sensitivity. The sensitivity of viewers is determined by the number and nature of viewers.

Viewers can be deemed to have:

- 1. High sensitivity if they view the project from e.g. residential areas, nature reserves and scenic routes or trails;
- 2. Moderate sensitivity if they view the project from e.g. sporting or recreational areas or places of work; and
- 3. Low sensitivity if they view the project from or within e.g. industrial, mining or degraded areas, or are transient viewers on roads.

The sensitivity of potential viewers identified in Section 5.4 is described below:

- **Surrounding Residents:** Residents of the surrounding farmsteads are considered to have sensitivities ranging from low to medium depending on the proximity to the project site. Residents located more than 1km away from the site are anticipated to view the site in the background.
- Railway passengers and personnel: Passengers and personnel travelling by rail are anticipated to have a view of the site from certain sections of the railway route where screening by vegetation and topography does not exist. Railway passengers and personnel are considered to have relatively low sensitivity as their views of the project are transient (fleeting) and temporary.
- Motorists: Two roads are located in close proximity to the project site (Figure 1-1). The R76 extends in a north-westerly and south-easterly direction and is directly adjacent to the ~4 km long south-western boundary of the site. The R76 connects Kroonstad and Steynrus. Gravel roads branch off the R76 and lead to farms set back from the R76. The Unnamed Gravel Road connecting to the R76 to the north of the site, abuts to the north-eastern boundary of the site. This gravel road leads to various farms located between the R76, to the south, and the Vals River to the north (Figure 1-1).

Motorists are considered to have relatively low sensitivity as their view of the project is fleeting and temporary.

The sensitivity of the visual receptors potentially affected by the visual impact of the project is considered to be *moderate* due to the distance from farmsteads, and proximity to roads and rail infrastructure. It is anticipated that the visual receptors will be more sensitive to the PV array, on-site substation and BESS than the proposed powerline due to the (familiarity with) existing powerlines in the landscape.

## 6.4 Viewing Distance and Visibility

The distance of a viewer from an object is an important determinant of the magnitude of the visual impact. This is because the visual impact of an object diminishes / attenuates as the distance between the viewer and the object increases. Thus, the visual impact at 1 000 m would, nominally, be 25% of the impact as viewed from 500 m. At 2 000 m it would be 10% of the impact at 500 m (Hull and Bishop, 1988 in (Young, 2000)).

Three basic distance categories can be defined for a project of this scale (as discussed and represented in Table 6-2): foreground, middleground and background.




Figure 6-2: Visual exposure vis-à-vis distance

Sources: Adapted from Hull and Bishop, 2998 in (Young, 2000)Table 6-2:Distance categories

FOREGROUND (0 – 2 km)	The zone where the proposed project will dominate the frame of view. The project will be <i>highly visible</i> unless obscured.
MIDDLEGROUND (2 - 5 km)	The zone where colour and line are still readily discernible. The project will be <i>moderately visible</i> but will still be easily recognisable.
BACKGROUND (5 -10 km)	This zone stretches from 2 km to 5 km. Objects in this zone can be classified as <i>marginally visible</i> to <i>not visible</i> .

A number of viewpoints were selected to indicate locations from where receptors may (or may not) view the project. The viewpoints are shown in Figure 6-3 and listed in Table 6-4. Current views from these points are shown in Appendix C.

The predicted visibility of (any element of the project) from each viewpoint is described in Table 6-4, based on visibility and the distance categories in Table 6-2. Note that unlike visual exposure (Section 6.1) which describes areas from which the project may be visible without taking local screening into account (i.e. the viewshed), visibility describes predicted, actual visibility. The visibility of the project can be summarised as follows:

- The project will be highly visible in the foreground to motorists travelling to the east and west of the site (VP 3, VP 9, VP 10);
- The project will be partially screened to motorists and railway passengers travelling to the west and south-east of the site by an vegetation; and
- The project will marginally visible / not visible to surrounding residents largely due to topography screening the site and distance from the site.

Overall, the visibility of the project is *moderate* due to the number of receptors in the foreground and middleground, albeit transient and temporary receptors.

#### Table 6-3: Visibility criteria

NOT VISIBLE	Project cannot be seen	
MARGINALLY VISIBLE	Project is only just visible / partially visible (usually in the background zone)	
VISIBLE	Project is visible although parts may be partially obscured (usually in middleground zone)	
HIGHLY VISIBLE	Project is clearly visible (usually in foreground or middleground zone)	

#### Table 6-4:Visibility from viewpoints

Viewpoint #	Location	Co-ordinates	Direction of view	Potential Receptors	Visibility
VP 1	Dennehof Farm	27° 49' 25.79"S 27° 22' 8.58"E	Looking north-west	Farmsteads on Dennehof Farm and motorists on R76.	<b>Not Visible</b> The site is visible from the farmstead and R76 due the undulating topography.
VP 2	R76 south	27° 47' 50.49"S 27° 19' 55.40"E	Looking north	Motorists on R76.	<b>Marginally Visible</b> The site is screened by tall, mature trees, limiting visibility of the site in the background from this VP.
VP 3	R76 Bonsmara	27° 46' 52.61"S 27° 18' 57.81"E	Looking north-east	Motorists on R76.	Highly Visible The site is visible to motorists in the foreground.
VP 4	Patrijsdraai Farm	27° 47' 7.95"S 27° 18' 59.98"E	Looking north-east	Residents of farms to the west of the R76, e.g. Patrijsdraai and individuals travelling on the railway.	Visible The site is visible to motorists travelling to and from the farmsteads to the west and receptors travelling by train. The project will not be visible to the residents to the west of the site as they are located at a lower elevation than the site.
VP 5	Farmstead 1	27° 45' 22.08"S 27° 15' 57.63"E	Looking south-east	Residents of Farmstead.	Not Visible The site is not visible to the residents of this farmstead as it is located at a lower elevation than the site.
VP 6	Lan Crest	27° 44' 57.43"S 27° 15' 53.72"E	Looking south- east	Residents of Lan Crest and motorists.	Not Visible The site is not visible to the residents or motorists as the farmstead and road are located at a lower elevation than the site
VP 7	Farmstead 2	27° 43' 25.46"S 27° 17' 26.58"E	Looking south	Motorists travelling on the gravel road and residents of the farmstead in close proximity to VP 7.	<b>Not Visible</b> The site is not visible to the farmstead due to screening provided by the topography.
VP 8	Unnamed Gravel Road	27° 44' 36.89"S 27° 18' 47.25"E	Looking south	Motorists on unnamed gravel road.	Visible The site is visible to the motorists in the background.
VP 9	Unnamed Gravel Road	27° 45' 4.81"S 27° 19' 25.68"E	Looking south-west	Motorists on unnamed gravel road	Highly Visible The site is visible to the motorists in the foreground.
VP 10	Unnamed Gravel Road	27° 45' 16.95"S 27° 19' 50.77"E	Looking west	Motorists on unnamed gravel road.	Highly Visible The site is visible to the motorists in the middleground.

Viewpoint #	Location	Co-ordinates	Direction of view	Potential Receptors	Visibility
VP 11	Farmstead 3	27° 45' 43.29"S 27° 20' 27.21"E	Looking west	Residents of the farmstead and motorists on unnamed gravel road.	Marginally Visible The site will be marginally visible to the motorists in the background.
VP 12	Farmstead 4	27° 43' 23.84"S 27° 20' 7.01"E	Looking south-west	Residents of farmstead and motorists.	<b>Not Visible</b> The site is not visible to the farmstead and motorists due to screening provided by the topography.





Figure 6-3: Viewpoints

Prepared by: Kelly Armstrong



Path: J:\Proj\590893\_SIVEST\_KROONSTAD\_PV\_VIA\8GIS\GISPROJ\MXD\590893\_SIVEST\_BONSMARA\_VIEWSHED\_MAPmxd

#### Figure 6-4: Viewshed and viewpoints

# 6.5 Compatibility with Landscape Integrity

Landscape (or townscape) integrity refers to the compatibility of the development / visual intrusion with the existing landscape. The landscape integrity of the project is rated based on the relevant criteria listed in Table 6-5.

	Landscape integrity									
Criterion	High	Moderate	Low							
	The project is:									
Consistency with existing land use of the area	Consistent	Moderately consistent	Not consistent / very different							
Sensitivity to natural environment	Highly sensitive	Moderately sensitive	Not sensitive							
Consistency with urban texture and layout	Consistent	Moderately consistent	Not consistent / very different							
Congruence of buildings / structures with / sensitivity to existing architecture / buildings	Congruent / sensitive	Moderately congruent / sensitive	Not congruent / sensitive							
Scale and size relative to nearby existing development	Similar	Moderately similar	Different							

The proposed project is located within a rural, agricultural area with sprawling grasslands surrounding the proposed project site. A railway line extends parallel to the R76, directly adjacent to the south-western boundary of the site. Existing powerlines, of varied sizes, criss-cross the area surrounding the site, and a substation is located adjacent to the R76  $\sim$  3 km to the south of the site.

The proposed PV array will introduce a large, uniform, reflective facility into the area and will be discordant with the current land use, scale and texture of the surrounding area. The BESS will also introduce a novel structure into the landscape that is different and incongruent to the type, size and scale of the existing land use and development in the area. However, the on-site substation and proposed 132 kV powerline will be moderately consistent and congruent with the use, texture, size and form of existing infrastructure and land use surrounding the site.

The project is deemed to have *low* integrity with the surrounding landscape.

## 6.6 Magnitude of the Overall Visual Impact

Based on the above criteria, the magnitude or intensity of the overall visual impact that is expected to result from the project has been rated. Table 6-6 provides a summary of the criteria, a descriptor summarising the status of the criteria and projected impact magnitude ratings.

The overall magnitude of the visual impact that is expected to result from the project is rated as *moderate*. The moderate visual exposure, low compatibility with landscape integrity and low VAC (for the PV Facility) are moderated by the moderate viewer sensitivity and viewing distance, with the project largely screened by vegetation and / or landscape to residents of the surrounding farmsteads.

#### Table 6-6:Magnitude of overall visual impact

Criteria	Rating	Comments
Visual Exposure (Viewshed)	Moderate	The project area will be highly visible from the few elevated areas to the north-east, east and south-east of the site. Few of the isolated farmsteads surrounding the site are located within areas identified as having visibility of the site. Motorists on the R76 will have a view of the site when travelling adjacent to the south-western boundary of the site, however beyond this portion of the R76 motorists will have limited visibility.
Visual Absorption Capacity	Low (PV Facility) and Moderate (Powerline)	The VAC of the area is marginally increased by the undulating topography, and - to far more limited extent – by the grassland (veld) and small clusters of trees, providing screening to the project. The low vertical profile of the PV panels is anticipated to increase the screening potential of the vegetation and topography. However, the vegetation is not able to provide screening to the associated infrastructure such as the substation and pylons. The undulating topography will marginally absorb the associated infrastructure.
Viewer Sensitivity (Receptors)	Moderate	Due to the distance of the project from farmsteads (moderately sensitive receptors) and the proximity to roads and rail infrastructure, the viewer sensitivity is considered moderate. It is anticipated that the visual receptors will be more sensitive to the PV array, on-site substation and BESS than the proposed powerline due to the (familiarity with) existing powerlines in the landscape.
Viewing Distance and Visibility	Moderate	A number of receptors in the foreground and middleground are affected.
Landscape Integrity	Low	The proposed PV array will introduce a large, uniform, reflective facility into the area and will be discordant with the current land use, scale and texture of the surrounding area. The BESS will also introduce a novel structure into the landscape that is different and incongruent to the type, size and scale of the existing land use and development in the area. The on-site substation and proposed 132 kV powerline will be moderately consistent and congruent with the use, texture, size and form of existing infrastructure and land use surrounding the site.

# 7. SPECIALIST FINDINGS / IDENTIFICATION AND ASSESSMENT OF IMPACTS

The following section describes the potential visual impacts during the construction and operational phases, and assesses the significance of these impacts utilising the impact rating methodology presented in Appendix B.

Possible measures to avoid, mitigate or compensate visual impacts are considered and recommended, depending on the severity of impacts and the feasibility of measures. The mitigation hierarchy and generic, guideline measures are provided below (DEA&DP, 2005):

- Avoid, e.g. by re-examining the need for the proposed project, relocating the project or re-designing the project;
- Mitigate (reduce), e.g. through adjustments to the siting and design of the project, careful selection of finishes and colours, use of earthworks (such as berms) and planting to provide visual screening and dust control where required;
- Rehabilitate and restore, e.g. through on-site and off-site landscape rehabilitation of areas affected by the project, which may include re-instating landforms and natural vegetation, provision of landscaped open space etc.;
- Compensate and offset, where avoidance or mitigation cannot achieve the desired effect; and
- Enhance, where the proposed project is located in run-down areas or degraded landscapes.

The project relates to the greenfield development of a PV Facility and associated infrastructure (i.e. powerline, on-site substation and BESS) and the potential visual impacts are more extensive than they would be for a brownfield project.

Direct visual and aesthetic impacts are likely to result from the following project interventions and/or activities:

- Earthworks and construction activities (including clearing of vegetation and associated generation of dust);
- Altered sense of place caused by the project;
- Visual intrusion diminishing vistas across the project area; and
- Increased light pollution.

The visual and aesthetic impacts generated by the project are likely to be associated with visual intrusion and visual quality.

Impacts of the PV Facility components<sup>4</sup> and the grid connection component (132 kV powerline and on-site substation) are assessed separately.

# 7.1 Construction Phase – PV Facility Components

#### 7.1.1 Altered Sense of Place and Visual Intrusion caused by Construction of the PV Facility

Visual impacts will be generated by construction activities such as earthworks (which can generate dust) and from construction infrastructure, plant and materials on site (e.g. site camp, plant and machinery, and stockpiles of excavated material). Dust generated during construction will be visually unappealing and may detract from the visual quality (and sense of place) of the area. These impacts are typically limited to the immediate area surrounding the construction site, during the construction period.

Construction activities will have a greater impact within the foreground (< 200 m) as sensitive receptors in close proximity to these activities, albeit a limited number of receptors, will be particularly exposed to these visual impacts.

<sup>&</sup>lt;sup>4</sup> As noted in Section 3.2, the PV Facility components include the PV array, BESS, auxiliary buildings and internal grid connection infrastructure.

These construction phase impacts are anticipated to affect adjacent residential receptors to a larger degree than motorists on the R76 or the Unnamed Gravel Road, as their experience of the area is fleeting.

The impact is assessed to be of *medium* significance and with the implementation of mitigation is reduced to *low* (Table 7-2).

# 7.2 Construction Phase – Grid Connection

## 7.2.1 Altered Sense of Place and Visual Intrusion caused by Construction of the Grid Connection

Visual impacts will be generated by construction activities such as earthworks (which can generate dust) and from construction infrastructure and plant on site (e.g. plant and machinery, and stockpiles of excavated material). Dust generated during construction will be visually unappealing and may detract from the visual quality (and sense of place) of the area. These impacts are typically limited to the immediate area surrounding the construction site and powerline alignment, during the construction period.

Construction activities will have a greater impact within the foreground (< 200 m) as sensitive receptors in close proximity to these activities, albeit a limited number of receptors, will be particularly exposed to these visual impacts. Furthermore, these receptors are likely to be motorists travelling on the R76 and are less sensitivity visual receptors due to their experience of the area being fleeting.

The impact is assessed to be of *medium* significance and with the implementation of mitigation is reduced to *low* (Table 7-3).

## 7.3 Operational Phase – PV Facility Components

## 7.3.1 Altered Sense of Place and Visual Intrusion caused by the PV Array

The PV array will have a development footprint of ~ 390 ha, and may be perceived as conflicting with the current landscape of the grassland and treescapes. While there is some evidence of anthropogenic influence within the surrounding area, there is limited development at the proposed density and type. As such, the proposed PV array is anticipated to interrupt and/or degrade views, and therefore negatively impact the sense of place and present as a visual intrusion across the landscape.

Visual receptors north and south-west (VP 3 - VP 4, VP 8 - VP 10) are expected to experience the PV array as a significant transformation in the landscape, with the PV array visible in the foreground or middle ground (though not obstructing views).

From further afield where the PV array is visible in the background (VP 2 and VP 11), the vertical dimensions of the PV array are almost indiscernible.

The impact is assessed to be of *high* significance and with the implementation of mitigation is reduced to *medium* (Table 7-2).

## 7.3.2 Altered Sense of Place and Visual Intrusion caused by the BESS and Internal Grid Infrastructure

The PV Facility will include a BESS and internal grid connections (e.g. 33 kV powerlines). Where possible, the powerlines will be installed underground. While there are a few existing powerlines that traverse the landscape surrounding the site, the proposed powerlines will increase the density of powerlines.

Shipping containers are typically used to house the BESS components. Viewed from a distance, shipping containers are not dissimilar from farmstead buildings. However the BESS (containers) typically cover an area of ~2 ha. As such, the new BESS and internal grid connection are anticipated to contribute to visual clutter on the site and introduce different structures into the landscape, therefore negatively impact the sense of place and presenting as a visual intrusion across the landscape.

Visual receptors to the north-east and south of the site (VP 8, VP 9, VP 11 and VP 5) are expected to have a view of the BESS, substation and internal grid infrastructure, or part thereof, and therefore experience it as a significant transformation in the landscape.

The impact is assessed to be of *medium* significance with and without the implementation of mitigation (Table 7-2).

## 7.3.3 Altered Visual Quality caused by Light Pollution at Night

Lighting will be installed along the perimeter of the PV array(s) and / or around the BESS to improve security.

The installation of lighting on the site perimeter and / or around the BESS will generate nightglow across the natural, undeveloped site and beyond. As such, the introduction of lighting on the site alters the sense of place and visual quality to surrounding receptors, especially those (farmstead) receptors not currently exposed to nightglow emanating from Kroonstad.

Lighting is not easily screened by vegetation or topography, and the proposed lighting for the PV Facility is anticipated to contribute to nightglow from the surrounding residential areas (e.g. Kroonstad) and alter visual quality of the surrounding area.

The impact is assessed to be of *medium* significance and with the implementation of mitigation is reduced to *low* (Table 7-2).

# 7.4 Operational Phase – Grid Connection

## 7.4.1 Altered Sense of Place and Visual Intrusion caused by the Grid Connection

The ~2 km long 132 kV powerline will connect the on-site substation to the Kroonstad switching station ~ 1.5 km to the south of the site. The ~ 15 ha on-site substation will be located adjacent to the south-western boundary of the site.

Due to the short length of the powerline and routing adjacent to an existing powerline, the proposed powerline is not anticipated to add to visual intrusion, nor impact the views of receptors. Furthermore, the proposed powerline may be partially obscured by the existing powerline. An existing substation is located adjacent to the R76, ~2 km south of the proposed project. The proposed substation will therefore not be a novel structure, but will contribute to visual intrusion and visual clutter in the landscape.

The impact is assessed to be of *low* significance with and without the implementation of mitigation (Table 7-3).

#### 7.4.2 Altered Visual Quality caused by Light Pollution at Night

Lighting will be installed around the substation to improve security.

The installation of lighting around the substation is anticipated to generate nightglow, altering the sense of place and visual quality to surrounding receptors, especially those (farmstead) receptors not currently exposed to nightglow emanating from Kroonstad.

Lighting is not easily screened by vegetation or topography, and the proposed lighting for the substation is anticipated to contribute to nightglow from the surrounding residential areas (e.g. Kroonstad) and alter visual quality of the surrounding area.

The impact is assessed to be of *medium* significance and with the implementation of mitigation is reduced to *low* (Table 7-3).

# 7.5 Decommissioning Phase – PV Facility Components

## 7.5.1 Altered Sense of Place caused by Decommissioning Activities

While the proposed PV Facility and associated infrastructure are anticipated to operate in the long-term, when decommissioning is required, visual impacts will be generated.

The decommissioning of the PV Facility and associated infrastructure will include earthworks, the movement of plant and equipment on site (e.g. plant and machinery, and stockpiles of excavated and salvaged material). Dust generated during decommissioning will be visually unappealing and may detract from the visual quality (and sense of place) of the area. These impacts are typically limited to the immediate area surrounding the site, during the decommissioning period.

Decommissioning activities will have a greater affect within the foreground (< 200 m) as sensitive receptors in close proximity to these activities, albeit a limited number of receptors, will be particularly exposed to these visual impacts.

These decommissioning impacts are anticipated to impact adjacent residential receptors to a larger degree than motorists on the R76 or the Unnamed Gravel Road, as their experience of the area is fleeting.

The impact is assessed to be of *medium* significance and with the implementation of mitigation is reduced to *low* (Table 7-2).

## 7.6 Decommissioning Phase – Grid Connection

## 7.6.1 Altered Sense of Place caused by the Decommissioning Activities

While the proposed powerline is anticipated to operate in the long-term, when decommissioning is required visual impacts will be generated.

The decommissioning of the powerline will include earthworks, the movement of plant and equipment on site (e.g. plant and machinery, and stockpiles of excavated/salvaged material). Dust generated during decommissioning will be visually unappealing and may detract from the visual quality (and sense of place) of the area. These impacts are typically limited to the immediate area surrounding the site, during the decommissioning period.

Decommissioning activities will have a greater impact within the foreground (< 200 m) as sensitive receptors in close proximity to these activities, albeit a limited number of receptors, will be particularly exposed to these visual impacts.

These decommissioning impacts are anticipated to impact adjacent residential receptors to a larger degree than motorists on the R76, as their experience of the area is transient.

The impact is assessed to be of *medium* significance and with the implementation of mitigation is reduced to *low* (Table 7-3).

## 7.7 Cumulative Impacts

### 7.7.1 Introduction

For the purposes of this report, cumulative impacts are defined as 'direct and indirect impacts that act together with existing or future potential impacts of other activities or proposed activities in the area / region that affect the same resources and / or receptors'.

For the most part, cumulative effects or aspects thereof are too uncertain to be quantifiable, due mainly to a lack of data availability and accuracy. This is particularly true of cumulative effects arising from potential or future projects, the design or details of which may not be finalised or available and the direct and indirect impacts of which have not yet been assessed.

For practical reasons, the identification and management of cumulative impacts are limited to those effects generally recognised as important on the basis of scientific concerns and/or concerns of affected communities, in this case effects of other renewable energy facilities and large-scale infrastructure projects.

### 7.7.2 Cumulative Impacts Analysis

In addition to the project, other past, present and future activities have taken place or are proposed within a 35 km radius of the project site that might have caused or may cause impacts and may interact with impacts caused by the project. These are briefly discussed in this section.

Two approved and three proposed PV facilities and associated grid connection infrastructure projects within a 35 km radius of the proposed project site are listed on the Department of Forestry, Fisheries and the Environment (DFFE) South African Renewable Energy EIA Application Database (DFFE, 2022). These projects are listed in Table 7-1 and their location shown in Figure 7-1.

Facility Name / Description	Status	MW	Approximate Footprint
Rondavel Solar Facility	Approved	100 MW	~3 500 ha
Steynrus Solar Facility	Under Amendment	5 MW	~350 ha
Vrede Solar Facility	In process	100 MW	~540 ha
Heuningspuit PV1 Facility	In process	5 MW	~140 ha
Heuningspuit PV2 Facility	In process	5 MW	~175 ha
		Total	~4 705 ha


#### Table 7-1:PV projects within a 35 km radius of the project site

No Wind Energy Facility (WEF) projects within 35 km of the site are listed on the DFFE South African Renewable Energy EIA Application Database.

There are already numerous substations and powerlines in the region, already affecting visual quality and sense of place in this modified rural landscape. As such, the proposed powerlines, BESS and substations

associated with these projects are not the first of their kind in the visual landscape. The Bonsmara PV Facility and other proposed facilities listed above have a combined footprint of ~4 705ha; although large, the facilities are far apart and do not constitute a spatially concentrated, high density network of PV facilities, which mitigates cumulative impacts.

SiVEST's Impact Assessment methodology has been used to evaluate the cumulative visual impacts of the project on the sense of place of the surrounding 35 km radius. The cumulative impact of the PV Facility and the 132 kV powerline is assessed to be of *medium* significance and with the implementation of mitigation is reduced to *low* (Table 7-2 and Table 7-3).



#### Figure 7-1: Location of surrounding PV Facility projects

Prepared by: Kelly Armstrong

# 7.8 Overall Impact Rating

The impact assessment and ratings for the PV Facility and 132 kV powerline are summarised in Table 7-2 and Table 7-3 below.

#### Table 7-2: Rating of impacts – PV Facility Components

		ENVIRONMENTAL SIGNIFICANCE BEFORE MITIGATION							-	NCE		ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION					
	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE	E	Р	R	L	D	I/ M	TOTAL	STATUS (+ /-)	S	RECOMMENDED MITIGATION MEASURES E P R L D I/ H M L	STATUS (+ / -) %					
Construction Phase																	
Altered Sense of Place and Visual Intrusion caused by Construction Activities	Dust generated during construction will be visually unappealing and may detract from the visual quality (and sense of place) of the area. These impacts are typically limited to the immediate area surrounding the construction site, during the construction period.	2	4	1	2	1	3	30	-	Medium	Limit vegetation clearance and the footprint of construction to what is absolutely essential. Consolidate the footprint of the construction camp to a functional minimum. Avoid excavation, handling and 2 3 1 2 1 2 18 transport of materials which may generate dust under very windy conditions. Keep stockpiled aggregates and sand covered to minimise dust generation. Keep construction site tidy.	- Low					
Operational Phase																	
Altered Sense of Place and Visual Intrusion caused by the PV Array	The development of this PV array may be perceived as conflicting with the current landscape of the grassland and treescapes. The proposed PV Facility is anticipated to interrupt and/or degrade views, and therefore negatively impact the sense of place and present as a visual intrusion across the landscape.	2	4	2	3	3	3	42	-	Medium	Plant vegetation (that will reach >3 m in height) or establish a vegetated berm (>3 m in height) along the south- western boundary of the site bordering the R76 upon completion of construction.	- Medium					

		ENVIRONMENTAL SIGNIFICANCE BEFORE MITIGATION							-	NCE		ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION					
ENVIRONMENTAL PARAMETER	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE	E	Ρ	R	L	D	I/ M	TOTAL	STATUS (+ /-)	s	RECOMMENDED MITIGATION MEASURES E P R L D I/ H M L	STATUS (+ / -) \$					
Altered Sense of Place and Visual Intrusion caused by the BESS, Substation and Internal Grid Infrastructure	The BESS and internal grid connections (where possible will be installed underground). is anticipated to contribute to visual clutter on the site and therefore negatively impact the sense of place and present as a visual intrusion across the landscape.	2	4	2	3	3	2	28	-	Medium	Plant vegetation (that will reach >3 m in height) or establish a vegetated berm (>3 m in height) along the south- western boundary of the site bordering the R76 upon completion of construction.2322322Fence the perimeter of the site with a green or black fencing.2322322Ensure that the roof colour of the proposed buildings blends into the landscape.11111	- Medium					
Altered Visual Quality caused by Light Pollution at Night	The installation of lighting on the site perimeter and / or around the BESS will generate nightglow across the natural, undeveloped site and beyond. Lighting is not easily screened by vegetation or topography, and the proposed lighting for the PV Facility is anticipated to contribute to nightglow from the surrounding residential areas (e.g. Kroonstad) and alter visual quality of the surrounding area.	2	4	1	3	3	3	39	-	Medium	Reduce the height of lighting masts to a workable minimum. Direct lighting inwards and downwards to limit light pollution.	- Low					

	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE			ENV	-			. SIGN TIGA1	IIFICA TION	NCE	ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION
ENVIRONMENTAL PARAMETER			Ρ	R	L	D	I/ M	TOTAL	STATUS (+ /-)	S	RECOMMENDED MITIGATION MEASURES E P R L D I/ M I SILVIS S
Decommissioning Pha	ase										
Altered Sense of Place caused by the decommissioning activities	Dust generated during decommissioning will be visually unappealing and may detract from the visual quality (and sense of place) of the area. These impacts are typically limited to the immediate area surrounding the site, during the decommissioning period.	2	4	1	2	1	3	30	-	Medium	<ul> <li>Limit vegetation clearance and the footprint of decommissioning to what is absolutely essential.</li> <li>Avoid excavation, handling and transport of materials which may generate dust under very windy conditions.</li> <li>Keep stockpiled aggregates and sand covered to minimise dust generation.</li> <li>Keep site tidy.</li> </ul>
Cumulative Impact											
Altered Sense of Place caused by the PV Facility	There are already numerous substations and powerlines in the region, already affecting visual quality and sense of place in this modified rural landscape. As such, the proposed powerlines, BESS and substations associated with these projects are not the first of their kind in the visual landscape. The Bonsmara PV Facility and other proposed facilities listed above have a combined footprint of approximately ~4 705 ha; although large, the facilities are far apart and do not constitute a spatially concentrated, high density network of PV	2	4	1	3	3	2	26	-	Medium	<ul> <li>Encourage other project owners to implement measures to mitigate the impact of these projects on visual intrusion and altered sense of place, such as screening (vegetation and/or berms) and limit the light pollution generated by these facilities.</li> <li>2 3 1 2 3 2 22 - Low</li> </ul>

	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE		ENVIRONMENTAL SIGNIFICANCE BEFORE MITIGATION										ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION									
ENVIRONMENTAL PARAMETER		E	Ρ	R	L	D	I/ M	TOTAL	STATUS (+ /-)		s	RECOMMENDED MITIGATION MEASURES	E	Ρ	R	L	D	I/ M	TOTAL	STATUS (+ / -)	S	
	facilities, which mitigates cumulative impacts.																					

#### Table 7-3: Rating of impacts – grid connection

				ENVI	-			SIGN FIGAT	IIFICA ION	NCE	ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION	
ENVIRONMENTAL PARAMETER	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE	E	Ρ	R	L	D	I/ M	TOTAL	STATUS (+ /-)	S	RECOMMENDED MITIGATION MEASURES E P R L D I/ TY OF S	5
Construction Phase												
Altered Sense of Place and Visual Intrusion caused by Construction Activities	Dust generated during construction will be visually unappealing and may detract from the visual quality (and sense of place) of the area. These impacts are typically limited to the immediate area surrounding the construction site and powerline alignment, during the construction period.	2	4	1	2	1	3	30	-	Medium	<ul> <li>Limit vegetation clearance and the footprint of construction to what is absolutely essential.</li> <li>Consolidate the footprint of the construction camp to a functional minimum.</li> <li>Avoid excavation, handling and transport of materials which may generate dust under very windy conditions.</li> <li>Keep stockpiled aggregates and sand covered to minimise dust generation.</li> <li>Keep construction site tidy.</li> </ul>	w
Operational Phase							1					
Altered Sense of Place and Visual Intrusion caused by the Grid Connection	The proposed powerline is not anticipated to add to visual intrusion, nor impact the views of receptors. The substation will not be a novel structure in the landscape, but will contribute to visual intrusion and visual clutter in the landscape.	2	3	2	2	3	1	12	-	Low	Do not install or affix lights on pylons.     2     2     2     2     3     1     11     -     Lo	w

				ENVI				. SIGN TIGAT	IIFICA TON	NCE	ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION
ENVIRONMENTAL PARAMETER	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE	E	Ρ	R	L	D	I/ M	TOTAL	STATUS (+ /-)	S	RECOMMENDED MITIGATION MEASURES E P R L D I/ SOLVES
Altered Visual Quality caused by Light Pollution at Night	The installation of lighting around the substation is anticipated to generate nightglow, altering the sense of place and visual quality to surrounding receptors, especially those (farmstead) receptors not currently exposed to nightglow emanating from Kroonstad.	2	4	1	3	3	3	39	-	Medium	<ul> <li>Reduce the height of lighting masts to a workable minimum.</li> <li>Direct lighting inwards and downwards to limit light pollution.</li> </ul>
Decommissioning Pha	ase			1			1				
Altered Sense of Place caused by the Decommissioning Activities	Dust generated during decommissioning will be visually unappealing and may detract from the visual quality (and sense of place) of the area. These impacts are typically limited to the immediate area surrounding the site, during the decommissioning period.	2	4	1	2	1	3	30	-	Medium	<ul> <li>Limit vegetation clearance and the footprint of construction to what is absolutely essential.</li> <li>Avoid excavation, handling and transport of materials which may generate dust under very windy conditions.</li> <li>Keep stockpiled aggregates and sand covered to minimise dust generation.</li> <li>Keep site tidy.</li> </ul>
Cumulative Impact										T	
Altered Sense of Place caused by the Grid Connection	There are already numerous substations and powerlines in the region, already affecting visual quality and sense of place in this modified rural landscape. As such, the proposed powerlines, BESS and substations associated with these projects are not the first of their kind in the visual	2	4	2	3	3	2	28	-	Medium	<ul> <li>Encourage other project owners to implement measures to mitigate impacts of the powerlines and substations on the visual intrusion and altered sense of place, such as no affixing lights to powerlines and routing the powerlines within corridors.</li> <li>2 3 2 3 2 2 4 - Low</li> </ul>

Bonsmara Solar PV (RF) (Pty) Ltd Description: VIA for the Bonsmara Solar PV Facility near Kroonstad, Free State Province Version No. 2 Date: 20 October 2022

Prepared by: Kelly Armstrong

				ENVI	-			SIGN FIGAT	IIFICA TION	NCE		ENVIRONMENTAL SIGNIFICANCE AFTER MITIGATION										
ENVIRONMENTAL PARAMETER	ISSUE / IMPACT / ENVIRONMENTAL EFFECT/ NATURE	E	Ρ	R	L	D	I/ M	TOTAL	STATUS (+ /-)	S	RECOMMENDED MITIGATION MEASURES	E	Ρ	R	L	D	I/ M	TOTAL	STATUS (+ / -)	S		
	landscape. The Bonsmara PV Facility and other proposed facilities listed above have a combined footprint of approximately ~4 705 ha; although large, the facilities are far apart and do not constitute a spatially concentrated, high density network of PV facilities, which mitigates cumulative impacts.																					

### 7.9 Input into the EMPr

Table 7-4 provides a description of the key monitoring recommendations for each mitigation measure identified for each phase of the project for inclusion in the EMPr or Environmental Authorisation (EA).

Impact / Aspect	Mit	igation / Management Actions	Responsibility	Ме	thodology		igation / Management	Frequency
						Ob	ectives and Outcomes	
<b>Construction Phase</b>								
Visual Quality (PV	٠	Limit vegetation clearance and	Contractor	•	Plan which areas require the	٠	Limit deterioration of visual	Throughout
Facility and Grid		the footprint of construction to			clearance of vegetation.		quality.	construction
Connection)		what is absolutely essential.		•	Only clear the vegetation when			
					works in the area will be undertaken.			
	•	Consolidate the footprint of the		•	Ensure that the construction camp is			
		construction camp to a functional			consolidated during the design			
		minimum.			phase			
	•	Avoid excavation, handling and		•	During very windy conditions cease			
		transport of materials which may			excavation, handling and			
		generate dust under very windy			transportation of materials which			
		conditions.			may generate dust.			
	٠	Keep stockpiled aggregates and		٠	Stockpile all aggregates and sand.			
		sand covered to minimise dust		•	Keep stockpiles covered when not			
		generation.			in use.			
	•	Keep construction site tidy.		٠	Implement measures to keep the	•	Limit visual clutter and	
					site tidy.		deterioration of visual	
							quality.	
<b>Operational Phase</b>			•					•
Altered Sense of	٠	Plant vegetation (that will reach	Developer	•	Plant vegetation to screen the site	٠	Limit visual intrusion and	On completion of
Place and Visual		>3 m in height) or establish a			from the motorists travelling on the		altered sense of place.	construction
Intrusion (PV		vegetated berm (>3 m in height)			R76.			activities.
Facility)		along the south-western		•	Incorporate the berm requirements			Throughout
		boundary of the site bordering the			in the design.			operation.

Bonsmara Solar PV (RF) (Pty) Ltd Description: VIA for the Bonsmara Solar PV Facility near Kroonstad, Free State Province Version No. 2 Date: 20 October 2022

Prepared by: Kelly Armstrong

Impact / Aspect	Mit	igation / Management Actions	Responsibili	ty	Me	thodology	Mit	igation / Management	Frequency
							Obj	jectives and Outcomes	
		R76 upon completion of construction.							
	•	Install the 33 kV powerlines underground, where possible.	Developer		٠	Incorporate underground powerlines in the design.			
	•	Fence the perimeter of the site with a green or black fencing.	Developer		٠	Install a perimeter fence.			
	•	Ensure that the roof colour of the proposed buildings blends into the landscape.	Developer		•	Incorporate colour requirements in the design.			
Altered Sense of Place and Visual Intrusion (Grid Connection)	•	Do not install or affix lights on pylons.	Contractor		•	Prohibit installation of lighting on pylons in the design.	•	Limit light pollution.	Once the powerline is installed. Throughout operation.
Altered Visual Quality (PV Facility	•	Reduce the height of lighting masts to a workable minimum.	Developer Contractor	and	•	Incorporate lighting requirements in the design.	•	Limit light pollution.	Once construction activities have
and Grid Connection)	•	Direct lighting inwards and downwards to limit light pollution.							concluded. Throughout operation
Decommissioning P	hase								
Visual Quality (PV Facility and Grid Connection)	•	Limit vegetation clearance and the footprint of decommissioning to what is absolutely essential. Consolidate the footprint of the decommissioning camp to a	Contractor		•	Plan which areas require the clearance of vegetation.Only clear the vegetation when works in the area will be undertaken.Ensure that the decommissioning camp footprint is consolidated	•	Limit deterioration of visual quality.	Throughout decommissioning
		functional minimum.				where possible.			

Impact / Aspect	Mitigation / Management Actions	Responsibility	Methodology	Mitigation / Management	Frequency
				Objectives and Outcomes	
	• Avoid excavation, handling and		During very windy conditions cease		
	transport of materials which may		excavation, handling and		
	generate dust under very windy		transportation of materials which		
	conditions.		may generate dust.		
	Keep stockpiled aggregates and		• Stockpile all aggregates and sand.		
	sand covered to minimise dust		• Keep stockpiles covered when not		
	generation.		in use.		
	Keep construction site tidy.		• Implement measures to keep the	1	
			site tidy.		

### 7.10 No-Go Alternative

The No Go alternative entails no change to the status quo, in other words, no PV Facility and / or 132 kV powerline (see Section 3.2.3).

Should the application for the Bonsmara 100 MW PV Facility and associated infrastructure be refused the visual impacts will not be realised.

### 8. CONCLUSION

The VIA describes and interprets the visual context or affected environment in which the project is located: this provides a visual baseline or template and aims to ascertain the aesthetic uniqueness of the project area. To better understand the magnitude or intensity of visual and sense of place impacts, the capacity of the project area and receptors to accommodate, attenuate and absorb impacts was analysed. To assess impact significance, the project was "introduced" into the baseline, taking account of the attenuating capacity of the project area.

The following findings are pertinent:

- Bonsmara Solar PV (RF) (Pty) Ltd proposed to develop a 100 MW PV Facility and associated infrastructure, including *inter alia*, a BESS, on-site substation, internal grid connections and a 132 kV powerline to connect the proposed facility to the Kroonstad Switching Station. The proposed PV Facility will occupy ~390 ha on Portion 0 and Portion 1 of Farm 636, near Kroonstad, in the Free State.
- The basis for the visual character of the region is provided by the topography, vegetation and land use of the area, which is predominantly a rural environment characterised by undulating, vegetated landscapes, albeit with pockets of settlements and regional and national roads routed through the surrounding area. The project is defined as a modified rural landscape.
- The visual quality of the area can be experienced through the rolling views of the gentle hills in the landscape and is defined by the fabric of agricultural and grazing land use, with powerlines and a railway line intermittently interrupting views of over the undulating landscape.
- The region has modest scenic value in terms of its undulating natural landscape and the views over large portions of agricultural land. The natural landscape and rustic character contrast the anthropogenic influence in the region, *viz.* urban development some 12 km away.
- The visual exposure of the PV array will be moderate. The viewshed shows that the PV array will be highly visible from the few elevated areas to the north-east, east and south-east of the site. Few of the isolated farmsteads surrounding the site are located in these areas with visibility. Motorists travelling on the R76 will have a view of the site when travelling adjacent to the south-western boundary of the site. The proposed ~2 km powerline will be partially visible due to the short length of the powerline. Furthermore, existing powerlines near the proposed powerline route are expected to have inured receptors to powerlines within the landscape.
- The VAC of the area is generally low due to its rural nature. However, the VAC is increased by the undulating topography and – to a far more limited extent – by the grassland (veld) and small clusters

of trees providing screening. The vegetation is not able to provide screening to the associated infrastructure. The undulating topography will marginally absorb the associated infrastructure.

- The potential receptors of the project include surrounding residents of farmsteads, individuals travelling by rail and motorists on the R76 and the Unnamed Gravel Road. The residents are considered moderately sensitive visual receptors. Motorists and receptors travelling by rail are considered to have relatively low sensitivity as their view of the project is fleeting and temporary.
- The sensitivity of the visual receptors potentially affected by the visual impact of the project is considered to be moderate due to the distance to farmsteads. It is anticipated that the visual receptors are more sensitive to the PV array than the proposed powerline due to the existing powerlines in the landscape.
- The project will be visible in the foreground to motorists travelling directly to the east and west of the site, while the visibility of the project to motorist and railway passengers travelling to the west and south-east of the site is decreased due to screening by vegetation. The project is marginally visible / not visible to surrounding residents due to topography screening the site and the distance from the site. The visibility of the project is moderate due to the number of receptors in the foreground and middleground.
- The PV Facility and powerline are deemed to have low integrity with the surrounding landscape. The proposed PV array will introduce a large, uniform, reflective facility into the area and will be discordant with the current land use, scale and texture of the surrounding area. The BESS will also introduce a novel structure into the landscape that is different and incongruent to the type, size and scale of the existing land use and development in the area. The on-site substation and proposed 132 kV powerline will be moderately consistent and congruent with the use, texture, size and form of existing infrastructure and land use surrounding the site.
- Construction activities associated with the PV Facility and 132 kV powerline will generate visual impacts related to earthworks and construction infrastructure, plant and materials on site. These activities are visually intrusive and will mostly impact receptors in the foreground (<200 m). The impact is assessed to be of medium significance and with the implementation of mitigation is reduced to low.
- The PV array will introduce what may be perceived as a low, uniform industrial artefact into the landscape that is perceived as conflicting with the current landscape. As such, the PV array is anticipated to interrupt and / or degrade views, and therefore negatively impact the sense of place and present as a visual intrusion in the landscape. The impact is assessed to be of high significance and with the implementation of mitigation is reduced to medium.
- The PV Facility will include a BESS and internal grid connections. Where possible the powerlines will be installed underground. The infrastructure will contribute to visual clutter on the site and therefore negatively impact the sense of place and present as a visual intrusion across the landscape. The impact is assessed to be of medium significance with and without the implementation of mitigation.
- Installation of lighting at the PV Facility and on the 132 kV powerline may expose sensitive receptors (e.g. residents) to light pollution, i.e. nightglow. The impact is assessed to be of medium significance and with the implementation of mitigation is reduced to low.
- The development of the 132 kV powerline, due to its short length and routing adjacent to an existing
  powerline is not anticipated to future degrade views of visual receptors. The impact is assessed to be
  of low significance with and without the implementation of mitigation.

- The decommissioning activities associated with the PV Facility and the 132 kV powerline will include earthworks and movement of plant and equipment. Dust generated during decommissioning will be visually unappealing and detract from the visual quality and sense of place. The impact is assessed to be of medium significance and with the implementation of mitigation is reduced to low.
- Numerous substations and powerlines in the region already affect visual quality and sense of place in this modified rural landscape. As such, the proposed powerlines, BESS and substations associated with these projects are not the first of their kind in the visual landscape. The Bonsmara PV Facility and other proposed PV facilities within a 35 km radius of Bonsmara PV facility have a combined footprint of ~4 705 ha, however, are located far apart and do not constitute a spatially concentrated, high density network of PV facilities. The cumulative impact of the PV Facility and the 132 kV powerline is assessed to be of *medium* significance and with the implementation of mitigation is reduced to *low*.

### 8.1 Impact Statement

The proposed project introduces a man-made artefact into an agricultural environment, changing the fabric of a large area (~390 ha). The surrounding area also features132 kV powerline traversing the landscape. As the proposed powerline will be routed adjacent to the existing powerline, it is anticipated that the powerline will not impact on the sense of place and result in visual intrusion to the visual receptors in the surrounding area.

The undulating landscape provides some VAC for the PV Facility, and is expected to marginally screen the powerline. The proposed project is anticipated to have a limited impact on highly sensitive receptors due to the limited number of highly sensitivity visual receptors directly adjacent to the project area. However, railway passengers and motorists – to a greater degree – will have the greatest visibility of the site. This visibility is anticipated to be moderated by their low sensitivity as transient and temporary receptors.

This project will be largely incongruent with the existing agricultural landscape. As such, visual impacts include altered sense of place, visual intrusion and light pollution. This VIA demonstrates that the project will generally result in a moderate visual impact, despite not being located within a REDZ. The construction, operational, decommissioning and cumulative impacts are deemed to be acceptable on the assumption that the mitigation measures listed in Table 7-4 are implemented.

Based on the assessment and the assumption that the mitigation measures will be implemented, the specialist is of the opinion that the visual impacts of the project are acceptable and, from a visual perspective, there is no reason not to authorise the project.

### 9. REFERENCES

- Boschkloof. (2012). *Cederberg Farm Experience*. Retrieved October 2012, from http://www.boschkloof.com/cederberg-guest-farm-citrusdal.htm
- CNDV. (2006). Strategic Initiative to Introduce Commercial Land Based Wind Energy Development to the Western Cape: Towards a Regional Methodology for Wind Energsanbiy Site Selection. Reports 1 – 6.
- Crawford, D. (1994). Using remotely sensed data in landscape visual quality assessment. Landscape and Urban Planning 30, 17-81.
- Cross, J. E. (2001). What is Sense of Place? *Prepared for the 12th Headwaters Conference, November 2-4, 2001.* Retrieved July 2020, from https://www.researchgate.net/publication/282980896\_What\_is\_Sense\_of\_Place/lin k/56256fbf08aeabddac91cd62/download
- DEA&DP. (2005). *Guideline for Involving Visual and Aesthetic Specialists in EIA Processes.* Retrieved June 2020, from http://asapa.co.za/wpcontent/uploads/2016/06/5\_deadp\_visual\_guideline\_june05.pdf
- DFFE. (2022). Department of Forestry, Fisheries and the Environment: egis. Retrieved from https://egis.environment.gov.za/gis\_data\_downloads
- Ho, C. K., Ghanbari, C. M., & Diver, R. B. (2011). Methodology to Assess Potential Glint and Glare Hazards from Concentrating Solar Power Plans: Analytical Models and Experimental Validation. *Journal of Solar Energy Engineering*, 031021-1 - 031021-9.
- Landscape Institute. (2013). *Guideline for Landscape and Visual Impact Assessment.* Routledge.
- Lynch, K. (1992). Good City Form. London: The MIT Press.
- Night Jar Travel South Africa. (2012). Retrieved August 2012, from http://www.nightjartravel.com
- Pager Power. (2018). Solar Photovoltaic Development Glint and Glare Guidance.
- Shan Ding Lu. (2009). Retrieved August 2012, from http://www.shandinglu.org
- Young, G. (2000). First Draft Gamsberg Zinc Project: Specialist Study Report: Visual Environment. Newtown Landscape Architects, 10 March 2000.

Appendix A: Specialist CV

## Appendix B: Impact Assessment Methodology

Appendix C: Views from Viewpoints



Viewpoint 1: Dennehof Farm - looking north-west towards the site. The proposed site is not visible due to the undulating topography.



Viewpoint 2: R76 South - looking north towards the site. The proposed site is largely screened by tall trees and vegetation, however may be visible in the background to receptors.



Viewpoint 3: R76 Bonsmara – looking north towards the site. The proposed site is visible in the forground to receptors.



Viewpoint 4: Patrijsdraai Farm – looking north-east towards the site. The site is visible to motorists travelling to and from the farmstead as well as receptors travelling by train. The view of the project will be in the background.



Viewpoint 5: Farmstead 1 – looking south-east towards the site. Due to the topography, the site is not visible to these receptors.



Viewpoint 6: Lan Crest – looking south-east towards the site. Due to the topography, the site is not visible to these receptors.



Viewpoint 7: Farmstead 2 – looking south towards the site. Due to topography, the site is not visible to receptors.



Viewpoint 9: Unnamed Gravel Road – looking south-west. The site will be visible in the foreground to receptors.



Viewpoint 10: Unnamed Gravel Road – looking west towards the site. The site will be visible in the middleground to receptors.



Viewpoint 11: Farmstead 3 – looking west towards the site. The site will be marginally visible in the background to receptors.




Viewpoint 12: Farmstead 4 – looking south-west towards the site. Due to topography and vegetation, the site is not visible to receptors.



**APPENDIX 4: Heritage Screening Assessment** 



# HERITAGE SCREENER





### 1. Proposed Development Summary

Bonsmara Solar PV (RF) (Pty) Ltd has appointed SiVEST Environmental (hereafter referred to as "SiVEST") to undertake the required EIA / BA Processes for the proposed construction of the Bonsmara Solar PV Energy Facility (SEF) and associated grid connection infrastructure near Kroonstad in the Free State Province. The distinct EA's that are required for the Projects are as follows:

- Bonsmara SEF (up to 100MW)
- Bonsmara Grid Connection Infrastructure (up to 132kV)

The overall objective of the development is to generate electricity by means of renewable energy technology capturing energy to feed into the National Grid.

Bonsmara Solar PV (RF) (Pty) Ltd is proposing the construction of the 100MW Bonsmara Solar PV Facility, BESS and associated infrastructure on a site approximately 12km south-east from the town of Kroonstad, in the Free State Province. The facility will be located on Portion 0 of Farm 636 and Portion 1 of Farm 636 located in the Moqhaka Local Municipality, in the Fezile Dabi District Municipality. The facility will compromise of several arrays of PV panels and associated infrastructure that includes BESS and will have a contracted capacity of 100MW. The Solar PV facility will connect to the grid via a 2km 132kv powerline from the on-site substation to the Kroonstad Switching Station. This heritage screening assessment forms part of the Scoping Phase of the EIA for the Bonsmara PV Project.

### 2. Application References

Name of relevant heritage authority(s)	SAHRA
Name of decision making authority(s)	DFFE

## 3. Property Information

Latitude / Longitude	27°45'59.62"S 27°19'4.76"E
Erf number / Farm number	Remainder and Portion 1 of Farm Scheveningen 636
Local Municipality	Matjhabeng
<b>District Municipality</b>	Lejweleputswa
Province	Free State
Current Use	Agriculture
Current Zoning	Agriculture



# 4. Nature of the Proposed Development

Total Surface Area of development	TBA
Depth of excavation (m)	TBA
Height of development (m)	TBA

# 5. Category of Development

Triggers: Section 38(8) of the National Heritage Resources Act				
Triggers: Section 38(1) of the National Heritage Resources Act				
1. Construction of a road, wall, powerline, pipeline, canal or other similar form of linear development or barrier over 300m in length.				
2. Construction of a bridge or similar structure exceeding 50m in length.				
3. Any development or activity that will change the character of a site-				
a) exceeding 5 000m <sup>2</sup> in extent				
b) involving three or more existing erven or subdivisions thereof				
c) involving three or more erven or divisions thereof which have been consolidated within the past five years				
4. Rezoning of a site exceeding 10 000m <sup>2</sup>				
5. Other (state):				

# 6. Additional Infrastructure Required for this Development

NA



7. Mapping (please see Appendix 3 and 4 for a full description of our methodology and map legends)




Figure 1b Overview Map. Satellite image (2022) indicating the proposed development area at closer range relative to Kroonstad PV






Figure 1c. Overview Map. Satellite image (2022) indicating the proposed development on Remainder and Portion 1 of Farm 636






Figure 1d. Overview Map. 1:50 000 Topo Map for the development area






Figure 2. Previous HIAs Map. Previous Heritage Impact Assessments surrounding the proposed development area, with SAHRIS NIDS indicated. Please see Appendix 2 for a full reference list.






Figure 3a. Heritage Resources Map. Heritage Resources previously identified in and near the study area, with SAHRIS Site IDs indicated. Please See Appendix 4 for a full description of heritage resource types.






Figure 3b. Heritage Resources Map. Cultural Landscape elements identified from the Topo map






Figure 4. Palaeosensitivity Map. Indicating Low to Very High fossil sensitivity underlying the study area. Please See Appendix 3 for a full guide to the legend.






Figure 5. Geology Map. Extract from the CGS 2726 Kroonstad Geology Map indicating that the development area is underlain by sediments of the Adelaide Subgroup of the Beaufort Group (Pa), Klipriviersberg (Rk) and Quaternary Sands



### 8. Heritage statement and character of the area

This application is for the proposed development of a PV facility and associated grid infrastructure located approximately southeast of Kroonstad along the R76 in the Free State Province. Kroonstad was established as a town in 1855. During the Second Boer War, from 13 March to 11 May 1900, the city became the capital of the Orange Free State, and subsequently the site of a British concentration camp to contain Boer women and children. Kroonstad still boasts much of the inherent rugged beauty which led the Voortrekkers to establish the town where they did and it is situated in an area characterised by open spaces and an abundant variety of vegetation that makes it particularly beautiful. According to Van Schalkwyk (2013), "Most farmsteads were burned down during the Anglo-Boer War, with the result that very little of the built environment dates to the 19th century." According to Matenga (2019), the Black and Coloured townships are significant as landscapes of segregation occupying the north-western fringe of the CBD, while the exclusive white suburbs were located northeast of the town and south of the Valsch River.

According to Van Schalkwyk (2013), "The cultural landscape qualities of the region essentially consist of a rural setup. In this the human occupation is made up of a pre-colonial element consisting of limited Stone Age and Iron Age occupation, as well as a much later colonial (farmer) component. This was soon followed by the development of a number of urban centres or towns. Originally these mostly served the surrounding farming communities, but with the discovery of the Free State Gold Fields, they expanded rapidly in order to serve this industry as well." The proposed Solar Energy Facility and its associated grid connections are located some distance from the historic core of Kroonstad town. Furthermore, the areas proposed for development are located more than 10km away from the site of the Boer War concentration camps and associated burial grounds.

Prior to colonial settlement in 1855, the area proposed for development formed part of a landscape that was occupied by indigenous Khoe herders and San hunter-gatherers. These indigenous communities were displaced by Bantu-speaking people who began to occupy the area in the Iron Age. According to Van Schalkwyk (2013), "Sites dating to the Late Iron Age are known to occur in the region, especially... in the vicinity of the Sandrivier, whereas some are known to occur to the northwest of Ventersburg, These are typical stone walled sites that are linked with Sothospeakers and date to the period after 1600." As such, it is possible that Early, Middle or Later Stone Age artefacts may be located within the proposed development footprint. Furthermore, it is possible that evidence of Iron Age settlement may also be located within the proposed development areas. Recent archaeological field assessment conducted for the Vrede and Rondawel PV Facilities located approximately 10km from the proposed development area identified some cultural remains but with varied value and preservation. The isolated and scattered lithic artefacts identified are typical of a deflated landscape and have very limited cultural value given that they have been accumulated and modified by various natural processes to their current *ex situ* state. The stone piles found in the south west of the property are more noteworthy (Grade IIIA) and require sensitive treatment. It is likely that similar heritage resources may be present within this development area. As such, it is recommended that an archaeological assessment of the areas proposed for development is completed and anticipated impacts to such resources assessed.

According to the SAHRIS Palaeosensitivity Map (Figure 4), the areas proposed for development are underlain by sediments of moderate to very high palaeontological sensitivity. According to the Council of GeoScience 2726 Kroonstad Map (Figure 5), the development area is underlain by sediments of the Karoo Supergroup including the Adelaide Subgroup (Pa) which have very high palaeontological sensitivity. This formation forms part of the Dicynodon and Lystrosaurus assemblage zones and is known to include fossils of fish, amphibians, reptiles, therapsids and vertebrate burrows. Diverse terrestrial and freshwater tetrapods of *Pristerognathus* to *Dicynodon* Assemblage Zones (amphibians, true reptiles, synapsids – especially therapsids) have been found in this formation, as well as, palaeoniscoid fish, freshwater bivalves, trace fossils (including tetrapod trackways), sparse to rich assemblages of vascular plants (*Glossopteris* Flora, including spectacular petrified logs) and insects. Based on the known palaeontological sensitivities of the Adelaide Subgroup, it is recommended that a palaeontological assessment of the areas proposed for development is completed and anticipated impacts to such resources assessed.

#### RECOMMENDATIONS

As it is likely that significant heritage resources will be impacted by the proposed development, it is recommended that a Heritage Impact Assessment is completed that satisfies section 38(3) of the NHRA and assesses likely impacts to archaeological and palaeontological heritage.



## 9. Scoping Assessment Impact Table

#### Impact

- Impact to archaeological resources
- Impact to palaeontological resources
- Impact to Cultural Landscape
- Cumulative Impact

#### Desktop Sensitivity Analysis of the Site

- Impact to significant archaeological resources such as Stone Age artefact scatters, burial grounds and graves, historical artefacts, historical structures and rock art engravings through destruction during the development phase and disturbance during the operational phase is possible.
- Impacts to palaeontological resources are possible.
- Due to the nature of the development and its context, cumulative impact and negative impact to the cultural landscape is possible

Issue	Nature of Impact	Extent of Impact	No-Go Areas
Impact to significant heritage resources through destruction during the development phase.	Destruction of significant heritage resources	Local scale with broader impacts to scientific knowledge	None known at present

#### Gaps in knowledge & recommendations for further study

- It is likely that the proposed development will impact significant archaeological and palaeontological heritage and as such, it is recommended that a heritage impact assessment be completed that assesses these impacts as per section 38(3) of the NHRA.



## **APPENDIX 1**

## List of heritage resources within close proximity to the development area from SAHRIS

Site ID	Site no Full Site Name		Site Type	Grading
26453	9/2/324/0005	Old Market Square Post Office and prison-cells, 66 Murray Street, Kroonstad	Building	Grade II
26455	9/2/324/0008	Town Hall and Leaping Fountain, Church Street, Kroonstad	Building	Grade II
26451	9/2/324/0014	Old Magistrate's Office, Murray Street, Kroonstad	Building	Grade II
26454	9/2/324/0006	Old market building, Market and Murray Streets, Kroonstad	Building	Grade II
32460	Kroonstad Quarry	Kroonstad Quarry Q42.5	Palaeontological	Grade IIIb
91014	Kroonstad N1	Kroonstad National Road 1 Widening	Burial Grounds & Graves	
138258	RSE-003	Rondavel Solar Energy	Artefacts	
138256	RSE-001	Rondavel Solar Energy	Artefacts	Grade IIIc
138259	RSE-004	Rondavel Solar Energy	Artefacts	Grade IIIc
138257	RSE-002	Rondavel Solar Energy	Burial Grounds & Graves	Grade IIIa
108132	Kroonstad Concentration Camp         Cemetery         Kroonstad Concentration Camp Cemetery		Burial Grounds & Graves	
26452	9/2/324/0016	9/2/324/0016Nederduitse Gereformeerde Mother Church and Sarel Cilliers Statue, Church Square, Kroonstad		Grade II
136204	Kroonstad	Kroonstad	Monuments & Memorials	
136206	DC20/NAMM/0012	World War Memorials, Moqhaka Local Municipality Office, Kroonstad	Monuments & Memorials	
136221	DC20/NAMM/0003	Anglo-Boer War Memorial, NG Moedergemeente, Kroonstad Monuments & Memorials		



13	36222	DC20/NAMM/0004 Sarel Cilliers Monument, NG Moedergemeente, Kroonstad		Monuments & Memorials	
13	37613	Kroonstad	Kroonstad	Monuments & Memorials	
13	37776	Kroonstad old Market	Kroonstad old Market	Monuments & Memorials	



### **APPENDIX 2**

### **Reference List from SAHRIS**

NID	Author(s)	Date	Туре	Title
5968	Cobus Dreyer	20/06/2005	AIA Phase 1	Archaeological and Historical Investigation of the Proposed New Filling Station at Kroonstad, Free State
5969	Cobus Dreyer	25/08/2005	AIA Phase 1	Historical Investigation of the Existing Outbuildings at the Farm Smaldeel 202, Kroonstad, Free State
5970	Cobus Dreyer	29/05/2006	AIA Phase 1	First Phase Archaeological and Cultural Heritage Assessment of the Proposed Residential Developments at the Farm Middenspruit 151, Kroonstad, Free State
5971	Cobus Dreyer	12/07/2006	AIA Phase 1	Archaeological and Historical Investigation of the Proposed Township Developments at Maokeng, Kroonstad, Free State
5972	Cobus Dreyer	26/10/2006	AIA Phase 1	First Phase Archaeological and Cultural Heritage Assessment of the Proposed Residential Developments at the Farm Boschpunt 2218 Kroonstad, Free State

Lavin and Wiltshire. November 2020. ARCHAEOLOGICAL SPECIALIST STUDY In terms of Section 38(8) of the NHRA for a Proposed development of the Vrede and Rondavel Solar Energy Facilities near Kroonstad, Free State Province. Unpublished. Section 38(8) Heritage Impact assessment process.



# **APPENDIX 3 - Keys/Guides**

## Key/Guide to Acronyms

AIA	Archaeological Impact Assessment		
DARD	Department of Agriculture and Rural Development (KwaZulu-Natal)		
DEA	Department of Environmental Affairs (National)		
DEADP	Department of Environmental Affairs and Development Planning (Western Cape)		
DEDEAT	Department of Economic Development, Environmental Affairs and Tourism (Eastern Cape)		
DEDECT	Department of Economic Development, Environment, Conservation and Tourism (North West)		
DEDT	Department of Economic Development and Tourism (Mpumalanga)		
DEDTEA	Department of economic Development, Tourism and Environmental Affairs (Free State)		
DENC	Department of Environment and Nature Conservation (Northern Cape)		
DMR	Department of Mineral Resources (National)		
GDARD	Gauteng Department of Agriculture and Rural Development (Gauteng)		
HIA	Heritage Impact Assessment		
LEDET	Department of Economic Development, Environment and Tourism (Limpopo)		
MPRDA	Mineral and Petroleum Resources Development Act, no 28 of 2002		
NEMA	National Environmental Management Act, no 107 of 1998		
NHRA	National Heritage Resources Act, no 25 of 1999		
ΡΙΑ	Palaeontological Impact Assessment		
SAHRA	South African Heritage Resources Agency		
SAHRIS	South African Heritage Resources Information System		
VIA	Visual Impact Assessment		

## Full guide to Palaeosensitivity Map legend

RED: VERY HIGH - field assessment and protocol for finds is required	
ORANGE/YELLOW: HIGH - desktop study is required and based on the outcome of the desktop study, a field assessment is likely	
GREEN:	MODERATE - desktop study is required
BLUE/PURPLE:	LOW - no palaeontological studies are required however a protocol for chance finds is required
GREY:	INSIGNIFICANT/ZERO - no palaeontological studies are required
WHITE/CLEAR:	UNKNOWN - these areas will require a minimum of a desktop study.



## **APPENDIX 4 - Methodology**

The Heritage Screener summarises the heritage impact assessments and studies previously undertaken within the area of the proposed development and its surroundings. Heritage resources identified in these reports are assessed by our team during the screening process.

The heritage resources will be described both in terms of type:

- Group 1: Archaeological, Underwater, Palaeontological and Geological sites, Meteorites, and Battlefields
- Group 2: Structures, Monuments and Memorials
- Group 3: Burial Grounds and Graves, Living Heritage, Sacred and Natural sites
- Group 4: Cultural Landscapes, Conservation Areas and Scenic routes

and **significance** (Grade I, II, IIIa, b or c, ungraded), as determined by the author of the original heritage impact assessment report or by formal grading and/or protection by the heritage authorities.

Sites identified and mapped during research projects will also be considered.

#### DETERMINATION OF THE EXTENT OF THE INCLUSION ZONE TO BE TAKEN INTO CONSIDERATION

The extent of the inclusion zone to be considered for the Heritage Screener will be determined by CTS based on:

- the size of the development,
- the number and outcome of previous surveys existing in the area
- the potential cumulative impact of the application.

The inclusion zone will be considered as the region within a maximum distance of 50 km from the boundary of the proposed development.

#### DETERMINATION OF THE PALAEONTOLOGICAL SENSITIVITY

The possible impact of the proposed development on palaeontological resources is gauged by:

- reviewing the fossil sensitivity maps available on the South African Heritage Resources Information System (SAHRIS)
- considering the nature of the proposed development
- when available, taking information provided by the applicant related to the geological background of the area into account

#### DETERMINATION OF THE COVERAGE RATING ASCRIBED TO A REPORT POLYGON



Each report assessed for the compilation of the Heritage Screener is colour-coded according to the level of coverage accomplished. The extent of the surveyed coverage is labeled in three categories, namely low, medium and high. In most instances the extent of the map corresponds to the extent of the development for which the specific report was undertaken.

Low coverage will be used for:

- desktop studies where no field assessment of the area was undertaken;
- reports where the sites are listed and described but no GPS coordinates were provided.
- older reports with GPS coordinates with low accuracy ratings;
- reports where the entire property was mapped, but only a small/limited area was surveyed.
- uploads on the National Inventory which are not properly mapped.

#### Medium coverage will be used for

- reports for which a field survey was undertaken but the area was not extensively covered. This may apply to instances where some impediments did not allow for full coverage such as thick vegetation, etc.
- reports for which the entire property was mapped, but only a specific area was surveyed thoroughly. This is differentiated from low ratings listed above when these surveys cover up to around 50% of the property.

High coverage will be used for

• reports where the area highlighted in the map was extensively surveyed as shown by the GPS track coordinates. This category will also apply to permit reports.

#### **RECOMMENDATION GUIDE**

The Heritage Screener includes a set of recommendations to the applicant based on whether an impact on heritage resources is anticipated. One of three possible recommendations is formulated:

(1) The heritage resources in the area proposed for development are sufficiently recorded - The surveys undertaken in the area adequately captured the heritage resources. There are no known sites which require mitigation or management plans. No further heritage work is recommended for the proposed development.

This recommendation is made when:

- enough work has been undertaken in the area
- it is the professional opinion of CTS that the area has already been assessed adequately from a heritage perspective for the type of development proposed

(2) The heritage resources and the area proposed for development are only partially recorded - The surveys undertaken in the area have not adequately captured the heritage resources and/or there are sites which require mitigation or management plans. Further specific heritage work is recommended for the proposed development.

This recommendation is made in instances in which there are already some studies undertaken in the area and/or in the adjacent area for the proposed development. Further studies in a limited HIA may include:



• improvement on some components of the heritage assessments already undertaken, for instance with a renewed field survey and/or with a specific specialist for the type of heritage resources expected in the area

- compilation of a report for a component of a heritage impact assessment not already undertaken in the area
- undertaking mitigation measures requested in previous assessments/records of decision.

(3) The heritage resources within the area proposed for the development have not been adequately surveyed yet - Few or no surveys have been undertaken in the area proposed for development. A full Heritage Impact Assessment with a detailed field component is recommended for the proposed development.