Draft Visual Scoping Report

HARTEBEESPOORT DAM CABLEWAY PROJECT



Graham A Young Landscape Architect

17 April 2018

PROPOSED HARTEBEESPOORT DAM CABLEWAY PROJECT

GAUTENG PROVINCE

Submitted to:

Landscape Dynamics

P O Box 947

Groenkloof

Pretoria

0027

Tel: (012) 460 6043

Prepared by:

Graham A Young Landscape Architect

PO Box 331

Groenkloof

0027

+27 (0)82 462 1491

Report Revision No:DRAFTDate Issued:17 April 2018Prepared By:Graham Young PrLArch, FILASAReviewed By:Graham Young PrLArch, FILASAReference:023_Biomas Power Project, Namibia

Hartebeespoort Dam Cableway Project

Draft Visual Impact Assessment Report 17 April 2018

ii

Expertise of Specialist

XPERTISE OF SPECIALIST	
Name:	Graham A Young
Qualification:	Pr Larch
Professional Registration:	South African Council for the Landscape Architectural Profession (SACLAP)
	Fellow Institute of Landscape Architects of South Africa (ILASA)
Experience in Years:	34 years
Experience	Graham is a landscape architect with thirty years' experience. He has worked in Southern Africa and Canada and has valuable expertise in the practice of landscape architecture, urban design and environmental planning. He is also a senior lecturer, teaching urban design and landscape architecture at post and under graduate levels at the University of Pretoria. He specializes in Visual Impact Assessments and has won an ILASA for his VIA work.

Hartebeespoort Dam Cableway Project

iii

Declaration of Independence

DECLARATION OF INDEPENDENCE

I, Graham Young, declare that -

- I am contracted as the Visual Impact Assessment Specialist for the Glencore Eastern Mines Extension Project;
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting the specialist report relevant to this application, including knowledge
 of the National Environmental Management Act (Act 107 of 1998), 2014 Environmental Impact
 Assessment Regulations (as amended on 7 April 2017), and any guidelines that have relevance to
 the proposed activity;
- I will comply with the Act, regulations and all other applicable legislation;
- I will consider, to the extent possible, the matters listed in Regulation 13;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my
 possession that reasonably has or may have the potential of influencing any decision to be taken
 with respect to the application by the competent authority; and the objectivity of any report, plan or
 document to be prepared by myself for submission to the competent authority;
- All the particulars furnished by me in this form are true and correct; and
- I realise that a false declaration is an offence in terms of Regulation 16 (1)(b)(iii).

Graham A. Young FILASA PrLArch Reg. No. 87001

17 April 2018

iv

Copyright

COPYRIGHT

Copyright to the text and other matter, including the manner of presentation, is exclusively the property of Graham A Young Landscape Architect. It is a criminal offense to reproduce and/or use, without written consent, any matter, technical procedure and/or technique contained in this document. Criminal and civil proceedings will be taken as a matter of strict routine against any person and/or institution infringing the copyright of the author and/or proprietors.

V

PROTECTION OF PERSONAL INFORMATION ACT

In compliance with the Protection of Personal Information Act, No. 37067 of 26 November 2013, please ensure the following:

- Any personal information provided herein has been provided exclusively for use as part of the public participation registration process, and may therefore not be utilised for any purpose, other than that for which it was provided.
- No additional copies may be made of documents containing personal information unless permission has been obtained from the owner of said information.
- All documentation containing personal information must be destroyed, as soon as the purpose for which the information was collected has run out.

vi

Specialist Requirements

SPECIALIST REPORTING REQUIREMENTS

Specialist Reporting Requirements According to Appendix 6 of the National Environmental Management Act (Act 107 of 1998), Environmental Impact Assessment Regulation 2014 (as amended on 7 April 2017) Requirement Relevant section in report Details of the specialist who prepared the report Page iii, Appendix B The expertise of that person to compile a specialist report Page iii, Appendix B including a curriculum vitae A declaration that the person is independent in a form as may be Page iv specified by the competent authority An indication of the scope of, and the purpose for which, the Section 1.3 - 1.4 report was prepared; An indication of the quality and age of base data used for the N/A specialist report; A description of existing impacts on the site, cumulative impacts N/A of the proposed development and levels of acceptable change; The duration, date and season of the site investigation and the Section 1.4 relevance of the season to the outcome of the assessment; A description of the methodology adopted in preparing the report Section 3 or carrying out the specialised process inclusive of equipment and modelling used; details of an assessment of the specific identified sensitivity of Section 9 the site related to the proposed activity or activities and its associated structures and infrastructure An identification of any areas to be avoided, including buffers N/A A map superimposing the activity including the associated Figures 3 structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers; Section 1.5 A description of any assumptions made and any uncertainties or gaps in knowledge; A description of the findings and potential implications of such Section 11 findings on the impact of the proposed activity or activities; Any mitigation measures for inclusion in the EMPr; Section 10 Any conditions for inclusion in the environmental authorisation Section 10 N/A Any monitoring requirements for inclusion in the EMPr or environmental authorisation A reasoned opinion whether the proposed activity, activities or Section 11

Comment [YM1]: This is actually from Exigo – not sure if you want to include it in all the VIA Reports

Hartebeespoort Dam Cableway Project

Draft Visual Impact Assessment Report 17 April 2018

Specialist Requirements

portions thereof should be authorised regarding the acceptability of the proposed activity or activities; and	
If the opinion is that the proposed activity, or activities or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan	Section 11
A description of any consultation process that was undertaken during the course of carrying out the study	N/A
A summary and copies if any comments that were received during any consultation process	N/A
Any other information requested by the competent authority.	N/A

viii

Acronyms, Abbreviations and Glossary

ACRONYMS, ABBREVIATIONS & GLOSSARY

Acronyms & Abbreviations	
BAR	Basic Assessment Report
EIA	Environmental Impact Assessment
EMPr	Environmental Management Programme
GYLA	Graham A Young Landscape Architect
MLC	Madibeng Local Municipality
SACLAP	South African Council for the Landscape Architectural Profession
VIA	Visual Impact Assessment

Glossary	
Aesthetic Value	Aesthetic value is the emotional response derived from the experience of
	the environment with its particular natural and cultural attributes. The
	response can be either to visual or non-visual elements and can embrace
	sound, smell and any other factor having a strong impact on human
	thoughts, feelings and attitudes (Ramsay, 1993). Thus, aesthetic value
	encompasses more than the seen view, visual quality or scenery, and
	includes atmosphere, landscape character and sense of place (Schapper,
	1993).
Aesthetically significant	A formally designated place visited by recreationists and others for the
place	express purpose of enjoying its beauty. For example, tens of thousands of
	people visit Table Mountain on an annual basis. They come from around
	the country and even from around the world. By these measurements,
	one can make the case that Table Mountain (a designated National Park)
	is an aesthetic resource of national significance. Similarly, a resource that
	is visited by large numbers who come from across the region probably
	has regional significance. A place visited primarily by people whose place
	of origin is local is generally of local significance. Unvisited places either
	have no significance or are "no trespass" places. (after New York,
	Department of Environment 2000).
Aesthetic impact	Aesthetic impact occurs when there is a detrimental effect on the
	perceived beauty of a place or structure. Mere visibility, even startling
	visibility of a project proposal, should not be a threshold for decision
	making. Instead a project, by virtue of its visibility, must clearly interfere
	with or reduce (i.e. visual impact) the public's enjoyment and/or
	appreciation of the appearance of a valued resource e.g. cooling tower

Hartebeespoort Dam Cableway Project

Acronyms, Abbreviations and Glossary

	blocks a view from a National Park overlook (after New York, Department of Environment 2000).
Cumulative Effects	The summation of effects that result from changes caused by a
	development in conjunction with the other past, present or reasonably
	foreseeable actions.
Landscape Character	
Lanuscape Character	The individual elements that make up the landscape, including prominen
	or eye-catching features such as hills, valleys, woods, trees, water
	bodies, buildings and roads. They are generally quantifiable and can be
	easily described.
Landscape Impact	Landscape effects derive from changes in the physical landscape, which
	may give rise to changes in its character and how this is experienced
	(Institute of Environmental Assessment & The Landscape Institute, 1996).
Study area	· · · · · · · · · · · · · · · · · · ·
Study alea	For the purposes of this report the Eskom Kudu SS Oranjemond Project
	Study area refers to the proposed project footprint / project site as well as
	the 'zone of potential influence' (the area defined as the radius about the
	centre point of the project beyond which the visual impact of the most
	visible features will be insignificant) which is a 7.5km radius surrounding
	the proposed project footprint / site.
Drainat Engineerint / Sita	For the number of this second the Follow Kudu CO Opening and Design
Project Footprint / Site	For the purposes of this report the Eskom Kudu SS Oranjemond Project
	site / footprint refers to the actual layout of the project.
Sense of Place (genius	Sense of place is the unique value that is allocated to a specific place of
loci)	area through the cognitive experience of the user or viewer. A genius
	locus literally means 'spirit of the place'.
Consitius Decentors	
Sensitive Receptors	Sensitivity of visual receptors (viewers) to a proposed development.
Viewshed analysis	The two-dimensional spatial pattern created by an analysis that defines
	areas, which contain all possible observation sites from which an object
	would be visible. The basic assumption for preparing a viewshed analysis
	is that the observer eye height is 1,8m above ground level.
Visibility	The area from which project components would potentially be visible
•	Visibility depends upon general topography, aspect, tree cover or other
	visual obstruction, elevation and distance.
Visual Exposure	Visibility and visual intrusion qualified with a distance rating to indicate the
	degree of intrusion and visual acuity, which is also influenced by weather
	and light conditions.
Visual Impact	Visual effects relate to the changes that arise in the composition o
	available views as a result of changes to the landscape, to people's
	responses to the changes, and to the overall effects with respect to visual

Hartebeespoort Dam Cableway Project

Draft Visual Impact Assessment Report 17 April 2018

Acronyms, Abbreviations and Glossary

	amenity.	
Visual Intrusion	The nature of intrusion of an object on the visual quality of the	
	environment resulting in its compatibility (absorbed into the landscape	
	elements) or discord (contrasts with the landscape elements) with the	
	landscape and surrounding land uses.	
Worst-case Scenario	Principle applied where the environmental effects may vary, for example,	
	seasonally to ensure the most severe potential effect is assessed.	
Zone of Potential Visual	I By determining the zone of potential visual influence, it is possible to	
Influence	identify the extent of potential visibility and views which could be affected	
	by the proposed development. Its maximum extent is the radius around	
	an object beyond which the visual impact of its most visible features will	
	be insignificant primarily due to distance.	

Hartebeespoort Dam Cableway Project

EXECUTIVE SUMMARY

Graham A Young Landscape Architect (GYLA) was commissioned by Landscape Dynamics to carry out a visual scoping study (VIA) of the proposed Hartebeespoort Dam Cableway Project, Gauteng ("the Project"). The study focuses on the development on the mountain and not on the property adjacent to the existing cableway base facilities where a 'boutique hotel' is being considered and where visual issues are not anticipated to be of concern to the community and authorities.

Study area

The project site is located in Hartebeespoort at the existing Hartebeespoort Aerial Cableway mountain property. The study area comprises the visual envelope of 3,0km to the south of the property as indicated on Figure 1. This is the distance at which the proposed mountain-based activities will become visually discernible i.e. beyond this distance they will merge into the existing landscape features (refer also to the simulation in Figure 13).

Objective of the study

The main aim of the study is to ensure that the visual / aesthetic consequences of the proposed project are understood and adequately considered in the Basic Assessment Report (BAR) process. Mitigation measures will be proposed, where appropriate.

Terms of Reference

A specialist study is required to assess the potential visual impacts arising from the Project based on the general requirements for a comprehensive VIA and the professional opinion of the author. The following terms of reference was established:

- Conduct field surveys of the proposed project area and photograph the area from sensitive viewing points (site visits were undertaken on the 12 and 20 March 2018);
- Comment on the potential impact of the proposed Project and its cumulative effects;
- Make a reasoned opinion whether the proposed activity, activities or portions thereof should be authorised regarding the acceptability of the proposed activity or activities.

Findings

The existing visual condition of the landscape that may be affected by the proposed Project has been described. The study areas scenic quality has been rated *high* within the context of the sub-region and sensitive viewing areas and landscape types identified and mapped indicating potential sensitivity to the proposed development within a 3 km radius of the project site.

Impacts to views are the highest when viewers are identified as being sensitive to change in the landscape, and their views are focused on and dominated by the change. Visual impacts occur when changes in the landscape are noticeable to viewers looking at the landscape from their homes or from tourism / conservation areas, travel routes, and important cultural features and historic sites, especially in foreground views. However, sensitivity to the project is *low* and the intrusive nature of Project components is also rated *low*. It is therefore predicted that *low* (i.e. a minor loss of or alteration to key elements / features /

xii

Hartebeespoort Dam Cableway Project

Draft Visual Impact Assessment Report 17 April 2018

Executive Summary

characteristics of the baseline. Low scenic quality impacts would result) visual resource impacts would result from the construction, operation and maintenance of the proposed Project. Specifically, impacts would result from the skywalk being seen from sensitive viewpoints within Hartebeespoort and Schoemansville and from its effects on the scenic values of the Magaliesberg landscape.

It is the opinion of the author that all aspects of the Project, from a potential visual impact perspective, should be approved provided that the mitigation / management measures are effectively implemented, managed and monitored in the long term and that engagement with the community during this process is continued.

GYLA

Draft Visual Impact Assessment Report 17 April 2018

Hartebeespoort Dam Cableway Project

Table of Content

TABLE OF CONTENT

1.	INTRODUCTION	1	
1.1	Project Overview and Background 1		
1.2	Proposed Study area 1		
1.3	Objective of the Specialist Study 1		
1.4	Terms and Reference 1		
1.5	Assumption, Uncertainties and Limitations 3		
2.	LEGAL REQUIREMENTS AND GUIDELINES	4	
2.1	National Guidelines	4	
3.	APPROACH AND METHODOLOGY	5	
3.1	Approach	5	
3.1	1.1 The Visual Resource	5	
3.1	1.2 Sensitivity of Visual Resource	6	
3.1	1.3 Sense of Place	6	
3.′	1.4 Sensitive Viewer Locations	7	
3.2	Methodology	8	
4.	DESCRIPTION OF THE PROJECT	9	
5.	PROJECT ALTERNATIVES	12	
6.	VISUAL ISSUES	13	
7.	THE ENVIRONMENTAL SETTING	14	
7.1	The Study Area	14	
7.2	Land Use	14	
7.2	2.1 Residential	14	
7.2	2.2 Infrastructure and roads	14	
7.2	2.3 Tourism	14	
7.3	Natural landscape	14	
8.	VISUAL RESOURCE	21	
8.1	Visual Resource Value / Scenic Quality	21	
8.2	Sense of Place	22	
9.	VISUAL ISSUES	23	
9.1	Visual Receptors	23	
9.2	Sensitive Viewers	23	
9.3	Visual Intrusion	24	
10.	MANAGEMENT MEASURES	30	
10.1	Planning and site development	30	
10.2	Earthworks	30	
10.3	Landscaping and ecological approach	30	
10.4	Structures and associated infrastructure	31	
10.5	Lighting	31	

xiv

Draft Visual Impact Assessment Report 17 April 2018

Table of Content

11. CONCLUSION	32
12. REFERENCES	33
APPENDIX A: DETERMINING A LANDSCAPE AND THE VALUE OF THE	VISUAL
RESOURCE	34
APPENDIX B: CURRICULUM VITAE	39

Hartebeespoort Dam Cableway Project

Draft Visual Impact Assessment Report 17 April 2018

xv

List of Figures

LIST OF FIGURES

Figure 1	Locality Map
Figure 2	Layout Plan - Skywalk
Figure 2a	Layout – Other Mountain Facilities
Figure 3	Viewpoints and Sensitive Receptors
Figure 4	Landscape Character View 1 and 2
Figure 5	Landscape Character Views 3 and 4
Figure 6	Landscape Character Views 5 and 6
Figure 7	Landscape Character Views 7 and 8
Figure 8	Landscape Character Views 9 and 10
Figure 9	Simulation View 1
Figure 10	Simulation View 2
Figure 11	Simulation View 5
Figure 12	Simulation View 6
Figure 13	Simulation View 10

Draft Visual Impact Assessment Report 17 April 2018

List of Tables

LIST OF TABLES

- Table 1 Value of the Visual Resource
- Table 2 Potential Sensitivity of Visual Receptors
- Table 3 Visual Intrusion of the Skywalk

Hartebeespoort Dam Cableway Project

xvii

Draft Visual Impact Assessment Report 17 April 2018

1. INTRODUCTION

1.1 Project Overview and Background

Graham A Young Landscape Architect (GYLA) was commissioned by Landscape Dynamics to carry out a visual scoping study (VIA) of the proposed Hartebeespoort Dam Cableway Project, Gauteng ("the Project"). The study focuses on the development on the mountain and not on the property adjacent to the existing cableway base facilities where a 'boutique hotel' is being considered and where visual issues are not anticipated to be of concern to the community and authorities.

1.2 Proposed Study area

The project site is located in Hartebeespoort at the existing Hartebeespoort Aerial Cableway mountain property. The study area comprises the visual envelope of 3,0km to the south of the property as indicated on Figure 1. This is the distance at which the proposed mountain-based activities will become visually discernible i.e. beyond this distance they will merge into the existing landscape features (refer also to the simulation in Figure 13).

1.3 Objective of the Specialist Study


The main aim of the study is to ensure that the visual / aesthetic consequences of the proposed project are understood and adequately considered in the Basic Assessment Report (BAR) process. Mitigation measures will be proposed, where appropriate.

1.4 Terms and Reference

A specialist study is required to assess the potential visual impacts arising from the Project based on the general requirements for a comprehensive VIA and the professional opinion of the author. The following terms of reference was established:

- Conduct field surveys of the proposed project area and photograph the area from sensitive viewing points (site visits were undertaken on the 12 and 20 March 2018);
- Comment on the potential impact of the proposed Project and its cumulative effects;
- Make a reasoned opinion whether the proposed activity, activities or portions thereof should be authorised regarding the acceptability of the proposed activity or activities.

Introduction



-37 (0)82 462 1491

Introduction

1.5 Assumption, Uncertainties and Limitations

The following assumptions limitations have been made in the study:

- The extent of the study area is determined by the zone of potential influence, which in this study relates to a radius (south of the Magaliesberg ridge line) about the Project mountain site of 3,0km. At 3,0km and beyond the Project would recede into background views;
- The description of project components is limited to what has been supplied to the author prior to the date of completion of this report;
- The study will focus only on the mountain property as the proposed 'boutique hotel', which will be located immediately south of the existing cableway base station, is not considered to be of a visual impact concern;
- Only the skywalk, located west of the exiting mountain infrastructure, is considered in this report as the proposed infinity pool and obstacle course would not be visible (or only partially visible) from potentially sensitive ground views in Hartebeespoort.

This report adheres to the following legal requirements and guideline documents.

2.1 National Guidelines

National Environmental Management Act (Act 107 of 1998) EIA Regulations

The specialist report is in accordance to the specification on conducting specialist studies as per Government Gazette (GN) R 543 of the National Environmental Management Act (NEMA) Act 107 of 1998. The mitigation measures as stipulated in the specialist report can be used as part of the Environmental Management Plan (EMP) and will be in support of the Environmental Impact Assessment (EIA).

The NEMA Protected Areas Act (57 of 2003)

The main aim of the Act is to identify and protect natural landscapes. According to the 2010 regulations there are specific regulations for compilation of specialist report. This VIA report adheres to these specifications.

The National Heritage Resources Act (25 of 1999)

The Act is applicable to the protection of heritage resources and includes the visual resources such as cultural landscapes, nature reserves, proclaimed scenic routes and urban conservation areas.

Western Cape Department of Environmental Affairs & Development Planning: Guideline for Involving Visual and Aesthetic Specialists in EIA Processes Edition 1 (CSIR, 2005)

Although the guidelines were specifically compiled for the Province of the Western Cape they provide guidance that is appropriate for any EIA process. The Guideline document also seeks to clarify instances when a visual specialist should get involved in the EIA process.

3.1 Approach

The assessment of likely effects on a landscape resource and on visual amenity is complex, since it is determined through a combination of quantitative and qualitative evaluations. (The Landscape Institute with the Institute of Environmental Management and Assessment, 2002). When assessing visual impact, the worst-case scenario is taken into account. Landscape and visual assessments are separate, although linked, procedures.

The landscape, its analysis and the assessment of impacts on the landscape all contribute to the baseline for visual impact assessment studies. The assessment of the potential impact on the landscape is carried out as an impact on an environmental resource, i.e. the physical landscape. Visual impacts, on the other hand, are assessed as one of the interrelated effects on people (i.e. the viewers and the impact of an introduced object into a particular view or scene).

3.1.1 The Visual Resource

Landscape character, landscape quality (Warnock, S. & Brown, N., 1998) and "sense of place" (Lynch, K., 1992) are used to evaluate the visual resource i.e. the receiving environment. A qualitative evaluation of the landscape is essentially a subjective matter. In this study the aesthetic evaluation of the study area is determined by the professional opinion of the author based on site observations and the results of contemporary research in perceptual psychology.

Aesthetic value is the emotional response derived from the experience of the environment with its particular natural and cultural attributes. The response is usually to both visual and non-visual elements and can embrace sound, smell and any other factor having a strong impact on human thoughts, feelings and attitudes (Ramsay, 1993). Thus, aesthetic value is more than the combined factors of the seen view, visual quality or scenery. It includes atmosphere, landscape character and sense of place (Schapper, 1993). Refer also to Appendix B for further elaboration.

Studies for perceptual psychology have shown human preference for landscapes with higher visual complexity, for instance scenes with water or topographic interest. On the basis of contemporary research, landscape quality increases where:

- Topographic ruggedness and relative relief increase;
- Water forms are present;
- Diverse patterns of grassland and trees occur;
- Natural landscape increases and man-made landscape decreases;
- Where land use compatibility increases (Crawford, 1994).

Aesthetic appeal (value) is therefore considered high when the following are present (Ramsay, 1993):

Approach and Methodology

- Abstract qualities: such as the presence of vivid, distinguished, uncommon or rare features or abstract attributes;
- Evocative responses: the ability of the landscape to evoke particularly strong responses in community members or visitors;
- Meanings: the existence of a long-standing special meaning to a particular group of people or the ability of the landscape to convey special meanings to viewers in general;
- Landmark quality: a particular feature that stands out and is recognized by the broader community.

And conversely, it would be low where:

- Limited patterns of grasslands and trees occur;
- Natural landscape decreases and man-made landscape increases;
- And where land use compatibility decreases (after Crawford, 1994).

In determining the quality of the visual resource for the Project site, both the objective and the subjective or aesthetic factors associated with the landscape are considered. Many landscapes can be said to have a strong sense of place, regardless of whether they are considered to be scenically beautiful but where landscape quality, aesthetic value and a strong sense of place coincide - the visual resource or perceived value of the landscape is considered to be very high. The criteria given in Appendix B are used to assess landscape quality, sense of place and ultimately to determine the aesthetic value of the study area.

3.1.2 Sensitivity of Visual Resource

The sensitivity of a landscape or visual resource is the degree to which a particular landscape type or area can accommodate change arising from a particular development, without detrimental effects on its character. Its determination is based upon an evaluation of each key element or characteristic of the landscape likely to be affected. The evaluation will reflect such factors such as its quality, value, contribution to landscape character, and the degree to which the particular element or characteristic can be replaced or substituted (Institute of Environmental Assessment & The Landscape Institute, 1996:87).

3.1.3 Sense of Place

Central to the concept of sense of place is that the landscape requires uniqueness and distinctiveness. The primary informant of these qualities is the spatial form and character of the natural landscape taken together with the cultural transformations and traditions associated with the historic use and habitation of the area. According to Lynch (1992), sense of place "is the extent to which a person can recognize or recall a place as being distinct from other places – as having a vivid, unique, or at least particular, character of its own". Sense of place is the unique value that is allocated to a specific place or area through the cognitive experience of the user or viewer. In some cases, the values allocated to the place are similar for a wide spectrum of users or viewers, giving the place a universally recognized and therefore, strong sense of place.

Because the sense of place of the study area is derived from the emotional, aesthetic and visual response to the environment, it cannot be experienced in isolation. The landscape context must be considered. With this in mind, the combination of the natural landscape (mountains and the vegetation) together with the

Approach and Methodology

manmade structures (residential areas, roads, and utilities) contribute to the sense of place for the study area. It is these land-uses, which define the Hartbeespoort area and which establish its identity.

3.1.4 Sensitive Viewer Locations

The sensitivity of visual receptors and views are dependent on the location and context of the viewpoint, the expectations and occupation or activity of the receptor or the importance of the view. This may be determined with respect to its popularity or numbers of people affected, its appearance in guidebooks, on tourist maps, and in the facilities provided for its enjoyment and references to it in literature or art.

The most sensitive receptors may include:

- Users of all outdoor recreational facilities including public rights of way, whose intention or interest may be focused on the landscape;
- Communities where development results in changes in the landscape setting or valued views enjoyed by the community;
- Occupiers of residential properties with views affected by the development.

Other receptors include:

- People engaged in outdoor sport or recreation (other than appreciation of the landscape, as in landscapes of acknowledged importance or value);
- People traveling through or past the affected landscape in cars or other transport modes;
- People at their place of work.

Views from residences and tourist facilities / routes are typically more sensitive, since views from these are considered to be frequent and of long duration.

For a detailed description of the methodology used in this study, refer to Appendix A. Image 1 below, graphically illustrates the visual impact process and the baseline section of it:




Image 1: Visual Impact Process

3.2 Methodology

The following method was used:

- Site visits: Field surveys were undertaken on the 12 and 20 March 2018 when the study area was scrutinized to the extent that the receiving environment could be documented and adequately described.
- Project components: The physical characteristics of the project components were described and illustrated;
- The landscape character of the study area was described. The description of the landscape focused on the nature and character of the landscape rather than the response of a viewer;
- The quality of the landscape was described using recognized contemporary research in perceptual psychology as the basis;
- The sense of place of the study area was described as to the uniqueness and distinctiveness of the landscape.

4. DESCRIPTION OF THE PROJECT

The site is located within the Madibeng Local Municipality (MLC) to the north and south of the Harties Cableway Service Road in Melodie, Hartbeespoort in the jurisdiction of the Madibeng Local Municipality on the following properties:


- Portion 1 of Holding 44 Melodie Agricultural Holdings, currently zoned "agriculture" (1,356ha);
- and the Hartbeespoort Cable Way 971 JQ, currently zoned "cableway and restaurant" (4.3379ha).

The project is to be developed in a phased manner over a period of time. An events venue and boutique guest lodge are planned on Portion 1 of Holding 44 Melodie Agricultural Holdings, (1,356ha) and additions to the existing tourism facilities, on the mountain, are planned on Hartebeespoort Cable Way 971 JQ. These facilities include a zipline, an aerial obstacle course (both located to the east of the existing cableway mountain station), an infinity swimming pool (located directly east of the proposed skywalk) and an aerial walkway (located east of the existing hang glider ramp) with ancillary and related facilities.

This study however, focusses only on the proposed skywalk as the other mountain facilities will not be visible from sensitive ground views in Hartebeespoort and the boutique guest lodge, located in and already built up urban area will not be cause for concern from a visual impact perspective.


Refer to Figures 2 and 2a below, which illustrate the nature and location of the proposed mountain facilities.

Description of the Project



PO Box 331 Groenklaat aus? +27 (5)82 462 1491

Description of the Project



PO Box 331 Groenidoof 0017 +27 (3)82 462 4491

Figure 2a: PROJECT LAYOUT: OBSTACLE COURSE, INFINITY POOL, ZIP SLIDE

PROJECT ALTERNATIVES

No project alternatives were considered.

Draft Visual Impact Assessment Report 17 April 2018

Hartebeespoort Dam Cableway Project

Description of the Project

6. VISUAL ISSUES

Typical issues associated with projects of this nature are:

- Who will be able to see the new development?
- What will it look like and will it contrast with the receiving environment?
- Will the development affect sensitive views in the area and if so how?
- What will be the impact of the development during the day and at night?
- What will the cumulative impact be?

These impacts will be investigated only if the findings and concerns raised by the public suggest that further study is required to rate the impact of the Project.

The public participation process was conducted by Landscape Dynamics and during the process, to date, no visual concerns have been raised and there were no definite objections or questions raised during the process.¹

7.1 The Study Area

The study area is located in Hartebeespoort to the south of the Magaliesberg as indicated in Figure 3. The mountain site is located within the Magaliesberg Bio Reserve and the Magaliesberg Protected Environment; however, the proposed facilities will be contained within the existing approved development node and area therefore not subject to the sensitivities that would apply to a proposed development outside of a node. Refer also to the photographs in Figures 4 to 8, which illustrate the character of the landscape within the study area. The locations of the panorama views are indicated on Figure 3.

7.2 Land Use

Refer to Figures 1, 4 and 5.

7.2.1 Residential

The study area comprises mostly residential units of varying types as indicated in the aerial photograph in Figure 3. These are spread throughout the area with a concentration to the west (Schoemansville) and larger plot sizes interspersed with high density townhouse developments in the central and eastern parts of the study area.

7.2.2 Infrastructure and roads

The main infrastructure activity within the study area comprises mostly roads and associated urban infrastructural services.

7.2.3 Tourism


Tourism in one of the main industries in the area and is associated with the Magaliesberg mountains and the Hartebeespoort dam. The Magaliesberg are a protected landscape, which attract tourism activities such as those that already exist at the Aerial Cableway where the focus of the activity is on the beautiful scenery and elevated views afforded from the top of the mountain.

The area is well supported with many types of tourist accommodation and associated activities that 'feed off' of the main attractions to the area.

7.3 Natural landscape


The norther section of the study area comprises the southern, treed slopes of the Magaliesberg, steep cliffs leading to the ridge line and the grassy mountain terrain to the south of the ridgeline as is evident it Figure 3 and the panoramas in Figures 4 - 8. These areas are protected and are the main reason, along with the dam, that attract tourist to the area.

Draft Visual Impact Assessment Report 17 April 2018




PO Bos 331. Croenkloof augy

427 (11)82 462 1491




Refer to Figure 3 for location of views: Photos taken 12 and 20 March 2018.


PO Bux 331 Greenkloof 0027 +37 (0)||2 461 1491




PO Bux 331 Greenkloof 0027 +37 (0)82 461 1491

Refer to Figure 3 for location of views: Photos taken 12 and 20 March 2018.





The Environmental Setting



VISUAL RESOURCE

8.1 Visual Resource Value / Scenic Quality

The scenic quality (using the scenic quality rating criteria described in Appendix A) of the study is primarily derived from the Magaliesberg mountain and its treed talus slopes which give the study area a distinct natural character and dramatic identity. The mountain's profile is ever-present and forms the backdrop to all views experienced from the base of the mountain in Hartebeespoort and Schoemansville. This scenic resource is the major contributor to a thriving tourist industry within the sub-region and contributes to the area's uniquet identity. The southern half of the study area is primarily urban to peri-urban in nature and character and is in stark contrast to the mountain and its natural attributes.

When the criteria listed in Appendix A are taken together, an overall rating of *high* is allocated to the study area because of the overwhelming presence of the mountain however, the nature and expansion of urban activity is compromising the natural beauty of the area. A summary of the visual resource values is tabulated in Table 1 below.

High	Moderate	Low
Magaliesberg mountain	Residential areas	Urban areas associated with
		industrial activities
This landscape type is considered	This landscape type is considered	This landscape type is considered
to have a <i>high</i> value because it is	to have a moderate value because	to have a <i>low</i> value because it is
a:	it is a:	a:
Distinct landscape that exhibits a	Common landscape that exhibits	Minimal landscape generally
very positive character with valued	some positive character but which	negative in character with few, if
features that combine to give the	has evidence of alteration /	any, valued features.
experience of unity, richness and	degradation/ erosion of features	
harmony. It is a landscape that	resulting in areas of more mixed	
may be considered to be of	character.	
particular importance to conserve		
and which has a strong sense of		
place.		
Sensitivity:	Sensitivity:	
It is sensitive to change in general	It is potentially sensitive to change	Sensitivity:
and will be detrimentally affected if	in general and change may be	It is not sensitive to change in
change is inappropriately dealt	detrimental if inappropriately dealt	general and change
with.	with	

Table 1: Value of the Visual Resource

(After The Landscape Institute with the Institute of Environmental Management and Assessment, 2002)

Hartebeespoort Dam Cableway Project

8.

Visual Resource

8.2 Sense of Place

The sense of place for the study area derives from the combination of all landscape types and their impact on the senses. As already mentioned the mountain and its treed southern slopes are in stark contrast to the urban areas at the base of the mountain, and focus the visual senses, making the study area unique to the sub-region, and consequently evoke a strong and dramatic sense of place.

Hartebeespoort Dam Cableway Project

VISUAL ISSUES

9.1 Visual Receptors

Visual receptors include people living in, visiting or travelling through Hartebeespoort and Schoemansville.

9.2 Sensitive Viewers

As discussed in Section 8 the Magaliesberg is a protected environment and the visual resource responsible for a thriving tourism industry making any interventions to the existing situation potentially sensitive.

The following receptors and viewing areas are considered as potentially sensitive to the proposed development. Refer to Figure 3 identifies their location relative to the project site and indicates where potential conflict / impact could arise due to the Project activities.

High	Moderate	Low
Residences and tourists visiting	Locals travelling through the study	People working or travelling to
Hartebeespoort and	area for business other than to	work in the study area
Schoemansville and tourists	visit a tourist destination	
travelling along the main routes		
through the study area		
Visitors of tourist attractions and	People engaged in outdoor sport	Visitors and people working within
travelling along local routes, whose	or recreation (other than	the study area and travelling along
intention or interest may be focused	appreciation of the landscape, as	local roads whose attention may
on the landscape;	in landscapes of acknowledged	be focused on their work or activity
	importance or value);	and who therefore may be
Communities where the		potentially less susceptible to
development results in changes in	People travelling through or past	changes in the view.
the landscape setting or valued	the affected landscape in cars or	
views enjoyed by the community;	other transport routes.	
Occupiers of residential properties		
with views affected by the		
development.		

Table 2: Potential Sensitivity of Visual Receptors

Although visual sensitivities could arise from viewing areas south of the Project site as described in the Table above, the outcome of public participation meetings indicate that authorities and members of the public do understand visual sensitivity as an issue they should be considered in the BAR process. Nevertheless, the project site is located within a sensitive and highly rated landscape, albeit contained to an approved development node; and any intervention should ensure that major damage to the existing character of the landscape and sensitive views towards the mountain should be prevented.

Hartebeespoort Dam Cableway Project

23 Draft Visual Impact Assessment Report 17 April 2018

9.

9.3 Visual Intrusion

Visual intrusion deals with the notion of contextualism i.e. how well does a project component fit with or disrupt / enhance the ecological and cultural aesthetic of the landscape as a whole? The simulations in Figures 8 – 13 illustrate the effect that Project, specifically the skywalk, will have on the visual landscape when viewed from a variety of locations about the study area. The simulations illustrate views from within Hartebeespoort and Schoemansville and are used to indicate the nature, form and scale of the proposed skywalk. The skywalk will always appear in middle-ground (> 800m) to background views (> 2,5km) resulting in a reduced potential visual impact.

Visual intrusion is considered *low* because the skywalk is mostly compatible with the cultural aesthetic of the area (i.e. contained to an existing development node that contains a variety of facilities as well as a number of communications towers) and thus minimal disruption to the existing visual aesthetic (perception) of the landscape when viewed from within tourist areas and sensitive residential areas below the development. It is clear from the simulations that only the closed views (< 2,0km), where the skywalk breaks the horizon line (Figures 11 and 12) that it might attract visual attraction and appear intrusive in the scene.

High	Moderate	Low
The skywalk project would have a substantial negative effect on the visual quality (sense of place) of the landscape relative to the baseline landscape because it would: - Contrast with the patterns or elements that define the structure of the landscape;	The skywalk project would have a negative effect on the visual quality (sense of place) of the landscape; - Have a moderate negative effect on the visual quality (sense of place) of the landscape; - Contrast moderately with the current patterns or elements that define the structure of the landscape; - Be partially compatible with land use (mining), settlement or enclosure patterns of the general area;	The skywalk project would have a minimal effect on the visual quality (sense of place) of the landscape; - Contrasts minimally with the patterns or cultural elements that define the structure of the landscape; - Is mostly compatible with land use, settlement or enclosure patterns;
RESULT: Notable change in landscape characteristics over an extensive area and an intensive change over a localized area resulting in major changes in key views.	RESULT: Moderate change in landscape characteristics over localized area resulting in a moderate change to key views.	RESULT: Minimal change resulting in a minor change to key views from the tourist and residential areas in Hartebeespoort and Schoemansville

Table 3: Visual Intrusion of the Skywalk

Hartebeespoort Dam Cableway Project






Graham Young Landscape Architect

PD Box 331 Croenkloof 0022 +27 (0)82 482 1491

Refer to Figure 3 for location of views: Photos taken 12 and 20 March 2018


Figure 10: SIMULATION_View 2



Graham Young Landscape Architect

PO-Box 331 Cecesitius (Four) +27 (0)83-462 (491

Figure 11: SIMULATION_View 5 Refer to Figure 3 for location of views: Photos taken 12 and 20 March 2018



Graham Young Landscape Architect

PO Box 331 Croenklaat 0022 +27 (0)82 462 1491

Refer to Figure 3 for location of views: Photos taken 12 and 20 March 2018

Figure 12: SIMULATION_View 6




Figure 13: SIMULATION_View 10

Graham Young Landscape Architect

PO Box 331 Capenklouf 0027 +17 (11)81 463 1401

Refer to Figure 3 for location of views: Photos taken 12 and 20 March 2018

In considering mitigating measures three rules are considered - the measures should be feasible (economically), effective (how long will it take to implement and what provision is made for management / maintenance) and acceptable (within the framework of the existing landscape and land use policies for the area). To address these, the following principles have been established:

- Mitigation measures should be designed to suit the existing landscape character and needs of the locality. They should respect and build upon landscape distinctiveness.
- It should be recognized that many mitigation measures, especially the establishment of planted screens and rehabilitation, are not immediately effective.

General mitigation measures are proposed for Project as well as the specifics of mitigating the night-time impact of lights. The following general actions are recommended:

10.1 Planning and site development

- With the construction of the skywalk and associated activiteis, the minimum amount of existing
 vegetation and topsoil should be removed. Ensure, wherever possible, natural vegetation is
 retained and incorporated into the site rehabilitation. All top-soil that occurs within the proposed
 footprint of an activity must be removed and stockpiled for later use.
- 10.2 Earthworks
 - Earthworks should be executed in such a way that only the footprint and a small 'construction buffer zone' around the proposed activities is exposed. In all other areas, the natural occurring vegetation, more importantly the indigenous vegetation should be retained, especially along the periphery of the site. Dust suppression techniques should be in place at all times during all phases of the project, where required.

10.3 Landscaping and ecological approach

 Should new vegetation be introduced to the site, an ecological approach to rehabilitation and vegetative screening measures, as opposed to a horticultural approach to landscaping should be adopted. For example, communities of indigenous plants enhance biodiversity and blend well with existing Magaliesberg vegetation. This approach can significantly reduce long term costs as less maintenance would be required over conventional landscaping methods as well as the introduced landscape being more sustainable.

30

Management Measures

10.4 Structures and associated infrastructure

• Paint structures with colours that reflect and compliment the natural colours of the surrounding landscape. To further reduce the potential of glare, the external surfaces of structures should be articulated or textured to create interplay of light and shade.

10.5 Lighting

Light pollution is largely the result of bad lighting design, which allows artificial light to shine outward and upward into the sky, where it's not wanted, instead of focusing the light downward, where it is needed. Ill designed lighting washes out the darkness of the night sky and radically alters the light levels in rural areas where light sources shine as 'beacons' against the dark sky and are generally not wanted.

Of all the pollutions faced, light pollution is perhaps the most easily remedied. Simple changes in lighting design and installation yield immediate changes in the amount of light spilled into the atmosphere. The following are measures that must be considered in the lighting design of the Project:

- Install light fixtures that provide precisely directed illumination to reduce light "spillage" beyond the immediate surrounds of the site.
- Avoid high pole top security lighting along the periphery of the site and use only lights that are activated on illegal entry to the site.
- Minimise the number of light fixtures to the bare minimum, including security lighting.
- With the construction of the proposed mineralised waste facilities security lighting should only be used where necessary and carefully directed, preferably away from sensitive viewing areas.
- Wherever possible, lights should always be directed downwards to avoid illuminating the sky.

The existing visual condition of the landscape that may be affected by the proposed Project has been described. The study areas scenic quality has been rated *high* within the context of the sub-region and sensitive viewing areas and landscape types identified and mapped indicating potential sensitivity to the proposed development within a 3 km radius of the project site.

Impacts to views are the highest when viewers are identified as being sensitive to change in the landscape, and their views are focused on and dominated by the change. Visual impacts occur when changes in the landscape are noticeable to viewers looking at the landscape from their homes or from tourism / conservation areas, travel routes, and important cultural features and historic sites, especially in foreground views. However, sensitivity to the project is *low* and the intrusive nature of Project components is also rated *low*. It is therefore predicted that *low* (i.e. a minor loss of or alteration to key elements / features / characteristics of the baseline. Low scenic quality impacts would result) visual resource impacts would result from the construction, operation and maintenance of the proposed Project. Specifically, impacts would result from the skywalk being seen from sensitive viewpoints within Hartebeespoort and Schoemansville and from its effects on the scenic values of the Magaliesberg landscape.

It is the opinion of the author that all aspects of the Project, from a potential visual impact perspective, should be approved provided that the mitigation / management measures are effectively implemented, managed and monitored in the long term and that engagement with the community during this process is continued.

GYLA

Draft Visual Impact Assessment Report 17 April 2018

12. REFERENCES

Crawford, D., 1994. Using remotely sensed data in landscape visual quality assessment. *Landscape and Urban Planning*. 30: 71-81.

Hull, R.B. & Bishop, I.E., 1988. Scenic Impacts of Electricity Transmission Towers: The Influence of Landscape Type and Observer Distance. *Journal of Environmental Management*. 27: 99-108.

Institute of Environmental Assessment & The Landscape Institute, 1996. *Guidelines for Landscape and Visual Impact Assessment*, E & FN Spon, London (117)

Ittelson, W.H., Proshansky, H.M., Rivlin, L.g. and Winkel, G.H., 1974. *An Introduction to Environmental Psychology*. Holt, Rinehart and Winston, New York.

Lange, E., 1994. Integration of computerized visual simulation and visual assessment in environmental planning. *Landscape and Environmental Planning*. 30: 99-112.

Lynch, K., 1992. Good City Form, The MIT Press, London. (131)

Mucina, L. & Rutherford, M.C. (eds) 2006. The vegetation of South Africa, Lesotho and Swaziland. *Strelitzia 19*. South African National Biodiversity Institute, Pretoria.

Oberholzer, B., 2005. Guideline for involving visual & aesthetic specialists in EIA processes: Edition 1. CSIR Report No ENV-S-C 2005 053 F. Republic of South Africa, Provincial Government of the Western Cape, Department of Environmental Affairs & Development Planning, Cape Town.

Ramsay, J. (October 1993), Identification and assessment of aesthetic values in two Victorian forest regions. *More than meets the eye: identifying and assessing aesthetic value.* Report of the Aesthetic Value Workshop held at the University of Melbourne.

Sama, J. (2000), Program Policy, Assessing and Mitigating Visual Impact, Department of Environmental Conservation. New York.

Schapper, J. (October 1993), The importance of aesthetic value in the assessment of landscape heritage. *More than meets the eye: identifying and assessing aesthetic value.* Report of the Aesthetic Value Workshop held at the University of Melbourne.

Walmsley, B., & Tshipala, K. E. (2007). Handbook on Environmental Assessment Legislation in the SADC Region. Midrand: The Development Bank of South Africa in collaboration with the South African Institute for Environmental Assessment.

Warnock, S. & Brown, N., 1998. Putting Landscape First. Landscape Design. 268: 44-46.

In order to reach an understanding of the effect of development on a landscape resource, it is necessary to consider the different aspects of the landscape as follows:

Landscape Elements and Character

The individual elements that make up the landscape, including prominent or eye-catching features such as hills, valleys, savannah, trees, water bodies, buildings and roads are generally quantifiable and can be easily described.

Landscape character is therefore the description of pattern, resulting from particular combinations of natural (physical and biological) and cultural (land use) factors and how people perceive these. The visual dimension of the landscape is a reflection of the way in which these factors create repetitive groupings and interact to create areas that have a specific visual identity. The process of landscape character assessment can increase appreciation of what makes the landscape distinctive and what is important about an area. The description of landscape character thus focuses on the *nature of the land*, rather than the response of a viewer.

Landscape Value - all encompassing (Aesthetic Value)

Aesthetic value is the emotional response derived from the experience of the environment with its particular natural and cultural attributes. The response can be either to visual or non-visual elements and can embrace sound, smell and any other factor having a strong impact on human thoughts, feelings and attitudes (Ramsay 1993). Thus aesthetic value encompasses more than the seen view, visual quality or scenery, and includes atmosphere, landscape character and sense of place (Schapper 1993).

Aesthetic appeal (value) is considered high when the following are present (Ramsay 1993):

- Abstract qualities: such as the presence of vivid, distinguished, uncommon or rare features or abstract attributes;
- Evocative responses: the ability of the landscape to evoke particularly strong responses in community members or visitors;
- Meanings: the existence of a long-standing special meaning to a particular group of people or the ability
 of the landscape to convey special meanings to viewers in general;
- Landmark quality: a particular feature that stands out and is recognised by the broader community.

Sense of Place

Central to the concept of a sense of place is that the place requires uniqueness and distinctiveness. The primary informant of these qualities is the spatial form and character of the natural landscape together with the cultural transformations and traditions associated with historic use and habitation. According to Lynch (1992) sense of place "is the extent to which a person can recognize or recall a place as being distinct from

Draft Visual Impact Assessment Report 17 April 2018

Appendix A

other places - as having a vivid, or unique, or at least particular, character of its own". Sense of place is the unique value that is allocated to a specific place or area through the cognitive experience of the user or viewer. In some cases these values allocated to the place are similar for a wide spectrum of users or viewers, giving the place a universally recognized and therefore, strong sense of place.

Scenic Quality

Assigning values to visual resources is a subjective process. The phrase, "beauty is in the eye of the beholder," is often quoted to emphasize the subjectivity in determining scenic values. Yet, researchers have found consistent levels of agreement among individuals asked to evaluate visual quality.

Studies for perceptual psychology have shown human preference for landscapes with a higher visual complexity particularly in scenes with water, over homogeneous areas. On the basis of contemporary research landscape quality increases when:

- Topographic ruggedness and relative relief increase;
- Where water forms are present;
- Where diverse patterns of grasslands and trees occur;
- Where natural landscape increases and man-made landscape decreases;
- And where land use compatibility increases and land use edge diversity decreases (Crawford 1994).

Scenic Quality - Explanation of Rating Criteria:

(After The Visual Resource Management System, Department of the Interior of the USA Government, Bureau of Land Management)

Landform: Topography becomes more interesting as it gets steeper or more massive, or more severely or universally sculptured. Outstanding landforms may be monumental, as the Fish River or Blyde River Canyon, the Drakensberg or other mountain ranges, or they may be exceedingly artistic and subtle as certain badlands, pinnacles, arches, and other extraordinary formations.

Vegetation: (Plant communities) Give primary consideration to the variety of patterns, forms, and textures created by plant life. Consider short-lived displays when they are known to be recurring or spectacular (wildflower displays in the Karoo regions). Consider also smaller scale vegetational features, which add striking and intriguing detail elements to the landscape (e.g., gnarled or wind beaten trees, and baobab trees).

Water: That ingredient which adds movement or serenity to a scene. The degree to which water dominates the scene is the primary consideration in selecting the rating score.

Colour: Consider the overall colour(s) of the basic components of the landscape (e.g., soil, rock, vegetation, etc.) as they appear during seasons or periods of high use. Key factors to use when rating "colour" are variety, contrast, and harmony.

Hartebeespoort Dam Cableway Project

Adjacent Scenery: Degree to which scenery outside the scenery unit being rated enhances the overall impression of the scenery within the rating unit. The distance which adjacent scenery will influence scenery within the rating unit will normally range from 0-8 kilometres, depending upon the characteristics of the topography, the vegetative cover, and other such factors. This factor is generally applied to units which would normally rate very low in score, but the influence of the adjacent unit would enhance the visual quality and raise the score.

Scarcity: This factor provides an opportunity to give added importance to one or all of the scenic features that appear to be relatively unique or rare within one physiographic region. There may also be cases where a separate evaluation of each of the key factors does not give a true picture of the overall scenic quality of an area. Often it is a number of not so spectacular elements in the proper combination that produces the most pleasing and memorable scenery - the scarcity factor can be used to recognize this type of area and give it the added emphasis it needs.

Cultural Modifications: Cultural modifications in the landform / water, vegetation, and addition of structures should be considered and may detract from the scenery in the form of a negative intrusion or complement or improve the scenic quality of a unit.

Scenic Quality Inventory and Evaluation Chart

(After The Visual Resource Management System, Department of the Interior of the USA Government, Bureau of Land Management)

Key factors	F	Rating Criteria and Score	
Landform	High vertical relief as expressed in prominent cliffs, spires, or massive rock outcrops, or severe surface variation or highly eroded formations including major badlands or dune systems; or detail features dominant and exceptionally striking and intriguing such as glaciers.	buttes, cinder cones,	Low rolling hills, foothills, or flat valley bottoms; or few or no interesting landscape features.
	5	3	1
Vegetation and landcover	A variety of vegetative types as expressed in	Some variety of vegetation, but only one	Little or no variety or contrast in vegetation.
	interesting forms, textures and patterns	or two major types.	
	interesting forms, textures, and patterns. 5	or two major types. 3	1

17 April 2018

			Appendix
	appearing, still, or cascading white water, any of which are a dominant factor in the landscape. 5	dominant in the landscape.	not noticeable.
Colour	Rich colour combinations, variety or vivid colour; or pleasing contrasts in the soil, rock, vegetation, water or snow fields. 5	Some intensity or variety in colours and contrast of the soil, rock and vegetation, but not a dominant scenic element. 3	Subtle colour variations, contrast, or interest; generally mute tones.
Influence of adjacent scenery	Adjacent scenery greatly enhances visual quality. 5	Adjacent scenery moderately enhances overall visual quality. 3	Adjacent scenery has little or no influence on overall visual quality. 0
Scarcity	One of a kind; or unusually memorable, or very rare within region. Consistent chance for exceptional wildlife or wildflower viewing, etc. National and provincial parks and conservation areas * 5+	Distinctive, though somewhat similar to others within the region.	Interesting within its setting, but fairly common within the region.
Cultural modifications	Modifications add favourably to visual variety while promoting visual harmony. 2	Modifications add little or no visual variety to the area, and introduce no discordant elements. 0	Modifications add variety but are very discordant and promote strong disharmony. 4

Scenic Quality (i.e. value of the visual resource)

In determining the quality of the visual resource both the objective and the subjective or aesthetic factors associated with the landscape are considered. Many landscapes can be said to have a strong sense of place, regardless of whether they are considered to be scenically beautiful but where landscape quality, aesthetic value and a strong sense of place coincide - the visual resource or perceived value of the landscape is considered to be very high.

When considering both objective and subjective factors associated with the landscape there is a balance between landscape character and individual landscape features and elements, which would result in the values as follows:

37

Value of Visual Resource – expressed as Scenic Quality (After The Landscape Institute with the Institute of Environmental Management and Assessment (2002))

High	Moderate	Low
Areas that exhibit a very positive character with valued features that combine to give the experience of unity, richness and harmony. These are landscapes that may be considered to be of particular importance to conserve and which may be sensitive change in general and which may be detrimental if change is inappropriately dealt with.	Areas that exhibit positive character but which may have evidence of alteration to /degradation/erosion of features resulting in areas of more mixed character. Potentially sensitive to change in general; again change may be detrimental if inappropriately dealt with but it may not require special or particular attention to detail.	Areas generally negative in character with few, if any, valued features. Scope for positive enhancement frequently occurs.

Hartebeespoort Dam Cableway Project

Draft Visual Impact Assessment Report 17 April 2018

Appendix B

Graham Young PrLArch FILASA

PO Box 331, Groenkloof, 0027 Tel: +27 0(82) 462 1491 grahamyounglandarch@gmail.com

Visual Impact Assessments

Graham is a registered landscape architect with interest and experience in landscape architecture, urban design and environmental planning. He holds a degree in landscape architecture from the University of Toronto and has practiced in Canada and Africa, where he has spent most of his working life. He has served as President of the Institute of Landscape Architects of South Africa (ILASA) and as Vice President of the Board of Control for Landscape Architects.

During his 30 years plus career he has received numerous ILASA and other industry awards. He has published widely on landscape architectural issues and has had projects published both locally and internationally in, scientific and design journals and books. He was a being a founding member of Newtown Landscape Architects and is also a senior lecturer, teaching landscape architecture and urban design at post and under graduate levels, at the University of Pretoria. He has been a visiting studio critic at the University of Witwatersrand and University of Cape Town and in 2011 was invited to the University of Rhode Island, USA as their Distinguished International Scholar for that year. Recently, Graham resigned from NLA and now practices as a Sole Proprietor.

A niche specialty of his is Visual Impact Assessment for which he was cited with an ILASA Merit Award in 1999. He has completed over 250 specialist reports for projects in South Africa, Canada and other African countries. He was on the panel that developed the *Guideline for Involving Visual and Aesthetic Specialists in EIA Processes* (2005) and produced a research document for Eskom, *The Visual Impacts of Power Lines* (2009). In 2011, he produced '*Guidelines for involving visual and aesthetic specialists*' for the Aapravasi Ghat Trust Fund Technical Committee (they manage a World Heritage Site) along with the *Visual Impact Assessment Training Module Guideline Document*.

*** GYLA ***

Hartebeespoort Dam Cableway Project

Draft Visual Impact Assessment Report 17 April 2018