

**HIA FOR THE HHALMENSE ACCESS ROAD, WARD 2
STULWANE, KZN**

FOR NZINGWE CONSULTANCY

DATE: 23 OCTOBER 2020

By Gavin Anderson

**Umlando: Archaeological Surveys and Heritage
Management**

PO Box 102532, Meerensee, 3901

Phone: 035-7531785 Cell: 0836585362

umlando@gmail.com



TABLE OF CONTENT

INTRODUCTION	4
KWAZULU NATAL AMAFA AND RESEARCH INSTITUTE, ACT 05, 2018	9
METHOD	11
Defining significance.....	12
RESULTS	15
DESKTOP STUDY	15
PALAEONTOLOGICAL SENSITIVITY	18
FIELD SURVEY	19
Stone walling	19
Shembe Temple	20
Ruins of settlement.....	21
RECOMMENDATIONS	23
CONCLUSION.....	23
REFERENCES	24
EXPERIENCE OF THE HERITAGE CONSULTANT	25
DECLARATION OF INDEPENDENCE.....	25

TABLE OF FIGURES

FIG. 1 GENERAL LOCATION OF THE PROPOSED ROAD UPGRADE	5
FIG. 2: AERIAL OVERVIEW OF THE PROPOSED ROAD UPGRADE	6
FIG. 3: TOPOGRAPHICAL MAP OF THE PROPOSED ROAD UPGRADE (2002)	7
FIG. 4: VIEWS ALONG THE PROPOSED ROAD UPGRADE	8
TABLE 1: SAHRA GRADINGS FOR HERITAGE SITES	14
FIG. 5: LOCATION OF KNOWN HERITAGE SITES IN THE GENERAL AREA	16
FIG. 6: LOCATION OF THE ROAD IN 1969.....	17
FIG. 7: PALAEONTOLOGICAL SENSITIVITY MAP	18
FIG. 8: FOUNDATIONS OF STONE WALLING.....	19
FIG. 9: SHEMBE TEMPLE	20
FIG. 10: REMAINS OF A SETTLEMENT	21
FIG. 11 LOCATION OF RECORDED FINDS.....	22
TABLE 2: LOCATION AND SIGNIFICANCE OF RECORDED SITES.	23

Abbreviations

HP	Historical Period
IIA	Indeterminate Iron Age
LIA	Late Iron Age
EIA	Early Iron Age
ISA	Indeterminate Stone Age
ESA	Early Stone Age
MSA	Middle Stone Age
LSA	Late Stone Age
HIA	Heritage Impact Assessment
PIA	Palaeontological Impact Assessment

INTRODUCTION

The Okhahlamba Local Municipality proposed project is to upgrade the existing Hhalmense Access Road, Ward 2 in Stulwane area. “The proposed road is 2km long including the link road that connects the community situated higher in the village...

The road is ... structurally in a very poor condition. There is currently no gravel wearing course for the entire section of the road. This severely limits the use of the roads particularly during the rainy season when the road gets slippery. There is one formalised crossing which consists of a 600mm concrete pipe. On the river section, there is no formal crossing...

The proposed upgrade of existing Hhalmense Access Road will comprise the following elements:


- a) 150mm thick gravel-wearing course with an average width of 5m
- b) Provision of pipe crossings using a 600mm and 900mm diameter of Class 100DD on Class C bedding.
- c) Headwalls to be provided at the inlets and outlets of each crossing.
- d) The stormwater drainage will be designed for 1:10 year floods. Also to be included is the provision of side drains of depth range of 300mm below shoulder break point.
- e) A culvert crossing over the river with allowance for overtopping.
- f) Provision of guardrails for the steep sections.
- g) Provision of link access for the houses at the top section” (Nzingwe BID 2020)

Umlando was requested to undertake an assessment of the proposed development. Figures 1 – 4 show the location of the development.

FIG. 1 GENERAL LOCATION OF THE PROPOSED ROAD UPGRADE



FIG. 2: AERIAL OVERVIEW OF THE PROPOSED ROAD UPGRADE¹



¹ Green = option 1; red is Option 2

FIG. 3: TOPOGRAPHICAL MAP OF THE PROPOSED ROAD UPGRADE (2002)




FIG. 4: VIEWS ALONG THE PROPOSED ROAD UPGRADE



KWAZULU NATAL AMAFA AND RESEARCH INSTITUTE, ACT 05, 2018

“General protection: Structures.—

- No structure which is, or which may reasonably be expected to be older than 60 years, may be demolished, altered or added to without the prior written approval of the Council having been obtained on written application to the Council.
- Where the Council does not grant approval, the Council must consider special protection in terms of sections 38, 39, 40, 41 and 43 of Chapter 9.
- The Council may, by notice in the *Gazette*, exempt—
- A defined geographical area; or
- defined categories of sites within a defined geographical area, from the provisions of subsection where the Council is satisfied that heritage resources falling in the defined geographical area or category have been identified and are adequately protected in terms of sections 38, 39, 40, 41 and 43 of Chapter 9.
- A notice referred to in subsection (2) may, by notice in the *Gazette*, be amended or withdrawn by the Council.

General protection: Graves of victims of conflict.—No person may damage, alter, exhume, or remove from its original position—

- the grave of a victim of conflict;
- a cemetery made up of such graves; or
- any part of a cemetery containing such graves, without the prior written approval of the Council having been obtained on written application to the Council.
- General protection: Traditional burial places.—
- No grave—
- not otherwise protected by this Act; and
- not located in a formal cemetery managed or administered by a local authority, may be damaged, altered, exhumed, removed from its original

position, or otherwise disturbed without the prior written approval of the Council having been obtained on written application to the Council.

The Council may only issue written approval once the Council is satisfied that—

- the applicant has made a concerted effort to consult with communities and individuals who by tradition may have an interest in the grave; and
- the applicant and the relevant communities or individuals have reached agreement regarding the grave.

General protection: Battlefield sites, archaeological sites, rock art sites, palaeontological sites, historic fortifications, meteorite or meteorite impact sites.—

- No person may destroy, damage, excavate, alter, write or draw upon, or otherwise disturb any battlefield site, archaeological site, rock art site, palaeontological site, historic fortification, meteorite or meteorite impact site without the prior written approval of the Council having been obtained on written application to the Council.
- Upon discovery of archaeological or palaeontological material or a meteorite by any person, all activity or operations in the general vicinity of such material or meteorite must cease forthwith and a person who made the discovery must submit a written report to the Council without delay.
- The Council may, after consultation with an owner or controlling authority, by way of written notice served on the owner or controlling authority, prohibit any activity considered by the Council to be inappropriate within 50 metres of a rock art site.
- No person may exhume, remove from its original position or otherwise disturb, damage, destroy, own or collect any object or material associated with any battlefield site, archaeological site, rock art site, palaeontological site, historic fortification, meteorite or meteorite impact site without the prior written approval of the Council having been obtained on written application to the Council.
- No person may bring any equipment which assists in the detection of metals and archaeological and palaeontological objects and material, or

- excavation equipment onto any battlefield site, archaeological site, rock art site, palaeontological site, historic fortification, or meteorite impact site, or use similar detection or excavation equipment for the recovery of meteorites, without the prior written approval of the Council having been obtained on written application to the Council.
- The ownership of any object or material associated with any battlefield site, archaeological site, rock art site, palaeontological site, historic fortification, meteorite or meteorite impact site, on discovery, vest in the Provincial Government and the Council is regarded as the custodian on behalf of the Provincial Government.”

METHOD

The method for Heritage assessment consists of several steps.

The first step forms part of the desktop assessment. Here we would consult the database that has been collated by Umlando. This databases contains archaeological site locations and basic information from several provinces (information from Umlando surveys and some colleagues), most of the national and provincial monuments and battlefields in Southern Africa (<http://www.vuvuzela.com/googleearth/monuments.html>) and cemeteries in southern Africa (information supplied by the Genealogical Society of Southern Africa). We use 1st and 2nd edition 1:50 000 topographical and 1937 aerial photographs where available, to assist in general location and dating of buildings and/or graves. The database is in Google Earth format and thus used as a quick reference when undertaking desktop studies. Where required we would consult with a local data recording centre, however these tend to be fragmented between different institutions and areas and thus difficult to access at times. We also consult with an historical architect, palaeontologist, and an historian where necessary.

The survey results will define the significance of each recorded site, as well as a management plan.

All sites are grouped according to low, medium, and high significance for the purpose of this report. Sites of low significance have no diagnostic artefacts or features. Sites of medium significance have diagnostic artefacts or features and these sites tend to be sampled. Sampling includes the collection of artefacts for future analysis. All diagnostic pottery, such as rims, lips, and decorated sherds are sampled, while bone, stone, and shell are mostly noted. Sampling usually occurs on most sites. Sites of high significance are excavated and/or extensively sampled. Those sites that are extensively sampled have high research potential, yet poor preservation of features.

Defining significance

Heritage sites vary according to significance and several different criteria relate to each type of site. However, there are several criteria that allow for a general significance rating of archaeological sites.

These criteria are:

1. State of preservation of:

- 1.1. Organic remains:
 - 1.1.1. Faunal
 - 1.1.2. Botanical
- 1.2. Rock art
- 1.3. Walling
- 1.4. Presence of a cultural deposit
- 1.5. Features:
 - 1.5.1. Ash Features
 - 1.5.2. Graves

- 1.5.3. Middens
- 1.5.4. Cattle byres
- 1.5.5. Bedding and ash complexes

2. Spatial arrangements:

- 2.1. Internal housing arrangements
- 2.2. Intra-site settlement patterns
- 2.3. Inter-site settlement patterns

3. Features of the site:

- 3.1. Are there any unusual, unique or rare artefacts or images at the site?
- 3.2. Is it a type site?
- 3.3. Does the site have a very good example of a specific time period, feature, or artefact?

4. Research:

- 4.1. Providing information on current research projects
- 4.2. Salvaging information for potential future research projects

5. Inter- and intra-site variability

- 5.1. Can this particular site yield information regarding intra-site variability, i.e. spatial relationships between various features and artefacts?
- 5.2. Can this particular site yield information about a community's social relationships within itself, or between other communities?

6. Archaeological Experience:

6.1. The personal experience and expertise of the CRM practitioner should not be ignored. Experience can indicate sites that have potentially significant aspects, but need to be tested prior to any conclusions.

7. Educational:

- 7.1. Does the site have the potential to be used as an educational instrument?
- 7.2. Does the site have the potential to become a tourist attraction?
- 7.3. The educational value of a site can only be fully determined after initial test-pit excavations and/or full excavations.

8. Other Heritage Significance:

- 8.1. Palaeontological sites
- 8.2. Historical buildings
- 8.3. Battlefields and general Anglo-Zulu and Anglo-Boer sites
- 8.4. Graves and/or community cemeteries
- 8.5. Living Heritage Sites
- 8.6. Cultural Landscapes, that includes old trees, hills, mountains, rivers, etc related to cultural or historical experiences.

The more a site can fulfill the above criteria, the more significant it becomes. Test-pit excavations are used to test the full potential of an archaeological deposit. This occurs in Phase 2. These test-pit excavations may require further excavations if the site is of significance (Phase 3). Sites may also be mapped and/or have artefacts sampled as a form of mitigation. Sampling normally occurs when the artefacts may be good examples of their type, but are not in a primary archaeological context. Mapping records the spatial relationship between features and artefacts. Table 1 lists the grading system.

TABLE 1: SAHRA GRADINGS FOR HERITAGE SITES

SITE SIGNIFICANCE	FIELD RATING	GRADE	RECOMMENDED MITIGATION
High Significance	National Significance	Grade 1	Site conservation / Site development
High Significance	Provincial Significance	Grade 2	Site conservation / Site development
High Significance	Local Significance	Grade 3A / 3B	
High / Medium Significance	Generally Protected A		Site conservation or mitigation prior to development / destruction
Medium Significance	Generally Protected B		Site conservation or mitigation / test excavation / systematic sampling / monitoring prior to or during development / destruction
Low Significance	Generally Protected C		On-site sampling monitoring or no archaeological mitigation required prior to or during development / destruction

RESULTS

DESKTOP STUDY

The desktop study consisted of analysing various maps for evidence of prior habitation in the study area, as well as for previous archaeological surveys. Many archaeological sites occur in the general area. The archaeological sites tend to be open Stone Age scatters of low significance, Overhangs with Rock Paintings, Late Iron Age walling, and Historical Period structures (fig. 4).

The 1968 topographical map indicates that there are settlements in the general area (fig. 5). No settlements occur next to the road.

FIG. 5: LOCATION OF KNOWN HERITAGE SITES IN THE GENERAL AREA





FIG. 6: LOCATION OF THE ROAD IN 1969



PALAEONTOLOGICAL SENSITIVITY

The area is in an area of very high palaeontological sensitivity (fig. 7). However, the road upgrade will not be deeper than 1m and will not affect unweathered deposits.

FIG. 7: PALAEONTOLOGICAL SENSITIVITY MAP



COLOUR	SENSITIVITY	REQUIRED ACTION
RED	VERY HIGH	field assessment and protocol for finds is required
ORANGE/YELLOW	HIGH	desktop study is required and based on the outcome of the desktop study, a field assessment is likely
GREEN	MODERATE	desktop study is required
BLUE	LOW	no palaeontological studies are required however a protocol for finds is required
GREY	INSIGNIFICANT/ZERO	no palaeontological studies are required
WHITE/CLEAR	UNKNOWN	these areas will require a minimum of a desktop study. As more information comes to light, SAHRA will continue to populate the map.

FIELD SURVEY

The field survey was undertaken on 21 October 2020. Ground visibility was very good. The existing road is in a poor condition and has one sharp incline. Three heritage features were located within 50m of the proposed road upgrade: stone walling, Shembe temple , and the remains of a settlement.

Stone walling

The remains of a stone walled feature occurs to the west of the road and current soccer field (fig. 8). It appears to be the foundations of a kraal. The feature will not be affected by the road.

Significance: The walling is of low significance.

Mitigation: No further mitigation is required.

SAHRA Rating: 3C

FIG. 8: FOUNDATIONS OF STONE WALLING



Shembe Temple

A small Shembe Temple was located 65m to the west of a house near the road (fig. 9). The Temple will not be affected by the road.

Significance: The temple is of high significance as it is considered a place of worship.

Mitigation: No further mitigation is required.

SAHRA Rating: 3C

FIG. 9: SHEMBE TEMPLE



Ruins of settlement

The settlement occurs to the east of the road. Only the partial remains of a house wall occurs, and the foundations of three houses (fig. 10). Some terracing occurs downslope of the settlement. No graves were observed in the immediate area of the settlement.

Significance: The settlement is of low significance.

Mitigation: No further mitigation is required.

SAHRA Rating: 3C

FIG. 10: REMAINS OF A SETTLEMENT



The location of these sites are shown in fig. 11 and Table 2.

FIG. 11 LOCATION OF RECORDED FINDS




TABLE 2: LOCATION AND SIGNIFICANCE OF RECORDED SITES.

SITE	LATITUDE	LONGITUDE	DESCRIPTION	SIGNIFICANCE	REQUIRES MITIGATION
Stone walling	28°52'29.71"S	29°20'24.17"E	Remains of a kraal	Low	No
Shembe temple	28°52'32.64"S	29°20'21.81"E	Religious activity	High	No
settlement	28°52'40.61"S	29°20'12.63"E	Remains of a settlement	Low	No

RECOMMENDATIONS

The proposed road upgrade will not affect the recorded heritage sites. No further mitigation is required.

Route Option 1 is the preferred option as it is in an already disturbed area. It is unlikely to uncover subsurface archaeological features.

CONCLUSION

A heritage survey was undertaken for the proposed Hhalmense road upgrade. Three heritage sites were noted near the proposed road upgrade; however none of these will be affected by the upgrade.

Route Option 1 the preferred option as it is already in a disturbed area.

No further HIA mitigation is required.

REFERENCES

2829CD 1968, 2000 Zunckels 1:50 000 topographical map

EXPERIENCE OF THE HERITAGE CONSULTANT

Gavin Anderson has a M. Phil (in archaeology and social psychology) degree from the University of Cape Town. Gavin has been working as a professional archaeologist and heritage impact assessor since 1995. He joined the Association of Professional Archaeologists of Southern Africa in 1998 when it was formed. Gavin is rated as a Principle Investigator with expertise status in Rock Art, Stone Age and Iron Age studies. In addition to this, he was worked on both West and East Coast shell middens, Anglo-Boer War sites, and Historical Period sites.

DECLARATION OF INDEPENDENCE

I, Gavin Anderson, declare that I am an independent specialist consultant and have no financial, personal or other interest in the proposed development, nor the developers or any of their subsidiaries, apart from fair remuneration for work performed in the delivery of heritage assessment services. There are no circumstances that compromise the objectivity of my performing such work.

A handwritten signature in black ink, appearing to read 'Gavin Anderson', with a horizontal line underneath.

Gavin Anderson
Archaeologist/Heritage Impact Assessor