



**TITLE: PALAEOLOGICAL IMPACT ASSESSMENT FOR THE PROPOSED HELIOS-JUNO 765KV TRANSMISSION POWER LINE AND SUBSTATIONS UPGRADE, WESTERN AND NORTHERN CAPE PROVINCES**

**VERSION: 1.0**

**Date: 28 APRIL 2016**

**NGT Consulting (Pty) Ltd.**

**Registration:** 2012/166782/07 **V.A.T:** 4410265724

**Physical Address:** No. 2 Windsor Place, Princesses Avenue, Windsor West, Randburg, 2194

**Postal Address:** PostNet Suite # 122, Private Bag X1, Northcliff, 2115

**Tell:** 011 476 6057 Fax: 011 476 7563

**E-mail:** [nkosinathi@ngtconsulting.co.za](mailto:nkosinathi@ngtconsulting.co.za)

[/www.ngtconsulting.co.za](http://www.ngtconsulting.co.za)

<b>CLIENT:</b>	<b>Mokgope Consulting</b>
<b>Contact Person</b>	Judith Fasheun
<b>Telephone Number</b>	+27 (0) 11 440 1817
<b>Fax Number</b>	+27 (0) 86 607 9481
<b>Cell phone Number</b>	+27 (0) 76 876 2672
<b>E-mail Address:</b>	Judy@mokgope.co.za

<b>CONSULTANT:</b>	<b>NGT Consulting</b>
<b>Principal Heritage Consultant:</b>	Nkosinathi Tomose
<b>Author(S):</b>	Prof Marion Bamford
<b>Reviewer</b>	Nkosinathi Tomose
<b>Telephone Number</b>	+27 (0) 11 476 6057
<b>Fax Number</b>	+27 (0) 11 476 7563
<b>Cell phone Number</b>	+27 (0) 78 163 0657
<b>E-mail Address:</b>	nkosinathi@ngtconsulting.co.za

**SIGNATURE CORPORATE AFFAIRS**

<b>SIGNATURE:</b>	 NGT
-------------------	---

## COPYRIGHT

This palaeontological desktop study report (including all the associated data, project results and recommendations) whether manually or electronically produced, forming part of the submission and any other subsequent reports or project documents such as the inclusion in the Environmental Management Plan report (document for which it is intended for - totally vest with the author, Professor Marion Bamford for NGT Consulting (Pty) Ltd (hereafter referred NGT Consulting). Therefore, it is the author's views that no parts of this report may be reproduced or transmitted in any form whatsoever for any person or entity without prior written consent and signature of the author or representatives of NGT Consulting. This limitation is with exception to Mokgope Consulting CC and its client Eskom Holdings SOC Ltd whose limitation to use the report and its results and recommendations shall be lifted with and after full settlement of the fees agreed upon with the NGT Consulting for the compilation and production of the report.

The limitation for the transmission of the report, both manually and electronically without changing or altering the reports results and recommendations, shall also be lifted for the purposes of submission, circulation and adjudication purposes by the relevant heritage authorities such as such as Northern Cape Resources Authority (provincial heritage authority), Heritage Western Cape (HWC) and the South African Heritage Resources Authority (SAHRA) and/or any other interested legalised government authority such as the DEA.

NGT consulting takes full liability for its specialists working on the project for all the heritage related matters. NGT Consulting will not take any liability for any other environmental related issues or challenges for the project other those services appointed for - these are the liability of the client.

## DECLARATION OF INDEPENDENCE

This report has been compiled by Professor Marion Bamford, lead Palaeontologist for NGT Consulting. The views expressed in this report are entirely those of the author and NGT Consulting no other interest was displayed during the decision making process for the project.

<b>Consultant</b>	<b>NGT CONSULTANT</b>
<b>Specialist Signature</b>	

## EXECUTIVE SUMMARY

There is a chance of finding fossils in the Nama and Vanrhynsdorp Group sediments but they are rare and difficult to recognize. There is an extremely low chance of finding fossils in the sediments of the Dwyka Group. There is a slightly greater chance of fossils occurring in the Whitehill and Tierberg Formations but again reports; are rare. Along palaeodrainage channels, watercourses or around pans; there is a better chance of finding Quaternary aged fossils of wood and bones.

It is recommended that once the routes have been selected and the sites for road access and excavation of foundations of towers have been determined; then a geologist or environmentalist should be engaged to monitor the work.

When fossils are discovered; a palaeontologist should be engaged to check the potential fossils and decide what should be removed and preserved (with the relevant permit from SAHRA or HWC). The rescued fossils would then be housed and catalogued in a recognized institution such as the McGregor Museum in Kimberley or Iziko Museum in Cape Town.

## CONTENTS

ACKNOWLEDGEMENT OF RECEIPT .....	1
COPYRIGHT .....	3
DECLARATION OF INDEPENDENCE.....	3
EXECUTIVE SUMMARY.....	4
CONTENTS.....	5
LIST OF FIGURES .....	5
LIST OF TABLES .....	5
1. BACKGROUND .....	6
2. METHODS.....	6
2.1 STAGES .....	7
3. A GEOLOGICAL AND PALAEOONTOLOGICAL CONTEXT OF THE SITE .....	8
4. CONCLUSIONS .....	11
5. RECOMMENDATIONS .....	11
6. REFERENCES .....	12

## LIST OF FIGURES

Figure 1 – Google map of the proposed routes and corridor from the existing Juno Substation northwest of Vredendalrdrd to the Helios Substation north of the town of Loeriesfontein in the Northern Cape Province. The total length of the power line would be approximately 160km. For this purpose; three alternative alignments have been identified, one of which will be selected as the most viable proposition..... 7

Figure 2 – Geological map of the area between Vredendal and Loeriesfontein between which are the proposed routes for the powerlines as indicated by the oval outline. Abbreviations of the rock types are explained in Table 1. Map enlarged from the Geological Survey 1: 1 000 000 map 1984. .... 9

## LIST OF TABLES

Table 1 – Abbreviations for the geological formations, lithology and approximate ages taken from Cornell et al. (2006), Johnson et al. (2006). .... 9

## 1. BACKGROUND

Eskom Holding SOC Limited proposes to construct a 765kV transmission power line for the “Proposed Northern Alignment 765kV Power Line Project”. A section of this line is to run from the existing Juno Substation near Vredendal in the Western Cape Province to the Helios Substation north of the town of Loeriesfontein in the Northern Cape Province. The total length of the power line would be approximately 160km. For this purpose; three alternative alignments have been identified, one of which will be selected as the most viable proposition.

The access roads and foundations for the towers are likely to impact on the palaeontological heritage in certain sections of the proposed route but it is anticipated that overall the impact will be minimal.

A broad area between Juno substation (31°36′06.25″S and 18°26′32.59″E) near Vredendal and Helios substation (30°30′01.26″S and 19°33′27.05″E) near Loeriesfontein (Fig 1) has been assessed for the potential impact of this project.

## 2. METHODS

Published geological and palaeontological literature, unpublished records and databases were consulted to determine if there are any records of fossils from the sites and the likelihood of any fossils occurring there. The National Heritage Resources Act (Act 25 of 1999) and the National Environmental Management Act (Act 107 of 1998) requires that proposed developments must be preceded by the relevant impact assessment, in this case for palaeontology.

## 2.1 STAGES

1. In order to determine the likelihood of fossils occurring in the affected area; geological maps, literature, palaeontological databases and published and unpublished records must be consulted.
2. If fossils are likely to occur then a site visit must be conducted by a qualified palaeontologist to locate and assess the fossils and their importance.
3. Unique or rare fossils should either be collected (with the relevant SAHRA permit) and removed to a suitable storage and curation facility, for example a Museum or University palaeontology department or protected on site.
4. Common fossils can be sacrificed only if they are of minimal or no scientific importance but a representative collection could be made if deemed necessary.




Figure 1 – Google map of the proposed routes and corridor from the existing Juno Substation northwest of Vredendal to the Helios Substation north of the town of Loeriesfontein in the Northern Cape Province. The total length of the power line would be approximately 160km. For this purpose; three alternative alignments have been identified, one of which will be selected as the most viable proposition.

### 3. A GEOLOGICAL AND PALAEOONTOLOGICAL CONTEXT OF THE SITE

The oldest rocks occurring in the region are near Kenhardt but these are small outcrops of granites. Because these rocks are of volcanic origin, they do not contain fossils. The rest of the sediments are much younger but have been studied in great detail by palaeontologists.

Most of the region contains sediments of the Nama and Vanrhynsdorp Groups which are Late Proterozoic in age, 770-550 Ma and are not listed by Almond and Pether as being richly fossiliferous (2009). The Vanrhynsdorp and Nama Groups however; are known to have fossils: stromatolites, fish, trace fossils and shells. The localities of these recorded fossils are Namaqualand, SE of Garies (Grootriet / Arondegas area) and Bokkeveld Plateau east of Vanrhynsdorp.




Figure 2 – Geological map of the area between Vredendal and Loeriesfontein between which are the proposed routes for the powerlines as indicated by the oval outline. Abbreviations of the rock types are explained in Table 1. Map enlarged from the Geological Survey 1: 1 000 000 map 1984.

**Table 1 – Abbreviations for the geological formations, lithology and approximate ages taken from Cornell et al. (2006), Johnson et al. (2006).**

Symbol	Group/Formation	Lithology	Approximate Age
<b>Q</b>	Quaternary	Alluvium, sand, silcrete	Quaternary (last 2.5 Ma)
<b>T-Qk</b>	Kalahari Group	Sand, limestone	Quaternary (last 2.5 Ma)
<b>Pc</b>	Carnarvon Fm, Ecca Group	Sandstone, shale	Ca 260 Ma
<b>Pt</b>	Tierberg Fm, Ecca Group	shale	Ca 270 Ma
<b>Pw</b>	Whitehill Fm, Ecca Group	Carbonaceous shale	Ca 280 Ma
<b>C-Pd</b>	Dwyka Group	Diamictites, tillites, shales	Late Carboniferous-Early Permian
<b>Sn</b>	Nardouw Subgroup	Quartzite, sandstone, shale, tillite	Devonian, Silurian
<b>Nkb</b>	Klipbak Fm, Vanrhynsdorp Group	Sands, shale	550-530 Ma
<b>Nkn</b>	Knersvlakte Subgroup, Nama and Vanrhynsdorp Groups	Shale, sandstone, siltstone, limestone	Latest Proterozoic (Ediacaran) – Early Cambrian
<b>Nfl</b>	Flaminkberg Fm, Vanrhynsdorp Group	Quartzite	550-530 Ma
<b>Ngi</b>	Gifberg Group, Gariep Supergroup	Schist, limestone, dolomite	Early Cambrian? Late Proterozoic (Cryogenian – Ediacaran) <770 Ma - >550 Ma

The Dwyka Group is Late Carboniferous to Early Permian in age and in the northwestern part of the Karoo basin overlies the glaciated Precambrian bedrock (Visser, 1989). It is considered to have been deposited in a marine basin and comprises a number of different lithofacies types, including massive diamictites, stratified diamictites, massive carbonate-rich diamictite facies, conglomerate facies, sandstone, mudrock with stones and mudrock facies. The latter contains rare examples of fossil pollen, spores, plant remains, arthropod and fish trackways (Anderson and McLachlan, 1976; Anderson, 1981). These fossils have been recovered from sites in the southwest of the Karoo basin and northwest near the South African-Namibian border.

The Whitehill Formation comprises mudrocks (which weather out with a white colour) and black carbonaceous pyrite-bearing shale (Johnson et al., 2006). A few fossils have been reported from Namibia and the northern part of the basin, and include plant fragments, rare insect wings (Anderson and McLachlan, 1977), palaeoniscid fish, *Notocharis tapscotii* (arthropod) and the marine(?) reptile *Mesosaurus* (Oelofen and Araujo, 1987) near Kimberley and Nieuwoudville.

The Tierberg Formation (Early Permian) mostly comprises well-laminated dark shales and represent settling in deep low energy environments (Johnson et al., 2006). Thickness of this unit varies from 350-700m and the surface exposure is extensive in the Northern Cape Province. Rare fossils have been recorded from this formation and include trace fossils and sponge spicules. There are no vertebrate fossils preserved and terrestrial plants are extremely rare.

Quaternary alluvium, sands and silcretes overlie much of the rocks in this central part. While these sediments do not preserve fossils per se they are associated with river gravels, pans, ancient water courses and the like which may preserve isolated patches of fossils. These include silicified wood (for example Miocene woods from the Vredendal area and Olifants River in the central part of the proposed routes (Bamford, 1999), Brandvlei and Sak Rivers to the east but in the same kind of deposits (Bamford and de Wit, 1993)), vertebrate bones (Kangnaas, Koa River / Geelvloer Palaeovalley system, Bosluis Pan, Carnarvon Leegte, Orange and Vaal River gravels.

#### 4. CONCLUSIONS

There is a chance of finding fossils in the Nama and Vanrhynsdorp Group sediments but they are rare and difficult to recognize. There is an extremely low chance of finding fossils in the sediments of the Dwyka group because these are deep water marine deposits and there are reports of isolated finds from elsewhere in this stratum. There is a slightly greater chance of fossils occurring in the Whitehill and Tierberg Formations but again reports are rare. Along palaeodrainage channels, watercourses or around pans there is a better chance of finding Quaternary aged fossils of wood and bones.

#### 5. RECOMMENDATIONS

Based on the low chance of fossils occurring in the area it is recommended that once the routes have been selected and the sites for road access and excavation of foundations of towers have been determined a geologist or environmentalist is engaged to monitor the work. If fossil material is found, a professional palaeontologist should be engaged to check the potential fossils and decide what should be removed and preserved (with the relevant permit from SAHRA or HWC). The rescued fossils would then be housed and catalogued in a recognized institution such as the McGregor Museum in Kimberley or Iziko Museum in Cape Town.

## 6. REFERENCES

Almond, J., Pether, J. 2009. A Palaeontological Heritage of the Northern Cape, SAHRA Palaeontological Report, March 2009.

Anderson, A.M. 1981. The *Umfolozia* arthropod trackways in the Permian Dwyka and Ecca Groups of South Africa. *Journal of Paleontology* 55: 84-108, pls. 1-4.

Anderson, A.M. & McLachlan, I.R. 1976. The plant record in the Dwyka and Ecca Series (Permian) of the south-western half of the Great Karoo Basin, South Africa. *Palaeontologia africana* 19: 31-42.

Bamford, M.K. 1999. Tertiary fossil woods from Vredendal, southwestern Cape, South Africa. In *Wood to Survive*, (eds) Maes, F. & Beeckman, H. Musée Royal de l'Afrique Centrale, Tervuren, Belgique, *Annales Sciences Economiques*, 25: 149-163.

Bamford, M.K., de Wit, M.C.J. 1993. Taxonomic description of fossil wood from Cainozoic Sak River terraces, near Brandvlei, Bushmanland, South Africa. *Palaeontologia africana*, **30**:71-80.

Cornell, D.H., Thomas, R.J., Moen, H.F.G., Reid, D.L., Moore, J.M., Gibson, R.L., 2006. The Namaqua-Natal Province. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) *The Geology of South Africa*. Geological Society of South Africa pp. 325-379.

Gresse, P.G., von Veh, M.W., Frimmel, H.E. 2006. Namibian (Neoproterozoic) to Early Cambrian successions. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) *The Geology of South Africa*, pp. 395-420. Geological Society of South Africa, Marshalltown.

Visser, J.N.J., 1989. The Permo-Carboniferous Dwyka Formation of southern Africa: deposition by a predominantly subpolar marine icesheet. *Palaeogeography, Palaeoclimatology, Palaeoecology* 70, 377-390.