

**HERITAGE SURVEY OF THE PROPOSED L311  
CAUSEWAY UPGRADE, INKOSI LANGALIBALELE  
LOCAL MUNICIPALITY, KZN**

**FOR HANSLAB ENVIRONMENTAL CONSULTANTS**

**DATE: 10 OCTOBER 2019**

**By Gavin Anderson**

**Umlando: Archaeological Surveys and Heritage  
Management**

**PO Box 102532, Meerensee, 3901**

**Phone/fax: 035-7531785      Cell: 0836585362**

**umlando@gmail.com**



## EXECUTIVE SUMMARY

*The Department of Transport is currently addressing the needs of previously disadvantaged rural areas by providing service delivery by means of infrastructure development to ensure the safety of road users. DoT proposes to upgrade and construct a causeway associated with the current L311 road network*

*Hanslab Environmental Services contracted Umlando to undertake the HIA for the causeway. A 50m radius around the causeway was inspected. Only two isolated MSA tools were noted.*

*The proposed causeway will not affect sensitive palaeontological deposits.*

*No further HIA is required.*

## TABLE OF CONTENT

EXECUTIVE SUMMARY .....	2
INTRODUCTION .....	5
KWAZULU NATAL AMAFA AND RESEARCH INSTITUTE, ACT 05, 2018 .....	9
METHOD .....	11
Defining significance.....	12
RESULTS .....	14
DESKTOP STUDY .....	14
PALAEONTOLOGICAL SENSITIVITY .....	19
FIELD SURVEY.....	20
MANAGEMENT PLAN .....	21
CONCLUSION.....	21
REFERENCES .....	22
<b>EXPERIENCE OF THE HERITAGE CONSULTANT .....</b>	<b>23</b>
<b>DECLARATION OF INDEPENDENCE.....</b>	<b>23</b>
APPENDIX A.....	25
SITE RECORD FOMS.....	25

## TABLE OF FIGURES

FIG. 1 GENERAL LOCATION OF THE PROPOSED DEVELOPMENT .....	6
FIG. 2: AERIAL OVERVIEW OF THE PROPOSED CAUSEWAY .....	7
FIG. 3: TOPOGRAPHICAL MAP OF THE NORTHERN SECTION OF THE PROPOSED .....	8
FIG. 4: LOCATION OF KNOWN HERITAGE SITES IN THE GENERAL AREA .....	15
FIG. 5: BLAAUW KRANS 1123 SG (1851) .....	16
FIG. 6: LOCATION OF CAUSEWAY ALONG THE DEVELOPMENT IN 1937 .....	17
FIG. 7: LOCATION OF CAUSEWAY IN 1972.....	18
FIG. 8: PALAEONTOLOGICAL SENSITIVITY MAP .....	19
FIG. 9: EXISTING CAUSEWAY .....	20
FIG. 10: MSA TOOLS NEAR THE CAUSEWAY.....	21

## Abbreviations

HP	Historical Period
IIA	Indeterminate Iron Age
LIA	Late Iron Age
EIA	Early Iron Age
ISA	Indeterminate Stone Age
ESA	Early Stone Age
MSA	Middle Stone Age
LSA	Late Stone Age
HIA	Heritage Impact Assessment
PIA	Palaeontological Impact Assessment

## INTRODUCTION

The Department of Transport (Applicant) is currently addressing the needs of previously disadvantaged rural areas by providing service delivery by means of infrastructure development to ensure the safety of road users.

The Applicant proposes to construct the following structure associated with the road network. The construction is as follows:

### L311

- ❖ Km 2.63 over the Mngwenya River
- ❖ **Structure**
  - 14 2.4m x 2.4m box culvert structure
  - **Length** = 40m **Width** = 10m
- ❖ Location: 28°58'24.47''S; 30°06'50.47''E

Hanslab Environmental Consultants contracted Umlando to undertake the heritage survey of the two causeways.

FIG. 1 GENERAL LOCATION OF THE PROPOSED DEVELOPMENT




FIG. 2: AERIAL OVERVIEW OF THE PROPOSED CAUSEWAY





FIG. 3: TOPOGRAPHICAL MAP OF THE NORTHERN SECTION OF THE PROPOSED





**KWAZULU NATAL AMAFA AND RESEARCH INSTITUTE, ACT 05, 2018**

“General protection: Structures.—

- No structure which is, or which may reasonably be expected to be older than 60 years, may be demolished, altered or added to without the prior written approval of the Council having been obtained on written application to the Council.
- Where the Council does not grant approval, the Council must consider special protection in terms of sections 38, 39, 40, 41 and 43 of Chapter 9.
- The Council may, by notice in the *Gazette*, exempt—
- A defined geographical area; or
- defined categories of sites within a defined geographical area, from the provisions of subsection where the Council is satisfied that heritage resources falling in the defined geographical area or category have been identified and are adequately protected in terms of sections 38, 39, 40, 41 and 43 of Chapter 9.
- A notice referred to in subsection (2) may, by notice in the *Gazette*, be amended or withdrawn by the Council.

General protection: Graves of victims of conflict.—No person may damage, alter, exhume, or remove from its original position—

- the grave of a victim of conflict;
- a cemetery made up of such graves; or
- any part of a cemetery containing such graves, without the prior written approval of the Council having been obtained on written application to the Council.
- General protection: Traditional burial places.—
- No grave—
- not otherwise protected by this Act; and
- not located in a formal cemetery managed or administered by a local authority, may be damaged, altered, exhumed, removed from its original

position, or otherwise disturbed without the prior written approval of the Council having been obtained on written application to the Council.

The Council may only issue written approval once the Council is satisfied that—

- the applicant has made a concerted effort to consult with communities and individuals who by tradition may have an interest in the grave; and
- the applicant and the relevant communities or individuals have reached agreement regarding the grave.

General protection: Battlefield sites, archaeological sites, rock art sites, palaeontological sites, historic fortifications, meteorite or meteorite impact sites.—

- No person may destroy, damage, excavate, alter, write or draw upon, or otherwise disturb any battlefield site, archaeological site, rock art site, palaeontological site, historic fortification, meteorite or meteorite impact site without the prior written approval of the Council having been obtained on written application to the Council.
- Upon discovery of archaeological or palaeontological material or a meteorite by any person, all activity or operations in the general vicinity of such material or meteorite must cease forthwith and a person who made the discovery must submit a written report to the Council without delay.
- The Council may, after consultation with an owner or controlling authority, by way of written notice served on the owner or controlling authority, prohibit any activity considered by the Council to be inappropriate within 50 metres of a rock art site.
- No person may exhume, remove from its original position or otherwise disturb, damage, destroy, own or collect any object or material associated with any battlefield site, archaeological site, rock art site, palaeontological site, historic fortification, meteorite or meteorite impact site without the prior written approval of the Council having been obtained on written application to the Council.
- No person may bring any equipment which assists in the detection of metals and archaeological and palaeontological objects and material, or

- excavation equipment onto any battlefield site, archaeological site, rock art site, palaeontological site, historic fortification, or meteorite impact site, or use similar detection or excavation equipment for the recovery of meteorites, without the prior written approval of the Council having been obtained on written application to the Council.
- The ownership of any object or material associated with any battlefield site, archaeological site, rock art site, palaeontological site, historic fortification, meteorite or meteorite impact site, on discovery, vest in the Provincial Government and the Council is regarded as the custodian on behalf of the Provincial Government.”

## METHOD

The method for Heritage assessment consists of several steps.

The first step forms part of the desktop assessment. Here we would consult the database that has been collated by Umlando. This databases contains archaeological site locations and basic information from several provinces (information from Umlando surveys and some colleagues), most of the national and provincial monuments and battlefields in Southern Africa (<http://www.vuvuzela.com/googleearth/monuments.html>) and cemeteries in southern Africa (information supplied by the Genealogical Society of Southern Africa). We use 1<sup>st</sup> and 2<sup>nd</sup> edition 1:50 000 topographical and 1937 aerial photographs where available, to assist in general location and dating of buildings and/or graves. The database is in Google Earth format and thus used as a quick reference when undertaking desktop studies. Where required we would consult with a local data recording centre, however these tend to be fragmented between different institutions and areas and thus difficult to access at times. We also consult with an historical architect, palaeontologist, and an historian where necessary.

The survey results will define the significance of each recorded site, as well as a management plan.

All sites are grouped according to low, medium, and high significance for the purpose of this report. Sites of low significance have no diagnostic artefacts or features. Sites of medium significance have diagnostic artefacts or features and these sites tend to be sampled. Sampling includes the collection of artefacts for future analysis. All diagnostic pottery, such as rims, lips, and decorated sherds are sampled, while bone, stone, and shell are mostly noted. Sampling usually occurs on most sites. Sites of high significance are excavated and/or extensively sampled. Those sites that are extensively sampled have high research potential, yet poor preservation of features.

### **Defining significance**

Heritage sites vary according to significance and several different criteria relate to each type of site. However, there are several criteria that allow for a general significance rating of archaeological sites.

These criteria are:

#### **1. State of preservation of:**

- 1.1. Organic remains:
  - 1.1.1. Faunal
  - 1.1.2. Botanical
- 1.2. Rock art
- 1.3. Walling
- 1.4. Presence of a cultural deposit
- 1.5. Features:
  - 1.5.1. Ash Features
  - 1.5.2. Graves

- 1.5.3. Middens
- 1.5.4. Cattle byres
- 1.5.5. Bedding and ash complexes

**2. Spatial arrangements:**

- 2.1. Internal housing arrangements
- 2.2. Intra-site settlement patterns
- 2.3. Inter-site settlement patterns

**3. Features of the site:**

- 3.1. Are there any unusual, unique or rare artefacts or images at the site?
- 3.2. Is it a type site?
- 3.3. Does the site have a very good example of a specific time period, feature, or artefact?

**4. Research:**

- 4.1. Providing information on current research projects
- 4.2. Salvaging information for potential future research projects

**5. Inter- and intra-site variability**

- 5.1. Can this particular site yield information regarding intra-site variability, i.e. spatial relationships between various features and artefacts?
- 5.2. Can this particular site yield information about a community's social relationships within itself, or between other communities?

**6. Archaeological Experience:**

6.1. The personal experience and expertise of the CRM practitioner should not be ignored. Experience can indicate sites that have potentially significant aspects, but need to be tested prior to any conclusions.

**7. Educational:**

- 7.1. Does the site have the potential to be used as an educational instrument?
- 7.2. Does the site have the potential to become a tourist attraction?
- 7.3. The educational value of a site can only be fully determined after initial test-pit excavations and/or full excavations.

**8. Other Heritage Significance:**

- 8.1. Palaeontological sites
- 8.2. Historical buildings
- 8.3. Battlefields and general Anglo-Zulu and Anglo-Boer sites
- 8.4. Graves and/or community cemeteries
- 8.5. Living Heritage Sites
- 8.6. Cultural Landscapes, that includes old trees, hills, mountains, rivers, etc related to cultural or historical experiences.

The more a site can fulfill the above criteria, the more significant it becomes. Test-pit excavations are used to test the full potential of an archaeological deposit. This occurs in Phase 2. These test-pit excavations may require further excavations if the site is of significance (Phase 3). Sites may also be mapped and/or have artefacts sampled as a form of mitigation. Sampling normally occurs when the artefacts may be good examples of their type, but are not in a primary archaeological context. Mapping records the spatial relationship between features and artefacts.

## **RESULTS**

### **DESKTOP STUDY**

The desktop study consisted of analysing various maps for evidence of prior habitation in the study area, as well as for previous archaeological surveys. No known sites occur in the study areas; however, fig. 4 shows that the general area has a general concentration of archaeological sites. These sites cover the last 1.5 million years of southern African archaeology.

Fig. 5 indicates that the Farm Blaauw Krans 1123 was formerly surveyed in 1851. No buildings are shown on the map, but colonial farm occupation would have happened shortly thereafter.

FIG. 4: LOCATION OF KNOWN HERITAGE SITES IN THE GENERAL AREA




FIG. 5: BLAAUW KRANS 1123 SG (1851)







FIG. 6: LOCATION OF CAUSEWAY ALONG THE DEVELOPMENT IN 1937



FIG. 7: LOCATION OF CAUSEWAY IN 1972




The 1937 (fig.'s 6) shows a dirt track near the proposed causeway. However, this track does not exist by 1972 (fig 7). The current causeway probably post-dates the 1960s.

### PALAEONTOLOGICAL SENSITIVITY

Fig. 8 shows the palaeontological sensitivity for the causeways. The causeway is in an area of medium and very high palaeontological sensitivity. However, the structure (fig. 9) will not affect more than the upper 50cm of the surface and thus only affect weathered deposits, if any at all.

No further mitigation should be required.

**FIG. 8: PALAEONTOLOGICAL SENSITIVITY MAP**



## FIELD SURVEY

The field survey was undertaken on 9 October 2019. The area had very good ground visibility due to the end of the winter season. The areas 50m around the causeway was surveyed for potential sites. The current causeway is shown in fig. 9.

Two isolated MSA tools were noted above the river bed (fig. 10). They are in a secondary context and have low significance.

The causeway will be built up above the ground and have minimal excavations. The proposed causeway requires no further mitigation.

**FIG. 9: EXISTING CAUSEWAY**



**FIG. 10: MSA TOOLS NEAR THE CAUSEWAY**



### **MANAGEMENT PLAN**

The causeway at the L311 requires no further mitigation.

Comments on the final plans for the causeway can be made at a desktop level.

### **CONCLUSION**

A heritage survey was undertaken for the upgrade of two causeways on the L311 causeway upgrade, south of Weenen, KZN. The causeway is in an eroded area and will be built onto the surface. It will thus not impact unweathered fossil bearing deposits. The MSA tools located nearby are in a secondary context and are of low significance.

No further HIA mitigation is required.

## REFERENCES

152\_30\_76397

2830CC Weenen

GV28FS

### **EXPERIENCE OF THE HERITAGE CONSULTANT**

Gavin Anderson has a M. Phil (in archaeology and social psychology) degree from the University of Cape Town. Gavin has been working as a professional archaeologist and heritage impact assessor since 1995. He joined the Association of Professional Archaeologists of Southern Africa in 1998 when it was formed. Gavin is rated as a Principle Investigator with expertise status in Rock Art, Stone Age and Iron Age studies. In addition to this, he was worked on both West and East Coast shell middens, Anglo-Boer War sites, and Historical Period sites.

### **DECLARATION OF INDEPENDENCE**

I, Gavin Anderson, declare that I am an independent specialist consultant and have no financial, personal or other interest in the proposed development, nor the developers or any of their subsidiaries, apart from fair remuneration for work performed in the delivery of heritage assessment services. There are no circumstances that compromise the objectivity of my performing such work.

A handwritten signature in black ink, appearing to read 'G. Anderson', with a horizontal line underneath.

Gavin Anderson  
Archaeologist/Heritage Impact Assessor





**APPENDIX A**  
**SITE RECORD FOMS**

