



### Natura Viva cc



# MAPUNGUBWE NATIONAL PARK AND WHS

Heritage and Palaeontological Impact Assessment for Several Proposed Developments

January 2020

Funded by SANParks

This page is intentionally left blank



# **CREDIT SHEET**

Stephan Gaigher (BA Hons, Archaeology, UP)

Principle Investigator for G&A Heritage Properties (Pty) Ltd.



**Member of ASAPA (Site Director Status)** 

Cell: +27 73 752 6583

Email: <u>stephan@gaheritage.co.za</u>

Website: www.gaheritage.co.za

# REPORT AUTHOR

# Stephan Gaigher

**Disclaimer:** Although all possible care is taken to identify all sites of cultural importance during the investigation of study areas, it is always possible that hidden or sub-surface sites could be overlooked during the study. G&A Heritage and its personnel will not be held liable for such oversights or for costs incurred as a result of such oversights.

#### Statement of Independence

As the duly appointed representative of G&A Heritage, I Stephan Gaigher, hereby confirm my independence as a specialist and declare that neither I nor G&A Heritage have any interests, be it business or otherwise, in any proposed activity, application or appeal in respect of which the Environmental Consultant was appointed as Environmental Assessment Practitioner, other than fair remuneration for work performed on this project.

# SIGNED OFF BY: STEPHAN GAIGHER





QUALIFICATIONS & EXPERIENCE OF THE AUTHOR – PALAEONTOLOGICAL ASSESSMENT

Dr John Almond has an Honours Degree in Natural Sciences (Zoology) as well as a PhD in

Palaeontology from the University of Cambridge, UK. He has been awarded post-doctoral research

fellowships at Cambridge University and in Germany, and has carried out palaeontological research in Europe, North America, the Middle East as well as North and South Africa. For eight years he was

a scientific officer (palaeontologist) for the Geological Survey / Council for Geoscience in the RSA. His

current palaeontological research focuses on fossil record of the Precambrian - Cambrian boundary

and the Cape Supergroup of South Africa. He has recently written palaeontological reviews for several

1: 250 000 geological maps published by the Council for Geoscience and has contributed educational

material on fossils and evolution for new school textbooks in the RSA.

Since 2002 Dr Almond has also carried out palaeontological impact assessments for developments

and conservation areas in the Western, Eastern and Northern Cape, Limpopo, Gauteng, KwaZulu-

Natal, Mpumalanga, North West and Free State under the aegis of his Cape Town-based company

Natura Viva cc. He has been a long-standing member of the Archaeology, Palaeontology and

Meteorites Committee for Heritage Western Cape (HWC) and an advisor on palaeontological

conservation and management issues for the Palaeontological Society of South Africa (PSSA), HWC and SAHRA. He is currently compiling technical reports on the provincial palaeontological heritage of

Western, Northern and Eastern Cape for SAHRA and HWC. Dr Almond is an accredited member of

PSSA and APHP (Association of Professional Heritage Practitioners – Western Cape).

**Declaration of Independence** 

I, John E. Almond, declare that I am an independent consultant and have no business, financial,

personal or other interest in the proposed development project, application or appeal in respect of

which I was appointed other than fair remuneration for work performed in connection with the activity,

application or appeal. There are no circumstances that compromise the objectivity of my performing

such work.

The E. Almond

Dr John E. Almond Palaeontologist Natura Viva cc



# **Contents**

General	19
Technical Scope of HIA	19
Geographical / Spatial Scope of HIA	21
Temporal Scope	22
Legislative Context	23
National Legislation and Policies	23
The National Heritage Resources Act (25 of 1999)	25
UNESCO WHS CHARTER	27
World Heritage Convention Act	29
Mapungubwe National Park and Works Heritage Site, Integrated Management Plan	32
Other International conventions and legal instruments	34
IFC Performance Standards	34
International Finance Corporation (IFC) Performance Standard 8	34
Scope of Application	35
Development Bank of South Africa (DBSA) Environmental and Social Safeguard Standards	38
DBSA Environmental and Social Safeguard Standard 8	
Method	43
Heritage Management	43
Site Visit / Fieldwork Details	43
Consultations	43
Assumptions	43
Gaps / Limitations / Uncertainty	43
Specialist specific Methodology	43
Background to Current Study	44
Concerns Raised by SAHRA	44
Basic Assessment Application Project Descriptions	47
New Staff Housing Rhodes Drift Staff Village & Extension of Mazhou Camp Site	47
Rhodes Drift Staff Housing	47
Location Map	48
Design Layouts	
Motivations for the development	49



Discussions in terms of the current Integrated Park Management Plan (IPMP)	49
Mazhou Camp Site	50
Location	52
Design Layouts	52
Motivations for the development	53
Discussions in terms of the current Integrated Park Management Plan (IPMP)	53
Youth Centre Dormitories & Orientation Centres	54
Location	55
Design Layout	55
Motivation for Development	56
Discussions in terms of the current Integrated Park Management Plan (IPMP)	56
Location	57
Motivation for Development	60
Picnic/Boma Sites	60
Motivation for Development	61
K8 Orientation Centre	62
Motivation for the Development	62
Schroda Orientation Centre	62
Layout and Location	63
Motivation for Development	65
Park Management Office Complex	65
Location	67
Proposed Design Layout	67
Motivation for Development	68
Discussions in terms of the current Integrated Park Management Plan (IPMP)	68
Description of Affected Environment	69
The Limpopo Heritage Landscape: Specific Themes	69
Previous research	69
The Earlier, Middle and Later Stone Ages	72
The Iron Age / Farmer Period	76
The Mapungubwe Cultural Landscape	77
Later History: Trade, Exploration and Colonial Times	81
Archaeo-metallurgy	82
Fieldwork Findings	82
Rhodes Drift Staff Housing	83
Finds	83
Heritage Sensitivity Map	85
Mazhou Camp Site	85



Finds	85
Heritage Sensitivity Map	86
Youth Centre Dormitories	86
Finds	86
Heritage Sensitivity Map	90
Mapungubwe Orientation Centres	90
Finds	90
Heritage Sensitivity Maps	98
Schroda Orientation Centre	100
Finds	100
Heritage Sensitivity Map	106
Park Management Office Complex	106
Finds	106
Heritage Sensitivity Map	
Potential Heritage Impacts and Proposed Mitigation	109
Assessment Matrix (Determining Archaeological Significance)	109
Estimating site potential	109
Assessing site value by attribute	110
Impact Statement (Assessment of Impacts)	110
Indicators of Impact Severity	111
Magnitude	111
Severity	112
Duration	112
Range	
Frequency	
Diversity	
Cumulative Effect	
Rate of Change	
Impact Evaluation	
Determination of Significance of Impacts	113
Impact Rating System	113
Rating System Used to Classify Impacts	113
Anticipated Impact of the Developments	117
Rhodes Drift Staff Housing	117
Subterranean or Unmarked Sites	117



Adherence to Legislation and Management Reports	118
Mazhou Camp Site	118
Subterranean or Unmarked Sites	118
Adherence to Legislation and Management Reports	
Youth Centre Dormitories	119
Subterranean or Unmarked Sites	119
Adherence to Legislation and Management Reports	
Mapungubwe Orientation Complex	120
Impacts During the Construction Phase	120
Impacts During the Operational Phase	
Schroda Orientation Centre	127
Impacts During the Construction Phase	127
Impacts During the Operational Phase	
Adherence to Legislation and Management Reports	129
NHRA 25 of 1999	129
UNESCO WHS Charter	
Park Management Office Complex	131
Subterranean or Unmarked Sites	131
Adherence to Legislation and Management Reports	
Chance Finds Protocol	133
Conclusions and Recommendations	133
References	135
PALAEONTOLOGICAL HERITAGE SPECIALIST ASSESSMENT: COMBINED FIL	ELD-BASED &
DESKTOP STUDY	137
Executive Summary	137
Introduction	139
Project outline and brief	139
Legislative context for palaeontological assessment studies	141
Approach to the palaeontological heritage study	142
Assumptions & limitations	143
Information sources	145
Geological context	146
Palaeontological context	151
Late Caenozoic superficial deposits	152



Field observations	154
Rhodes Drift Staff Housing	154
Mazhou Camp Site	155
Mapungubwe Valley Orientation Centre	157
Mapungubwe Youth Centre Dormitories	164
Park Management Offices	165
Schroda Orientation Centre	167
Conclusions and recommendations	176
Acknowledgements	177
References	178
Appendix A – Staff House Detailed Designs	183
Appendix B – Mazhou Ablution Block Detailed Drawing & Current Camp Site Plan	187
Appendix C – Youth Centre Dormitories Detailed Drawings	190
Appendix D – Orientation Centres Detailed Drawings	200
Appendix E – Park Management Offices Detailed Drawings	213



# **List of Figures**

Figure 1. Location of The Park	22
Figure 2. Medium-Term Strategy	29
Figure 3. Proposed Cultural Heritage Product Development for the Park	33
Figure 4. Staff housing at Rhodes Drift	47
Figure 5. Staff housing location	48
Figure 6. Proposed layout of staff houses with bulk services (Detailed drawings are appendix A)	
Figure 7. Administrative and Staff Development Planning in the IPMP	50
Figure 8. Existing ablution block	50
Figure 9. Proposed location for new ablution block	51
Figure 10. Location of proposed extension of Mazhou Camp Site	52
Figure 11. Architectural drawings of the existing ablution block (Current camp site layout is in Appendix B)	• •
Figure 12. Proposed location for the Youth Centre Dormitories	54
Figure 13. Proposed Youth Centre Dormitories	55
Figure 14. Layout of the proposed Youth Centre Dormitories (Detailed drawings are appendix D)	•
Figure 15. Infrastructure development needs within the IPMP	56
Figure 16. Focus Area for the Mapungubwe Orientation Centres	57
Figure 17. Proposed Orientation Centre	58
Figure 18. Proposed locations and View Sheds	59
Figure 19. Design rendering in location	59
Figure 20. 1:50 side elevations	60
Figure 21. Boma Floorplan	61
Figure 22. Proposed Boma Structures	61
Figure 23. Proposed K8 exhibit	62
Figure 24. Proposed Location of the Schroda Orientation Centre	63
Figure 25. Proposed Design Layout of Schroda Orientation Centre	64
Figure 26. Architectural rendering of View Sheds at the Schroda Orientation Centre	64
Figure 27. Elevations models of Orientation Centre at Schroda	65



Figure 28. Proposed Location of	Office Complex	67
Figure 29. Proposed layout (Deta	ailed drawings are appended in Appendix E)	68
Figure 30. Primary Development	Objects for IPMP	69
Figure 31. "Map of Zoutpansberg	", compiled by the Swiss Missionary Henri Bertou c.1903	70
Figure 32. "Map of Transvaal", co	ompiled by Alexander Merensky c.1880	70
Figure 33. "Map of the Transvaal	Goldfields, Zoutpansberg District", compiled by H. Raddatz c1870	71
Figure 34. Map of archaeological	sites around Mapungubwe, compiled by Neville Jones in 1935	72
Figure 35. Map detailing the occu	urrence of Stone Age sites in the Limpopo Basin	73
Figure 36. Tracing of a complex	painted panel at Koaxa Shelter	74
Figure 37. Map detailing the occu	urrence of Rock Art sites in the Limpopo Basin	76
Figure 38. View of Mapungubwe	Hill	. 78
Figure 39. Examples of typical K	2 type ceramics (Huffman 2007:238)	79
Figure 40. A plated golden rhino,	one of many gold objects excavated from Mapungubwe Hill	80
Figure 41. Map detailing the occu	urrence of Iron Age sites in the Limpopo Basin	81
Figure 42. Venda-type stone wal	led site east of Musina at Maremani	81
Figure 43. Map detailing archaec	o-metallurgy sites in the Limpopo Basin	82
Figure 44. Recent brick shed on	site	83
Figure 45. Existing staff housing	on site	84
Figure 46. Rhodes Drift Staff Hou	using Heritage Sensitivity Map	85
Figure 47. Proposed location for	the new ablution facilities	86
Figure 48. Proposed Developme	nt Area with Shed	87
Figure 49. LSA Stone Tools note	d on Site	87
Figure 50. Banded Ironstone LSA	A tool in situ	88
Figure 51. Non-diagnostic Potshe	erds in situ	88
Figure 52. Dispersed recent ash	deposits	89
Figure 53. Heritage Sensitivity M	app for Proposed Dormitories	90
Figure 54. Pottery with hatched M	Mapungubwe type decoration	91
Figure 55. One proposed location	n for the Mapungubwe Orientation Centre	91
Figure 56. Non-diagnostic pottery	y with burnishing	92
Figure 57. Typical Mapungubwe	type decorated sherd with triangular design and cross-hatching	93
Figure 58. Pottery with shoulder	and earlier K2 decoration	94



Figure 59. Combination of LSA flakes and non-diagnostic pottery	95
Figure 60. LSA Stone Tool	95
Figure 61. Achatina achatina (Land Snail) shell fragments	96
Figure 62. Ash deposits with pottery and LSA flakes	97
Figure 63. Larger Mapungubwe Area Deposits	98
Figure 64. Development area deposits	99
Figure 65. Deposits around K8	100
Figure 66. The Schroda Site	101
Figure 67. View towards the west	101
Figure 68. LSA Microliths and Flakes	102
Figure 69. In situ Pottery and LSA Flakes	103
Figure 70. Ash Deposits	104
Figure 71. Secondary erosion as a result of the original 2004 anti-erosion measures	105
Figure 72. Extent of Schroda Deposits	106
Figure 73. Largely finished Office Complex structures	107
Figure 74. Foundations of structures still to be finished	107
Figure 75. Sub-surface inspections for deposits of heritage significance	108
Figure 76. Finished foundation excavations	108
Figure 77. Google Earth© satellite image of the Mapungubwe National Park region, Vhen situated between Pont Drift and Messina on the border between the Limpopo Province of the Zimbabwe and Botswana. The green polygons indicate the various land portions making uppears. The approximate locations of the 6 development sites covered by the present report a (Please refer to site numbers in Table 1). Detailed satellite images for each study area a within Section 4 of the report.	ne RSA with the National are indicated are provided
Figure 78. Karoo Supergroup basins in southern Africa (from Johnson et al. 2006). The M National Park is located within the southern extension of the Tuli Basin which is mainly rep neighbouring Zimbabwe and Botswana	presented in
Figure 79. Stratigraphy of the Karoo Supergroup within the Tuli Basin (from Johnson et al. 2 units represented within the Mapungubwe National Park are indicated by the vertical red studies suggest that the Red Rocks Member and Tshipise Member can be correlated with the Clarens Formations of the Main Karoo Basin respectively.	line. Recent
Figure 80. Good hillslope exposures of purple-grey mudrocks of the Elliot Formation bene forming Clarens sandstones on Little Muck 134 MS. This area has yielded important foss	



remains, especially from the paler palaeosol zone underlying the unconformable Elliot / Clarens contact.
Figure 81. Honey-coloured, karstic-weathered Clarens Formation sandstones showing large scale aeolian cross-bedding and overlain by dark olivine-rich basalts of the Letaba Formation, c. 350 m NW of Leokwe Camp, Greefswald 37 MS
Figure 82. West-east trending Karoo dolerite dyke c. 1 km WNW of the main park entrance (Janberry 44 MS), showing rubbly corestone weathering as well as coarse pale feldspar phenocrysts (foreground).
Figure 83. Extract from 1: 250 000 geology sheet 2228 Alldays (Council for Geoscience, Pretoria) showing the geology of the Mapungubwe National Park region on the boder of Limpopo Province with Botswana and Zimbabwe. The six study sites for proposed or ongoing tourism-related developments in the park covered by this report are indicated by the numbered yellow circles (See Table 1 for key). Key rock units represented within the park include: Elliot Formation ("Red Rocks Member, TRcr, pink with stipple); Clarens Formation ("Tshipise Member" TRct, pink); Letaba Formation basalts (JI, grey); Karoo Dolerite suite intrusions (Jd, red lies); Late Caenoozic alluvium (pale yellow with flying bird symbol); Quaternary calcrete hardpans (Qc, pale yellow). Other younger superficial deposits such as High Level terrace gravels are not mapped at this scale.
Figure 84. Isolated post-cranial bones of dinosaurs collected from the Elliot Formation in the Mapungubwe National Park and displayed in the National Park's new Interpretation Centre. Some of this material might represent new undescribed taxa (J. Choiniere, pers. comm., 2020)
Figure 85. Vertebrate fossil sites within the Elliot Formation of the Mapungubwe National Park recorded in 2016 by Professor Jonah Choiniere (Evolutionary Studies Institute, University of the Witwatersrand).  Data used with kind permission of the author
Figure 86. Disturbed, densely-vegetated terrain in the Rhodes Drift Staff Housing project area 154
Figure 87. Thick, well-bedded, semi-consolidated Late Caenozoic alluvium exposed along the banks of the Limpopo River just NW of the Rhodes Drift Staff Housing project area
Figure 88. Google Earth© satellite image showing the location of the Mazhou Campsite (yellow dot) in a densely wooded area between the present course of the Limpopo River and an ancient abandoned meander of the river, now occupied by the Maloutswa wetland area. Note the series of arcuate scroll bars on the inner side of the abandoned meander showing progressive migration of the river bend towards the SW.
Figure 89. General view of the densely-wooded terrain underlain by silty to sandy alluvial sediments and sparse downwasted gravels inn the Mazhou Camspite project area
Figure 90. Good exposure of a deeply-weathered dolerite intrusion (possibly a sill) capped by Late Caenozoic alluvium along the northern banks of the Limpopo some 2.6 km NE of the Mazhou Campsite.  The dolerite sill might extend beneath the campsite area as well  157



Figure 91. Google Earth© satellite image of the Mapungubwe Valley Orientation Centre study area between two stream courses on the farm Greefwald 37 (orange polygon). The small yellow triangle indicates the proposed location of a small shelter for hikers <i>en route</i> to Mapungubwe Hill. Jd = dolerite dyke. Lt = Letaba Formation basalts
Figure 92. Close-up satellite image of the Mapungubwe Valley Orientation Centre study area shown in the previous figure (orange polygon). Good bedrock exposures of Elliot Formation mudrocks are no seen here, while channel sandstones are exposed along the stream to the west
Figure 93. View south-eastwards across the Mapungubwe Valley Orientation Centre study area towards the west-east ridge of Clarens sandstone to the south. The undulating Elliot sandstone bedrock surfaces in the foreground lie outside and west of the area itself.
Figure 94. View southwards across the study area with scabby-weathering Elliot Formation sandstones and overlying downwasted surface gravels in the foreground
Figure 95. Thick banks of gravelly alluvial and colluvial superficial deposits in the southern sector of the study area, close to the sandstone <i>koppie</i> .
Figure 96. Huge downwasted scree blocks of Clarens sandstone bounding the study area on the southern side with an apron of gravelly colluvial and alluvial deposits in the foreground
Figure 97. Angular clasts of pinkish to creamy-hued cherty material (occasionally anthropogenically flaked) along surface gravels (Scale in cm and mm). The "cherts" may be derived from a silcrete-rich zone within the uppermost Elliot Formation redbeds
Figure 98. Downwasted block of porphyritic Karoo dolerite showing large, pale, often blade-like phenocrysts of plagioclase feldspar in a dark brown matrix (Scale in cm)
Figure 99. Brownish siliceous concretion (possibly septarian) of probable pedogenic origin downwasted from the Elliot Formation (Scale in cm)
Figure 100. Sparsely gravelly, sandy alluvium mantling the southern sector of the study area, viewed towards the south
Figure 101. Small isolated, steep-sided <i>koppie</i> or <i>butte</i> of Clarens sandstone some 400 m NE of the study area flanked on the near side by a darker, W-E orientated dolerite dyke
Figure 102. Shady spot c. 340 km SE of Mapungubwe Hill where it is proposed to build a shelter for hikers (22° 12' 52.5 S, 29° 23' 10.4 E). The area is underlain by thick sandy alluvial deposits 163
Figure 103. Highly-disturbed sandy terrain with dispersed calcrete gravels and building rubble on the margins of the Mapungubwe Dormitories project area
Figure 104. Patchy exposure of a well-developed calcrete hardpan on the NE margins of the Mapungubwe Dormitories project area (Scale = 15 cm)
Figure 105. Google Earth© satellite image showing the location of the project areas for the Dormitories (4) and the partially-constructed Park Management Offices (5), situated in highly- disturbed terrain either



side of the R572 Musina tar road and just east of the Mapungube National Park Interpretive Centre (IC).
Figure 106. Sandy, well-consolidated soils with embedded rubbly calcrete gravel clasts, trench exposure at the Park Management Offices site (Hammer = 30 cm)
Figure 107. Shallow recent excavation into calcretised soils and / or regolith at the Park Management Offices site (Hammer = 30 cm)
Figure 108. General view of the Schroda Orientation Centre study area on Farm Schroda 46MS, viewed towards the southwest. Note gravelly soils in the foreground
Figure 109. West-east trending ridge of Clarens sandstone on the southern edge of the study area, showing large-scale aeolian foresets along the ridge crest and a major rock fall scree breccia on the right
Figure 110. View northwards across the low-relief, gently sloping study area towards the Limpopo Valley in the distance
Figure 111. Brownish-grey superficial sediments rich in archaeological materials (including probable human bone) on the northern edge of the study area (Hammer = 30 cm).
Figure 112. Gravelly deposits of mixed alluvial and colluvial origin on the south-western margins of the study area
Figure 113. Weathered Clarens sandstone bedrock exposures and downwasted sandstone surface gravels on the northern margins of the study area
Figure 114. Steep-sided rock basin or gnamma etched by solution weathering into the Clarens sandstone bedrocks on the NE margins of the study area (Hammer = 30 cm)
Figure 115. Typical karstic polygonal or "crocodile" weathering on Clarens bedrocks, northern margins of the study area.
Figure 116. Large-scale aeolian cross-bedding generated by S-directed wind currents, Clarens sandstone on northern margins of study area.
Figure 117. Google Earth© satellite image of the northern portion of Farm Schroda 46MS showing the study area (orange polygon) for the proposed Schroda Orientation Centre some 500 m NE of the Schroda Dam. Note the prominent WNW-ESE lineaments in this area - probably related to faults and or associated dolerite dykes.
Figure 118. Close-up Google Earth© satellite image of the proposed Schroda Orientation Centre showing the locations of the two putative fossil sites (Locs. 455, 456) within Clarens sandstone bedrock exposures just to the north. Neither site should be directly affected by the proposed development. 172
Figure 119. Overlapping or branching hollow structures of biological origin within a cross-bedded exposure of aeolian Clarens sandstone just north of the Schroda Orientation Centre study area (22°10'52.11"S, 29°25'30.54"E) (Loc. 455) ()Scale = 15 cm). The identity of these fossils is equivocal.



Figure 120. Different, oblique view of the same fossil occurrence	74
Figure 121. More inclined view of the same fossil occurrence (Hammer = 30 cm) 1	74
Figure 122. Prominent-weathering, branched structure within Clarens sandstone bedrock exposure junorth of the Schroda Orientation Centre study area (22°10'51.41"S, 29°25'33.59"E) (Loc. 456). The might represent a plant root cast (Hammer = 33 cm). Note shallow lichen-weathering pits in the state of the s	his
surrounding matrix1	75
Figure 123. Close-up of the c. 60 cm-long possible fossil structure shown in the previous figure 1	75



# **ABBREVIATIONS**

Abbreviation	Meaning			
AD	Anno Domini			
APM	Archaeological Paleontological and Meteorite			
BP	Before Present			
C.	circa			
BCE	Before Common Era			
CE	Common Era			
DBSA				
DEA	Development Bank of Southern Africa			
EAP	Department of Environmental Affairs  Environmental Assessment Practitioner			
EIA	Early Iron Age / Environmental Impact Assessment			
ESA	Early Stone Age			
ESIA	Environmental and Social Impact Assessment			
ESMP	Environmental and Social Management Plan			
ESMS	Environmental and Social Management System			
ESSS	Environmental and Social Nariagement System  Environmental and Social Safeguard Standard			
HIA	Heritage Impact Assessment			
I & AP	Interested and Affected Parties			
ICOMOS	Interested and Affected Farties  International Council on Monuments and Sites			
ICP	Informed Consultation and Participation			
IFC	International Finance Corporation			
IFLA	International Federation of Library Associations and Institutions			
IMP	Integrated Management Plan			
IPMP	Integrated Park Management Plan			
LIA	Late Iron Age			
LSA	Late Stone Age			
MCL	Mapungubwe Cultural Landscape			
MPNP	Mapungubwe National Park			
MSA	Middle Stone Age			
NEM: PAA	National Environmental Management: Protected Areas Act			
NEMA	National Environmental Management Act			
NHRA	National Heritage Resources Act			
OUV	Outstanding Universal Value			
PIA	Palaeontological Impact Assessment			
PS	Performance Standard			
SAHRA	South African Heritage Resource Agency			
SANParks	South African National Parks			
TFCA	Transfrontier Conservation Area			
UN	United Nations			
UNESCO	United Nations Education, Scientific and Cultural Organization			
VIA	Visual Impact Assessment			
WHS	World Heritage Site			
ZAR	Zuid-Afrikaansche Republiek			



# **GLOSSARY OF TERMS**

A 'place' is defined as:

A site, area or region;

A building or other structure (which may include equipment, furniture, fittings and articles associated with or connected with such building or other structure);

A group of buildings or other structures (which may include equipment, furniture, fittings and articles associated with or connected with such group of buildings or other structures); and (d) an open space, including a public square, street or park; and in relation to the management of a place, includes the immediate surroundings of a place.

## 'Archaeological' means:

Material remains resulting from human activity which are in a state of disuse and are in or on land and are older than 100 years, including artefacts, human and hominid remains and artificial features and structures:

Rock art, being a form of painting, engraving or other graphic representation on a fixed rock surface or loose rock or stone, which was executed by human agency and is older than 100 years including any area within 10 m of such representation; and

Wrecks, being any vessel or aircraft, or any part thereof, which was wrecked in South Africa, whether on land or in the maritime cultural zone referred to in section 5 of the Maritime Zones Act 1994 (Act 15 of 1994), and any cargo, debris or artefacts found or associated therewith, which are older than 60 years or which in terms of national legislation are considered to be worthy of conservation;

Features, structures and artefacts associated with military history which are older than 75 years and the sites on which they are found.

'Circa' is used in front of a particular year to indicate an approximate date.

'Grave' means a place of interment and includes the contents, headstone or other marker of and any other structures on or associated with such place.

'Paleontological' means any fossilised remains or fossil trace of animals or plants which lived in the geological past, other than fossil fuels or fossiliferous rock intended for industrial use, and any site which contains such fossilised remains or trace. 'Structure' means any building, works, device, or other facility made by people and which is fixed to land and any fixtures, fittings and equipment associated therewith older than 60 years.



# General

# Technical Scope of HIA

The Heritage Impact Assessment is meant to deliver, evaluate and inform on the following aspects:

- (a) The identification and mapping of all heritage resources in the area affected;
- (b) An assessment of the significance of such resources in terms of the heritage assessment criteria set out in the relevant legal descriptions, development proponent requirements and as per international best practise approaches and charters;
- (c) An assessment of the impact of the development on such heritage resources;
- (d) An evaluation of the impact of the development on heritage resources relative to the sustainable social and economic benefits to be derived from the development;
- (e) The results of consultation with communities affected by the proposed development and other interested parties regarding the impact of the development on heritage resources;
- (f) If heritage resources will be adversely affected by the proposed development, the consideration of alternatives; and
- (g) Plans for mitigation of any adverse effects during and after the completion of the proposed development.

The following categories of heritage objects are considered.

**Graves:** A place of interment and includes the contents, headstone or other marker of and any other structures on or associated with such place. This may include any of the following:

- (1) Ancestral graves
- (2) Royal graves and graves of traditional leaders
- (3) Graves of victims of conflict i.e. graves of important individuals
- (4) Historical graves and cemeteries older than 60 years
- (5) Other human remains, buried or otherwise.

The removal of graves is subject to the following procedures:

- Notification of the impending removals (using local language media and notices at the grave site)
- Consultation with individuals or communities related or known to the deceased
- Satisfactory arrangements for the curation of human remains and / or headstones in a museum, where applicable
- Procurement of a permit from the relevant controlling body
- Appropriate arrangements for the exhumation (preferably by a suitably trained archaeologist) and re-interment (sometimes by a registered undertaker, in a formally proclaimed cemetery)
- Observation of rituals or ceremonies required by the families



**Movable objects:** this includes objects such as historic or rare books and manuscripts, paintings, drawings, sculptures, statuettes and carvings; modern or historic religious items; historic costumes, jewellery and textiles; fragments of monuments or historic buildings; archaeological material; and natural history collections such as shells, flora, or minerals. Discoveries and access resulting from a project may increase the vulnerability of cultural objects to theft, trafficking or abuse.

- (1) Objects recovered from the soil or water including archaeological and paleontological objects and material, meteorites and rare geological specimens
- (2) Ethnographic art and objects
- (3) Military objects
- (4) Objects of decorative art
- (5) Objects of fine art
- (6) Objects of scientific or technological interest
- (7) Books, records, documents, photographic positives and negatives, graphic, film or video material or sound recordings
- (8) Any other prescribed categories, but excluding any object made by a living person

Battlefields: Older than 75 years.

**Heritage "Places":** A 'place' is defined as:

- (a) A site, area or region
- (b) A building or other structure (which may include equipment, furniture, fittings and articles associated with or connected with such building or other structure)
- (c) A group of buildings or other structures (which may include equipment, furniture, fittings and articles associated with or connected with such group of buildings or other structures)
- (d) An open space, including a public square, street or park; and in relation to the management of a place, includes the immediate surroundings of a place
- (e) Traditional buildings used in cultural ceremonies

**Heritage Structures**: Refers to single or groups of architectural works found in urban or rural settings providing evidence of a particular civilisation, a significant development or a historic event. It includes groups of buildings, structures and open spaces constituting past or contemporary human settlements that are recognised as cohesive and valuable from an architectural, aesthetic, spiritual or socio-cultural perspective.

Means any building, works, device, or other facility made by people and which is fixed to land any fixtures, fittings and equipment associated therewith older than 60 years.

**Archaeological Sites:** any combination of structural remains, artefacts, human or ecological elements and may be located entirely beneath, partially above, or entirely above the land or water surface. Archaeological material may be found anywhere on the earth's surface, singly or scattered over large areas. Such material includes burial areas, human remains, artefacts and fossils. Archaeological sites may include:

(a) Material remains resulting from human activity which are in a state of disuse and are in or on land and are older than 100 years, including artefacts, human and hominid remains and artificial features and structures;



- (b) Rock art, being a form of painting, engraving or other graphic representation on a fixed rock surface or loose rock or stone, which was executed by human agency and is older than 100 years including any area within 10 m of such representation; and
- (c) Wrecks, being any vessel or aircraft, or any part thereof, which was wrecked, whether on land or in the maritime cultural zone, and any cargo, debris or artefacts found or associated therewith, which are older than 60 years or which in terms of national legislation are considered to be worthy of conservation;
- (d) Features, structures and artefacts associated with military history which are older than 75 years and the sites on which they are found.

**Paleontological resources:** Refers to any fossilised remains or fossil trace of animals or plants which lived in the geological past, other than fossil fuels or fossiliferous rock intended for industrial use, and any site which contains such fossilised remains or trace.

**Sacred or Spiritual Sites:** Natural Features with cultural significance include sacred hills, mountains, landscapes, streams, rivers, waterfalls, caves and rocks; sacred trees or plants, groves and forests; carvings or paintings on exposed rock faces or in caves; and paleontological deposits of early human, animal or fossilised remains. This heritage may have significance to local community groups or minority populations.

# Geographical / Spatial Scope of HIA

The geographic and spatial scope of the HIA centres around six (6) selected sites for proposed development, development completion or betterment. These sites all lie within the Mapungubwe National Park and World Heritage Site (WHS), from hereon referred to as "The Park".

- The six sites proposed for development are as follows:
- New staff quarters at the Rhodes Drift House
- A new ablution facility at the existing Mazhou Camping Site
- The completion of the partly finished office complex at Hamilton
- Student Dormitories proposed at Hamilton
- An Interpretive Centre and Visitors Facility to the south of Mapungubwe Hill
- An Interpretive Centre and Visitors Facility to the east of the Schroda archaeological site

The Park is located in the far North-Eastern part of South Africa within the Limpopo Province. The park is located on the border between South Africa, Zimbabwe and Botswana. It is located on the South African side of the confluence between the Shashe and Limpopo Rivers. The Limpopo River forms the northern boundary and the R572 and R521 Provincial tar roads form the southern and western boundaries respectively. The core stretches from the farm Rhodes Drift in the west for 35 km to the arm Riedel in the east, and from the Limpopo River in the north to the R572 tar road in the south.






Figure 1. Location of The Park

# **Temporal Scope**

The proposed project will consist of three phases:

- Construction
- Operation
- Decommissioning

Due to the nature of the proposed development impacts on heritage sites are only anticipated during the construction and operational phases of the proposed developments. There is still no well-defined decommissioning phase.



# **Legislative Context**

(As per the 2019 – 2028 Integrated Management Plan)

The Mapungubwe site and the buffer zone are legally protected through the National Heritage Resources Act (Act No. 25 of 1999), the World Heritage Convention Act (Act No. 49 of 1999) and the National Environmental Management Act (Act No. 73 of 1989).

The property is also recognized as a protected area in terms of the NEM: PAA. This legislation implies that mining or prospecting will be completely prohibited from taking placing within the property and the buffer zone. Furthermore, any development with a potential impact on the property will be subjected to an environmental impact assessment.

SANParks is the management authority for the property and provides overall management involving coordinating government and local community efforts to conserve the site. SANParks is currently updating the Integrated Management Plan. Regular consultative meetings with stakeholders and local communities take place on the site through the park forum and by other means of engagement.

A Trilateral Memorandum of Understanding is also being drawn up with the objective of establishing the Limpopo-Shashe Transfrontier Conservation Area (TFCA). This very extensive area of 5,040 km² will, when established, constitute an effective buffer zone. It is intended that each participating country will concentrate on one facet of protection: cultural heritage in South Africa; wildlife in Botswana; and living cultures in Zimbabwe.

To help guarantee long-term protection for the property there is a need to complete the Integrated Management Plan and to submit the buffer zone for approval by the World Heritage Committee.

There is also a need to ensure that any consideration of mining licenses is in line with the recommendations of the Technical Workshop on World Heritage and Mining adopted at the 24<sup>th</sup> session of the World Heritage Committee, to ensure that mining does not constitute a threat to the property, its buffer zone or its wider setting.

# National Legislation and Policies

- Department of Environmental Affairs Cultural Heritage Survey Guidelines and assessment tools for protected areas in South Africa
- ICOMOS International cultural tourism charter
- Mapungubwe National Park and World Heritage Site Park Management Plan
- National Environmental Management: Protected Areas Act 57 of 2003 and its regulations
- National Heritage Resources Act 25 of 1999 and its regulations
- South African Heritage Resources Agency Conservation principles
- South African Heritage Resources Agency Guidelines for basic management plan format for rock art and other archaeological sites to be opened to the public
- South African Heritage Resources Agency Guidelines for the development of plans for the management of heritage sites or place



- South African Heritage Resources Agency Minimum standards for archaeological site museums and rock art sites open to the public
- SANParks Guidelines for the development and maintenance of heritage sites in South African National Parks
- SANParks Policy for the collection and management of heritage objects
- SANParks Policy on conservation, management and promotion of cultural heritage resources
- Tourism Act 3 of 2014
- UNESCO Operational guidelines for the implementation of the World Heritage Convention
- World Heritage Convention Act 49 of 1999



# The National Heritage Resources Act (25 of 1999)

In terms of the National Heritage Resources Act, there are several implications for places that are declared National Heritage Sites.

Section 27 of the National Heritage Resources Act specifies that:

- (4) a written motivation for the declaration must be prepared and kept on record by SAHRA;
- (15) SAHRA is responsible for the protection of national heritage sites;
- (18) No person may destroy, damage, deface, excavate, alter, remove from its original position, subdivide or change the planning status of any national heritage site without a permit issued by SAHRA;
- (19) SAHRA may make regulations, with the consent of the owner, to safeguard the site, to specify conditions of use and development, and to regulate the admission of the public, including fees.
- (20) Any branch of the State or supported body which is the owner of a heritage site [in the case of Mapungubwe this would be SANParks must maintain it according to a minimum standard and according to a procedure prescribed by SAHRA after consultation with the relevant Department of Works.
- (21) SAHRA may, by agreement with the owner, conserve or improve any national heritage site, construct fences, walls or gates around it, acquire or construct and maintain an access road to a national heritage site, and erect signs on or near it.
- (22) No person other than the owner of a national heritage site may make reproductions in two or three dimensions of the site for profit without a permit issued by SAHRA and the agreement of the owner. SAHRA may prescribe the fees payable for these reproduction rights and must deposit such fees in a trust fund dedicated to the conservation of the site or of heritage resources in general.

Section 38 of the National Heritage Resources Act allows SAHRA to call for a heritage impact assessment report if certain activities, such as road or bridge building, subdivision or consolidation of erven, or re-zoning are likely to impact on heritage resources. This is done only if an impact assessment is not required under any other law, such as the Environment Conservation Act (No. 73 of 1989) or the National Environmental Management Act (Act No. 107 of 1998).

Section 44(2) of the National Heritage Resources Act states that when any person plans to present a national heritage site to the public, or erect a plaque or other permanent display or structure associated with the presentation, the contents of the interpretive material or programmes must be submitted to SAHRA at least 60 days in advance so that SAHRA may comment as part of the consultative process,

In terms of Section 47(2), SAHRA is responsible for adopting a plan for the management of each national heritage site in accordance with the best principles that can be applied. In addition, sub-section (3) states that a conservation management plan may at the discretion of SAHRA and for a period not exceeding 10 years, be operated solely by SAHRA or in conjunction with an environmental or tourism authority on such terms as SAHRA may determine. In terms of Section 42, the responsibility for implementing such a management plan can be delegated to the owner of the property, or to another authority or conservation body, if a formal heritage agreement is drawn up between SAHRA and that body with the agreement of the owner. SANParks must therefore enter into a formal heritage agreement with SAHRA and with the Minister of Environmental Affairs and Tourism when drawing up a management plan for the park.



In addition, all heritage resources in the country are legally protected by the general provisions for archaeology and palaeontology under Section 35. No person may destroy, damage, excavate, alter, deface or otherwise disturb any archaeological or palaeontological site, and no person may remove from its original position, collect, own or export, any archaeological or palaeontological material or object that has come from a site that is more than 100 years old, without a permit issued by SAHRA.



# **UNESCO WHS CHARTER**

On 9 June 1995 an agreement was signed between SANParks and what was then the Northern Province Government committing them to the development of a new national park in the Shashe / Limpopo River border area of South Africa. In terms of the agreement the Northern Province (re-named the Limpopo Province in 2002) would make the farm Greefswald, then part of the Vhembe nature reserve, available to SANParks, to be declared a national park in terms of the National Parks Act (Act No 57 of 1976 as amended). The Vhembe / Dongola National Park was declared in 1998. The park name was changed to Mapungubwe National Park (MPNP) on 30 July 2004 (GN 900 in GG 26602). The park also forms the core of the Vhembe Biosphere Reserve. The MCL was gazetted as a National Heritage Site by the South African Heritage Resources Agency (SAHRA) in December 2001. The MCL which covers the boundary of the national park was subsequently inscribed on the United Nations Education, Scientific and Cultural Organization's (UNESCO) World Heritage List in 2003. In Government Notice No. 71 Government Gazette 31832 of 30 January 2009 the then Minister of Environmental Affairs and Tourism, Marthinus van Schalkwyk announced the MCL as a World Heritage Site in terms of the World Heritage Convention Act (Act No. 49 of 1999), and delegated specified powers of management to SANParks.

The status of the MPNP and MCL in terms of its National and World Heritage designation makes up an important component of international context, with the Department of Environmental Affairs and the SAHRA ensuring that the values supported by national legislation are met (*Mapungubwe Park Integrated Management Plan*).

Based on a strong appeal from national and local stakeholders, the 2030 Agenda adopted by the UN General Assembly integrates, for the first time, the role of culture, through cultural heritage and creativity, as an enabler of sustainable development across the Sustainable Development Goals. World Heritage may provide a platform to develop and test new approaches that demonstrate the relevance of heritage for sustainable development.

On 19 November 2015, the 20th General Assembly of the States Parties to the World Heritage Convention adopted a Policy on the integration of a sustainable development perspective into the processes of the World Heritage Convention. The overall goal of the policy is to assist States Parties, practitioners, institutions, communities and networks, through appropriate guidance, to harness the potential of World Heritage properties and heritage in general, to contribute to sustainable development and therefore increase the effectiveness and relevance of the Convention whilst respecting its primary purpose and mandate of protecting the Outstanding Universal value of World Heritage properties. Its adoption represents a significant shift in the implementation of the Convention and an important step in its history.

The management of developments within the Mapungubwe WHS is dictated to some extent by the commitments made in the 2002 Mapungubwe Cultural Landscape, World Heritage Nomination Dossier submitted to the World Heritage Committee by the South African Department of Environmental Affairs and Tourism. Since 2002, there has however been several updated documents that reflects the changing views and priorities of UNESCO and ICOMOS. Central to these changing ideological approaches are the following two key documents;

- Policy Document for the Integration of a Sustainable Development Perspective into the Processes of the World Heritage Convention, as adopted by the General Assembly of State Parties to the World Heritage Convention at its 20<sup>th</sup> session (UNESCO, 2015).
- **Document 37 C/4 (2014-2021) Medium-Term Strategy** (As approved by the General Conference at its 37<sup>th</sup> session (General Conference resolution 37 C/Res. 1) and validated by the Executive Board at its 194<sup>th</sup> session (194 EX/Decision 18).



Both these documents indicate a shift towards promoting the sustainable development of cultural resources within WHS.

The integration of a sustainable development perspective into the World Heritage Convention will enable all stakeholders involved in its implementation, in particular at national level, to act with social responsibility. This process will enhance World Heritage as a global leader and standard-setter for best practice, also by helping to promote – through the over 1000 listed properties worldwide – innovative models of sustainable development. Furthermore, the introduction of this policy appears necessary since, ultimately, if the heritage sector does not fully embrace sustainable development and harness the reciprocal benefits for heritage and society, it will find itself a victim of, rather than a catalyst for, wider change.

As an integral part of the 37 C/4 document specific attention is given to Africa in terms of sustainable development and this principal is one of two main objectives for UNESCO in the 2014-2021 period.

The notion of sustainability entered the Operational Guidelines in 1994, with reference to the "sustainable use" of cultural landscapes, then introduced for the first time as a new category of heritage properties. At its 26th Session (Budapest, 2002), the World Heritage Committee adopted the so-called "Budapest Declaration", which stressed the need to "ensure an appropriate and equitable balance between conservation, sustainability and development, so that World Heritage properties can be protected through appropriate activities contributing to the social and economic development and the quality of life of our communities".

In 2005, furthermore, the notion of sustainable development was taken into account in the introductory part of the Operational Guidelines, which notes that "The protection and conservation of the natural and cultural heritage are a significant contribution to sustainable development" (paragraph 6). The Operational Guidelines further recognize (paragraph 119) that World Heritage properties "may support a variety of on-going and proposed uses that are ecologically and culturally sustainable".

At its 31st Session (Christchurch 2007), the World Heritage Committee decided to add "Communities" to the previous four strategic objectives, "to enhance the role of communities in the implementation of the World Heritage Convention" (Decision 31 COM 13B).

At its 35th Session (Paris, 2011), the World Heritage Committee made several additions to the Operational Guidelines which refer to sustainable development, notably in paragraphs 112, 119, 132, as well as in Annex 5, points 4.b and 5.e. These amendments are aimed on one hand at ensuring that any use of World Heritage properties be sustainable with respect to the imperative of maintaining their Outstanding Universal Value (OUV), and on the other hand to affirm the idea that management systems of World Heritage properties "should integrate sustainable development principles". Various paragraphs of the Operational Guidelines, moreover, call for a full participatory approach in the identification, protection and management of World Heritage properties (e.g. paragraphs 64, 111 and 123).

The recent "Strategic Action Plan for the Implementation of the Convention, 2012-2022", adopted by the 18th General Assembly (Paris, 2011), also integrates a concern for sustainable development, notably in its "Vision for 2022", which calls for the World Heritage Convention to "contribute to the sustainable development of the world's communities and cultures", as well as through its Goal N.3 which reads:



"Heritage protection and conservation considers present and future environmental, societal and economic needs", which is to be achieved particularly through "connecting conservation to communities".

All these developments should be seen in the larger context of UNESCO's initiative to integrate culture within the international sustainable development agenda (see: https://en.unesco.org/themes/culture-sustainable-development). In this context, World Heritage sites could provide the testing ground where innovative approaches could be applied.




Figure 2. Medium-Term Strategy

# World Heritage Convention Act

The World Heritage Convention Act (Act No. 49 of 1999) provides for the enforcement and implementation of the World Heritage Convention in South Africa. It allows, inter alia, for the establishment of Authorities to safeguard the integrity of World Heritage Sites and for integrated management plans and other controls.

The Minister of Environmental Affairs and Tourism is responsible for implementing the Act, but must consult with the Minister of Arts, Culture, Science and Technology and with interested parties [such as SANParks and SAHRA] when establishing an Authority. An Authority is a juristic person with a Board that may be appointed by the Minister to manage a world heritage site if the Minister deems it necessary. An existing organ of state that is already managing the site may be declared an Authority. The Act specifies the powers and duties that may be given to such an Authority and its executive staff component.



Every Authority must prepare and implement an integrated management plan for the world heritage site under its control (Section 21). The plan must be submitted to the Minister for approval within six months of the establishment of an Authority. Approval of the plan must also be sought from the Minister of Arts, Culture, Science and Technology and the Council of SAHRA. The plan must be reviewed and amended as and when necessary. Provision is made for the Minister to prepare model integrated management plans and norms and standards in consultation with the Minister of Arts, Culture, Science and Technology.

An Authority is required to submit an annual report to the Minister that includes an assessment of the implementation of the management plan and information about the extent to which the Authority succeeded or failed to meet its obligations in terms of the World Heritage Convention, the Operational Guidelines and the World Heritage Convention Act.

### **Principles of Cultural Resource Management (Nomination Document)**

The principles of Cultural Resource Management in the Vhembe-Dongola National Park are to:

- 1. Maintain the significance, values and integrity of the physical and intangible remains of the rich and diverse cultural heritage of the park;
- 2. Accept responsibility for safeguarding, conserving and managing this heritage as an integral part of sustainable environmental management in the Park;
- 3. Incorporate and honour the needs and values of local and neighbouring communities in development programmes; and
- 4. Promote the MCL as a place of symbolic pilgrimage to instil national and international pride in the achievements of indigenous African people in pre-colonial times.

### **Objectives of cultural resource management (Nomination Document)**

- 1. Develop a cultural resource management policy for the Vhembe-Dongola National Park as an extension of the newly developed national cultural resource management system.
- 2. Establish and manage a cultural resource management system which should incorporate as a matter of priority in its database:
- An inventory of cultural resources in all parts of the Mapungubwe World Heritage Site Nomination 54
- Relevant documentation
- Status reports, and
- Management priorities.
- 3. Formulate and implement a cultural resource management plan for the park as soon as inventorisation is completed. This process should again be participatory and consultative, involving internal and external stakeholders.
- 4. Include cultural resource management strategies, procedures, codes of practice, guidelines, norms and standards and mitigation techniques and methods. Design and implement a suitable and practical monitoring system for cultural resources in the national park in order to determine the state or condition of resources and enable decision-making in terms of conservation measures or improved management to be made.



- 5. Identify research needs and priorities as well as recommendations with regard to research contracts, partnerships or concessions to individuals or institutions.
- 6. Direct and co-ordinate research projects and ensure adherence to standards of practice and operational efficiency. Interpret and disseminate reports and results.
- 7. Manage an impact assessment system to aid developmental work in the national park with regard to the evaluation of heritage sites or structures.
- 8. Channel adequate funding to cultural resource management, to manage the cultural resource management budget according to appropriate standards, and to provide support and motivation for research and development.
- 9. Co-operate with other departments to register Mapungubwe as a World Heritage Site and develop it as a tourist destination and educational resources in the park in order to further enrich tourist experience and to promote cultural resources as an integral part of tourism.
- 10. Optimise the role and value of cultural resources in further improving relationships and stakeholdership with neighbouring communities.

The various proposed developments will be measured against the above principals, guidelines and priorities.



# Mapungubwe National Park and Works Heritage Site, Integrated Management Plan

SANParks is the management authority tasked with the responsibility to manage the Mapungubwe National Park and World Heritage Site.

In compliance with the NEM: PAA, SANParks is required to develop a management plan for each of its protected areas. The object of a management plan is to ensure the protection, conservation and management of the protected area concerned in a manner which is consistent with the objectives of the NEM: PAA and for the purpose for which it was declared. During the revision of the current management plan for the Mapungubwe National Park and World Heritage Site, SANParks has reviewed the biodiversity conservation, Responsible Tourism and socio-economic components that make up its core business, whilst ensuring increased emphasis on strengthening stakeholder relationships and communication, continual learning, adaptive management and good governance.

An important objective for SANParks is to promote responsible experiential opportunities and products for visitors to appreciate and value national parks. Whilst the primary mandate of SANParks is that of the conservation of biodiversity, it also recognises that Responsible Tourism also offers SANParks the best possible opportunity to supplement much needed funding for operational needs but also provides South Africa with an internationally recognised nature-based tourism destination of choice, further constituting an economically and culturally valuable asset to the region in which it occurs (Mapungubwe NP and WHS, IMP, 2018).

The Integrated Management Plan (IMP) identifies the following needs and development principals for the implementation period (2018-2021);

#### Long term development

Development is not considered lightly and is only embarked on in order to fulfil a real operational need or tourism opportunity. Although the park is not financially sustainable, it has the potential to improve its occupancy and to offer additional products to visitors. The current development plan focuses on ways to attract additional visitors to the park. The focus will be to develop and implement cultural heritage-based activities and orientation around different cultural sites including rock art trails. Entrance gates, tourism facilities and roads will be expanded to improve the flow of visitors and address visitor needs in and around the park. Transfrontier events including the annual Tour de Tuli and Wildrun will be expanded on, as well as other events such as cross-border camping opportunities will have a definite impact on the range of local products that SANParks can offer.

Caution will be exercised when considering any development. All development and activities in the park will be guided by the World Heritage Operational Guidelines and SANParks Guideline for development and maintenance of heritage sites in national parks. The zonation of the park will dictate the location of any development and the implementation of identified projects is dependent on the availability of funds.

Although the IMP addresses several development nodes this report is mainly concerned with the section on Cultural Heritage Sites.

#### **Cultural heritage sites**

There is a need to enhance the interpretation of the cultural heritage sites in the park. Additional sites have been identified for possible interpretation and orientation in Table 14 below.



Infrastructure	Status	Zone	Priority	Probability
Eastern section		11 T1	1.6	
Guided trail linking major cultural sites		Primitive	High	High
K8 excavation pit profile upgrade	New		High	High
Orientation centre at Mapungubwe Hill			High	High
Orientation centre and pathways at Schroda / Zhizo		LIL	High	High
Possible guided tour to rock art sites		Various	High	High
Western section				
Guided tour to rock art sites		Various	High	High
Possible activities / interpretation at Leokwe Hill	New	Primitive	High	High

Figure 3. Proposed Cultural Heritage Product Development for the Park



# Other International conventions and legal instruments

Several documents that assist in the management of cultural sites within the framework of developments have been formulated by National and International Institutions such as the International Finance Corporation and the Development Bank of South Africa. These guidelines are particularly well developed for projects of this nature (Mapungubwe Developments) and it would be unwise not to incorporate them in the current study seeing as they are particularly well designed to manage exactly the challenges that can be expected for this project. These principals have been applied globally on numerous projects and have been proven effective.

The following international best practice conventions and charters form part of the evaluation criteria and guides this HIA;

- UNESCO Charter on Cultural Tourism (1976)
- Tlaxcala Declaration on the Revitalisation of Small Settlements (1982)
- Burra Charter, The Australian ICOMOS Charter for the Conservation of Places of Cultural Significance (1982)
- The Appleton Charter for the Protection and Enhancement of the Built Environment (ICOMOS Canada, 1983)
- Charter for the Conservation of Places of Cultural Heritage Value (ICOMOS, New Zealand, 1992)
- Convention for the Protection of the World Culture and Natural Heritage (1972)
- Charter for the Protection and Management of Archaeological Heritage (ICOMOS, 1990)
- Charter on the Built Vernacular Heritage (ICOMOS, 1999)
- The Paris Declaration on Heritage as Driver of Development (2011)
- IFLA Principles Concerning Rural Landscapes as Heritage (ICOMOS, 2017)
- Salalah Guidelines for the Management of Public Archaeological Sites (2017)

## IFC Performance Standards

WHS management can be strongly aligned with the IFC Performance Standards. Although this is not an IFC funded project, these standards will be a valuable tool to evaluate the effectiveness of impact management upon the cultural landscape of The Park.

International Finance Corporation (IFC) Performance Standard 8

Performance Standard (PS) 8 recognises the importance of cultural heritage for current and future generations. Consistent with the Convention Concerning the Protection of the World Cultural and Natural Heritage, this PS aims to ensure that clients protect cultural heritage in the course of their project activities. In addition, the requirements of this PS on a project's use of cultural heritage are based in part on standards set by the Convention on Biological Diversity.



#### Objectives

- To protect cultural heritage from the adverse impacts of project activities and support its preservation.
- To promote the equitable sharing of benefits from the use of cultural heritage.

## Scope of Application

The applicability of this PS is established during the environmental and social risks and impacts identification process. The implementation of the actions necessary to meet the requirements of this PS is managed through the client's Environmental and Social Management System (ESMS), the elements of which are outlined in this PS. During the project life-cycle, the client will consider potential project impacts to cultural heritage and will apply the provisions of this PS.

For the purposes of this PS, cultural heritage refers to

- (i) tangible forms of cultural heritage, such as tangible moveable or immovable objects, property, sites, structures, or groups of structures, having archaeological (prehistoric), paleontological, historical, cultural, artistic, and religious values;
- (ii) unique natural features or tangible objects that embody cultural values, such as sacred graves, rocks, lakes, and waterfalls; and
- (iii) certain instances of intangible forms of culture that are proposed to be used for commercial purposes, such as cultural knowledge, innovations, and practices of communities embodying traditional lifestyles.

(iv)

Requirements with respect to tangible forms of cultural heritage are contained in paragraphs 6–16. For requirements with respect to specific instances of intangible forms of cultural heritage described in paragraph 3 (iii) see paragraph 16.

The requirements of PS 8 apply to cultural heritage regardless of whether or not it has been legally protected or previously disturbed. The requirements of this PS do not apply to cultural heritage of Indigenous Peoples. PS 7 describes those requirements.

## Requirements

## Protection of Cultural Heritage in Project Design and Execution

In addition to complying with applicable law on the protection of cultural heritage, including national law implementing the host country's obligations under the Convention Concerning the Protection of the World Cultural and Natural Heritage, the client will identify and protect cultural heritage by ensuring that internationally recognized practices for the protection, field-based study, and documentation of cultural heritage are implemented.

Where the risk and identification process determine that there is a chance of impacts to cultural heritage, the client will retain competent professionals to assist in the identification and protection of cultural heritage. The removal of nonreplicable cultural heritage is subject to the additional requirements of paragraph 10 below. In the case of critical cultural heritage, the requirements of paragraphs 13–15 will apply.



### **Chance Find Procedures**

The client is responsible for siting and designing a project to avoid significant adverse impacts to cultural heritage. The environmental and social risks and impacts identification process should determine whether the proposed location of a project is in areas where cultural heritage is expected to be found, either during construction or operations. In such cases, as part of the client's ESMS, the client will develop provisions for managing chance finds through a chance find procedure which will be applied in case cultural heritage is subsequently discovered. The client will not disturb any chance find further until an assessment by competent professionals is made and actions consistent with the requirements of this PS are identified.

#### Consultation

Where a project may affect cultural heritage, the client will consult with affected communities within the host country who use, or have used within living memory, the cultural heritage for long-standing cultural purposes. The client will consult with the affected communities to identify cultural heritage of importance, and to incorporate into the client's decision-making process the views of the affected communities on such cultural heritage. Consultation will also involve the relevant national or local regulatory agencies that are entrusted with the protection of cultural heritage.

#### **Community Access**

Where the client's project site contains cultural heritage or prevents access to previously accessible cultural heritage sites being used by, or that have been used by, Affected Communities within living memory for long-standing cultural purposes, the client will, based on consultations under paragraph 9, allow continued access to the cultural site or will provide an alternative access route, subject to overriding health, safety, and security considerations.

### Removal of Replicable Cultural Heritage

Where the client has encountered tangible cultural heritage that is replicable and not critical, the client will apply mitigation measures that favour avoidance. Where avoidance is not feasible, the client will apply a mitigation hierarchy as follows:

- Minimize adverse impacts and implement restoration measures, in situ, that ensure
  maintenance of the value and functionality of the cultural heritage, including maintaining or
  restoring any ecosystem processes needed to support it.
- Where restoration in situ is not possible, restore the functionality of the cultural heritage, in a different location, including the ecosystem processes needed to support it.
- The permanent removal of historical and archaeological artefacts and structures is carried out according to the principles of paragraphs 6 and 7 above.
- Only where minimization of adverse impacts and restoration to ensure maintenance of the value
  and functionality of the cultural heritage are demonstrably not feasible, and where the affected
  communities are using the tangible cultural heritage for long-standing cultural purposes,
  compensate for loss of that tangible cultural heritage.



#### Removal of Non-Replicable Cultural Heritage

Most cultural heritage is best protected by preservation in its place, since removal is likely to result in irreparable damage or destruction of the cultural heritage. The client will not remove any non-replicable cultural heritage, unless all of the following conditions are met:

- There are no technically or financially feasible alternatives to removal.
- The overall benefits of the project conclusively outweigh the anticipated cultural heritage loss from removal.
- Any removal of cultural heritage is conducted using the best available technique.

#### Critical Cultural Heritage

Critical cultural heritage consists of one or both of the following types of cultural heritage:

- (i) the internationally recognized heritage of communities who use or have used within living memory the cultural heritage for long-standing cultural purposes; or
- (ii) legally protected cultural heritage areas, including those proposed by host governments for such designation.

The client should not remove, significantly alter, or damage critical cultural heritage. In exceptional circumstances when impacts on critical cultural heritage are unavoidable, the client will use a process of Informed Consultation and Participation (ICP) of the affected communities as described in PS 1 and which uses a good faith negotiation process that results in a documented outcome. The client will retain external experts to assist in the assessment and protection of critical cultural heritage.

Legally protected cultural heritage areas are important for the protection and conservation of cultural heritage, and additional measures are needed for any projects that would be permitted under the applicable national law in these areas. In circumstances where a proposed project is located within a legally protected area or a legally defined buffer zone, the client, in addition to the requirements for critical cultural heritage mentioned above, will meet the following requirements:

- Comply with defined national or local cultural heritage regulations or the protected area management plans;
- Consult the protected area sponsors and managers, local communities and other key stakeholders on the proposed project; and
- Implement additional programs, as appropriate, to promote and enhance the conservation aims
  of the protected area.

#### Cultural Heritage Project's Use of Cultural Heritage

Where a project proposes to use the cultural heritage, including knowledge, innovations, or practices of local communities for commercial purposes, the client will inform these communities of:

- (i) their rights under national law
- (ii) the scope and nature of the proposed commercial development
- (iii) the potential consequences of such development

The client will not proceed with such commercialization unless it:



- (i) enters into a process of ICP as described in PS 1 and which uses a good faith negotiation process that results in a documented outcome
- (ii) provides for fair and equitable sharing of benefits from commercialization of such knowledge, innovation, or practice, consistent with their customs and tradition.

# Development Bank of South Africa (DBSA) Environmental and Social Safeguard Standards

DBSA Environmental and Social Safeguard Standard 8

The DBSA's ESSS8 sets out measures to protect cultural heritage throughout the project life cycle. This ESSS applies to cultural heritage regardless of whether it has been legally protected or previously identified or disturbed. ESSS 8 was prepared in compliance with the legal requirements as set out in the National Heritage Resources Act (NHRA) and the NEMA of South Africa.

#### This ESSS applies if a project:

- Involves excavations, demolition, movement of earth, flooding or other changes in the physical environment.
- Is located within a legally protected area or a legally defined buffer zone.
- Is located in, or in the vicinity of, a recognised cultural heritage site.
- Is designed to support cultural heritage conservation, management and use.
- Impacts materially on intangible cultural heritage or if a project intends to use such intangible cultural heritage for commercial purposes.
- Impacts on or depends on cultural heritage including manmade, natural capital or institutional capital.

#### **Objectives**

- To protect cultural heritage from the adverse impacts of project activities and support its preservation.
- To address cultural heritage as an integral aspect of sustainable development.

#### Client responsibility to implement ESSS8

The Environmental and Social Assessment, as set out in ESSS1, requires that the client considers direct, indirect and cumulative project-specific risks and impacts on cultural heritage.

The client, in consultation with the DBSA, project affected parties and cultural heritage experts, will:

 Implement globally recognised practices to conduct field-based study, documentation and protection of cultural heritage related to the project.



- If the Environmental and Social Impact Assessment (ESIA) identifies potential significant cultural heritage risks and impacts during any project life cycle stage, the client will engage cultural heritage experts to identify, value, assess and protect cultural heritage.
- Where appropriate, develop a Cultural Heritage Management Plan to mitigate any risks to cultural heritage.
- Provide an implementation timeline, budget and costing of resource needs to implement each
  mitigation measure. This information may be provided in a stand-alone document or, depending
  on the project nature, scale, risks and impacts, incorporated into the ESMP.
- Where appropriate, develop a project-specific procedure to be followed if previously unknown cultural heritage is encountered during project activities. Include a "Chance Finds Procedure" in all project construction contracts, including excavations, demolition, earth movement, flooding or other potential changes in the physical environment. The "Chance Find Procedure" will:
  - o Set out how chance finds associated with the project will be managed.
  - Commit to notify relevant authorities of found objects or sites by cultural heritage experts.
  - o Fence off the area of finds or sites to avoid further disturbance.
  - o Conduct an assessment of found objects or sites by cultural heritage experts.
  - Identify and implement actions consistent with the requirements of this Standard and national legislation.
  - Train project personnel and project workers on chance find procedures.
- Identify stakeholders that are relevant for the cultural heritage that are known to exist or is likely to be encountered during the project life cycle. Stakeholders will include, as relevant:
  - Project affected parties, including individuals and communities within the country who
    use or have used the cultural heritage within living memory.
  - Other interested parties, including national or local regulatory authorities entrusted with cultural heritage, nongovernmental organisations and cultural heritage experts, including national and international cultural heritage organisations.
- Carry out meaningful consultations with stakeholders to identify cultural heritage that may be affected by the potential project.
- Consider cultural heritage significance affected by the project.
- Determine whether information disclosure regarding cultural heritage would compromise or jeopardise cultural heritage safety or integrity or would endanger information sources. In such cases, sensitive information may be omitted from public disclosure.
- Treat with confidentiality the location, characteristics or traditional use of cultural sites that are considered confidential by the relevant affected stakeholders.
- Where the project site contains cultural heritage or prevents access to previously accessible
  cultural heritage sites, allow continued access to the cultural site, or provide an alternative
  access route, subject to overriding health, safety and security considerations, based on
  consultations with site users.



- Assess potential risks and impacts.
- Explore, avoid and mitigate options.
- A person or company that does not comply with the provisions of the National Heritage Resources Act may be liable to a fine or imprisonment.

#### Legally Protected Cultural Heritage Areas

The Client will, as part of the Environmental and Social Assessment, determine the presence of all project affected listed legally protected cultural heritage areas. If the proposed project will be located within a legally protected area or a legally defined buffer zone, the Client will:

- Comply with local, national, regional or international cultural heritage regulations and the applicable protected area management plans.
- Consult with protected area sponsors and managers, project affected parties and other interested parties regarding the proposed project.
- Implement additional programmes, to promote and enhance the protected areas conservation aims.

#### Provisions for Cultural Heritage Types

Archaeological sites comprise any combination of structural remains, artefacts, human or ecological elements and may be located entirely beneath, partially above, or entirely above the land or water surface. Archaeological material may be found anywhere on the earth's surface, singly or scattered over large areas. Such material includes burial areas, human remains, artefacts and fossils.

Built Heritage refers to single or groups of architectural works found in urban or rural settings providing evidence of a particular civilisation, a significant development or a historic event. It includes groups of buildings, structures and open spaces constituting past or contemporary human settlements that are recognised as cohesive and valuable from an architectural, aesthetic, spiritual or socio-cultural perspective.

Natural Features with Cultural Significance include sacred hills, mountains, landscapes, streams, rivers, waterfalls, caves and rocks; sacred trees or plants, groves and forests; carvings or paintings on exposed rock faces or in caves; and paleontological deposits of early human, animal or fossilised remains. This heritage may have significance to local community groups or minority populations.

Movable Cultural Heritage includes objects such as historic or rare books and manuscripts, paintings, drawings, sculptures, statuettes and carvings; modern or historic religious items; historic costumes, jewellery and textiles; fragments of monuments or historic buildings; archaeological material; and natural history collections such as shells, flora, or minerals. Discoveries and access resulting from a project may increase the vulnerability of cultural objects to theft, trafficking or abuse.

Where there is evidence or high probability of any form of cultural heritage in the project area, the client, in consultation with cultural heritage experts, will:



- Conduct desk-based research and field surveys to document, map and investigate cultural heritage.
- Document the location and characteristics of cultural heritage discovered during the project lifecycle and provide relevant documents to the national or subnational cultural heritage authorities.
- Determine how cultural heritage discovered during the project life-cycle should be managed and whether it should be documented, excavated and documented, or conserved on site.
- Determine, in accordance with national and subnational law, who owns and assumes custodial responsibility for cultural heritage.
- Until custody of cultural heritage is transferred, arrange to identify, conserve, label, store securely and enable accessibility for future study and analysis.
- Identify appropriate mitigation measures to address cultural heritage impacts, including documentation, conservation or rehabilitation on site, or relocation and conservation or rehabilitation.
- Maintain the authenticity of form, construction materials and techniques of cultural heritage structures when they are rehabilitated or restored.
- Preserve the physical and visual context of individual or groups of historic structures when planning project infrastructure.
- Identify natural features with cultural heritage significance affected by the project.
- Where necessary, protect and preserve natural features with cultural heritage significance on site.
- Where natural heritage artefacts must be transferred to another location, the client should consult project-affected parties, ensure that traditional cultural heritage practices are respected and that affected parties are able to continue performing cultural heritage practises.
- Take measures to guard against theft and illegal trafficking of movable cultural heritage items affected by the project and notify relevant authorities of any such activity.
- Identify movable cultural heritage objects that the project may endanger and provide for their protection throughout the project life-cycle.
- Inform any relevant authorities responsible for overseeing and protecting movable cultural heritage objects of the project activity schedule and alert them to the potential vulnerability of such items.

#### Commercial Use of Cultural Heritage

Where a project intends to use the cultural heritage of affected parties (including individuals and communities) for commercial purposes, the client will:

- Inform affected parties of their rights, and the proposed project scope, nature, potential impacts and consequences.
- Not proceed with commercial use of cultural heritage unless meaningful consultation with stakeholders has been carried out.



 Provide project affected parties with fair and equitable benefit sharing from commercial use of cultural heritage and implement appropriate mitigation measures consistent with customs and traditions.

#### 8.4 Documentation Required from the Client

For high risk and medium risk projects the following documents are required, where applicable to the project:

- Cultural Heritage Management Plan.
- Chance Find Procedure.



#### Method

# Heritage Management

This study defines the heritage component of the EIA process being undertaken for the proposed Mapungubwe Developments within The Park.

It is described as a first phase (HIA). This report attempts to evaluate both the accumulated heritage knowledge of the area as well as information derived from direct physical observations.

#### Site Visit / Fieldwork Details

Fieldwork was conducted in the week of the 5<sup>th</sup> of January 2020. The proposed development areas were indicated to investigators from G&A Heritage Properties (Pty) Ltd (hereafter referred to as G&A Heritage) by the Project Manager at The Park, Mr Louw de Bruin. Each site was located and demarcated where after the team returned to each for further detailed investigations. The study is limited to the areas indicated to the team by members of SANParks and The Park. Any changes to the footprints of the proposed projects will result in further fieldwork.

Field investigations were performed on foot. Where possible eroded trenches and animal burrows were investigated for deposits of heritage materials. Small scale trowel tests were done in some areas.

#### Consultations

Consultation was done with The Park management.

An Environmental Management Consultancy has been appointed by SANParks to perform a comprehensive Public Participation and Stakeholder Engagement processes for both Basic Assessments in terms of NEMA. G&A Heritage provided heritage related inputs for this process.

# **Assumptions**

It is assumed that the footprints as indicated to investigators by Park management are correct and comprehensive.

# Gaps / Limitations / Uncertainty

This study resulted in comments published by SAHRA regarding a previous HIA performed for these developments. There are some variations between the project descriptions found in this original document and those provided to the current study.

The presence of large and dangerous animals restricted the movement of investigators to some extent; however, this did not impact on the comprehensiveness of the investigations.

# Specialist specific Methodology

The scope of work includes the identification and assessment of archaeological, cultural, historic and built sites within the study area; interrogation of project-specific aerial imagery; archival study of existing data and information for the study area as well as site inspection and fieldwork. This site work includes communicating with local inhabitants to confirm possible locations of heritage and cultural sites.



# **Background to Current Study**

The current HIA was commissioned by SANParks in response to various weaknesses identified with a previous study regarding the same developments. This study was titled.

- HIA STUDY FOR THE PROPOSED CONSTRUCTION OF VISITOR ORIENTATION INFRASTRUCTURE AND CONSERVATION AND ACCOMMODATION FACILITIES, MAPUNGUBWE CULTURAL LANDSCAPE WORLD HERITAGE SITE USING ICOMOS GUIDELINES (2011) – Siyathemba Trading cc. 2017. Chirikure, S.

The deficiencies of the previous report surfaced after evaluation by SAHRA (South African Heritage Resources Agency) APM (Archaeological Paleontological and Meteorite) Unit, as well as two professional peer reviews. The current study is not limited to rectifying these deficiencies but will address them as per the peer reviews and SAHRA comments to ensure that all the controlling body concerns are addressed sufficiently to ensure that the developments carry the approval of SAHRA.

## Concerns Raised by SAHRA

SAHRA raised their concerns regarding the above study in a letter on the 21/02/2017 and in Final Comments on 20/10/2017 (CaseID: 10622). The comments, and how they are to be addressed by this report are as follow;

- Consultation with the Department of Environmental Affairs (DEA) regarding a possible Environmental Authorisation Application for the project in terms of NEMA;
  - The Appointed Environmental Consultancy tasked with this process will supply SAHRA with the EIA document when completed.
- A Palaeontological Impact Assessment (PIA) inclusive of a field assessment must be conducted for the proposed development.
  - Dr John Almond has completed a field-based PIA for the developments, and this will be submitted as a stand-alone report with this HIA report.
- A Visual Impact Assessment (VIA) must be conducted on the proposed development, inclusive of photo montages showing the viewshed of the proposed developments within the park;
  - A professional VIA company has been retained by SANParks to complete a comprehensive VIA for the two Basic Assessments and this will be supplied to SAHRA as a stand-alone report. A viewshed of the Park Management Offices has been conducted by the same company and is will also be submitted to SAHRA as a stand-alone report.



- Detailed designs and layouts of the proposed dormitories, office complex/conservation facility, camping areas and visitor interpretation centre must be included in the submission and discussed in the HIA.

Detailed representations of the proposed developments will be included in the relevant sections. In regard to the extension of the camp site and ablution facilities at the Mazhou Camp Site, the report will provide pictures of an existing structure and plans that is identical to the proposed one.

Motivation by means of a tourism study for the proposed dormitories, camping areas and visitor orientation centres must be supplied and discussed in the context of the HIA;

- This Tourism Study will be made available to SAHRA as a stand-alone report.
- A motivation for the need for the construction of the office complex/conservation facilities and the role they are intended for must be supplied;
  - The motivations for each construction will be given and discussed in the relevant sections on each proposed development.
- Proof of consultation with stakeholders such as affected communities, the World Heritage Unit at DEA, land claimants and other identified Interested and Affected Parties (I & APs); and
  - The appointed Environmental Assessment Practitioner (EAP) tasked with the Public Participation and Stakeholder Engagement consultation will form part of the Basic Assessment application as guided by the DFFE. The public participation process plan must be submitted to DFFE for approval prior to commencement of the PPP, thus the proof of consultation will form part of the Basic Assessment Report which will be submitted to DFFE for approval and to SAHRA for noting.
- There must be a discussion regarding the existing Site Management Plans and Park Management Plan in the context of this development.
  - This will be provided within each separate development discussion. It should be noted that no stand-alone Site Management Plans exists, however the guidelines given by the overarching Integrated Park Management Plan (IPMP) will be utilised. The IPMP which was approved by the Minister of Forestry, Fisheries & the Environment, lists all the developments as discussed in this HIA.

The main point of concern that will therefore be addressed in this report (as opposed to those that will be addressed by separate specialists reports) are;

- Design layouts
- Motivations for the development (need for development)
- Discussions in terms of the current Integrated Park Management Plan

All other issues will be addressed by their specific specialists' reports.

#### Peer Reviews

The peer reviews found significant gaps in information and at the least found the report to be severely flawed. It is not within the scope of this report to address these issues, however cognisance is made of the comments provided and the current report will endeavour not to reproduce these.



There seems to be an argumentative tone to the response letters by the previous heritage practitioner in terms or the request by SAHRA and as a result the gaps in information seems to be rather circumvented than filled.

On reviewing the original HIA, the findings of the Peer Reviews are wholeheartedly supported by this author.



# **Basic Assessment Application Project Descriptions**

New Staff Housing Rhodes Drift Staff Village & Extension of Mazhou Camp Site

Rhodes Drift Staff Housing

Six new staff housing units are proposed for the area directly north of the current staff housing at Rhodes Drift and south of the Limpopo Riverbank. The whole footprint area of the proposed development was surveyed on foot and trowel-tests were done at intervals. As a result, any changes to design will have no compounding effects.



Figure 4. Staff housing at Rhodes Drift



# Location Map




Figure 5. Staff housing location

#### Design Layouts

The total footprint of the proposed development is 6 500m² which includes the bulk services (water, sewer and electricity), access road and internal road network.





Figure 6. Proposed layout of staff houses with bulk services (Detailed drawings are appended in Appendix A)

#### Motivations for the development

Growing numbers of staff required to fulfil the new posts and vacant posts, requires new housing. In terms of SANParks operations, essential staff must live in the park. The Rhodes Drift Staff Village is a Ranger Station for the Western Section of the Park. Section and Field Rangers are considered as essential staff and must live in the Park.

Discussions in terms of the current Integrated Park Management Plan (IPMP)

The IPMP requires that: Staff villages and administrative centres must be restricted to core staff. Nonessential staff housing, administration and industrial infrastructure must be positioned outside of or close to the periphery of the park were possible."



Infrastructure	Status	Zone	Priority	Probability
Eastern section				
New staff housing and upgrades at various sites	New	Various	High	Medium
Technical workshop at Hamilton		LIL	High	Low
Youth Centre dormitories / budget accommodation		HIL	High	High

Figure 7. Administrative and Staff Development Planning in the IPMP

The proposed development will fulfil these requirements.

#### Mazhou Camp Site

Five additional camp sites as well as one further ablution block are proposed for the Mazhou Camp Site. The camp sites will be roughly  $140m^2$  each. The existing building contains one female and one male shower cubicle, and one universal access toilet with shower cubicle and a central communal wooden bench. Due to the high demand, the new ablution building will contain two male and two female shower cubicles with four further toilets and washbasin space. The design will be identical to the current ablution block as per the picture below except with the additional cubicles – showers and toilets. It is not expected that the footprint will be greater than  $70m^2$ . The current ablution building is roughly  $50m^2$ .



Figure 8. Existing ablution block





Figure 9. Proposed location for new ablution block



#### Location




Figure 10. Location of proposed extension of Mazhou Camp Site

# Design Layouts

The current plan designed by Crafford & Crafford Architects will be used to construct the new building and in line with the theme of the camp site.






Figure 11. Architectural drawings of the existing ablution block (Current camp site layout is appended in Appendix B)

#### Motivations for the development

Response from campers and calculated carrying loads for the existing ablutions indicated that it is not sufficient for peak visitor numbers. Easier access to ablutions will also increase the attractiveness of the site for tourists.

#### Discussions in terms of the current Integrated Park Management Plan (IPMP)

The current IPMP identifies the need for the upgrading and expansion of the Mazhou camp site as a high priority within the planned Accommodation Development Framework. This will necessitate the construction of another ablution facility to accommodate increased visitor numbers. The Mazhou camp experienced a unit occupancy of 70,1% in 2018/19 and 71,8% in 2017/18 making it the accommodation type with the highest occupation rate in The Park. There is therefore an obvious need to improve this site by the addition of another ablution block.



#### Youth Centre Dormitories & Orientation Centres

#### Youth Centre Dormitories

As part of the planned education component of the Park development and integral action will be the hosting of student and school groups for environmental education purposes. The proposed development will entail  $4 \times 12$  bed dormitory-style accommodation with communal ablutions,  $1 \times 12$  bed Teacher's accommodation with own ablution, and communal kitchen and dining area. Landscaping and paved pathways will form part of the design. Existing formal parking for busses was established as part of the Hamilton Day Visitors Site.



Figure 12. Proposed location for the Youth Centre Dormitories



#### Location




Figure 13. Proposed Youth Centre Dormitories

# Design Layout

The impact footprint will be roughly 1 400m2 which includes the buildings and walkways.






Figure 14. Layout of the proposed Youth Centre Dormitories (Detailed drawings are appended in Appendix D)

#### Motivation for Development

Due to the isolated location of The Park it was decided that overnight facilities for such groups would support this activity and make it more practical. Since it would not be cost-effective to use the current tourist facilities for this purpose the construction of a dedicated student dormitory complex is proposed.

Discussions in terms of the current Integrated Park Management Plan (IPMP)

The need for this development is identified within the IPMP as part of infrastructure and educational facilities developments.




Figure 15. Infrastructure development needs within the IPMP

The IPMP defines the need for this development as follows: "A major disadvantage is the distance from major town centres, making extended EE (environmental education) programmes for larger groups (10+) impossible. Low-cost accommodation for research purposes is also lacking. The proposed plans to construct an overnight facility for learners and other interest groups will greatly facilitate knowledge-exchange possibilities."



#### **Orientation Centres**

The proposed Mapungubwe Orientation Centres are in fact several proposed buildings. The concept behind the project is to make the archaeological sites of Bambanyanalo and Mapungubwe Hill more accessible both in terms of logistics and understanding. It will consist of a main orientation centre where visitors will be given an overview of the area and in particular the archaeological sites. A walkway will then connect them to two boma/picnic sites, and this will then in turn connect to an orientation centre built around the current K8 excavation on the Southern Terrace at Mapungubwe Hill.

#### Location




Figure 16. Focus Area for the Mapungubwe Orientation Centres

#### Main Orientation Centre

This will be an elevated structure standing on pylons driven into to the ground. It will be constructed using the light steel frame method and will incorporate structural insulated panels and glass doors and walls. The current concept drawings place the footprint at approximately 250m<sup>2</sup>. It will incorporate the following areas;

- covered Viewing Deck
- Mapungubwe Exhibit
- Resting Area
- Overall Site Model
- Bambanyanalo Exhibit



- Serving Area with Vending Machines
- Toilets with Wash Basins
- Covered Entrance




Figure 17. Proposed Orientation Centre






Figure 18. Proposed locations and View Sheds



Figure 19. Design rendering in location






Figure 20. 1:50 side elevations

#### Motivation for Development

The main motivation for this development is to make the heritage sites of Mapungubwe, K2 and Bambandanyalo more accessible to tourists and to improve the transfer of knowledge to both tourists and education groups. There is currently a lack of visual stimulus and accessible information on the importance of these sites making them less accessible interpretively. The structure will also provide a safe and comfortable location for the dissemination of information.

#### Picnic/Boma Sites

These will be smaller structures with a removable footprint. They will function as rest stops between the Orientation Centre and the Interpretive Centre on the Southern Terrace. They will consist of a pole wall of wood with a covered roof. Inside will be seating, a fireplace and a refreshment table.






Figure 21. Boma Floorplan



Figure 22. Proposed Boma Structures

#### Motivation for Development

This site will supply a safe halfway, resting point for visiting groups. It will be in a position that will enable guides to explain the connection between various sites in the area.



#### K8 Orientation Centre

This smaller Orientation Centre will be built over and around the existing covered K8 excavation on the southern terrace of the Mapungubwe Complex. It will consist of an exhibition area and covered access to the exposed archaeological deposits as found in the K8 excavation.




Figure 23. Proposed K8 exhibit

#### Motivation for the Development

The current structure at K8 (exposed excavation block) is not user friendly or safe and does not facilitate the easy dissemination of information by guides. The proposed development will also assist in the management of erosion and the possibility of endangering large animals such as elephant with a lightweight covered excavation.

#### Schroda Orientation Centre

Another orientation centre very similar in design and purpose to the Mapungubwe Orientation Centre is being proposed for the Schroda Archaeological Site in the north-eastern part of The Park.



# Layout and Location




Figure 24. Proposed Location of the Schroda Orientation Centre






Figure 25. Proposed Design Layout of Schroda Orientation Centre



Figure 26. Architectural rendering of View Sheds at the Schroda Orientation Centre






Figure 27. Elevations models of Orientation Centre at Schroda

#### Motivation for Development

The Schroda Site, although extremely important for the cultural landscape of Mapungubwe Park, has not featured in the available access to tourists to The Park. This is a vital part of the history of the area and needs to be accessible to tourists, albeit in a responsible and sustainable way. The proposed Orientation Centre will facilitate this process in a responsible way assisting in the dissemination of information and providing a safe and comfortable environment for visitors to learn about the importance of the Schroda archaeological site.

# Park Management Office Complex

The proposed Office Complex is currently undergoing an S24G Environmental Application due to it having been initiated before environmental authorisation was received. The heritage study will be part of this application.

The total development footprint of the office complex and associated infrastructure will be approx. 4 550m² (0,45ha) (including office buildings, parking area, internal roads, central courtyard, landscaping and associated services provision infrastructure).

The Mapungubwe National Park Management Offices development consist of:

Development Component	Completed		
Clearing of approximately 4 550m <sup>2</sup> of indigenous vegetation.	Vegetation clearing completed.		
Office Complex comprising of 2 buildings:	Top structures and roofing		
1. Office Block = 360m <sup>2</sup>	completed.		
2. Support Block = 275m <sup>2</sup>			



Total $m^2 = 635m^2$	Finishes and exterior works to be completed.
Formalised undercover parking area with 16 demarcated bays.	Undercover parking structures completed.
	Road and paving to be completed.
Central courtyard.	Landscaping and exterior works to be completed.
Associated infrastructure, i.e. water, electricity and sewerage services.	Services to be completed.
Access – The development will be served form the north via the existing access point from Road R572. An existing gravel road provides access to the new office development as well as to the existing Hamilton Staff Village.	
Civil works – New water installation will consists of a new booster pump set in the existing pump room where pressurised portable water will be pumped through a new 63mm diameter uPVC main line to the new Office Complex.	
New sewerage and grey water effluent generated by the new Office Complex will be diverted to the Hamilton Staff Village (Existing Manhole C4) by means of a gravity sewer system with pipe size of 110mm and slopes of 1:80.	
Electrical works – Bulk electricity for the Office Complex is obtained at the Hamilton Staff Village and cables are installed in a trench together with the bulk sewerage and water services.	

The total development footprint of the office complex and associated infrastructure will be approx. 4 550m² (0,45ha) (including office buildings, parking area, internal roads, central courtyard, landscaping and associated services provision infrastructure).

An area of approximately 4 550m² (0,45ha) has been cleared of indigenous vegetation for the office complex and associated infrastructure. No additional vegetation clearance is required to complete the project; therefore this application will seek heritage authorisation for the already cleared area.



#### Location




Figure 28. Proposed Location of Office Complex

#### Proposed Design Layout

The total development footprint of the office complex and associated infrastructure will be approx. 4 550m² (0,45ha) (including office buildings, parking area, internal roads, central courtyard, landscaping and associated services provision infrastructure).






Figure 29. Proposed layout (Detailed drawings are appended in Appendix E)

### Motivation for Development

The need for the project is to improve park management infrastructure. Infrastructure in the park entails facilities in support of conservation (such as management roads and tracks, office facilities, staff housing, fences, bulk services, workshops and stores). These facilities enable staff to execute their respective duties towards achieving the park's objectives and providing a tourism product at the highest possible standard.

Existing offices at the entrance gate and Mapungubwe Interpretation Centre are not sufficient to accommodate park management and all other operational staff and therefore the need for appropriate administrative structures housed in adequate facilities in the form of an Office complex.

Discussions in terms of the current Integrated Park Management Plan (IPMP)

The IPMP identifies the need for increased office space as a primary development objective for the effective functioning of The Park. It is also necessary to fulfil the legal mandate of The Park.



Infrastructure	Status	Zone	Priority	Probability
Eastern section				
Boundary fence upgrade	In existence	Various	Medium	Low
Communication network at various sites	New		High	Medium
Hamilton office complex	In existence	LIL	High	High
Realignment of elephant exclosures		Various	High	Medium
Reception area / entrance gate infrastructure upgrade		HIL	High	Medium

Figure 30. Primary Development Objects for IPMP

# **Description of Affected Environment**

(A previous study for this project was completed by Kruger, N in 2018 and the following information is taken from this report – with some edits- in an effort to avoid unnecessary duplication. Both that report and this current report is the property of the client, SANParks)

## The Limpopo Heritage Landscape: Specific Themes

The landscape north of the Soutpansberg has always played an important ecological and cultural role in the history of South Africa. This section of the Limpopo valley, presenting the most important time periods in the history of South Africa, have been utilised and cultivated from the beginning of mankind, the signs of which are still visible today in the hundreds of archaeological sites scattered across the landscape. These signs range from 300 000 year old handaxes from the Earlier Stone Age, microlithic tools from the Later Stone Age, pot sherds, grinding stones and walling of previous Venda inhabitants to rock paintings and engravings.

#### Previous research

The Limpopo Valley was first formally documented by early travellers, explorer and missionaries that moved through areas surrounding the Limpopo River. Possibly the most valuable historical sources of information on the 19th century Limpopo Valley are maps of the Soutpansberg and surrounding, such as those compiled by Bertoud in 1903 (see Figure 28), Merensky in 1880 (see Figure 29), Raddatz in 1870 (see Figure 30), and Troye in 1892.






Figure 31. "Map of Zoutpansberg", compiled by the Swiss Missionary Henri Bertou c.1903




Figure 32. "Map of Transvaal", compiled by Alexander Merensky c.1880






Figure 33. "Map of the Transvaal Goldfields, Zoutpansberg District", compiled by H. Raddatz c1870

Later research in the area includes important work by Government Ethnologist N.J van Warmelo in the first part of the 20th century. It is also during this period that the first academic research commenced at Mapungubwe and other Iron Age sites in the Limpopo valley. Central to these studies were Guy Gardner, Neville Jones and Leo Fouché who not only conducted systematic archaeological excavations at Mapungubwe, but also recorded Iron Age sites along the Limpopo River Basin. In recent years, the Limpopo Valley has been the subject of frequent archaeological and historical studies. Dr Cathy Kuman (University of the Witwatersrand) is currently conducting seminal research on the Earlier Stone Age of the Limpopo Valley. However, the Middle Stone Age has not been studied in detail and research by Francis Thakeray (Transvaal Museum) proves to be unique in terms of the Limpopo Valley MSA. In contrast to the MSA, Later Stone Age occurrences dating to the last two millennia, particularly Rock Art and stone implements have been extensively investigated. In past years, Ed Eastwood, Sven Ouzman and Ben Smith, amongst others addressed the rock art of the Limpopo Basin and Bronwyn van Doornum and Lynn Wadley looked at LSA assemblages. John Calabrese, Simon Hall, Ben Smith, Karim Sadr, Alex Schoeman and Tom Huffman informed on the interaction between Hunter-gatherers and farming communities during the first and early second millennia AD in their research. Central to the Iron Age cultural landscape of the Limpopo Valley is the Mapungubwe Iron Age Horizon, an area which has been intensively studied by researchers such as Guy Gardner, Leo Fouché, Andrie Meyer, John Calabrese, Tom Huffman, Alex Schoeman, Edwin Hanisch and MacEdward Murumbika have contributed significantly to our understanding of the Mapungubwe Cultural landscape.






Figure 34. Map of archaeological sites around Mapungubwe, compiled by Neville Jones in 1935

#### The Earlier, Middle and Later Stone Ages

The Earlier Stone Age of the Limpopo Valley has been extensively researched. Results from these research projects show that earlier Stone Age areas, dating back to 2.5 million years ago occur in areas around Musina and sites have been identified in riverbank deposits at many of the larger rivers and tributaries in the area. Specifically, areas around Mapungubwe, Tshipise and the Sand River are known to hold rich Early Stone Age deposits where formal stone tools such as specialized hand axes typical of the Acheulian industry of the early Stone Age was found. Similar to the distribution of ESA material, middle Stone Age sites occur widely in the Limpopo Valley near streams or other sources of water in the vicinity of source material used for the manufacture of stone tools. Artefacts such as stone points,



blades and scrapers which date to more or less 125 000 years before present occur in large scatters around Musina and the Limpopo Valley. In the last two millennia the valley was occupied by the San hunter gatherers and Khoe herders/hunter gatherers and the later Stone Age is abundantly represented in the Limpopo River horizon in the form of rock shelters containing microlithic stone tools such as bladelets, scrapers, points and cores as well as rock markings and art. In addition, a rich Hunter-Gathered legacy, LSA groups such as the San displayed intricate relationships with herders and farming communities in the area in the past centuries LSA sites occur across the Limpopo Valley in hills and around farmer-period settlements. Material from the earlier, middle and later Stone Age occur in areas around Musina on the farms Skirbeek, Framton, Dawn, Bosbokpoort and Njelele's Drift as well as to the west of the town on the farm Newmark (Roodt 2008). Rock Art sites also occur in areas on these farms.




Figure 35. Map detailing the occurrence of Stone Age sites in the Limpopo Basin

### **Rock Markings**

Rock paintings are mainly known from the mountainous areas of Botswana, Namibia, Zimbabwe and South Africa, while rock engravings are mainly confined to the Kalahari-fringe areas of Namibia, Botswana, Zimbabwe and the central and northern interior of South Africa. In the Limpopo Valley and Soutpansberg areas alone over 800 sites with paintings and engravings are known, and more are still being re-discovered. Most engravings were made by pecking, a technique that made use of a hammer stone and stone punch, or by direct percussion. Three painting traditions are present in the Limpopo Valley and Vhembe District; Hunter-Gatherer, Khoenkhoen and Bantu-speaker art.

#### Hunter-Gatherer rock paintings

The delicate and frequently detailed San fine-line paintings were made using brushes made from twigs, quills, sticks or feathers. Red and yellow pigments applied in this way were made from various shades of ferric oxides or ochres; black pigments were prepared from charcoal and minerals like specularite, and white pigments from silicas and various riverine clays. The paintings of Vhembe-Dongola area are dominated by images of men and women. The most painted animal is the kudu, followed by giraffe,



tsessebe, impala and elephant. There are also images of San loincloths and aprons. In contrast, in Eastern Vhembe, human images are rare, and the main animals depicted are the giraffe and the zebra.

The Kaoxa Shelter situated west of Mapungubwe on the farm Machete is regarded as one of the most significant Rock Art sites in the Limpopo Valley. Paintings of at least 16 animal species are found in this shelter. This diversity suggests that many species of animals were important in the belief system of the Limpopo-Shashi San hunter-gatherers. There are 13 images of locusts painted - an unusual and unique subject for the San artists. These are the only known rock paintings of locusts in southern Africa. At least 5 San painting 'styles' occur here. In addition, there are geometric finger paintings. There are 4 complex panels in this site, an unusual feature in the LSCA. Explanatory lecterns have been set up below each set of paintings.




Figure 36. Tracing of a complex painted panel at Koaxa Shelter

### Khoekhoe rock paintings

Khoekhoe rock art mainly comprises red and white finger paintings of dots, strokes, geometric forms, handprints and a component of representational motifs. This painting tradition extends from Central Africa to the southern parts of South Africa. In the Limpopo River Valley and its environs, Khoekhoe art comprises handprints, finger dots and strokes, variations of the circle motif, and images of fringed and unfringed women's aprons. The accompanying chart illustrates the image classes found in the Limpopo region. The paintings are large and bold, and were painted in red or white, applied by human fingers, unlike the more familiar San paintings which are fine and delicate, painted with sticks and bristles in a variety of colours, and depict things we can recognise: animals and people. Like the San paintings, however, Geometric Tradition pigments were carefully applied, albeit by finger, as evidenced by the crisp clear outlines and with no sign of splashing — images clearly made without haste and without a mess. Again, like the San paintings, Khoekhoe paintings are made with colourants like red ochres and white minerals that were finely ground and mixed with binders, judging from the way the paints penetrate and adhere to the rock and are not easily washed off by water seepage. Although the art is sometimes



found in the same rock shelters as engravings, San paintings, or Northern Sotho paintings, or various combinations of these techniques and traditions the Khoekhoe paintings are often found in small low-ceilinged shelters high up on the sides of hills or between tumbled rocks on the summits of hills — one has to bend down or even crawl in order to view the art where it is frequently placed on the ceiling. They are also frequently found in huge shelters with sharply sloping floors. All these locations are in stark contrast to San preferences for painting sites. The San generally used comfortable rock shelters at ground level, with horizontal, usually sandy floors — and preferred to paint on vertical rock faces.

### The rock paintings of Bantu-speakers

Another tradition of painting known as "Late Whites" is found in the Soutpansberg and the Limpopo Valley. These finger-paintings consist of anthropomorphic, zoomorphic and geometric designs. These paintings were often daubed in several colours, but generally speaking the imagery is predominantly white. Recent research in south-central Africa suggests that the Late White tradition is at least partially explicable. Because the art is fairly recent; and the people who live near the sites are only a few generations removed from the painters, it has been possible to relate the symbolism depicted in the art to modern forms of ritual and the use of symbolism. In the Limpopo Province, at least some of the Late White tradition paintings can be linked to Sotho-speakers. It is likely that the imagery was linked to rites of passage.

### Rock engravings: Utilitarian hollows, Mafuvha and Cupules

Utilitarian hollows are small pecked depressions usually about the size of a bottle cap and roughly 20 millimetres deep. These hollows are typically found on horizontal surfaces: pavements in the open, or on stone floors and on loose rocks within shelters. They may have been used as anvils for cracking open the seeds of the Marula or Sour Plum, for example, which both contain edible nuts, or as receptacles for holding ostrich-eggshell 'blanks' or 'roughouts' whilst the central hole was being drilled. Although the San may have made some of the hollows that were used as work surfaces, others were possibly also made and/or used by Khoekhoen and Bantu-speakers. Another type of hollow is that of the mafuvha board game. Used mainly as a form of recreation, the game also has a ritual function and is linked to rain and fertility throughout Africa. Although mainly associated with Khoekhoen and Bantu-speakers, this game, generally known as mankala, is also played by San people so it is quite possible that at least some of the game boards on stone pavements in the Limpopo River Valley were also made by San hunter-gatherers.

A final category of small hollows, called 'cupules', comprises groups of apparently randomly distributed depressions situated on sloping or vertical rock faces or on large boulders within rock shelters. In some shelters up to 1000 cupules are found on rounded free-standing boulders, and to a lesser extent, on vertical rock faces. Some of these rows or random arrangements of cupules are situated up to 3,5 metres above ground level, suggesting that the engravers built some sort of scaffold to laboriously peck some of these marks into the relatively hard and durable sandstone rock faces. Their situation on the rock also suggests that they were made for a specific ritual rather than a mundane purpose. Their position and planar orientation on big boulders similarly suggest a ritual and symbolic function. Some of the cupules, in contrast to the utilitarian hollows, have a silica skin over them, the result of a process of salt deposition that must have occurred over a very long period of time. The apparent age of these cupules alone suggests that were probably made by hunter-gatherers.

#### Rock engravings: Grooves

Grooves are elongated, usually parallel, marks incised or abraded into the rock face. They generally range from the length of a matchstick to the length of an outstretched hand. Some have rounded profiles, while others are V-shaped. Grooves, like cupules discussed in the previous section, are divided into the utilitarian: those found on open, horizontal pavements or on loose rocks within shelters and the symbolic, those occurring on vertical or sloping rock faces in shelters. The utilitarian grooves may have been used for sharpening iron, bone or wooden points. They are situated in places in which it would



have been comfortable to sit at ease while executing such a task. These grooves might have been made by anyone, however, not necessarily the San. Symbolic grooves are situated on rock faces up to four metres above ground level. Their great height suggests that they also served some symbolic function. Like the symbolic cupules, some of the grooves are covered in a silica skin, a phenomenon that suggests some antiquity. More often than not, cupules and grooves are associated — their co-occurrence hints at a related, symbolic function.

### Rock engravings: Engraved animals




Figure 37. Map detailing the occurrence of Rock Art sites in the Limpopo Basin

San peoples or their ancestors undoubtedly made the engravings of animals, because similar engravings all over southern Africa have been shown to have San authorship. Like San paintings, these engravings have been shown to have their roots in a shamanistic cosmology. In most areas of the subcontinent engravings were associated with ideas about rainmaking or depict elements of the medicine dance and the supernaturally potent animals.

### The Iron Age / Farmer Period

The Iron Age of the Limpopo Province is dominated by the Mapungubwe Cultural Landscape around the Shashe-Limpopo confluence. At the core of this horizon lay the Middle Iron Age sites of Mapungubwe and K2. However, early Iron Age farmers moved into the Limpopo valley centuries before the advent of the Mapungubwe Kingdom. These early Iron Age farmers, which formed part of the Kalundu Ceramic Tradition (the western stream of migration into South Africa); regionally know as Happy Rest, settled on the southern foot of the Soutpansberg between in the 5th century AD. Later, at around AD 900 the Zhizo capital at Schroda near the Limpopo Shashe confluence came into existence. Through this group, the Limpopo Valley interior was first integrated directly with the Indian Ocean trade network. According to the archaeological record, Schroda lost control of the interior portion of the trade network at about AD 1000 to a new group of people known as Leopard's Kopje. They established their capital at K2 on the present day farm Greefswald, while commoner K2 sites were established throughout the Basin. Large amounts of trade goods from K2 show that trade had enhanced the leader of K2's status which added to the intensification of social ranking. In turn, this contributed to the development of a bureaucratic class which materialized during the onset of the Mapungubwe period. At AD 1220 the K2 leader shifted the capital to the flat hill called Mapungubwe about 2 km from K2.



Here the king moved to the hilltop while the majority of his people lived below. It is now known that the Zimbabwe culture evolved in the Shashe-Limpopo basin and that Mapungubwe was the first Zimbabwe capital. Consequently, archaeologists divide the culture into three chronological periods named after the important capitals:

- Mapungubwe (AD 1220-1290)
- Great Zimbabwe (AD 1290-1450)
- Khami (AD 1450-1820)

At the end of the 13th century the climate throughout Southern Africa appears to have been affected by the spread of the Little Ice Age and it became colder and drier in the interior. In some areas it was no longer possible to cultivate traditional grain crops. As a consequence, Mapungubwe was abandoned; the entire basin depopulated which resulted in the disintegration of the Mapungubwe State. Great Zimbabwe became Mapungubwe's economic, cultural and political successor. Shortly after the demise of Mapungubwe, the first Sotho/Tswana people moved into this part of the interior from East Africa. Khami, a later expression of the Great Zimbabwe culture occurred after AD 1450. Khami sites, during the Middle Iron Age followed the elite Zimbabwe pattern which incorporated stone walling within the settlement organisation. A large portion of early stone walled sites in the Limpopo Valley area dates to this period. Other identifiable features are ceramic scatters on the surface and visible kraals.

Venda-speaking communities belong to the most prevalent cultural entity in the Limpopo Valley and the Soutpansberg areas today. According to oral tradition, Venda history occurred in three layers of occupation. The first was Ngona, followed by Lembuthu, Mbedzi, Thavhastindi and others, and lastly Singo. The Lembethi, Mbedzi and Thanhatsindi groups comprises various chiefdoms from Zimbabwe, each ruling Zimbabwe type settlements with typical stone walled palaces (Huffman 2008). We know that Shona- speaking chiefdoms (identified by the Khami facies) moved south of the Limpopo between AD 1400 and 1450, incorporating earlier Sotho-Tswana people. After approximately 100 years of cohabitation, these two independent groups created the Venda language, which is known to be associated with Letaba pottery (Huffman 2005). At present, the ruling Singo, are the descendants of the final occupation. Oral tradition indicate that the Singo moved south across the Limpopo river around AD 1690. They conquered the independent chiefdoms and united the Venda nation for the first time. Dzata, in the Nzhelele Valley, was the capital of Singo but was later abandoned during the reign of the legendary Thoho-ya-Ndou. As a result the Venda nation fragmented, and the present day three competing dynasties were established (Stayt 1968; Loubser 1991; Huffman 2008). A number of Iron Age (Farmer period) sites occur in the larger Musina area. During a survey of the Limpopo Valley 1935, Leo Fouché identified a number of K2/Mapungubwe type sites at Mapungubwe, Bambambandyalo and the farm Sibsey. He further documented Khami (or "Dhlo-Dhlo" as he terms it) stone-walled structures on the farms Maryland, Haddon, and Schroda. Finally he noted Venda (or "Dzata") type sites on the farms Verdun, Shirbeek, Beitbridge, Weipe, Haddon, Sibsey, Islet, Singalele, Ipidi, Kanjili, Armenia, and Verdun (Fouche 1935). Huffman and Hanisch also identified Later Iron Age stone walled sites on the farms Evelyn, Toynton, Verulam, Prinzenhagen, Machemma and again at Verdun (Huffman & Hanish).

### The Mapungubwe Cultural Landscape

The Mapungubwe Cultural Landscape demonstrates the rise and fall of the first indigenous kingdom in Southern Africa between 900 and 1,300 AD. The core area covers nearly 30,000 ha and is supported by a suggested buffer zone of around 100,000 ha. Within the collectively known Zhizo sites are the remains of three capitals - Schroda; Leopard's Kopje; and the final one located around Mapungubwe hill - and their satellite settlements and lands around the confluence of the Limpopo and the Shashe rivers whose fertility supported a large population within the kingdom. Mapungubwe's position at the crossing of the north/south and east/west routes in southern Africa also enabled it to control trade, through the East African ports to India and China, and throughout southern Africa. From its hinterland it harvested gold and ivory – commodities in scarce supply elsewhere – and this brought it great wealth



as displayed through imports such as Chinese porcelain and Persian glass beads. This international trade also created a society that was closely linked to ideological adjustments, and changes in architecture and settlement planning. Until its demise at the end of the 13th century AD, Mapungubwe was the most important inland settlement in the African subcontinent and the cultural landscape contains a wealth of information in archaeological sites that records its development. The evidence reveals how trade increased and developed in a pattern influenced by an elite class with a sacred leadership where the king was secluded from the commoners located in the surrounding settlements.




Figure 38. View of Mapungubwe Hill





Figure 39. Examples of typical K2 type ceramics (Huffman 2007:238)

Mapungubwe's demise was brought about by climatic change. During its final two millennia, periods of warmer and wetter conditions suitable for agriculture in the Limpopo/Shashe valley were interspersed with cooler and drier pulses. When rainfall decreased after 1300 AD, the land could no longer sustain a high population using traditional farming methods, and the inhabitants were obliged to disperse. Mapungubwe's position as a power base shifted north to Great Zimbabwe and, later, Khami.

After the discovery of Mapungubwe in 1932, the University of Pretoria established an Archaeological Committee, which from 1933 to 1947 oversaw research and excavations. Rev. Neville Jones from Zimbabwe and J.F. Schofield were appointed to undertake the first fieldwork in 1934 and 1935 and they were advised by Professor C. van Riet Lowe, Director of the Bureau of Archaeology. Their work focused on Mapungubwe Hill, the southern terrace and the midden there. They briefly surveyed other similar sites in the vicinity. From 1935-1940 six excavation seasons at K2 and Mapungubwe Hill were directed by Guy A. Gardner. The results of his work were published nearly 25 years later. Meyer (1998) describes the excavations on Greefswald between 1933 and 1940 as 'rapid, large scale excavations resulting in the recovery of valuable artefacts'. Research was hampered by 'the lack of professional archaeologists in South Africa, the lack of full-time supervision of the excavations by efficient, trained staff, the fact that adequate scientific methods for Iron Age research had not yet been developed and that the Iron Age in South Africa was virtually unknown to archaeologists. Consequently, many of the deposits on the sites were removed without the meticulous excavation and recording required. These problems inevitably resulted in a loss of irreplaceable deposits and eventually also of excavated materials and a lack of scientific data.





Figure 40. A plated golden rhino, one of many gold objects excavated from Mapungubwe Hill

The next phase of archaeological investigation, in 1953-1954 and in 1968-1970, under the direction initially of the Department of Anthropology, and then of Professor J. F. Eloff who was appointed as Head of the newly-formed Department of Archaeology at the University of Pretoria in 1970, was more systematic and focused mainly on the southern terrace. Over the next 25 years from 1970 to 1995, the Department of Archaeology at the University of Pretoria recognised that their first priority was to establish a firm database by testing, correcting and supplementing the earlier research, and concentrating on reconstructing the way of life of the site inhabitants. Between 1979 and 2002 reports have been published on the human and faunal remains, Chinese porcelain, gold objects, class beads and radiocarbon dating. In addition, sites on neighbouring farms have been investigated by students of the University of Pretoria during the 1970s and 1980s. Greefswald has remained the property of the State since the 1930s. Management of the farm was taken over by the provincial Department of Nature Conservation in 1992, and control was transferred to SANParks in 1999. Since the 1990s, Wits archaeologists have worked in the Mapungubwe landscape investigating Stone Age, Rock Art and Iron Age sites. They concentrated on the last 2000 years. The systematic survey of the National Park and buffer zone, including Little Muck, Schroda and Venetia, has now recorded some 1000 Iron Age sites. Using this data, various graduate students have investigated ethnic stratification (Calabrese PhD 2005), glass beads and international trade (Wood MA 2005), the ethno- archaeology (Murimbika PhD 2006) and archaeology (Schoeman PhD 2006) of rainmaking, the relationship of settlements to the landscape (du Piesanie MSc 2008), faunal remains (Fatherley MSc 2009), agricultural production (Chandler Honours 2009) and spherulites in cattle dung. Current research includes settlements during the Khami Period (du Piesanie PhD) and herding strategies.






Figure 41. Map detailing the occurrence of Iron Age sites in the Limpopo Basin



Figure 42. Venda-type stone walled site east of Musina at Maremani

## Later History: Trade, Exploration and Colonial Times

The historic timeframe sometimes intermingles with the later parts of the Stone and Iron Age, and can loosely be regarded as times when written and oral recounts of incidents became available. The first Europeans to trek through the interior of South Africa north of the Vaal River were the expedition party of Dr. Andrew Cowan who travelled from the Cape to the border of Botswana and from there eastwards to Delagoa Bay. The party however disappeared and was never heard of after a final report written by Cowan in 1808. The Voortrekkers crossed the Vaal River in 1836, and within a few years, began to spread north. Much of the Limpopo Province contained tsetse fly, and so early Boer farmers didn't settle immediately in the area. Rather the area was used primarily for hunting. The first contact between Venda-speaking groups and white pioneers occurred during 1836 when the trek of Louis Trichardt entered the Soutpansberg.



In 1850 the town of Schoemansdal was founded, which led to increased contact between the two groups. At this time European traders also entered the area, which led to the circulation of western goods in the Limpopo Valley. After the establishment of the Zuid-Afrikaansche Republiek (ZAR) in 1857, White farmers settled throughout the Soutpansberg area. Missionary activity also increased during this period, which affected and changed many indigenous customs. The town of Messina was only founded in the beginning of the 20th century where after mines and mainly cattle farms emerged around the town. The town soon became a bustling copper mining and agricultural centre in the Limpopo Valley. The magisterial district known as Messina was proclaimed in 1963 and after recent name changes the town is now also known as Musina, a name given to the area by pre-historic copper miners.

## Archaeo-metallurgy

Musina owes its origin and development to the presence of rich copper deposits in the area. The largest copper deposits in South African can be found here, as well as at Phalaborwa and in the Dwarsberge. According to archaeological and ethnographical indications large amounts of copper were mined around the Musina area in previous centuries. During the late Iron Age copper was a valuable and relatively easily workable commodity. After it was mined and worked it was distributed via intercontinental trade routes and also used as local article of trade for buying, bartering and lobola (compensation to a family for marrying a female member of that family). Venda ethnography suggests that the Lemba, a Venda-speaking group with clear Semitic associations although no clear cultural affiliation, were in many cases responsible for iron and copper working.




Figure 43. Map detailing archaeo-metallurgy sites in the Limpopo Basin

# Fieldwork Findings

Fieldwork performed during January 2020 provided the following information. Each proposed development will be discussed separately. A sensitivity map based on the fieldwork findings will also be provided for each of the individual proposed developments.



## **Rhodes Drift Staff Housing**

## Finds

No finds of heritage value could be made within the proposed study area as indicated by SANParks personnel. Some recent agricultural structures such as a shed and outbuildings were noted. None of these were of heritage value and none of them will be affected by the proposed development. No archaeological deposits could be identified within the prosed development footprint.



Figure 44. Recent brick shed on site





Figure 45. Existing staff housing on site





Figure 46. Rhodes Drift Staff Housing Heritage Sensitivity Map

## Mazhou Camp Site

### **Finds**

No finds of heritage value could be made within the proposed study area as indicated by SANParks personnel. There are existing SANParks campsite structures such as ablution blocks, an electricity box and braai facilities. None of these were of heritage value and none of them will be affected by the proposed development. No archaeological deposits could be identified within the prosed development footprint.





Figure 47. Proposed location for the new ablution facilities

No heritage related finds or deposits were visible; therefore, a sensitivity map would be redundant.

### Youth Centre Dormitories

## Finds

The proposed Student Dormitories are located on the Hamilton section of The Park. The proposed site is to the east and north of the existing agricultural shed. A wide buffer zone of around 200m was investigated since previous archaeological deposits have been noted close to this location. The area produced some out of context isolated potsherds as well as some LSA stone tools. This seems to indicate that a deposit area is most likely located close enough to this site to facilitate the deposit of out of context artefacts through earth relocation activities such as wind and erosion. The origin of these artefacts could also be deeper lying sub surface deposits. For this reason, it is important that any alteration activities do not expand outside of the indicated footprint. It is also important that any excavations be monitored. Some historic ash deposits with more recent farming related artefacts was also noted. These are not thought to be of historic importance and will most likely relate to the adjacent Hamilton Farm Structures.





Figure 48. Proposed Development Area with Shed



Figure 49. LSA Stone Tools noted on Site





Figure 50. Banded Ironstone LSA tool in situ



Figure 51. Non-diagnostic Potsherds in situ





Figure 52. Dispersed recent ash deposits






Figure 53. Heritage Sensitivity Mapp for Proposed Dormitories

## Mapungubwe Orientation Centres

### **Finds**

The area proposed for the development of the Mapungubwe Orientation Centre, Boma and K8 Orientation Centre Complex lies within one of the most sensitive archaeological deposit areas within the Mapungubwe Park. All the proposed footprints are located on sensitive deposits and it is imperative that these be managed and preserved. The impact should however be seen against the socio-economic and educational benefits that it will have as well as the resultant educational awareness. The structures have been designed to have a minimal footprint impact and in the case of the K8 orientation centre could in fact contribute to the enhanced preservation of the site through erosion control.

The sites contained mainly Middle Iron Age (K2, Mapungubwe) deposits as well as deposits associated with the later Bambandanyalo Phase and some LSA stone tools.





Figure 54. Pottery with hatched Mapungubwe type decoration



Figure 55. One proposed location for the Mapungubwe Orientation Centre





Figure 56. Non-diagnostic pottery with burnishing





Figure 57. Typical Mapungubwe type decorated sherd with triangular design and cross-hatching





Figure 58. Pottery with shoulder and earlier K2 decoration





Figure 59. Combination of LSA flakes and non-diagnostic pottery



Figure 60. LSA Stone Tool





Figure 61. Achatina achatina (Land Snail) shell fragments





Figure 62. Ash deposits with pottery and LSA flakes






Figure 63. Larger Mapungubwe Area Deposits






Figure 64. Development area deposits






Figure 65. Deposits around K8

## Schroda Orientation Centre

## **Finds**

The proposed Schroda Orientation Centre proposed location is on top of the undisturbed Schroda Archaeological Site deposits. Even though the area is on this eastern section of the site has a thinner layer of deposit that other areas on the Schroda site, it is still virgin deposit and of great heritage significance. Extensive research has been done on this site and it would be redundant to repeat the available information here. Finds consisted of undisturbed ash deposits with in-situ potsherds and stone features as well as some LSA microliths and flakes.





Figure 66. The Schroda Site



Figure 67. View towards the west





Figure 68. LSA Microliths and Flakes





Figure 69. In situ Pottery and LSA Flakes





Figure 70. Ash Deposits





Figure 71. Secondary erosion as a result of the original 2004 anti-erosion measures





Figure 72. Extent of Schroda Deposits

## Park Management Office Complex

### **Finds**

No finds of heritage value could be made within the proposed study area as indicated by SANParks personnel. This development should be seen in the light of the fact that most of the groundworks and construction activities have already been completed. As such any possible impacts have already occurred. The areas were investigated for any sites of heritage importance that might be secondarily affected by the development. No archaeological deposits could be identified within the prosed development footprint.





Figure 73. Largely finished Office Complex structures



Figure 74. Foundations of structures still to be finished





Figure 75. Sub-surface inspections for deposits of heritage significance



Figure 76. Finished foundation excavations

No heritage related finds or deposits were visible; therefore, a sensitivity map would be redundant.



# **Potential Heritage Impacts and Proposed Mitigation**

Each site will be discussed individually. Attention will be given to the Development (Construction) and Operational Phases. No specific decommissioning phase has yet been identified for any of the developments and will therefore not be discussed. Where impacts are anticipated relevant mitigation measures are given. A short discussion will also be given as to how the specific development relates to the given legislative measures and the overall IPMP.

### Assessment Matrix (Determining Archaeological Significance)

In addition to guidelines provided by the National Heritage Resources Act (Act No. 25 of 1999), a set of criteria based on Deacon (J) and Whitelaw (1997) for assessing archaeological significance has been developed for Eastern Cape settings (Morris 2007a). These criteria include estimation of landform potential (in terms of its capacity to contain archaeological traces) and assessing the value to any archaeological traces (in terms of their attributes or their capacity to be construed as evidence, given that evidence is not given but constructed by the investigator).

#### Estimating site potential

Table 1 (below) is a classification of landforms and visible archaeological traces used for estimating the potential of archaeological sites (after J. Deacon and, National Monuments Council). Type 3 sites tend to be those with higher archaeological potential, but there are notable exceptions to this rule, for example the renowned rock engravings site Driekopseiland near Kimberley which is on landform L1 Type 1 – normally a setting of lowest expected potential. It should also be noted that, generally, the older a site the poorer the preservation, so that sometimes any trace, even of only Type 1 quality, could be of exceptional significance. In light of this, estimation of potential will always be a matter for archaeological observation and interpretation.

Table 1: Classification of landforms and visible archaeological traces for estimating the potential for archaeological sites (after J. Deacon, NMC as used in Morris)

Class	Landform	Type 1	Type 2	Type 3
L1	Rocky Surface	Bedrock exposed	Some soil patches	Sandy/grassy patches
L2	Ploughed land	Far from water	In floodplain	On old river terrace
L3	Sandy ground, inland	Far from water	In floodplain or near features such as hill/dune	On old river terrace
L4	Sandy ground, coastal	>1 km from sea	Inland of dune cordon	Near rocky shore
L5	Water-logged deposit	Heavily vegetated	Running water	Sedimentary basin
L6	Developed urban	Heavily built-up with no known record of early settlement	Known early settlement, but buildings have basements	Buildings without extensive basements over known historical sites
L7	Lime/dolomite	>5 myrs	<5000 yrs	Between 5000 yrs and 5 myrs
L8	Rock shelter	Rocky floor	Loping floor or small area	Flat floor, high ceiling



Class	Archaeological traces	Type 1	Type 2	Type 3
A1	Area previously excavated	Little deposit remaining	More than half deposit remaining	High profile site
A2	Shell of bones visible	Dispersed scatter	Deposit <0.5 m thick	Deposit >0.5 m thick; shell and bone dense
A3	Stone artefacts or stone walling or other feature visible	Dispersed scatter	Deposit <0.5m thick	Deposit >0.5 m thick

Table 2: Site attributes and value assessment (adopted from Whitelaw 1997 as used in Morris)

Class	Landforms	Type 1	Type 2	Type 3
1	Length of sequence	No sequence	Limited sequence	Long sequence
	/context	Poor context		Favourable context
		Dispersed distribution		High density of arte / ecofacts
2	Presence of exceptional items (incl. regional rarity)	Absent	Present	Major element
3	Organic preservation	Absent	Present	Major element
4	Potential for future archaeological investigation	Low	Medium	High
5	Potential for public display	Low	Medium	High
6	Aesthetic appeal	Low	Medium	High
7	Potential for implementation of a long-term management plan	Low	Medium	High

### Assessing site value by attribute

Table 2 is adapted from Whitelaw (1997), who developed an approach for selecting sites meriting heritage recognition status in KwaZulu Natal. It is a means of judging a site's archaeological value by ranking the relative strengths of a range of attributes (given in the second column of the table). While aspects of this matrix remain qualitative, attribute assessment is a good indicator of the general archaeological significance of a site, with Type 3 attributes being those of highest significance.

# Impact Statement (Assessment of Impacts)

A heritage resource impact may be broadly defined as the net change between the integrity of a heritage site with and without the proposed development. This change may be either beneficial or adverse.

Beneficial impacts occur wherever a proposed development actively protects, preserves or enhances a heritage resource. For example, development may have a beneficial effect by preventing or lessening natural site erosion. Similarly, an action may serve to preserve a site for future investigation by covering it with a protective layer of fill. In other cases, the public or economic significance of an archaeological site may be enhanced by actions, which facilitate non-destructive public use. Although beneficial impacts are unlikely to occur frequently, they should be included in the assessment.



More commonly, the effects of a project on heritage sites are of an adverse nature. Adverse impacts occur under conditions that include:

- (a) destruction or alteration of all or part of a heritage site;
- (b) isolation of a site from its natural setting; and
- (c) introduction of physical, chemical or visual elements that are out-of-character with the heritage resource and its setting.

Adverse effects can be more specifically defined as direct or indirect impacts. Direct impacts are the immediately demonstrable effects of a project which can be attributed to particular land modifying actions. They are directly caused by a project or its ancillary facilities and occur at the same time and place. The immediate consequences of a project action, such as slope failure following reservoir inundation, are also considered direct impacts.

Indirect impacts result from activities other than actual project actions. Nevertheless, they are clearly induced by a project and would not occur without it. For example, project development may induce changes in land use or population density, such as increased urban and recreational development, which may indirectly impact upon heritage sites. Increased vandalism of heritage sites, resulting from improved or newly introduced access, is also considered an indirect impact. Indirect impacts are much more difficult to assess and quantify than impacts of a direct nature.

Once all project related impacts are identified, it is necessary to determine their individual level-of-effect on heritage resources. This assessment is aimed at determining the extent or degree to which future opportunities for scientific research, preservation, or public appreciation are foreclosed or otherwise adversely affected by a proposed action. Therefore, the assessment provides a reasonable indication of the relative significance or importance of a particular impact. Normally, the assessment should follow site evaluation since it is important to know what heritage values may be adversely affected.

The assessment should include careful consideration of the following level-of-effect indicators, which are defined below:

- magnitude
- severity
- duration
- range
- frequency
- diversity
- · cumulative effect
- rate of change

### **Indicators of Impact Severity**

#### Magnitude

The amount of physical alteration or destruction, which can be expected. The resultant loss of heritage value is measured either in amount or degree of disturbance.



### Severity

The irreversibility of an impact. Adverse impacts, which result in a totally irreversible and irretrievable loss of heritage value, are of the highest severity.

#### **Duration**

The length of time an adverse impact persists. Impacts may have short-term or temporary effects, or conversely, more persistent, long-term effects on heritage sites.

#### Range

The spatial distribution, whether widespread or site-specific, of an adverse impact.

### Frequency

The number of times an impact can be expected. For example, an adverse impact of variable magnitude and severity may occur only once. An impact such as that resulting from cultivation may be of recurring or on-going nature.

#### Diversity

The number of different kinds of project-related actions expected to affect a heritage site.

#### Cumulative Effect

A progressive alteration or destruction of a site owing to the repetitive nature of one or more impacts.

#### Rate of Change

The rate at which an impact will effectively alter the integrity or physical condition of a heritage site. Although an important level-of-effect indicator, it is often difficult to estimate. Rate of change is normally assessed during or following project construction.

The level-of-effect assessment should be conducted and reported in a quantitative and objective fashion. The methodological approach, particularly the system of ranking level-of-effect indicators, must be rigorously documented and recommendations should be made with respect to managing uncertainties in the assessment. (*Zubrow, Ezra B.A., 1984*).



# **Impact Evaluation**

This HIA Methodology assists in evaluating the overall effect of a proposed activity on the heritage environment. The determination of the effect of a heritage impact on a heritage parameter is determined through a systematic analysis of the various components of the impact. This is undertaken using information that is available to the heritage practitioner through the process of heritage impact assessment. The impact evaluation of predicted impacts was undertaken through an assessment of the significance of the impacts.

### **Determination of Significance of Impacts**

Significance is determined through a synthesis of impact characteristics, which include context and intensity of an impact. Context refers to the geographical scale i.e. site, local, national or global whereas intensity is defined by the severity if the impact e.g. the magnitude of deviation from background conditions, the size of the area affected, the duration of the impact and the overall probability of occurrence.

Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The total number of points scored for each impact indicates the level of significance of the impact.

### Impact Rating System

Impact assessment must take account of the nature, scale and duration of effects on the heritage environment whether such effects are positive (beneficial) or negative (detrimental). Each issue / impact is also assessed according to the project stages:

- planning
- construction
- operation
- decommissioning

Where necessary, the proposal for mitigation or optimisation of an impact will be detailed. A brief discussion of the impact and the rationale behind the assessment of its significance has also been included.

# Rating System Used to Classify Impacts

The rating system is applied to the potential impact on the receiving environment and includes an objective evaluation of the mitigation of the impact. Impacts have been consolidated into one rating. In assessing the significance of each issue, the following criteria (including an allocated point system) is used:

#### **NATURE**

Including a brief description of the impact of the heritage parameter being assessed in the context of the project. This criterion includes a brief written statement of the heritage aspect being impacted upon by a particular action or activity.

#### **GEOGRAPHICAL EXTENT**



This is defined as the area over which the impact will be expressed. Typically, the severity and significance of an impact have different scales and as such bracketing ranges are often required. This is often useful during the detailed assessment of a project in terms of further defining the determined. Site The impact will only affect the site. 2 Local/district Will affect the local area or district. 3 Province/region Will affect the entire province or region. 4 International and National Will affect the entire country. **PROBABILITY** This describes the chance of occurrence of an impact 1 The chance of the impact occurring is extremely low (Less Unlikely than a 25% chance of occurrence). 2 Possible The impact may occur (Between a 25% to 50% chance of occurrence). 3 Probable The impact will likely occur (Between a 50% to 75% chance of occurrence). 4 Definite Impact will certainly occur (Greater than a 75% chance of occurrence). **REVERSIBILITY** This describes the degree to which an impact on a heritage parameter can be successfully reversed upon completion of the proposed activity. 1 Completely reversible The impact is reversible with implementation of minor mitigation measures. 2 Partly reversible The impact is partly reversible but more intense mitigation measures are required. 3 Barely reversible The impact is unlikely to be reversed even with intense mitigation measures. 4 Irreversible The impact is irreversible and no mitigation measures exist. **IRREPLACEABLE LOSS OF RESOURCES** This describes the degree to which heritage resources will be irreplaceably lost as a result of a proposed activity. 1 No loss of resource. The impact will not result in the loss of any resources. 2 Marginal loss of resource The impact will result in marginal loss of resources. 3 Significant loss of resources The impact will result in significant loss of resources. 4 Complete loss of resources The impact is result in a complete loss of all resources.



**DURATION** 

This describes the duration of the impacts on the heritage parameter. Duration indicates the lifetime of the impact as a result of the proposed activity. 1 Short term The impact and its effects will either disappear with mitigation or will be mitigated through natural process in a span shorter than the construction phase (0 - 1 years), or the impact and its effects will last for the period of a relatively short construction period and a limited recovery time after construction, thereafter it will be entirely negated (0 - 2)years). 2 Medium term The impact and its effects will continue or last for some time after the construction phase but will be mitigated by direct human action or by natural processes thereafter (2 - 10 years). 3 Long term The impact and its effects will continue or last for the entire operational life of the development, but will be mitigated by direct human action or by natural processes thereafter (10 50 years). 4 Permanent The only class of impact that will be non-transitory. Mitigation either by man or natural process will not occur in such a way or such a time span that the impact can be considered transient (Indefinite). **CUMULATIVE EFFECT** This describes the cumulative effect of the impacts on the heritage parameter. A cumulative effect/impact is an effect, which in itself may not be significant but may become significant if added to other existing or potential impacts emanating from other similar or diverse activities as a result of the project activity in question. 1 Negligible Cumulative Impact The impact would result in negligible to no cumulative effects. 2 Low Cumulative Impact The impact would result in insignificant cumulative effects. 3 Medium Cumulative impact The impact would result in minor cumulative effects. 4 High Cumulative Impact The impact would result in significant cumulative effects. **INTENSITY / MAGNITUDE** Describes the severity of an impact. 1 Impact affects the quality, use and integrity of the Low system/component in a way that is barely perceptible. 2 Medium Impact alters the quality, use and integrity of the system/component but system/ component still continues to function in a moderately modified way and maintains general integrity (some impact on integrity).



3	High	Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component is severely impaired and may temporarily cease. High costs of rehabilitation and remediation.	
4	Very high	Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component permanently ceases and is irreversibly impaired (system collapse). Rehabilitation and remediation often impossible. If possible rehabilitation and remediation often unfeasible due to extremely high costs of rehabilitation and remediation.	
SIGNIFICANCE			

Significance is determined through a synthesis of impact characteristics. Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. This describes the significance of the impact on the heritage parameter. The

calculation of the significance of an impact uses the following formula:

(Extent + probability + reversibility + irreplaceability + duration + cumulative effect) x magnitude/intensity.

The summation of the different criteria will produce a non-weighted value. By multiplying this value with the magnitude/intensity, the resultant value acquires a weighted characteristic which can be measured and assigned a significance rating.

Points	Impact Significance Rating	Description	
6 to 28	Negative Low impact	The anticipated impact will have negligible negative effects and will require little to no mitigation.	
6 to 28	Positive Low impact	The anticipated impact will have minor positive effects.	
29 to 50	Negative Medium impact	The anticipated impact will have moderate negative effects and will require moderate mitigation measures.	
29 to 50	Positive Medium impact	The anticipated impact will have moderate positive effects.	
51 to 73	Negative High impact	The anticipated impact will have significant effects and will require significant mitigation measures to achieve an acceptable level of impact.	
51 to 73	Positive High impact	The anticipated impact will have significant positive effects.	
74 to 96	Negative Very high impact	The anticipated impact will have highly significant effects and are unlikely to be able to be mitigated adequately. These impacts could be considered "fatal flaws".	
74 to 96	Positive Very high impact	The anticipated impact will have highly significant positive effects.	



# **Anticipated Impact of the Developments**

### **Rhodes Drift Staff Housing**

No deposits, sites or features of heritage significance could be identified within the indicated study area. The Rhodes Drift farmhouse and associated structures are of local historical importance; however, they will not be impacted upon by the proposed development.

Although all due care was taken to determine if the heavy local alluvial deposits might be obscuring lower lying sub-surface deposits (trowel tests) there is still a slight possibility (due to the overall rich heritage of the area) that these might still be encountered during earthmoving activities. It is therefore recommended that a suitably qualified heritage practitioner monitors any such activity.

IMPACT TABLE FORMAT			
Issue/Impact/Heritage Impact/Nature	Unmarked or buried heritage sites.		
Extent	Provincial (3)		
Probability	Possible (2)		
Reversibility	Partly Reversible (2)		
Irreplaceable loss of resources	Significant loss of resources	(3)	
Duration	Medium term (2)		
Cumulative effect	Medium cumulative effect (3)		
Intensity/magnitude	Medium (2)		
Significance Rating of Potential Impact	30 points. The impact will have a medium negative impact rating.		
	Pre-mitigation impact rating	Post mitigation impact rating	
Extent	3	2	
Probability	2	1	
Reversibility	2	2	
Irreplaceable loss	3	1	
Duration	2	2	
Cumulative effect	3	1	
Intensity/magnitude	2	1	
Significance rating	30 (medium negative)	8 (low negative)	
Mitigation measure  A suitably qualified heritage practitioner should monitor a earthmoving activities. Should any unmarked sites subterranean sites be encountered, the chance finds proto contained in this report should be followed.		ould any unmarked sites or ntered, the chance finds protocol	



#### NHRA 25 of 1999

The current report and management guidelines will fulfil the requirements of the NHRA no 25 of 1999. This is in terms of the Construction Phase of the proposed development.

#### **UNESCO WHS Charter**

It is not expected that this development will have any impact on the Outstanding Universal Value (OUV) of the Mapungubwe Cultural Landscape (MCL) since it lies outside of the core conservation area.

#### **Integrated Park Management Plan**

This development will fulfil the development requirements as stated in the IPMP analysis of needs for administration. This will be fulfilled during the Operational Phase of this project.

### Mazhou Camp Site

No deposits, sites or features of heritage significance could be identified within the indicated study area.

Although all due care was taken to determine if the local alluvial deposits might be obscuring lower lying sub-surface deposits (trowel tests) there is still a slight possibility (due to the overall rich heritage of the area) that these might still be encountered during earthmoving activities. It is therefore recommended that a suitably qualified heritage practitioner monitors any such activity.

IMPACT TABLE FORMAT			
Issue/Impact/Heritage Impact/Nature	Unmarked or buried heritage sites.		
Extent	Provincial (3)		
Probability	Possible (2)		
Reversibility	Partly Reversible (2)		
Irreplaceable loss of resources	Significant loss of resources	(3)	
Duration	Medium term (2)		
Cumulative effect	Medium cumulative effect (3)		
Intensity/magnitude	Medium (2)		
Significance Rating of Potential Impact	30 points. The impact will have a medium negative impact rating.		
	Pre-mitigation impact rating	Post mitigation impact rating	
Extent	3	2	
Probability	2	1	
Reversibility	2	2	
Irreplaceable loss	3	1	
Duration	2	2	
Cumulative effect	3	1	



Intensity/magnitude	2	1
Significance rating	30 (medium negative)	8 (low negative)
Mitigation measure	earthmoving activities. Sh	practitioner should monitor any ould any unmarked sites or ntered, the chance finds protocol ld be followed.

#### Adherence to Legislation and Management Reports

#### NHRA 25 of 1999

The current report and management guidelines will fulfil the requirements of the NHRA no 25 of 1999. This is in terms of the Construction Phase of the proposed development.

#### **UNESCO WHS Charter**

It is not expected that this development will have any impact on the Outstanding Universal Value (OUV) of the Mapungubwe Cultural Landscape (MCL) since it lies outside of the core conservation area.

### **Integrated Park Management Plan**

This development will fulfil the development requirements as stated in the IPMP analysis of needs for administration. This will be fulfilled during the Operational Phase of this project.

#### Youth Centre Dormitories

No deposits, sites or features of heritage significance could be identified; however, there were indicators of such deposits being present nearby or sub-surface.

Although all due care was taken to determine if the local alluvial deposits might be obscuring lower lying sub-surface deposits (trowel tests) there is still a possibility (due to the overall rich heritage of the area and the identification of out of context artefacts) that these might still be encountered during earthmoving activities. It is therefore strongly recommended that a suitably qualified heritage practitioner monitors any such activity.

IMPACT TABLE FORMAT			
Issue/Impact/Heritage Impact/Nature	Unmarked or buried heritage sites.		
Extent	Provincial (3)		
Probability	Possible (2)		
Reversibility	Partly Reversible (2)		
Irreplaceable loss of resources	Significant loss of resources (3)		
Duration	Medium term (2)		
Cumulative effect	Medium cumulative effect (3)		
Intensity/magnitude	Medium (2)		



Significance Rating of Potential Impact	30 points. The impact will have a medium negative impact rating.	
	Pre-mitigation impact rating	Post mitigation impact rating
Extent	3	2
Probability	2	1
Reversibility	2	2
Irreplaceable loss	3	1
Duration	2	2
Cumulative effect	3	1
Intensity/magnitude	2	1
Significance rating	30 (medium negative)	8 (low negative)
Mitigation measure	A suitably qualified heritage practitioner should monitor any earthmoving activities. Should any unmarked sites or subterranean sites be encountered, the chance finds protocol contained in this report should be followed.	

Adherence to Legislation and Management Reports

#### NHRA 25 of 1999

The current report and management guidelines will fulfil the requirements of the NHRA no 25 of 1999. This is in terms of the Construction Phase of the proposed development.

#### **UNESCO WHS Charter**

It is not expected that this development will have any impact on the Outstanding Universal Value (OUV) of the Mapungubwe Cultural Landscape (MCL) since it lies outside of the core conservation area.

#### **Integrated Park Management Plan**

This development will fulfil the development requirements as stated in the IPMP analysis of needs for administration. This will be fulfilled during the Operational Phase of this project.

### Mapungubwe Orientation Complex

All areas investigated showed significant deposits with the exception of the wetland areas around the windpump. Most of the deposit seems to be in-situ and is of high value. The occurrence of the deposits and sites are however the motivation for the development and the limited physical impacts on these will have to be measured against the socio-economic and educational benefits of the proposed development.

#### Impacts During the Construction Phase

The design of the proposed structures is such that the footprint impact is to be kept to a minimum. The design has been formulated specifically to facilitate a minimal physical impact.



#### **Mapungubwe Orientation Centre**

This structure will be suspended on concrete pillars making foundation work less intrusive and extensive. It is anticipated that around  $10m^2$  of deposit carrying substrate will need to be moved to facilitate the placement of the concrete pillars. The construction of secondary features such as septic tanks and water and electrical supplies will however also have further impacts on the local deposits. Furthermore, temporary construction camps, storage and equipment can also impact on the site. There is also a danger of chemical contamination from sources such as diesel spillage and mobile latrine chemicals.

IMPACT TABLE FORMAT			
Issue/Impact/Heritage Impact/Nature	Mapungubwe/K2 and Bambandanyalo deposits impacted upon during the Construction Phase of the Mapungubwe Orientation Centre.		
Extent	Site (1)		
Probability	Definite (4)		
Reversibility	Irreversible (4)		
Irreplaceable loss of resources	Significant loss of resources	(3)	
Duration	Permanent (4)		
Cumulative effect	Medium cumulative effect (3)	)	
Intensity/magnitude	Very High (4)		
Significance Rating of Potential Impact	76 points. The impact will have a Very High Negative impact rating.		
	Pre-mitigation impact rating	Post mitigation impact rating	
Extent	1	1	
Probability	4	4	
Reversibility	4	1	
Irreplaceable loss	3	2	
Duration	4	4	
Cumulative effect	3	1	
Intensity/magnitude	4	2	
Significance rating	76 (very high negative)	26 (medium negative)	
Mitigation measure	The area with the least sensitive deposit should be chosen for the final placement of the centre. All areas that are to be excavated should undergo a comprehensive archaeological excavation and documentation upheld by a permit issued by SAHRA before any construction can commence. A monitoring plan should be put in place to monitor the effects of unforeseen secondary impacts during the construction phase of the project.		



#### **Boma/Picnic Spot**

This structure will not have any permanent concrete features; however, it will still impact on the local archaeological deposits in terms of compaction, pollution and excavations.

IMPACT TABLE FORMAT				
Issue/Impact/Heritage Impact/Nature	Mapungubwe/K2 and Bambandanyalo deposits impacted upon during the Construction Phase of the Mapungubwe Boma/Picnic site.			
Extent	Site (1)			
Probability	Definite (4)			
Reversibility	Irreversible (4)			
Irreplaceable loss of resources	Significant loss of resources	(3)		
Duration	Permanent (4)			
Cumulative effect	Medium cumulative effect (3,	)		
Intensity/magnitude	Very High (4)			
Significance Rating of Potential Impact	76 points. The impact will have a Very High Negative impact rating.			
	Pre-mitigation impact rating	Post mitigation impact rating		
Extent	1	1		
Probability	4	4		
Reversibility	4	1		
Irreplaceable loss	3	2		
Duration	4	4		
Cumulative effect	3	1		
Intensity/magnitude	4	2		
Significance rating	76 (very high negative)	26 (medium negative)		
Mitigation measure  The area with the least sensitive deposit should be cheeped the final placement of the centre. All areas that are excavated should undergo a comprehensive archaevex excavation and documentation upheld by a permit is SAHRA before any construction can commence. A morphan should be put in place to monitor the effundoreseen secondary impacts during the construction of the project.		centre. All areas that are to be a comprehensive archaeological on upheld by a permit issued by ion can commence. A monitoring ace to monitor the effects of		

### **K8 Interpretive Centre**

This proposed structure will have by far the heaviest impact on archaeological deposits since it is proposed to be built directly on top of the Mapungubwe deposits of the Southern Terrace. It should



however be taken into consideration that this area has been disturbed in the past by archaeological excavation activities as well as the later site restoration. The current exposed excavation pit (K8) is also experiencing elevated levels of erosion since the basic steel sliding structure currently protecting the deposits was only meant to be a temporary solution.

As in the case of the previous two proposed structures it is anticipated that the Construction Phase will have the heaviest impact. Impacts will be expected in terms of construction activities, access, possible spillage and ground works.

A possible benefit of the proposed development during the Construction Phase would be offering the opportunity for academic research coupled with the mitigation excavations.

IMPACT TABLE FORMAT		
Issue/Impact/Heritage Impact/Nature	Mapungubwe deposits impacted upon during the Construction Phase of the K8 Orientation Centre.	
Extent	Site (1)	
Probability	Definite (4)	
Reversibility	Irreversible (4)	
Irreplaceable loss of resources	Significant loss of resources	(3)
Duration	Permanent (4)	
Cumulative effect	Medium cumulative effect (3)	
Intensity/magnitude	Very High (4)	
Significance Rating of Potential Impact	76 points. The impact will have a Very High Negative impact rating.	
	Pre-mitigation impact rating	Post mitigation impact rating
Extent	1	1
Probability	4 4	
Reversibility	4	1
Irreplaceable loss	3	2
Duration	4	4
Cumulative effect	3	1
Intensity/magnitude	4 2	
Significance rating	76 (very high negative)	26 (medium negative)
Mitigation measure	The area with the least sensitive deposit should be chosen for the final placement of the centre although this would be limited due to the need to incorporate the existing K8 pit. All areas that are to be excavated should undergo a comprehensive archaeological excavation and documentation upheld by a permit issued by SAHRA before any construction can commence. A monitoring plan should be	



put in place to monitor the effects of unforeseen secondary
impacts during the construction phase of the project.

#### Impacts During the Operational Phase

Increase in visitor numbers, compaction by foot and vehicle, increased erosion and possible theft and vandalism and pollution are but a few of the possible impacts that could be the result of the development and use of the proposed structures. These impacts will need to be managed and monitored throughout the Operational Phase of these developments.

#### **Mapungubwe Orientation Centre**

This structure is expected to be the largest. Increased visitor numbers will influence vehicular compaction of the surrounding deposits. There is an increased likelihood of littering as well as theft of unprotected artefacts such as potsherds and stone tools. Impacts on local plant cover can also lead to increased soil erosion.

IMPACT TABLE FORMAT			
Issue/Impact/Heritage Impact/Nature	Mapungubwe/K2 and Bambandanyalo deposits impacted upon during the Operational Phase of the Mapungubwe Orientation Centre.		
Extent	Site (1)		
Probability	Definite (4)		
Reversibility	Irreversible (4)		
Irreplaceable loss of resources	Significant loss of resources	(3)	
Duration	Permanent (4)	Permanent (4)	
Cumulative effect	Medium cumulative effect (3)		
Intensity/magnitude	Very High (4)		
Significance Rating of Potential Impact	76 points. The impact will have a Very High Negative impact rating.		
	Pre-mitigation impact rating  Post mitigation impact rating		
Extent	1	1	
Probability	4	4	
Reversibility	4	1	
Irreplaceable loss	3	2	
Duration	4	4	
Cumulative effect	3	1	
Intensity/magnitude	4	2	
Significance rating	76 (very high negative)	26 (medium negative)	



Mitigation measure	Strict rules should be formulated and applied in terms of
	visitor movements and actions in an effort to protect the
	surrounding deposits. Vehicular access should be limited. A
	monthly monitoring program should be started to determine
	any increases in site deterioration by means of fixed-point
	photography and ground compaction tests. A dedicated
	management plan that includes comprehensive monitoring
	should be put in place.

### **Boma/Picnic Spot**

This structure will result in increased visitor numbers with its associated problems. Littering, theft and increases in deposit and soil compaction can result.

IMPACT TABLE FORMAT			
Issue/Impact/Heritage Impact/Nature	Mapungubwe/K2 and Bambandanyalo deposits impacted upon during the Construction Phase of the Mapungubwe Boma/Picnic site.		
Extent	Site (1)		
Probability	Definite (4)		
Reversibility	Irreversible (4)		
Irreplaceable loss of resources	Significant loss of resources	(3)	
Duration	Permanent (4)		
Cumulative effect	Medium cumulative effect (3)	)	
Intensity/magnitude	Very High (4)	Very High (4)	
Significance Rating of Potential Impact	76 points. The impact will have a Very High Negative impact rating.		
	Pre-mitigation impact rating	Post mitigation impact rating	
Extent	1	1	
Probability	4	4	
Reversibility	4	1	
Irreplaceable loss	3	2	
Duration	4	4	
Cumulative effect	3	1	
Intensity/magnitude	4	2	
Significance rating	76 (very high negative)	26 (medium negative)	
Mitigation measure	Strict rules should be formulated and applied in terms of visitor movements and actions to protect the surrounding deposits. Vehicular access should be limited. A monthly		



monitoring program should be started to determine any
increases in site deterioration by means of fixed-point
photography and ground compaction tests. A dedicated
management plan that includes comprehensive monitoring
should be put in place.

#### **K8 Orientation Centre**

Since this structure will provide direct access to undisturbed archaeological deposits within the Mapungubwe archaeological site, the monitoring of impacts should be comprehensive. The same impacts are expected as with the previous sites; however, the impact is anticipated to be compounded at this site. Monitoring of impacts here is vital. The effects of total enclosure on the exposed K8 pit should also be monitored since the effects at this stage is unknown.

IMPACT TABLE FORMAT		
Issue/Impact/Heritage Impact/Nature	Mapungubwe deposits impacted upon during the Construction Phase of the K8 Orientation Centre.	
Extent	Site (1)	
Probability	Definite (4)	
Reversibility	Irreversible (4)	
Irreplaceable loss of resources	Significant loss of resources	(3)
Duration	Permanent (4)	
Cumulative effect	Medium cumulative effect (3)	)
Intensity/magnitude	Very High (4)	
Significance Rating of Potential Impact	76 points. The impact will have a Very High Negative impact rating.	
	Pre-mitigation impact rating Post mitigation impact rating	
Extent	1	1
Probability	4	4
Reversibility	4	1
Irreplaceable loss	3	2
Duration	4	4
Cumulative effect	3	1
Intensity/magnitude	4	2
Significance rating	76 (very high negative)	26 (medium negative)
Mitigation measure	Strict rules should be formulated and applied in terms of visitor movements and actions in an effort to protect the surrounding deposits. Vehicular access should be limited. A monthly monitoring program should be started to determine	



any increases in site deterioration by means of fixed-point
photography and ground compaction tests. Monitoring of the
exposed K8 pit should be put in place. A dedicated
management plan that includes comprehensive monitoring
should be put in place.

#### Schroda Orientation Centre

All areas investigated showed significant deposits associated with the middle iron age Schroda site. Most of the deposit seems to be in-situ and is of high value. The occurrence of the deposits and sites are however the motivation for the development and the limited physical impacts on these will have to be measured against the socio-economic and educational benefits of the proposed development.

### Impacts During the Construction Phase

The design of the proposed structures is such that the footprint impact is to be kept to a minimum. The design has been formulated specifically to facilitate a minimal physical impact.

#### **Schroda Orientation Centre**

This structure will be suspended on concrete pillars making foundation work less intrusive and extensive. It is anticipated that around  $10m^2$  of deposit carrying substrate will need to be moved to facilitate the placement of the concrete pillars. The construction of secondary features such as septic tanks and water and electrical supplies will however also have further impacts on the local deposits. Furthermore, temporary construction camps, storage and equipment can also impact on the site. There is also a danger of chemical contamination from sources such as diesel spillage and mobile latrine chemicals.

IMPACT TABLE FORMAT		
Issue/Impact/Heritage Impact/Nature	Schroda archaeological deposits impacted upon during the Construction Phase of the Schroda Orientation Centre.	
Extent	Site (1)	
Probability	Definite (4)	
Reversibility	Irreversible (4)	
Irreplaceable loss of resources	Significant loss of resources (3)	
Duration	Permanent (4)	
Cumulative effect	Medium cumulative effect (3)	
Intensity/magnitude	Very High (4)	
Significance Rating of Potential Impact	76 points. The impact will have a Very High Negative impact rating.	
	Pre-mitigation impact rating	Post mitigation impact rating
Extent	1	1
Probability	4	4



Reversibility	4	1
Irreplaceable loss	3	2
Duration	4	4
Cumulative effect	3	1
Intensity/magnitude	4	2
Significance rating	76 (very high negative)	26 (medium negative)
Mitigation measure	the final placement of the of excavated should undergo a excavation and documentation SAHRA before any construct plan should be put in plantage.	tive deposit should be chosen for centre. All areas that are to be a comprehensive archaeological on upheld by a permit issued by ion can commence. A monitoring ace to monitor the effects of cts during the construction phase

### Impacts During the Operational Phase

Increase in visitor numbers, compaction by foot and vehicle, increased erosion and possible theft and vandalism and pollution are but a few of the possible impacts that could be the result of the development and use of the proposed structures. These impacts will need to be managed and monitored throughout the Operational Phase of these developments.

#### **Schroda Orientation Centre**

Increased visitor numbers will influence vehicular compaction of the surrounding deposits. There is an increased likelihood of littering as well as theft of unprotected artefacts such as potsherds and stone tools. Impacts on local plant cover can also lead to increased soil erosion.

IMPACT TABLE FORMAT		
Issue/Impact/Heritage Impact/Nature	Schroda deposits impacted upon during the Operational Phase of the Mapungubwe Orientation Centre.	
Extent	Site (1)	
Probability	Definite (4)	
Reversibility	Irreversible (4)	
Irreplaceable loss of resources	Significant loss of resources (3)	
Duration	Permanent (4)	
Cumulative effect	Medium cumulative effect (3)	
Intensity/magnitude	Very High (4)	
Significance Rating of Potential Impact	76 points. The impact will have a Very High Negative impact rating.	
	Pre-mitigation impact rating	Post mitigation impact rating



Extent	1	1
Probability	4	4
Reversibility	4	1
Irreplaceable loss	3	2
Duration	4	4
Cumulative effect	3	1
Intensity/magnitude	4	2
Significance rating	76 (very high negative)	26 (medium negative)
Mitigation measure	Strict rules should be formulated and applied in terms of visitor movements and actions in an effort to protect the surrounding deposits. Vehicular access should be limited. A monthly monitoring program should be started to determine any increases in site deterioration by means of fixed-point photography and ground compaction tests. A dedicated management plan that includes comprehensive monitoring should be put in place.	

### Adherence to Legislation and Management Reports

NHRA 25 of 1999

The required archaeological excavations will need a permit for excavation issued by the APM of the SAHRA. The construction activities will also need permission as per Section 38 of the NHRA.

#### UNESCO WHS Charter

The WHS Charter requires several factors to be taken into account when developments are proposed within WHS. Integral to the current proposal are the following (*Policy Document for the Integration of a Sustainable Development Perspective into the Processes of the World Heritage Convention as adopted by the General Assembly of States Parties to the World Heritage Convention at its 20th session (UNESCO, 2015)*);

#### **Inclusive Economic Development**

World Heritage properties, as cultural and natural heritage in general, offer great potential to alleviate poverty and enhance sustainable livelihoods of local communities, including those of marginalized populations. Recognising that poverty eradication is one of the greatest challenges facing the world today and an indispensable requirement for sustainable development and the well-being of present and future generations, the Convention should therefore contribute to promoting sustainable forms of inclusive and equitable economic development, productive and decent employment and incomegenerating activities for all, while fully respecting the OUV of The Park. To this effect it is recommended that guides and employees be sourced from local impoverished communities.

#### Ensuring growth, employment, income and livelihoods

The management and conservation of World Heritage properties should contribute to fostering inclusive local economic development and enhancing livelihoods, compatibly with the protection of their OUV. To



this end, States Parties should, where appropriate, develop policies and mechanisms for the conservation and management of World Heritage properties that:

- i. Enable enduring, inclusive, equitable and sustainable economic development, as well as full, productive and decent employment for local communities, including marginalised populations;
- ii. Generate decent income and sustainable livelihoods for local communities, including marginalised populations;
- iii. Balance efficient market mechanisms and public policies, drawing on public-private partnership, economic incentives and intersectoral cooperation to ensure benefit sharing between all stakeholders in and around World Heritage properties.

#### Promoting economic investment and quality tourism

The Park is an important travel destinations that, if managed properly, has great potential for inclusive local economic development, sustainability and strengthening social resilience. Sustainable forms of tourism development, including community-based initiatives, should be accompanied by inclusive and equitable economic investment to ensure benefit sharing in and around The Park. For this reason, The Park Management should, where appropriate:

- i. Develop and promote inclusive and equitable economic investments in and around The Park that make use of local resources and skills, preserve local knowledge systems and infrastructures, and make local communities and individuals, including marginalised populations, the primary beneficiaries of these investments; Article 5 of the Convention explains that tourism should be a beneficial activity for local populations.
- ii. Encourage locally-driven responsible and sustainable tourism management in and around The Park, to complement other sources of growth, so as to promote economic diversification between tourism and non-tourism activities. This will strengthen social and economic resilience in a way that also helps protect the OUV of The Park;
- iii. Reinvest part of the revenues from tourism activities in the conservation and management of heritage resources in and around The Park;
- iv. Adopt adequate visitor management planning that also encourages local tourism and implement socio-economic impact assessment prior to the approval of tourism projects associated with The Park and its archaeological sites;
- v. Promote the development of sustainable economic activities related to craftsmanship associated with heritage conservation.

Strengthening capacity-building, innovation and local entrepreneurship

States Parties should recognise that inclusive economic development is a long-term commitment based on a holistic approach to The Park and their associated cultural and creative industries and intangible heritage. In view of this, The Park Management should:

- i. Develop educational and capacity-building programmes based on innovation and local entrepreneurship, aimed in particular at small/medium/micro scale levels, to promote sustainable economic benefits for local communities.
- ii. Identify and promote opportunities for public and private investment in sustainable development projects that foster local cultural and creative industries and safeguard intangible heritage associated with The Park.



#### **Integrated Park Management Plan**

This development will fulfil the development requirements as stated in the IPMP analysis of needs for increased access to the archaeological sites as well as education. This will be fulfilled during the Operational Phase of this project.

### Park Management Office Complex

No deposits, sites or features of heritage significance could be identified within the indicated study area. The fact that the largest extent of the planned alterations has already been performed should also be taken into consideration.

Although all due care was taken to determine if the heavy local alluvial deposits might be obscuring lower lying sub-surface deposits (trowel tests) there is still a slight possibility (due to the overall rich heritage of the area) that these might still be encountered during any further earthmoving activities. It is therefore recommended that a suitably qualified heritage practitioner monitors any such activity.

IMPACT TABLE FORMAT							
Issue/Impact/Heritage Impact/Nature	Unmarked or buried heritage sites.						
Extent	Provincial (3)						
Probability	Possible (2)						
Reversibility	Partly Reversible (2)						
Irreplaceable loss of resources	Significant loss of resources (3)						
Duration	Medium term (2)						
Cumulative effect	Medium cumulative effect (3)						
Intensity/magnitude	Medium (2)						
Significance Rating of Potential Impact	30 points. The impact will have a medium negative impact rating.						
	Pre-mitigation impact rating	Post mitigation impact rating					
Extent	3	2					
Probability	2	1					
Reversibility	2	2					
Irreplaceable loss	3	1					
Duration	2	2					
Cumulative effect	3	1					
Intensity/magnitude	2	1					
Significance rating	30 (medium negative)	8 (low negative)					
Mitigation measure	A suitably qualified heritage practitioner should monitor any earthmoving activities. Should any unmarked sites or						



subterranean sites be encountered, the chance finds protoc	
contained in this report should be followed.	

Adherence to Legislation and Management Reports

#### NHRA 25 of 1999

The current report and management guidelines will fulfil the requirements of the NHRA no 25 of 1999. This is in terms of the Construction Phase of the proposed development.

#### **UNESCO WHS Charter**

It is not expected that this development will have any impact on the Outstanding Universal Value (OUV) of the Mapungubwe Cultural Landscape (MCL).

#### **Integrated Park Management Plan**

This development will fulfil the development requirements as stated in the IPMP analysis of needs for administration. This will be fulfilled during the Operational Phase of this project.



### **Chance Finds Protocol**

(for Rhodes Drift Staff Housing, Mazhou Camp Site, Park Management Office Complex and Youth Centre Dormitories)

Although unlikely, sub-surface remains of heritage sites could still be encountered during the construction activities associated with the project. Such sites would offer no surface indication of their presence due to the high state of alterations in some areas as well as heavy plant cover in other areas. The following indicators of unmarked sub-surface sites could be encountered:

- Ash deposits (unnaturally grey appearance of soil compared to the surrounding substrate);
- Bone concentrations, either animal or human;
- Ceramic fragments such as pottery shards either historic or pre-contact;
- Stone concentrations of any formal nature.

The following recommendations are given should any sub-surface remains of heritage sites be identified as indicated above:

- All operators of excavation equipment should be made aware of the possibility of the occurrence of sub-surface heritage features and the following procedures should they be encountered.
- All construction in the immediate vicinity (50m radius of the site) should cease.
- The heritage practitioner should be informed as soon as possible.
- In the event of obvious human remains the South African Police Services (SAPS) should be notified.
- Mitigation measures (such as refilling etc.) should not be attempted.
- The area in a 50m radius of the find should be cordoned off with hazard tape.
- Public access should be limited.
- The area should be placed under guard.
- No media statements should be released until such time as the heritage practitioner has had sufficient time to analyse the finds.

### Conclusions and Recommendations

This study looked at the development of several new structures within the Mapungubwe National Park and World Heritage Site and surrounds. Two of the proposed developments – the Staff Houses at Rhodes Drift and the Ablution Block and 5 additional camping sites at Mazhou Camp Site – will have minimal impacts and small footprints. No archaeological deposits were noted here and are also not likely to occur sub-surface. Due to the heritage importance of The Park, monitoring during the construction phase is however recommended.

The second site –Youth Centre Dormitories – could possibly have an impact on heritage related deposits although no virgin deposits could be observed directly or through trowel test. There were some displaced potsherds and stone tools suggesting that there might be deposits close by or sub-surface. Monitoring of alteration activities are recommended.

The fourth and fifth projects – Mapungubwe and Schroda Orientation Centres – will have the greatest impacts in terms of heritage resources as they are located on very important archaeological deposits.



It is imperative that the recommendations in this report be followed strictly should these developments continue. Overall the socio-economic benefits to be gained through these developments seems to outweigh the localised impacts they might have on the archaeological deposits. This is however provided the mitigation is followed strictly and long-term monitoring is put in place and kept up. It is further recommended that a comprehensive and clear Development Management Plan be compiled for each of these sites that should include specifications for the necessary mitigation work and controlled activities as well as monitoring actions.

The sixth proposed development – the Park Management Office Complex – has already been completed and is subject to a S24G Correction Process as per the National Environmental Management Act (NEMA). As a result, the impact to the locality has already been suffered. No further impacts are expected although any further groundworks will need to be monitored.



### References

Bergh, J.S. 1999. Geskiedenisatlas van Suid-Afrika: die vier noordelike provinsies. Pretoria: J.L. van Schaik.

Deacon, J. 1996. Archaeology for Planners, Developers and Local Authorities. National Monuments Council. Publication no. P021E.

Deacon, J.1997. Report: Workshop on Standards for the Assessment of Significance and Research Priorities for Contract Archaeology. In: Newsletter No 49, Sept 1998. Association for Southern African Archaeologists.

Evers, T.M. 1988. The recognition of Groups in the Iron Age of Southern Africa. PhD thesis. Johannesburg: University of the Witwatersrand.

Eloff, J. F. n.d. Die Gevolge van die aanraking met die Blankes op die politieke organisasie en die gesagsbeginsel by die Venda : 'n verslag. Pretoria: University of Pretoria.

Fouché, L. 1937. Mapungubwe, Ancient Bantu civilization on the Limpopo. Cambridge: Cambridge University Press.

Hall, M. 1987. The Changing Past: Farmers, Kings & Traders in Southern Africa 200 – 1860 Cape Town, Johannesburg: David Philip

Huffman, T.N. 1987. Symbols in Stone. Johannesburg: Witwatersrand University Press.

Huffman, T.N. 2007. Handbook to the Iron Age. Pietermaritzburg: University of Kwazulu-Natal Press

Kruger, N. 2010. Interpretations of Conflict; Conflict of Interpretations: The archaeology of Ha-Tshirundu, Limpopo Province. MA, Anthropology and Archaeology, University of Pretoria, Pretoria. Forthcoming.

Loubser, J. H. N. 1988. Archaeological contributions to Venda ethnohistory / Johannes Henoch Neethling Loubser. Johannesburg.

Maggs, TM.O. 1976. Iron Age Communities of the Southern Highveld. Pietermaritzburg: University of Natal Press.

Mason, R.J. 1962. The Prehistory of the Transvaal. Johannesburg: University of the Witwatersrand Press

Mitchell, P. 2002. The Archaeology of Southern Africa. Cambridge Africa Collection. Cambridge: Cambridge University Press.

Schlüter, T. 2005. Geological Atlas of Africa, with Notes on Stratigraphy, Tectonics, Economic Geology, Geohazards and Geosites of Each Country. London: Springer

Stayt, H. A. 1968. The Bavenda. London: Cass.

Summers, R. 1971. Ancient ruins and vanished civilizations of Southern Africa Cape Town: Bulpin.

Swanepoel, N. et al (Eds.) 2008. Five hundred years rediscovered. Johannesburg: Wits University Press

Tiley-Nel, S. 2014. A Technological study and manufacture of ceramic vessels from K2 and Mapungubwe Hill, South Africa. Thesis Submitted in fulfilment of the degree MA: University of Pretoria.

Van Warmelo, N. J. 1935. A Preliminary survey of the Bantu tribes of South Africa Pretoria: Government Printer



Unpublished CRM Reports and other Sources

Gaigher, S. 2000. Preliminary Archaeological Impact Assessment: Proposed Shopping Centre in Urban Messina Archaeo-Info

Kruger, N Antonites, X. 2006 . Preliminary Archaeological Impact Assessmen Nancefield Extensions 11, 12 & 13, Messina.

Munyai, R. & Roodt, F. Phase 1 Heritage Impact Assessment: The Proposed Township Establishment on Portion 5 of the Farm Uitenpas 2 MT, near Musina, Limpopo Province.

Munyai, R. & Roodt, F. 2007. Phase 1 Heritage Resources Impact Assessment: An Archaeological Investigation of Proposed Irrigation Dam at Farm Overvlagte 125 MS, Musina Local Municipality, Vhembe District. Vhufa Hashu Heritage Consultants

Murimbika, M. 2006. Archaeological Impact Assessment Study for the Proposed Construction of Electricity Distribution Powerlines Within, Limpopo Province

Murimbika, M. 2006. Heritage Impact Assessment Study for Proposed Sand River Valley Development at Farms Jooste 511 MS and Dorothy 254 MS in Musina Local Municipality, Limpopo Province. Nzumbululo Heritage Solutions

Nel, J. 2009. Proposed conversion of prospecting rights to mining rights on remainder of the farm Uitenpas 2 Mt and Portion 40 of the farm Musina 4 Mt, Musina, Vhembe district, Limpopo province. Archaic Heritage Project Management,

Pistorius, J.C.C. 2008. A Phase 1 Heritage Impact Assessment (HIA) Study for Eskom's Proposed New 132 kV Power Line Running Between the Paradise-T and Musina Substations in the Limpopo Province of South Africa Archaeologist and Cultural Heritage Management Consultants

Human Tissue Act and Ordinance 7 of 1925, Government Gazette, Cape Town National Heritage Resources Act No.25 of 1999, Government Gazette, Cape Town

SAHRA, 2005. Minimum Standards for the Archaeological and the Palaeontological Components of Impact Assessment Reports, Draft version 1.4.

www.sahra.org.za/sahris Accessed 2019-01-25

http://csg.dla.gov.za/index.html

Accessed 2020-01-05



# PALAEONTOLOGICAL HERITAGE SPECIALIST ASSESSMENT: COMBINED FIELD-BASED & DESKTOP STUDY

Proposed infrastructure in the Mapungubwe National Park near Messina, Vhembe District, Limpopo Province

John E. Almond PhD (Cantab.) *Natura Viva* cc, PO Box 12410 Mill Street,

Cape Town 8010, RSA

naturaviva@universe.co.za

# **Executive Summary**

February 2020

South African National Parks (SANParks) is proposing to develop a number of small sites within the Mapungubwe National Park near Messina, Limpopo Province for tourism, educational and administrative purposes. The National Park is underlain by continental sediments of the Karoo Supergroup (Stormberg Subgroup) of Late Triassic to Early Jurassic age that are correlated with the Elliot and Clarens Formations of the Main Karoo Basin. Previous palaeontological studies have demonstrated that the fluvial Elliot redbeds here contain abundant vertebrate fossils – principally of sauropodomorph dinosaurs - as well as rare vertebrate trackways. While most of the fossil material exposed at surface is highly-weathered and of limited scientific value, some specimens may represent undescribed new dinosaur taxa. Other fossil groups represented within the overlying Clarens Formation in the region include petrified logs and various burrows, including putative termitaria and vertebrate burrows, while vertebrate body fossils are rare.

A summary of the geological and palaeontological heritage findings for each of the six proposed development sites within the Mapungubwe National Park, together with recommendations concerning mitigation, is provided in Table 1 of this report. Thick late Caenozoic alluvial deposits of the Limpopo River underlying the Rhodesdrift Staff Housing site and Mazhou Camp Site are of low palaeontological sensitivity. While the Mapungubwe Valley Orientation Centre is underlain by Elliot Formation bedrocks, potentially-fossiliferous mudrocks are not seen here while the better exposed channel sandstones are generally fossil-poor. The nearby shelter spot for hikers en route to Mapungubwe Hill overlies alluvial deposits of low palaeosensitivity. Sites for the MapungubweYouth Centre Dormitories and Park Management Offices and highly disturbed at surface and overlie fossil-poor Clarens sandstones mantled with calcretised Late Caenozoic superficial deposits. The study area for the Schroda Orientation Centre is likewise largely underlain by comparatively insensitive Clarens bedrocks. Two equivocal occurrences of fossil casts and moulds of indeterminate affinity - possibly representing trace fossils / plant axes and / or vertebrate moulds – were recorded from karstified Clarens sandstones just north of and outside the study area (See map Fig. 42 herein); they are unlikely to be directly affected by the proposed development. Late Caenozoic colluvial rubble, alluvial sands, gravely soils and downwasted gravels encountered at the study sites away from the Limpopo River are generally of low palaeontological sensitivity. It is concluded that, given the low



palaeontological sensitivity of the study areas and small development footprints envisaged, the impact significance of all the proposed developments within the Mapungubwe National Park under consideration here is Very Low. There are no objections on palaeontological heritage grounds to the authorisation of the developments. Pending the discovery of significant new fossils during construction, no further specialist palaeontological studies or mitigation are recommended here.

It should be noted that any new fossil finds made within the Mapungubwe National Park would be of geotourism as well as scientific research interest and the Chance Fossil Finds Protocol appended to this report should be applied by the responsible ECO during construction. If any substantial fossil remains (e.g. vertebrate bones, teeth, petrified wood) are found during construction SAHRA should be notified immediately (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Phone: +27 (0)21 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). This is so that appropriate mitigation (i.e. recording, sampling or collection) by a palaeontological specialist can be considered and implemented, at the developer's expense. These recommendations must be incorporated into the Environmental Management Programme for the proposed developments. The palaeontologist concerned with mitigation work will need a valid collection permit from SAHRA. All work would have to conform to international best practice for palaeontological fieldwork and the study (e.g. data recording fossil collection and curation, final report) should adhere to the minimum standards for Phase 2 palaeontological studies published by SAHRA (2013).



### Introduction

### Project outline and brief

South African National Parks (SANParks) is proposing to develop a number of small sites within the Mapungubwe National Park for tourism, educational and administrative purposes. The park is situated in Limpopo Province along the northern border of the RSA with Zimbabwe and Botswana, between Pont Drift and Messina. The six proposed development sites are listed below in Table 1 and their approximate locations within the National Park are shown on the satellite image Figure 1.

The Mapungubwe National Park is underlain by sedimentary rocks of the Karoo Supergroup (Stormberg Subgroup) that are known to be fossiliferous (e.g. Bordy & Catuneanu 2001, Bordy & Catuneanu 2002, Brandl 2002, palaeontological field data of Prof. J. Choiniere, Wits University, Johannesburg). A desktop palaeontological assessment of the proposed new development sites, supplemented by brief field observations, was originally submitted by Chirikure and Bandama (2011) of Siyathembana Trading 293 (Pty) Ltd as part of a broad-based HIA study. According to these authors the "Palaeontological assessment was limited to a desktop study since based on the geo-morphology, the distribution of fossil bearing rocks in and around Mapungubwe is well known". In practice, the available 1: 250 000 geological maps and limited palaeontological field data available are mostly at reconnaissance level and do not provide the detail required for detailed impact studies of small sites. In their recommendations, Chirikure and Bandama (2011) suggest that "Sanparks may consider developing a palaeontological map of the core of the listed property.

However, this might be a waste of resources given that the distribution of fossil bearing Ecca deposits is well known (see Brandl 2000)". The Ecca Group is not, in fact, mapped within the National Park, although it does crop out further to the south (cf Bordy & Catuneanu 2002a, Durand 2009, 2012). The South African Heritage Resources Agency rejected the HIA report since it did not satisfy the requirements as per section 38(3) of the NHRA (SAHRA Letter of 21/2/2017). Following a site visit by the SAHRA APM Unit, SAHRA required that "A Palaeontological Impact Assessment (PIA) inclusive of a field assessment must be conducted for the proposed development" (SAHRA Final Comment, Case ID: 10622, dated Friday October 20, 2017). Siyathembana Trading 293 (Pty) Ltd subsequently argued that "The appointed archaeologist has experience with training in geology and earth sciences, therefore a separate PIA is not necessary" (ibid.).

The present combined desktop and field-based palaeontological assessment report has been commissioned by SANParks in accordance with SAHRA's Final Comment. It forms part of a broad-based HIA study that is being co-ordinated on behalf of the proponent by G&A Heritage (Pty) Ltd (Contact details: Mr Stephan Gaigher. G&A Heritage (Pty) Ltd. 38A Vorster Street, Louis Trichardt 0920. Cell: 073 752 6583. Tel: 015 516 1561. E-mail: stephan@gaheritage.co.za).



Table 1: Proposed tourism-related development sites within the Mapungubwe National Park near Messina, Limpopo Province

No	Infrastructure	Approx. Site location	Geology	Fossils	Recommended Mitigation
1	Rhodesdrift Staff Housing	22 12 07.65 S 29 10 31.42 E	Late Caenozoic sandy to gravelly alluvium of Limpopo River.	None recorded	Chance fossil finds procedure
2	Mazhou Camp Site	22 11 14.63 S 29 12 04.81 E	Late Caenozoic sandy to gravelly alluvium of Limpopo River.	None recorded	Chance fossil finds procedure
3	Mapungubwe Valley Orientation Centre	22 13 10.92 S 29 23 19.10 E	Elliot Formation bedrocks (sandstone but no mudrock exposure) largely mantled by Late Caenozoic colluvial and alluvial gravels and soils.	None recorded	Chance fossil finds procedure
4	Youth Centre Dormitories	22 14 24.76 E 29 24 33.20 E	Sandy soils and calcrete hardpans, probably overlying Clarens Formation bedrocks at depth.	None recorded	Chance fossil finds procedure
5	Park Management Offices	22 14 40.40 S 29 24 33.44 E	Calcretised, reddish-brown, gravelly soils, probably overlying Clarens Formation bedrocks at depth.	None recorded	Chance fossil finds procedure
6	Schroda Orientation Centre	22 11 03.54 S 29 25 39.61 E	Clarens Formation sandstone bedrocks largely mantled by downwasted gravels and gravelly soils, sands. Karstified sandstone bedrocks on N margins of study area.	None recorded within study area. Probable fossil casts and moulds within sandstones of low escarpment just N of study area (outside footprint) (Fig. 42)	Chance fossil finds procedure






Figure 77. Google Earth© satellite image of the Mapungubwe National Park region, Vhembe District, situated between Pont Drift and Messina on the border between the Limpopo Province of the RSA with Zimbabwe and Botswana. The green polygons indicate the various land portions making up the National Park. The approximate locations of the 6 development sites covered by the present report are indicated (Please refer to site numbers in Table 1). Detailed satellite images for each study area are provided within Section 4 of the report.

# Legislative context for palaeontological assessment studies

The various categories of heritage resources recognised as part of the National Estate in Section 3 of the National Heritage Resources Act (Act 25 of 1999) include, among others:

- geological sites of scientific or cultural importance;
- palaeontological sites;
- palaeontological objects and material, meteorites and rare geological specimens.

According to Section 35 of the National Heritage Resources Act, dealing with archaeology, palaeontology and meteorites:

- (1) The protection of archaeological and palaeontological sites and material and meteorites is the responsibility of a provincial heritage resources authority.
- (2) All archaeological objects, palaeontological material and meteorites are the property of the State.
- (3) Any person who discovers archaeological or palaeontological objects or material or a meteorite in the



course of development or agricultural activity must immediately report the find to the responsible heritage resources authority, or to the nearest local authority offices or museum, which must immediately notify such heritage resources authority.

- (4) No person may, without a permit issued by the responsible heritage resources authority—
- (a) destroy, damage, excavate, alter, deface or otherwise disturb any archaeological or palaeontological site or any meteorite;
- (b) destroy, damage, excavate, remove from its original position, collect or own any archaeological or palaeontological material or object or any meteorite;
- (c) trade in, sell for private gain, export or attempt to export from the Republic any category of archaeological or palaeontological material or object, or any meteorite; or
- (d) bring onto or use at an archaeological or palaeontological site any excavation equipment or any equipment which assist in the detection or recovery of metals or archaeological and palaeontological material or objects, or use such equipment for the recovery of meteorites.
- (5) When the responsible heritage resources authority has reasonable cause to believe that any activity or development which will destroy, damage or alter any archaeological or palaeontological site is under way, and where no application for a permit has been submitted and no heritage resources management procedure in terms of section 38 has been followed, it may—
- (a) serve on the owner or occupier of the site or on the person undertaking such development an order for the development to cease immediately for such period as is specified in the order;
- (b) carry out an investigation for the purpose of obtaining information on whether or not an archaeological or palaeontological site exists and whether mitigation is necessary;
- (c) if mitigation is deemed by the heritage resources authority to be necessary, assist the person on whom the order has been served under paragraph (a) to apply for a permit as required in subsection (4); and

recover the costs of such investigation from the owner or occupier of the land on which it is believed an archaeological or palaeontological site is located or from the person proposing to undertake the development if no application for a permit is received within two weeks of the order being served. Minimum standards for the palaeontological component of heritage impact assessment reports (PIAs) have been published by SAHRA (2013).

# Approach to the palaeontological heritage study

The approach to this desktop palaeontological heritage study is briefly as follows. Fossil bearing rock units occurring within the broader study area are determined from geological maps and satellite images. Known fossil heritage in each rock unit is inventoried from scientific literature, previous assessments of the broader study region, and the author's field experience and palaeontological database. Based on this data as well as field examination of representative exposures of all major sedimentary rock units present, the impact significance of the proposed development is assessed and recommendations for any necessary further studies or mitigation are made.



In preparing a palaeontological desktop study the potentially fossiliferous rock units (groups, formations *etc.*) represented within the study area are determined from geological maps and satellite images. The known fossil heritage within each rock unit is inventoried from the published scientific literature, previous palaeontological impact studies in the same region, and the author's field experience (consultation with professional colleagues as well as examination of institutional fossil collections may play a role here, or later following field assessment during the compilation of the final report). This data is then used to assess the palaeontological sensitivity of each rock unit to a development (Provisional tabulations of palaeontological sensitivity of all formations in the Limpopo Province have already been compiled by J. Almond and colleagues; *cf* also Groenewald & Groenewald 2014).

The likely impact of the proposed development on local fossil heritage is then determined on the basis of (1) the palaeontological sensitivity of the rock units concerned, and (2) the nature and scale of the development itself, most significantly the extent of fresh bedrock excavation envisaged. When rock units of moderate to high palaeontological sensitivity are present within the development footprint, a Phase 1 field assessment study by a professional palaeontologist is usually warranted to identify any palaeontological hotspots and make specific recommendations for any mitigation required before or during the construction phase of the development.

On the basis of the desktop and Phase 1 field assessment studies, the likely impact of the proposed development on local fossil heritage and any need for specialist mitigation are then determined. Adverse palaeontological impacts normally occur during the construction rather than the operational or decommissioning phase. Phase 2 mitigation by a professional palaeontologist – normally involving the recording and sampling of fossil material and associated geological information (e.g. sedimentological data) may be required (a) in the pre-construction phase where important fossils are already exposed at or near the land surface and / or (b) during the construction phase when fresh fossiliferous bedrock has been exposed by excavations. To carry out mitigation, the palaeontologist involved will need to apply for a palaeontological collection permit from the relevant heritage management authority (e.g. SAHRA for Limpopo Province). It should be emphasized that, provided that appropriate mitigation is carried out, the majority of developments involving bedrock excavation can make a positive contribution to our understanding of local palaeontological heritage.

## Assumptions & limitations

The accuracy and reliability of palaeontological specialist studies as components of heritage impact assessments are generally limited by the following constraints:

Inadequate database for fossil heritage for much of the RSA, given the large size of the country and the small number of professional palaeontologists carrying out fieldwork here. Most development study areas have never been surveyed by a palaeontologist.

- 1. Variable accuracy of geological maps which underpin these desktop studies. For large areas of terrain these maps are largely based on aerial photographs alone, without ground-truthing. The maps generally depict only significant ("mappable") bedrock units as well as major areas of superficial "drift" deposits (alluvium, colluvium) but for most regions give little or no idea of the level of bedrock outcrop, depth of superficial cover (soil etc.), degree of bedrock weathering or levels of small-scale tectonic deformation, such as cleavage. All of these factors may have a major influence on the impact significance of a given development on fossil heritage and can only be reliably assessed in the field.
- 2. Inadequate sheet explanations for geological maps, with little or no attention paid to palaeontological issues in many cases, including poor locality information.



- The extensive relevant palaeontological "grey literature" in the form of unpublished university theses, impact studies and other reports (e.g. of commercial mining companies) - that is not readily available for desktop studies.
- Absence of a comprehensive computerized database of fossil collections in major RSA institutions which
  can be consulted for impact studies. A Karoo fossil vertebrate database is now accessible for impact
  study work.

In the case of palaeontological desktop studies without supporting Phase 1 field assessments these limitations may variously lead to either:

underestimation of the palaeontological significance of a given study area due to ignorance of significant recorded or unrecorded fossils preserved there, or

overestimation of the palaeontological sensitivity of a study area, for example when originally rich fossil assemblages inferred from geological maps have in fact been destroyed by tectonism or weathering, or are buried beneath a thick mantle of unfossiliferous "drift" (soil, alluvium etc.).

Since most areas of the RSA have not been studied palaeontologically, a palaeontological desktop study usually entails *inferring* the presence of buried fossil heritage within the study area from relevant fossil data collected from similar or the same rock units elsewhere, sometimes at localities far away. Where substantial exposures of bedrocks or potentially fossiliferous superficial sediments are present in the study area, the reliability of a palaeontological impact assessment may be significantly enhanced through field assessment by a professional palaeontologist. In the present case, site visits to the various loop and borrow pit study areas in some cases considerably modified our understanding of the rock units (and hence potential fossil heritage) represented there.

In the case of the Mapungubwe National Park project area near Messina, Limpopo Province, the main limitation for fossil heritage studies is the paucity of previous field-based specialist palaeontological studies in the Tuli Basin, and indeed in the Limpopo Province as a whole (Better field data is available for the Zimbabwean portion of the basin; *cf* Rogers *et al.* 2004 as well as unpublished Wits University research on Sentinel Ranch, for example).



#### Information sources

The information used in this combined field-based and desktop study was based on the following:

- 1. Project outlines, kmz files and maps provided by SANParks as well as the original HIA report by Chirikure and Bandama (2011) of Siyathembana Trading 293 (Pty) Ltd;
- 2. A review of the relevant scientific literature, including published geological maps and accompanying sheet explanations (e.g. Brandl 1981, Brandl 2002,);
- 3. Examination of relevant 1: 250 000 topographical maps and Google Earth© satellite images;
- 4. Short visits to all of the development sites by the author and an assistant, accompanied by SANParks staff, on 6 and 7 January 2020 with several additional days spent in the National Park photographing features of geological interest;
- 5. The author's previous field experience with the formations concerned and their palaeontological heritage (e.g. Almond 2019).
- 6. Unpublished palaeontological field data and reports for the Mapungubwe National Park that were very kindly made available by Professor Jonah Choiniere of Wits University, Johannesburg.



# Geological context

The Mapungubwe National Park, situated along the northern border of the RSA with Botaswana and Zimbabwe, lies within the 1: 250 000 scale geological map sheet 2228 Alldays published by the Council for Geoscience, Pretoria (Fig. 7) with an informative sheet explanation by Brandl (2002). A well-illustrated, accessible account of geological highlights of the National Park has been presented by Whitfield and Viljoen (2016).

The National Park is underlain by continental (fluvial / lacustrine / aeolian) sedimentary rocks of the Karoo Supergroup of Late Triassic to Early Jurassic age. These bedrocks were deposited within the small, east- west trending, fault-bound Tuli Basin which also extends into the southern parts of Botswana and Zimbabwe (Johnson *et al.* 2006) (Fig. 2). The Karoo Supergroup succession within the Tuli Basin broadly youngs from south to north and is transected by several west-east trending normal faults. The sediments within the National Park are assigned to, or correlated with, the Elliot and Clarens Formations of the Karoo Supergroup (Stormberg Group) (Fig. 3). Detailed accounts of these rock units in the Tuli Basin have been published by Bordy and Catuneanu (2001) and Bordy and Catuneanu (2002) respectively.




Figure 78. Karoo Supergroup basins in southern Africa (from Johnson et al. 2006). The Mapungubwe National Park is located within the southern extension of the Tuli Basin which is mainly represented in neighbouring Zimbabwe and Botswana.






Figure 79. Stratigraphy of the Karoo Supergroup within the Tuli Basin (from Johnson et al. 2006). Rock units represented within the Mapungubwe National Park are indicated by the vertical red line. Recent studies suggest that the Red Rocks Member and Tshipise Member can be correlated with the Elliot and Clarens Formations of the Main Karoo Basin respectively.

The Late Triassic to Early Jurassic **Elliot Formation** "red beds" mainly comprise maroon to purple-grey overbank mudrocks and subordinate channel sandstones with minor pedocretes and conglomerates that were laid down in a range of fluvial, lacustrine and aeolian (loessic) settings experiencing seasonally arid climates (Johnson *et al.* 2006, Bordy & Catuneanu 2001b, Bordy & Eriksson 2015). They were previously included as the Red Rocks Member within the Clarens Formation and have a thickness of *c.* 40 m in the Alldays sheet area (Brandl 2002). A widely-occurring pedogenic horizon or zone at the top of the Elliot succession is associated with cherty siliceous concretions and lenses. Within the National Park the Elliot redbeds are best exposed along the lower slopes and foothills of sandstone escarpments (Fig. 4); in lower- lying areas they are largely submerged beneath Late Caenozoic superficial deposits.

The Early Jurassic **Clarens Formation** – previously referred to the Tshipise Member – largely comprises honey-coloured, fine-grained sandstones that build the numerous spectacular rugged cliffs and *koppies* within the Mapungubwe National Park (*e.g.* Figs. 4, 17, 25 & 32). The sandstones often appear massive but locally display large-scale cross-sets typical of desert dunes whose migration reflects the prevailing westerly winds in this part of southern Pangaea during Early Jurassic times (Johnson et al. 2006, Bordy & Catuneanu 2002, Bordy & Head 2018) (Fig. 5). The thickness of the sandstone succession varies markedly, from 5 to 140 m.

Several of the sandstone *koppies* in the National Park, notably on Greefswald 37 MS, are capped by very dark, thin flows of olivine-rich basaltic lava assigned to the **Letaba Formation** (Fig. 5). Numerous, predominantly west-east trending **doleritic dykes** transecting the Karoo Supergroup country rocks represent the feeders for the Letaba lavas as well as possible sills (Figs. 6 & 25). A striking feature of



the porphyritic Mapungubwe dolerites is the presence of large lath-shaped phenocrysts of pale plagioclase feldspar within a much darker, fine-grained matrix (Figs. 6 & 22).

The Karoo Supergroup succession within the Mapungubwe National Park has been extensively dissected in post-Cretaceous times by numerous incised tributaries of the Limpopo drainage system, creating numerous flat-topped, steep-sided mesas and buttes. The strikingly rugged appearance of the Clarens sandstone outcrops here, often obscuring the primary sedimentological features, is attributable in part to Late Caenozoic karstic (solution) weathering (*cf* Grab *et al.* 2011) (Figs. 5, 38 & 39). **Late Caenozic superficial sediments** include rubbly colluvial deposits (*e.g.* scree, rock fall debris), downwasted surface gravels, sandy to gravelly stream and river alluvium - notably along the banks of the Limpopo River where abandoned meander systems are evident (*e.g.* Maloutswa wetland) (Figs. 11 & 12) – as well as calcrete hardpans.




Figure 80. Good hillslope exposures of purple-grey mudrocks of the Elliot Formation beneath the cliff- forming Clarens sandstones on Little Muck 134 MS. This area has yielded important fossil vertebrate remains, especially from the paler palaeosol zone underlying the unconformable Elliot / Clarens contact.





Figure 81. Honey-coloured, karstic-weathered Clarens Formation sandstones showing large scale aeolian cross-bedding and overlain by dark olivine-rich basalts of the Letaba Formation, c. 350 m NW of Leokwe Camp, Greefswald 37 MS.




Figure 82. West-east trending Karoo dolerite dyke c. 1 km WNW of the main park entrance (Janberry 44 MS), showing rubbly corestone weathering as well as coarse pale feldspar phenocrysts (foreground).






Figure 83. Extract from 1: 250 000 geology sheet 2228 Alldays (Council for Geoscience, Pretoria) showing the geology of the Mapungubwe National Park region on the boder of Limpopo Province with Botswana and Zimbabwe. The six study sites for proposed or ongoing tourism-related developments in the park covered by this report are indicated by the numbered yellow circles (See Table 1 for key). Key rock units represented within the park include: Elliot Formation ("Red Rocks Member, TRcr, pink with stipple); Clarens Formation ("Tshipise Member" TRct, pink); Letaba Formation basalts (JI, grey); Karoo Dolerite suite intrusions (Jd, red lies); Late Caenoozic alluvium (pale yellow with flying bird symbol); Quaternary calcrete hardpans (Qc, pale yellow). Other younger superficial deposits such as High Level terrace gravels are not mapped at this scale.



# Palaeontological context

The main focus of palaeontological research in the Mapungubwe National Park has been on the Late Triassic to Early Jurassic redbeds of the Elliot Formation (Red Rocks Member). This unit has yielded a rich variety of continental vertebrate remains in the Main Karoo Basin – notably a range of sauropodomorph and other dinosaurs, advanced therapsids, crocodilians and amphibians, vertebrate trackways and petrified wood (e.g. Kitching & Raath 1984, Olsen & Galton 1984, MacRae 1999, Knoll 2004, Knoll 2005, Bordy & Catuneanu 2001b, Bordy & Eriksson 2015 and refs. therein). These fossil assemblages have been assigned to the "Euskelesaurus" and Massospondylus Range Zones (Kitching & Raath 1984).

Within the Tuli Basin, several isolated bones and disarticulated bony material within conglomeratic bone beds are reported from mudrock facies by Brandl (2002) and Bordy and Catuneanu (2001b). The last authors also record trace fossils - including silicified plant roots and small, 4-toed tetrapod tracks (their fig. 10, Farm Schroda) - from both mudrock and sandstone packages. Brandl (2002, p. 36) also mentions fragmentary material of land shells (gastropods) within the Red Rocks Member. Several fragmentary dinosaurian bones are currently displayed in the Mapungubwe Interpretive Centre (Fig. 8). Rare articulated vertebrate remains were once recorded within the Park by Professor Bruce Rubidge of Wits University but this locality could not be subsequently relocated (Professor Jonah Choiniere, Wits University, pers. comm., 2020). A number of fossil bone localities – including disarticulated dinosaurian material (non-sauropodan sauropodomorphs) - were recorded from the Lower and Upper Elliot Formation by Prof. Choiniere and Professor James Clark (George Washington University) during a 2016 field season, Most of the sites lie on the farms Greefswald 37, Schroda 47 MS and Little Muck 134 (Fig. 9). The most fossiliferous beds are the red / green mudrocks of the uppermost Elliot succession, just below the contact with the Clarens Formation (cf Fig. 4). While the majority of the vertebrate fossils recorded in the National Park are weathered and of limited scientific value, some of the new material and display specimens probably represent undescribed new species of sauropodomorph dinosaur (Prof. Choiniere, pers. comm., 2020). Dinosaur-rich beds are better known from equivalent Elliot beds of the Tuli Basin in Zimbabwe (e.g. Rogers et al. 2004).

Compared with the underlying Elliot Formation redbeds, the predominantly aeolian and lacustrine "wet desert" deposits of the Clarens Formation have a relatively impoverished fossil record within the Main Karoo Basin and elsewhere. Key vertebrate fossil groups represented – especially within the more accessible lower parts of the succession – include various dinosaur subgroups, crocodylomorphs, palaeoniscoid fish and tetrapod trackways (Kitching & Raath 1984, Olsen & Galton 1984, MacRae 1999, Bordy & Head 2018). Fossil plant material comprises petrified wood, compressions and thin coals. Putative fossil termitaria have been described from Clarens sandstones of the Tuli Basin, including the Mapungubwe National Park (Bordy & Catuneanu 2002, Knoll 2005, Bordy *et al.* 2004, 2009), while a small range of freshwater invertebrates (crustaceans, insects) are found within lacustrine mudrock facies. Fossil occurrences within the Clarens Formation of the Tuli Basin – including petrified logs, dinosaur trackways, possible vertebrate burrows and various invertebrate burrows – have been described by Bordy and Catuneanu (2002, their map fig. 2) (See also Van Eeden & Keyser 1971 and Brandl 2002 for dinosaur tracks near Pont Drift and De Villiers 1967 for equivocal vertebrate burrows).



# Late Caenozoic superficial deposits

The fossil record of the various Late Caenozoic superficial deposits represented within the Mapungubwe National Park is poorly understood but is likely to be sparse; no records are listed by Brandl (2002), for example. Alluvial sediments may contain fossil teeth, bones and horncores of mammals as well as non-marine molluscs (*e.g.* gastropods, freshwater clams), plant material and trace fossils. Calcrete hardpans may likewise be rich in trace fossils (*e.g.* rhizoliths, termitaria). Unconsolidated aeolian sands, surface gravels and soils are generally fossil-poor.



Figure 84. Isolated post-cranial bones of dinosaurs collected from the Elliot Formation in the Mapungubwe National Park and displayed in the National Park's new Interpretation Centre. Some of this material might represent new undescribed taxa (J. Choiniere, pers. comm., 2020).






Figure 85. Vertebrate fossil sites within the Elliot Formation of the Mapungubwe National Park recorded in 2016 by Professor Jonah Choiniere (Evolutionary Studies Institute, University of the Witwatersrand). Data used with kind permission of the author.



#### Field observations

A short, illustrated account of the geological setting of each of the six proposed development sites within the Mapungubwe National Park (See Table 1 & Fig. 1 for overview), together with any new palaeontological data, is given in this section of the report.

# Rhodes Drift Staff Housing

The project area for the proposed staff housing is situated on the land parcel Rhodes Drift 22MS and c. 4.3 km ENE of Pont Drift, 80 to 150 m from the southern banks of the Limpopo River and north of the Den Staat road through the western sector of the National Park. The area comprises highly-disturbed open woodland close to existing buildings and has experienced major flooding in historical times. The ground is clothed in dense reedy to grassy vegetation with brown silty to sandy alluvial soils and sparse surface gravels (Fig. 10). There are no bedrock exposures here. Several meters thick, well-bedded, fine- grained alluvium builds the nearby banks of the Limpopo River (Fig. 11).

No fossil remains were recorded in the staff housing site study area during the short site visit. The young sediments here are of low palaeontological sensitivity and highly disturbed while the total footprint of the proposed new accommodation sites is very small.



Figure 86. Disturbed, densely-vegetated terrain in the Rhodes Drift Staff Housing project area.





Figure 87. Thick, well-bedded, semi-consolidated Late Caenozoic alluvium exposed along the banks of the Limpopo River just NW of the Rhodes Drift Staff Housing project area.

#### Mazhou Camp Site

The camp site is situated at *c*. 530 m amsl within a flat, densely wooded area on land portion Tuscanen 17MS towards the western edge of the National Park. The site lies some 400 south of the Limpopo River, between its present course and an abandoned meander loop that includes the Maloutswa wetland area to the east (Fig. 12). It is underlain by thick Late Caenozoic alluvial sediments – brownish silts and sands as well as sparse surface gravels (*e.g.* of dolerite) of the Limpopo River (Fig. 13). Good riverbank exposures of weathered dolerite with corestones – perhaps a sill - are visible some 2.6 km to the northeast and might also underlie the camp area (Fig. 14).

No fossil remains were recorded in the camp site area during the short site visit. The young sediments here are of low palaeontological sensitivity and the footprint of the proposed new ablution block is very small.





Figure 88. Google Earth© satellite image showing the location of the Mazhou Campsite (yellow dot) in a densely wooded area between the present course of the Limpopo River and an ancient abandoned meander of the river, now occupied by the Maloutswa wetland area. Note the series of arcuate scroll bars on the inner side of the abandoned meander showing progressive migration of the river bend towards the SW.



Figure 89. General view of the densely-wooded terrain underlain by silty to sandy alluvial sediments and sparse downwasted gravels inn the Mazhou Camspite project area.





Figure 90. Good exposure of a deeply-weathered dolerite intrusion (possibly a sill) capped by Late Caenozoic alluvium along the northern banks of the Limpopo some 2.6 km NE of the Mazhou Campsite. The dolerite sill might extend beneath the campsite area as well.

#### Mapungubwe Valley Orientation Centre

The study area for the proposed Mapungubwe Valley Orientation Centre is situated between two south bank tributary streams of the Limpopo River, some 750 m due south of Mapangubwe Hill, on the east-central sector of the farm Greefwald 37 (Figs. 15 & 16). The site is surrounded on most sides by a scatter of small *koppies* of Clarens sandstone, some with a capping of dark Letaba basalt or transected by blocky-weathering dolerite dykes (Fig. 25). A relict, west-east trending sandstone ridge surrounded by an apron of downwasted sandstone blocks lies on the southern edge of the area (Fig. 17). Beneath the blocky scree and extending across the study area to the north lie bedrocks of the Elliot Formation ("Red Rocks Member") (Figs. 17 & 18). The better exposed bedrocks in the vicinity of the shallow stream just to the west of the study area form low-relief convex, lichen-patinated outcrops comprise locally well-jointed, pinkish to orange-hued, massive fluvial sandstones. They are fine- to medium-grained, blocky to platy- weathering and often contain dispersed small, angular maroon mudchips. Good exposures of Elliot Formation mudrocks are not present in the area.

The Elliot bedrocks here are largely obscured by a northward-thinning prism of sandy to finely-gravelly soils (locally admixed with archaeological material such as potsherds and cherty stone artefacts, especially in the south), and orange-brown, sandy to gravelly stream alluvium which reaches around 2-3 m in thickness (Figs. 19, 20 & 24). The angular gravel clasts are mainly composed of pinkish Elliot sandstone, pale grey metaquartzite (baked sandstone from dolerite contact aureoles), blackish finegrained Letaba basalt, dark dolerite with striking blade-shaped feldspar phenocrysts, occasional cherty concretions, milky vein quartz as well as an abundance of angular, creamy to pale pinkish cherty material (Figs. 21 to 23). The cherty material may be of pedogenic origin and has probably downwasted from the upper part of the Elliot Formation where it typically occurs close to the Elliot / Clarens contact (Bordy & Catuneanu 2001b). Thick sandy alluvium overlies the shady spot along a stream valley where it is planned to construct a shelter for hikers to Mapungubwe Hill (Figs. 15 & 26). No fossil remains were



recorded in the Mapungubwe Valley Orientation Centre study area during the site visit. High-sensitivity Elliot Formation mudrock facies is not represented here, while the Elliot sandstone bedrocks and gravelly to sandy superficial cover sediments of mixed colluvial to alluvial origin are of much lower sensitivity.



Figure 91. Google Earth© satellite image of the Mapungubwe Valley Orientation Centre study area between two stream courses on the farm Greefwald 37 (orange polygon). The small yellow triangle indicates the proposed location of a small shelter for hikers *en route* to Mapungubwe Hill. Jd = dolerite dyke. Lt = Letaba Formation basalts.




Figure 92. Close-up satellite image of the Mapungubwe Valley Orientation Centre study area shown in the previous figure (orange polygon). Good bedrock exposures of Elliot Formation mudrocks are not seen here, while channel sandstones are exposed along the stream to the west.





Figure 93. View south-eastwards across the Mapungubwe Valley Orientation Centre study area towards the west-east ridge of Clarens sandstone to the south. The undulating Elliot sandstone bedrock surfaces in the foreground lie outside and west of the area itself.



Figure 94. View southwards across the study area with scabby-weathering Elliot Formation sandstones and overlying downwasted surface gravels in the foreground.





Figure 95. Thick banks of gravelly alluvial and colluvial superficial deposits in the southern sector of the study area, close to the sandstone *koppie*.



Figure 96. Huge downwasted scree blocks of Clarens sandstone bounding the study area on the southern side with an apron of gravelly colluvial and alluvial deposits in the foreground.





Figure 97. Angular clasts of pinkish to creamy-hued cherty material (occasionally anthropogenically flaked) along surface gravels (Scale in cm and mm). The "cherts" may be derived from a silcrete-rich zone within the uppermost Elliot Formation redbeds.



Figure 98. Downwasted block of porphyritic Karoo dolerite showing large, pale, often blade-like phenocrysts of plagioclase feldspar in a dark brown matrix (Scale in cm).





Figure 99. Brownish siliceous concretion (possibly septarian) of probable pedogenic origin downwasted from the Elliot Formation (Scale in cm).



Figure 100. Sparsely gravelly, sandy alluvium mantling the southern sector of the study area, viewed towards the south.






Figure 101. Small isolated, steep-sided *koppie* or *butte* of Clarens sandstone some 400 m NE of the study area flanked on the near side by a darker, W-E orientated dolerite dyke.



Figure 102. Shady spot c. 340 km SE of Mapungubwe Hill where it is proposed to build a shelter for hikers ( $22^{\circ}$  12' 52.5 S,  $29^{\circ}$  23' 10.4 E). The area is underlain by thick sandy alluvial deposits.



The project area for the Mapungubwe Youth Centre Dormitories is situated on land parcel Hamilton 41MS in flat Mopaneveld, some 180 m north of the R572 tar road to Musina. The terrain is already highly disturbed from previous building activities (Fig. 27). It is blanketed by orange-brown sandy soils with dispersed calcrete gravels. A well-developed calcrete hardpan is visible locally at surface along the northern periphery of the project area which lies along the border of the Clarens Formation and Elliot Formation outcrop areas on the geological map (Fig. 28). No bedrock exposures are visible here.

No fossil remains were recorded in the project area during the short site visit. The Late Caenozoic superficial sediments here are of low palaeontological sensitivity.



Figure 103. Highly-disturbed sandy terrain with dispersed calcrete gravels and building rubble on the margins of the Mapungubwe Dormitories project area.





Figure 104. Patchy exposure of a well-developed calcrete hardpan on the NE margins of the Mapungubwe Dormitories project area (Scale = 15 cm).



Figure 105. Google Earth© satellite image showing the location of the project areas for the Dormitories (4) and the partially-constructed Park Management Offices (5), situated in highly- disturbed terrain either side of the R572 Musina tar road and just east of the Mapungube National Park Interpretive Centre (IC).

#### Park Management Offices

The project area for the Park Management Offices, situated some 150 m south of the R572 Musina tar road on land parcel Hamilton 41MS, lies in flat terrain at *c*. 600 m amsl. which has already been highly disturbed by recent building activities as well as previous agricultural lands. Pale brownish gravelly to rubbly soils are seen at surface while heavily calcretised, reddish-brown soils or regolith are exposed in several shallow (< 2m deep) excavations (Figs. 30 & 31). The area lies within the Clarens Formation outcrop area as mapped (Fig. \*\*) but no good bedrock exposures are available to confirm this. No fossil



remains were recorded in the project area during the short site visit. The Late Caenozoic superficial sediments here are of low palaeontological sensitivity.



Figure 106. Sandy, well-consolidated soils with embedded rubbly calcrete gravel clasts, trench exposure at the Park Management Offices site (Hammer = 30 cm).



Figure 107. Shallow recent excavation into calcretised soils and / or regolith at the Park Management Offices site (Hammer = 30 cm).



#### Schroda Orientation Centre

The proposed Schroda Orientation Centre study area is situated on Farm Schroda 46MS some 500 m NE of the Schroda Dam (Figs. 41 & 42). It occupies a gently north-sloping sandy area (c. 565-545 m amsl.) which is backed in the south by a prominent WNW-ESE sandstone ridge reaching up to 603 m high (Figs. 32 to 34). Pronounced WNW-ESE lineaments seen on satellite imagery of the region may be normal faults, possibly associated with dolerite dykes which are shown here on the geological map (Fig. 7) but not exposed at surface within the project area itself. The Clarens sandstone ridge on the southern edge of the study area has a massive appearance for the most part, although some sandstone units show relict large-scale aeolian cross-bedding (Fig. 33). Colluvial fans of large sandstone blocks generated by rock falls occur at intervals. Close to the sandstone cliffs the greyish-brown, sandy to gravelly superficial deposits are deeper and contain local concentrations of archaeological material (Fig. 35). Most of the gently-sloping plateau area to the north is mantled by shallow, orange-brown sandy sediment and superficial gravels that increase in density towards the south. They are composed of clasts of aeolian sandstone, chert-like material (possibly stemming from diagenetic siliceous nodules) and occasional blocks of grey quartzite; these last may be derived from thermally-metamorphosed Clarens sandstone within the metamorphic aureoles of dolerite intrusions. Shallow stream gravels are also encountered on the western edge of the study area (Fig. 36). On the northern margins of the sandy plateau rugged bedrocks of Clarens sandstone build a highly dissected, low rocky scarp facing the Limpopo River. The Clarens sandstone here show local preservation of aeolian cross-sets (southerly palaeocurrents) as well as several karstic weathering features such as case-hardening, surface spalling, surface pitting or honeycomb weathering, polygonal cracking / tessellation and small, steepsided rock basins or gnammas (cf Grab et al. 2011) (Figs. 37 to 40). Another interesting weathering feature seen here is shallow etching of sandstone surfaces by lichen acids (ibid.) (Fig. 46). A prominent set of finely- spaced, NNW-SSE lineations visible on satellite images of Clarens outcrops in this region might reflect north-easterly migration of large-scale aeolian cross-sets.



Figure 108. General view of the Schroda Orientation Centre study area on Farm Schroda 46MS, viewed towards the southwest. Note gravelly soils in the foreground.






Figure 109. West-east trending ridge of Clarens sandstone on the southern edge of the study area, showing large-scale aeolian foresets along the ridge crest and a major rock fall scree breccia on the right.



Figure 110. View northwards across the low-relief, gently sloping study area towards the Limpopo Valley in the distance.





Figure 111. Brownish-grey superficial sediments rich in archaeological materials (including probable human bone) on the northern edge of the study area (Hammer = 30 cm).



Figure 112. Gravelly deposits of mixed alluvial and colluvial origin on the south-western margins of the study area.





Figure 113. Weathered Clarens sandstone bedrock exposures and downwasted sandstone surface gravels on the northern margins of the study area.



Figure 114. Steep-sided rock basin or gnamma etched by solution weathering into the Clarens sandstone bedrocks on the NE margins of the study area (Hammer = 30 cm).





Figure 115. Typical karstic polygonal or "crocodile" weathering on Clarens bedrocks, northern margins of the study area.



Figure 116. Large-scale aeolian cross-bedding generated by S-directed wind currents, Clarens sandstone on northern margins of study area.





Figure 117. Google Earth© satellite image of the northern portion of Farm Schroda 46MS showing the study area (orange polygon) for the proposed Schroda Orientation Centre some 500 m NE of the Schroda Dam. Note the prominent WNW-ESE lineaments in this area - probably related to faults and / or associated dolerite dykes.




Figure 118. Close-up Google Earth© satellite image of the proposed Schroda Orientation Centre showing the locations of the two putative fossil sites (Locs. 455, 456) within Clarens sandstone bedrock exposures just to the north. Neither site should be directly affected by the proposed development.

No fossil remains were recorded within the low-relief, sandy study area for the Schroda Orientation Centre during the short site visit. The Late Caenozoic superficial sediments here are of low palaeontological sensitivity. Two possible fossil sites were noted in the massive to cross-bedded lower Clarens sandstone bedrock exposures just to the north of the study area:

A concentration or assemblage of straight to gently-curved, simple or possibly branching furrows and subcylindrical hollows up to 3 cm wide with smooth to irregular walls (Figs. 43 & 45) (Loc. 455). The hollow structures occur variously on a likely bedding surface or extend obliquely into the bedrock, in some cases with a subparallel orientation. Associated sandstone surfaces locally develop a curious pitted texture picked out in grey. The identity of these



probable fossil remains is unclear and requires further investigation; they might be casts of substantial woody plant axes (stems / roots), invertebrate burrows or even a semi-articulated vertebrate skeleton.

A prominent-weathering structure some 60 cm long embedded within massive sandstone, club- shaped and branching at one end and tapering towards the other (Figs. 46 & 47) (Loc. 456). Smaller surface protrusions in the sandstone to one side may or may not be significant. This structure might be of biological rather than concretionary origin but, if so, its identity remains equivocal - perhaps the cast of a plant root or even a vertebrate bone. However, it is noted that vertebrate fossils recorded from the Clarens sandstone are normally preserved as hollow moulds, not casts.

These two enigmatic fossil (or, in one case, possibly pseudofossil) sites lie well outside the study area for the proposed Schroda Orientation Centre and should therefore not be directly impacted by the proposed development (See red and yellow triangles in satellite image Fig. 42).



Figure 119. Overlapping or branching hollow structures of biological origin within a cross-bedded exposure of aeolian Clarens sandstone just north of the Schroda Orientation Centre study area (22°10'52.11"S, 29°25'30.54"E) (Loc. 455) ()Scale = 15 cm). The identity of these fossils is equivocal.





Figure 120. Different, oblique view of the same fossil occurrence.



Figure 121. More inclined view of the same fossil occurrence (Hammer = 30 cm).






Figure 122. Prominent-weathering, branched structure within Clarens sandstone bedrock exposure just north of the Schroda Orientation Centre study area (22°10'51.41"S, 29°25'33.59"E) (Loc. 456). This might represent a plant root cast (Hammer = 33 cm). Note shallow lichen-weathering pits in the surrounding matrix.



Figure 123. Close-up of the c. 60 cm-long possible fossil structure shown in the previous figure.



## Conclusions and recommendations

The Mapungubwe National Park is underlain by continental sediments of the Karoo Supergroup (Stormberg Subgroup) of Late Triassic to Early Jurassic age that are correlated with the Elliot and Clarens Formations of the Main Karoo Basin. Previous palaeontological studies have demonstrated that the fluvial Elliot redbeds here contain abundant vertebrate fossils – principally of sauropodomorph dinosaurs - as well as rare vertebrate trackways (Bordy & Catuneanu 2001, Brandl 2002). While most of the fossil material exposed at surface is highly-weathered and of limited scientific value, some specimens may represent undescribed new dinosaur taxa (Prof. J. Choniere, Wits University). Other fossil groups represented within the overlying Clarens Formation in the region include petrified logs and various burrows, including putative termitaria and vertebrate burrows (Bordy & Catuneanu 2002), while vertebrate body fossils are rare.

A summary of the geological and palaeontological heritage findings for each of the six proposed development sites within the Mapungubwe National Park, together with recommendations concerning mitigation is provided in Table 1 of this report. Thick late Caenozoic alluvial deposits of the Limpopo River underlying the Rhodesdrift Staff Housing site and Mazhou Camp Site are of low palaeontological sensitivity. While the Mapungubwe Valley Orientation Centre is underlain by Elliot Formation bedrocks, potentially fossiliferous mudrocks are not seen here, while the better exposed channel sandstones are generally fossil-poor. The nearby shelter spot for hikers en route to Mapungubwe Hill overlies alluvial deposits of low palaeosensitivity. Sites for the Mapungubwe Dormitories and Park Management Offices and highly disturbed at surface, are mantled by palaeontologically insensitive superficial deposits and overlie fossil-poor Clarens sandstones. The study area for the Schroda Orientation Centre is likewise largely underlain by insensitive Clarens bedocks. Two puzzling occurrences of probable fossil casts and moulds of indeterminate affinity - possibly trace fossils / plant axes and / or vertebrate moulds were recorded from karstified Clarens sandstones just north of and outside the study area (See map Fig. 42 herein); they are unlikely to be affected by the proposed development. Late Caenozoic colluvial rubble, alluvial sands, gravely soils and downwasted gravels encountered at many of the study sites away from the Limpopo River are generally of low palaeontological sensitivity.

It is concluded that, given the low palaeontological sensitivity of the study areas and small development footprints envisaged, the impact significance of all the proposed developments within the Mapungubwe National Park under consideration here is Very Low. There are no objections on palaeontological heritage grounds to the authorisation of the developments. Pending the discovery of significant new fossils during construction, no further specialist palaeontological studies or mitigation are therefore recommended.

It should be noted that any new fossil finds made within the Mapungubwe National Park would be of geotourism as well as scientific research interest and the Chance Fossil Finds Protocol appended to this report should be applied by the responsible ECO during construction. If any substantial fossil remains (e.g. vertebrate bones, teeth, petrified wood) are found during construction SAHRA should be notified immediately (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Phone: +27 (0)21 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). This is so that appropriate mitigation (i.e. recording, sampling or collection) by a palaeontological specialist can be considered and implemented, at the developer's expense (See Chance Fossil Finds Protocol appended to this report).



These recommendations must be incorporated into the Environmental Management Programme for the proposed developments. The palaeontologist concerned with mitigation work will need a valid collection permit from SAHRA. All work would have to conform to international best practice for palaeontological fieldwork and the study (*e.g.* data recording fossil collection and curation, final report) should adhere to the minimum standards for Phase 2 palaeontological studies published by SAHRA (2013).

# **Acknowledgements**

Ms Esther Howard of SANParks and Mr Stephan Gaigher of G&A Heritage (Pty) Ltd, Louis Trichardt, are both thanked for commissioning this study, for providing the relevant background information and for facilitating the fieldwork. The National Park Manager Mnr Conrad Strauss and his colleague Mnr Louw de Bruin, kindly spent time contextualizing the palaeontological heritage study, as well as guiding us to the development sites in the Park. We are grateful to the SANParks Ranger David for accompanying us during one of the days in the field. Professor Jonah Choiniere of the Evolutionary Studies Institute, Wits University, Johannesburg very generously shared his unpublished palaeontological field data and reports for the Mapungubwe National Park. Finally, as always I am very grateful to Ms Madelon Tusenius for logistical support and companionship in the field.



## References

ALMOND, J.E. 2019. Proposed lodge at Lion Farm, Ekland Safaris near Louis Trichardt, Soutpansberg District, Limpopo Province. Palaeontological heritage specialist assessment: combined field-based & desktop study, 32 pp. Natura Viva cc, Cape Town.

BARKER, O.B., BRANDL, G., CALLAGHAN, C.C., ERIKSSON, P.G. & VAN DER NEUT, M. 2006. The

Soutpansberg and Waterberg Groups and the Blouberg Formation. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) The geology of South Africa, pp. 301-318. Geological Society of South Africa, Marshalltown.

BORDY, E. 2006. Sedimentological investigation of the Lower Karoo in the Chapudi Coal Project Area (Tshipise Basin, Limpopo Province, South Africa). Research report complied for Rio Tinto Mining & Exploration Ltd, 28 pp.

BORDY, E. M. & CATUNEANU, O. (2001a). Sedimentology of the upper Karoo fluvial strata in the Tuli Basin, South Africa. Journal of African Earth Sciences 33, 605-629.

BORDY, E. M. & CATUNEANU, O. 2001b. Sedimentology of the lower Karoo Supergroup fluvial strata in the Tuli Basin, South Africa. Journal of African Earth Sciences 35, 503-521.

BORDY, E. M., CATUNEANU, O. 2002. Sedimentology and palaeontology of upper Karoo aeolian strata (Early Jurassic) in the Tuli Basin, South Africa. Journal of African Earth Sciences 35/2, 301-314.

BORDY, E. & HEAD, H.V. 2018. Lithostratigraphy of the Clarens Formation (Stormberg Group, Karoo Supergroup), South Africa. South African Journal of Geology 121, 119-130.

BRANDL, G. 1981. The geology of the Messina area. Explanation to 1: 250 000 geology sheet 2230 Messina, 35 pp. Council for Geoscience, Pretoria.

BRANDL, G. 2002. The geology of the Alldays area. Explanation to 1: 250 000 geology sheet 2228 Alldays, 71 pp. Council for Geoscience, Pretoria.

CHIRIKURE, S. & BANDAMA, F. 2011. HIA study for the proposed construction of visitor orientation infrastructure and conservation and accommodation facilities, Mapungubwe Cultural Landscape World Heritage Site using Icomos Guidelines, 82 pp. Siyathembana Trading Pty (Ltd)

DUNCAN, A.R. & MARSH, J.S. 2006. The Karoo Igneous Province. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) The geology of South Africa, pp. 501-520. Geological Society of South Africa, Marshalltown.

DURAND, J. F. 1996. First vertebrate fossil discovery in the Kruger National Park. South African Journal for Science, 92(7), 302.

DURAND, J.F. 2001. The oldest baby dinosaurs from Africa. Journal for African Earth Sciences, 33(3-4), 597-603.

DURAND, J.F. 2009. Vele Colliery project: desk top study palaeontology, 22 pp.

DURAND, F. 2012. Proposed diamond mine adjacent to Venetia Mine, Limpopo Province: Scoping Palaeontological Report. Unpublished report.

GRAB, S.W., GOUDIE, A.S., VILES, H.A. & WEBB, N. 2011. Sandstone geomorphology of the Golden Gate Highlands National Park, South Africa, in a global context. Koedoe 53, Art. #985, 14 pages. doi:10.4102/koedoe. v53i1.985

GROENEWALD, G. & GROENEWALD, D. 2014. Palaeontological heritage of Limpopo. SAHRA palaeotechnical report, 22 pp.



HUTSON, J.M. & CAIN, C.R. 2008. Reanalysis and reinterpretation of the Kalkbank faunal accumulation, Limpopo Province, South Africa. Journal of Taphonomy 6, 399-428.

KLEIN, R.G. 1984. The large mammals of southern Africa: Late Pliocene to Recent. In: Klein, R.G. (Ed.) Southern African prehistory and paleoenvironments, pp 107-146. Balkema, Rotterdam.

KNOLL, F. 2004. Review of the tetrapod fauna of the "Lower Stormberg Group" of the Main Karoo Basin (southern Africa): implication for the age of the Lower Elliot Formation. Bulletin de la Societe geologique de France, 175, 73-83.

KNOLL, F. 2005. The tetrapod fauna of the Upper Elliot and Clarens Formations in the main Karoo Basin (South Africa and Lesotho). Bulletin de la Societe geologique de France, 176, 81-91.

MACRAE, C. 1999. Life etched in stone. Fossils of South Africa. 305 pp. The Geological Society of South Africa, Johannesburg.

McCARTHY, T. & RUBIDGE, B. 2005. The story of Earth and life: a southern African perspective on a 4.6-billion-year journey. 334pp. Struik, Cape Town.

McCOURT, S. & BRANDL, G. 1980. A lithostratigrapic subdivision of the Karoo Sequence in the northeastern Transvaal. Annals of the Geological Survey of South Africa 14, 51-56.

PARTRIDGE, T.C., BOTHA, G.A. & HADDON, I.G. 2006. Cenozoic deposits of the interior. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) The geology of South Africa, pp. 585-604. Geological Society of South Africa, Marshalltown.

PARTRIDGE, T.C., DOLLAR, E.S.J., MOOLMAN, J. & DOLLAR, L.H. 2010. The geomorphic provinces of South Africa, Lesotho and Swaziland: a physiographic subdivision for earth and environmental scientists. Transactions of the Royal Society of South Africa 65, 1-47.

ROGERS, R.R., ROGERS, K.C., MUNYIKWA, D, TERRY R.C., SINGER, B.S. 2004. Sedimentology and taphonomy of the upper Karoo-equivalent Mpandi Formation in the Tuli Basin of Zimbabwe, with a new 40Ar/39Ar age for the Tuli basalts. Journal of African Earth Sciences 40, 147–161.

RUBIDGE, B.S. 2005. Re-uniting lost continents – fossil reptiles from the ancient Karoo and their wanderlust. 27<sup>th</sup> Du Toit Memorial Lecture. South African Journal of Geology 108, 135-172.

SAHRA 2013. Minimum standards: palaeontological component of heritage impact assessment reports, 15 pp. South African Heritage Resources Agency, Cape Town.

SMITH, R., RUBIDGE, B. & VAN DER WALT, M. 2012. Therapsid biodiversity patterns and paleoenvironments of the Karoo Basin, South Africa. Chapter 2 pp. 30-62 in Chinsamy-Turan, A. (Ed.) Forerunners of mammals. Radiation, histology, biology. xv + 330 pp. Indiana University Press, Bloomington & Indianapolis.

SÖHNGE, P. G., LEROUX, H. D. AND NEL, H. J., 1948. The geology of the country around Messina. Explanation to Map Sheet 46 (Messina), 82 pp. (accompanied by 1:125 000 geological map). Geological Survey of South Africa, Pretoria.

VAN DER BERG, H.J. 1980. Die sedimentologie van die Soutpansberg-steenkoolveld met spesiale verwysing na steenkoolvorming. Unpublished MSc thesis, University of the Orange Free State, Bloemfontein.

VAN EEDEN, O.R. & KEYSER, A.W. 1971. Fossielspore in die Holkranssandsteen op Pont Drift, Distrik Soutpansberg, Transvaal. Annals of the Geological Survey of South Africa 9, 135-137.

VAN HEERDEN, J. 1979. The morphology and taxonomy of *Euskelesaurus* (Reptilia: Saurischa; Late Triassic) from South Africa. Navorsinge van die Nasionale Museum, Bloemfontein 4, 21-84.



VISSER, J.N.J. 1984. A review of the Stormberg Group and Drakensberg volcanics in southern Africa. Palaeontologia africana 25, 5-27.

WHITFIELD, G. & VILJOEN, M. 2016. The citadel of Mapungubwe Chapter 2, pp. 21-26 in Anhaeusser, C.R., Viljoen, M.J. & Viljoen, R.P. (eds.) Africa's top geological sites. Struik Nature, Cape Town




APPENDIX: CHANCE FOSSIL FINDS PROCEDURE: Mapungubwe National Park near Messina			
Province & region:	LIMPOPO PROVINCE, Vhembe District		
Responsible Heritage Resources Authority Rock unit(s)	SAHRA (Contact details: Dr Ragna Redelstorff, SAHRA, P.O. Box 4637, Cape Town 8000. Tel: 021 202 8651. Email: rredelstorff@sahra.org.za or Ms Natasha Higgitt. Tel: 021 462 4502. Email: nhiggitt@sahra.org.za)  Elliot & Clarens Formation (Karoo Supergroup, Stormberg Subgroup), Late Caenozoic alluvium, calcrete		
Potential fossils	Vertebrate (especially dinosaur) bones, teeth, trackways, petrified wood or other plant material, trace fossils within Elliot and Clarens Formations.  Mammalian bones, teeth & horn cores, non-marine molluscs, trace fossils within Late Caenozoic alluvium, calcretes.		
	<ol> <li>Once alerted to fossil occurrence(s): alert site foreman, stop work in area immediately (<i>N.B.</i> safety first!), safety first!, s</li></ol>		
ECO protocol	<ul> <li>Alert Heritage Resources         <ul> <li>Authority and project</li> <li>palaeontologist (if any) who</li> <li>will advise on any necessary</li> <li>mitigation</li> </ul> </li> <li>Ensure fossil site remains         <ul> <li>safeguarded until clearance is</li> <li>given by the Heritage</li> </ul> </li> <li>Careful sedime</li> <li>Careful sedime</li> <li>Alert Heritage</li> </ul>	to leave fossils in situ (emergency procedure only):  Ify remove fossils, as far as possible still enclosed within theoriginal intary matrix (e.g. entire block of fossiliferous rock)  raph fossils against a plain, level background, with scale  Ify wrap fossils in several layers of newspaper / tissue paper / plastic bags and fossils together with locality and collection data (including collector and a box in a safe place for examination by a palaeontologist eritage Resources Authority and project palaeontologist (ifany) who will advise necessary mitigation	




	4	T	
	to resume		
	4. If required by Heritage Resources Authority, ensure that a suitably-qualified specialist palaeontologist is appointed as soon as possible by the developer.		
	5. Implement any further mitigation measures proposed by the palaeontologist and Heritage Resources Authority		
	Record, describe and judiciously sample fossil remains together with relevant contextual data (stratigraphy / sedimentology / taphonomy).		
	Ensure that fossils are curated in an approved repository (e.g. museum / university / Council for Geoscience collection) together with full		
Specialist palaeontologist	collection data. Submit Palaeontological Mitigation report to Heritage Resources Authority. Adhere to best international practice for		
	palaeontological fieldwork and Heritage Resources Authority minimum standards.		
		·	




### **Appendix A – Staff House Detailed Designs**




















# Appendix B – Mazhou Ablution Block Detailed Drawing & Current Camp Site Plan










Proposed Mapungubwe Park Infrastructure HIA & PIA Report






# **Appendix C – Youth Centre Dormitories Detailed Drawings**

















































# **Appendix D – Orientation Centres Detailed Drawings**









































VIEW OF ENTRANCE




South African



South African









### SCHRODA / ZHIZO CONTEXTUAL SUMMARY



POPULATION: ZHIZO PEOPLE, IRON AGE FARMING COMMUNITY PERIOD: 300AD - 1026AD

Schroda is significant for the history of the MCL because of its size and its midden contents, because it is the earliest side in the Limpopo Valley with exotic glass beads and a large amount of worked livery, and because it yielded an extraordinary cache of ceramic (beked day) figurines.

Schroda is estimated to have housed between 300 and 500 people. This in turn implies a level of political power that is not evident at any other sites in the MCL at this time.


The system of political hierarchy in place at that time implies that a chief would have been resident at the Schrodz capital.








SPATIAL DIAGRAMS OF THE CENTRAL CATTLE PATTERN





Figurines of larger and mythical wild animals associated with female initiation rituals.






















### SCHRODA / ZHIZO CONTEXTUAL SUMMARY



POPULATION: ZHIZO PEOPLE, IRON AGE FARMING COMMUNITY PERIOD: 300AD - 1026AD

Schoola is significant for the history of the MCL because of its size and its midden contents, because it is the earliest site in the Limpopo Valley with exotic glass beads and a large amount of worked ivory, and because it yielded an extraordinary cache of ceramic (baked day) figurines.

Schroda is estimated to have housed between 300 and 500 people. This in turn implies a level of political power that is not evident at any other sites in the AICL at this time.


The system of political hierarchy in place at that time implies that a chief would have been resident at the Schroda capital.








SPATIAL DIAGRAMS OF THE CENTRAL CATTLE PATTERN.





Figurines of larger and mythical wild animals associated with female initiation rituals.



Figurines of domesticated animals associated with male initiation rituals.




























# **Appendix E – Park Management Offices Detailed Drawings**

