

GRAVEYARD (GY01)										
Environmental impact, extent, duration, significance and degree to which impact has caused irreplaceable loss	Risk rating (before mitigation)			Environmental objective	Degree to which impact can be reversed and the supporting mitigatory action plan	Timeframe	Responsibility	Risk rating (after mitigation)		
	Probability	Magnitude	Severity					Probability	Magnitude	Severity
<b>ENVIRONMENTAL COMPONENT:</b> Archaeology and heritage										
<b>ACTIVITY:</b> Construction and operational activities										
<b>PROJECT PHASE APPLICABILITY:</b> Construction and operation phase										
<p><u>Impact description:</u></p> <p>The Phase I HIA study for the Meletse Iron Ore Project revealed the presence of a graveyard (GY01).</p> <p>The significance of possible impacts on the graveyard was determined using a ranking scale, based on the following:</p> <p><u>Probability of impact:</u> low</p> <p><u>Magnitude of impact:</u> low</p> <p>Should possible GY02 be encountered in the future the same mitigation measures as those outlined for GY01 must be applied for this possible graveyard.</p>	1	1	L	Conserve and manage graveyard	<p><u>Degree to which impact can be reversed:</u> High</p> <p><u>Proposed management plan:</u></p> <p>Graveyard must be demarcated with a fence/wall and must be fitted with an access gate.</p> <p>Regulated visitor hours compatible with mine safety rules. Will not be necessary if the graveyard can directly be linked with a road leading from the Alma</p>	Commence with construction phase and continue during operation and decommission phase	ECO/ Environmental manager	1	1	L

GRAVEYARD (GY01)										
Environmental impact, extent, duration, significance and degree to which impact has caused irreplaceable loss	Risk rating (before mitigation)			Environmental objective	Degree to which impact can be reversed and the supporting mitigatory action plan	Timeframe	Responsibility	Risk rating (after mitigation)		
	Probability	Magnitude	Severity					Probability	Magnitude	Severity
					<p>road.</p> <p>Corridors of at least 20m should be maintained between the graveyard's fence and any mine infrastructure that may be developed in the future.</p> <p>Must be inspected every three months. Inspections noted in an inspection register. Register must outline the state of the graveyard during each inspection. Reports on damages to graves or the graveyard (fence, wall, gate) must be followed with maintenance work. Maintenance work must be</p>					

GRAVEYARD (GY01)										
Environmental impact, extent, duration, significance and degree to which impact has caused irreplaceable loss	Risk rating (before mitigation)			Environmental objective	Degree to which impact can be reversed and the supporting mitigatory action plan	Timeframe	Responsibility	Risk rating (after mitigation)		
	Probability	Magnitude	Severity					Probability	Magnitude	Severity
					<p>recorded in the inspection register.</p> <p>Graveyards must be kept tidy from invader weeds and other refuse.</p>					