PALAEONTOLOGICAL DESKTOP ASSESSMENT FOR THE PROPOSED NCHWANING RAIL BALLOON TURN OUTS AT BLACK ROCK MINE OPERATIONS NEAR HOTAZEL, NORTHERN CAPE

Client – Assmang (Pty) Ltd – Black Rock Mine Operations.

EAP – EScience Associates (Pty) Ltd.

Issue Date:	**10 June 2020**
Revision No.:	v0
Client:	EScience Associates (Pty) Ltd.

Declaration of Independence

I, Elize Butler, declare that –

General declaration:

- I act as the independent palaeontological specialist in this application
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favorable to the applicant
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting palaeontological impact assessments, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation;
- I will take into account, to the extent possible, the matters listed in section 38 of the NHRA when preparing the application and any report relating to the application;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;
- I will ensure that information containing all relevant facts in respect of the application is distributed or made available to interested and affected parties and the public and that participation by interested and affected parties is facilitated in such a manner that all interested and affected parties will be provided with a reasonable opportunity to participate and to provide comments on documents that are produced to support the application;
- I will provide the competent authority with access to all information at my disposal regarding the application, whether such information is favorable to the applicant or not
- All the particulars furnished by me in this form are true and correct;
- I will perform all other obligations as expected a palaeontological specialist in terms of the Act and the constitutions of my affiliated professional bodies; and
- I realize that a false declaration is an offense in terms of regulation 71 of the Regulations and is punishable in terms of section 24F of the NEMA.

Disclosure of Vested Interest

I do not have and will not have any vested interest (either business, financial, personal or other) in the proposed activity proceeding other than remuneration for work performed in terms of the Regulations.

PALAEONTOLOGICAL CONSULTANT: Banzai Environmental (Pty) Ltd

CONTACT PERSON: Elize Butler

Tel: +27 844478759

Email: elizebutler002@gmail.com

SIGNATURE:

This Palaeontological Impact Assessment report has been compiled considering the National Environmental Management Act 1998 (NEMA) and Environmental Impact Regulations 2014 as amended, requirements for specialist reports, Appendix 6, as indicated in the table below.

Table 1: NEMA Table.

Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	**Relevant section in report**	**Comment where not applicable.**
1.(1) (a) (i) Details of the specialist who prepared the report	Page ii and Section 2 of Report – Contact details and company and Appendix A	-
(ii) The expertise of that person to compile a specialist report including a curriculum vita	Section 2 – refer to Appendix A	-
(b) A declaration that the person is independent in a form as may be specified by the competent authority	Page ii of the report	-
(c) An indication of the scope of, and the purpose for which, the report was prepared	Section 4 – Objective	-
(cA) An indication of the quality and age of base data used for the specialist report	Section 5 – Geological and Palaeontological history	-
(cB) a description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change;	Section 9	-
(d) The duration, date and season of the site investigation and the relevance of the season to the outcome of the assessment	Desktop Study	
(e) a description of the methodology adopted in preparing the report or carrying out the specialised process inclusive of equipment and modelling used	Section 7 Approach and Methodology	-
(f) details of an assessment of the specific identified sensitivity of the site related to the proposed activity or activities and its associated structures and infrastructure, inclusive of a site plan identifying site alternatives;	Section 1 and 10	
(g) An identification of any areas to be avoided, including buffers	Section 5	No buffers or areas of sensitivity identified
(h) A map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers;	Section 5 – Geological and Palaeontological history	

Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017	Relevant section in report	Comment where not applicable.
(i) A description of any assumptions made and any uncertainties or gaps in knowledge;	Section 7.1 – Assumptions and Limitation	-
(j) A description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives, on the environment	Section 1 and 10	
(k) Any mitigation measures for inclusion in the EMPr	Section 11	
(l) Any conditions for inclusion in the environmental authorisation		None required
(m) Any monitoring requirements for inclusion in the EMPr or environmental authorisation	Section 11	
(n)(i) A reasoned opinion as to whether the proposed activity, activities or portions thereof should be authorised and	Section 1 and 10	
(n)(iA) A reasoned opinion regarding the acceptability of the proposed activity or activities; and		
(n)(ii) If the opinion is that the proposed activity, activities or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan	Section 1 and 10	-
(o) A description of any consultation process that was undertaken during the course of carrying out the study	N/A	
(p) A summary and copies if any comments that were received during any consultation process	N/A	
(q) Any other information requested by the competent authority.	N/A	
(2) Where a government notice by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply.	Section 3 compliance with SAHRA guidelines	

EXECUTIVE SUMMARY

Banzai Environmental was appointed by EScience Associates (Pty) Ltd. to conduct the Palaeontological Desktop Assessment (DIA) to assess the proposed Nchwaning Rail Balloon Turn Outs at Black Rock Mine Operations (BRMO) near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. The National Heritage Resources Act (No 25 of 1999, section 38), states that a PIA is necessary to detect the presence of fossil material within the planned development footprint. This DIA is thus necessary to evaluate the effect of the construction on the Palaeontological Heritage.

The proposed Nchwaning Rail Balloon Turn Outs at BRMO, near Hotazel, Northern Cape is completely underlain by the Cenozoic Kalahari Group as well underlying Griqualand West Basin rocks, Transvaal Supergroup. According to the PalaeoMap of SAHRIS the Palaeontological Sensitivity of the Kalahari Group is low while that of the Griqualand West rocks of the Transvaal Supergroup is moderate.

It is therefore considered that the Nchwaning Rail Balloon Turn Outs at BRMO, Hotazel, Northern Cape is deemed appropriate and feasible and will not lead to detrimental impacts on the palaeontological resources of the area. Thus, the construction and operation of the Nchwaning Rail Balloon Turn Outs may be authorised as the whole extent of the development footprint is not considered sensitive in terms of palaeontological resources.

If fossil remains or trace fossils are discovered during any phase of construction, either on the surface or exposed by excavations the Chance Find Protocol must be implemented by the Environmental Control Officer (ECO) in charge of these developments. These discoveries ought to be protected and the ECO must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation can be carry out by a paleontologist.

It is consequently recommended that no further palaeontological heritage studies, ground truthing and/or specialist mitigation are required pending the discovery of newly discovered fossils.

TABLE OF CONTENT

1 INTRODUCTION 7

2 QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR 12

3 LEGISLATION 12

3.1 National Heritage Resources Act (25 of 1999) 12

4 OBJECTIVE 13

5 GEOLOGICAL AND PALAEONTOLOGICAL HISTORY 13

6 GEOGRAPHICAL LOCATION OF THE SITE 19

7 METHODS 19

7.1 Assumptions and Limitations 19

8 ADDITIONAL INFORMATION CONSULTED 19

9 IMPACT ASSESSMENT METHODOLOGY 20

9.1 Methodology for Impact Assessment 20

9.1 Summary of Impact Tables 25

10 FINDINGS AND RECOMMENDATIONS 25

11 CHANCE FINDS PROTOCOL 26

11.1 CHANCE FIND PROCEDURE 26

12 REFERENCES 27

List of Figures

Figure 1: Google Earth Hybrid Image (2020) of the proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. The southern extension is indicated in pink, northern extension in red and the northern switchover in light blue. *8*

Figure 2: The proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. Picture provided by ESCIENCE Associates (Pty) Ltd. *9*

Figure 3: Plan drawing of the proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. Picture provided by ESCIENCE Associates (Pty) Ltd. *10*

Figure 4: Extract of the 2722 BB Topographical map indicating the locality of the proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. 11
Figure 5: The Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the Northern Cape is (indicated in pink, light blue and red) is completely underlain by the Kalahari Formation and underlying Griqualand West Basin rocks, Transvaal Supergroup. 16
Figure 6: Example of a well-preserved stromatolite from the Archaean Era..... 17
Figure 7: Extract of the 1 in 250 000 SAHRIS PalaeoMap map (Council of Geosciences). Approximate location of the proposed development is indicated in blue 18

List of Tables

Table 1: NEMA Table. 2
Table 2: Generalised Stratigraphic Column and Associated Geology 14
Table 3: Table modified from Palaeotechnical Report (Almond and Pether 2009). .. 15
Table 4: Quantitative rating and equivalent descriptors for the impact assessment criteria 29
Table 5: Description of the significance rating scale..... 29
Table 6: Description of the Spatial significance rating scale..... 30
Table 7: Description of the temporal rating scale 31
Table 8: Description of the degree of probability of an impact occurring 31
Table 9: Description of the degree of certainty rating scale..... 32
Table 10: Example of Rating Scale 32
Table 11: Impact Risk Classes 33

Appendix A: Methodology for Impact Assessment
Appendix A: CV

1 INTRODUCTION

(Information provided by EScience Associates (Pty) Ltd)

Assmang Pty Ltd, operates the Nchwaning Rail Balloon at their BRMO near Hotazel, Northern Cape. The balloon has been designed to accommodate 104-wagon trains. In preparation of receiving 125-wagon trains at the balloon, Assmang proposes to extend the clear lengths in the balloon. The existing clear length will be increased by moving four turnouts on the arrival lines and two turnouts on the departure lines (Figure 1-3).

Figure 1: Google Earth Hybrid Image (2020) of the proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. The southern extension is indicated in pink, northern extension in red and the northern switchover in light blue.

Figure 2: The proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. Picture provided by ESCIENCE Associates (Pty) Ltd.

Figure 3: Plan drawing of the proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. Picture provided by ESCIENCE Associates (Pty) Ltd.



Figure 4: Extract of the 2722 BB Topographical map indicating the locality of the proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape.

2 QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR

The author (Elize Butler) has an MSc in Palaeontology from the University of the Free State, Bloemfontein, South Africa. She has been working in Palaeontology for more than twenty-four years. She has extensive experience in locating, collecting and curating fossils, including exploration field trips in search of new localities in the Karoo Basin. She has been a member of the Palaeontological Society of South Africa since 2006. She has been conducting PIAs since 2014.

3 LEGISLATION

3.1 National Heritage Resources Act (25 of 1999)

Cultural Heritage in South Africa, includes all heritage resources, is protected by the National Heritage Resources Act (Act 25 of 1999) (NHRA). Heritage resources as defined in Section 3 of the Act include **"all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens**".

Palaeontological heritage is unique and non-renewable and is protected by the NHRA. Palaeontological resources may not be unearthed, broken moved, or destroyed by any development without prior assessment and without a permit from the relevant heritage resources authority as per section 35 of the NHRA.

This Palaeontological Desktop Assessment forms part of the Heritage Impact Assessment (HIA) and adhere to the conditions of the Act. According to **Section 38 (1)**, an HIA is required to assess any potential impacts to palaeontological heritage within the development footprint where:

- the construction of a road, wall, power line, pipeline, canal or other similar form of linear development or barrier exceeding 300 m in length;
- the construction of a bridge or similar structure exceeding 50 m in length;
- any development or other activity which will change the character of a site—
- (exceeding 5 000 m^2 in extent; or
- involving three or more existing erven or subdivisions thereof; or
- involving three or more erven or divisions thereof which have been consolidated within the past five years; or
- the costs of which will exceed a sum set in terms of regulations by SAHRA or a provincial heritage resources authority
- the re-zoning of a site exceeding 10 000 m^2 in extent;
- or any other category of development provided for in regulations by SAHRA or a Provincial heritage resources authority.

4 OBJECTIVE

The objective of a Palaeontological Desktop Assessment is to determine the impact of the development on potential palaeontological material at the site.

According to the "SAHRA APM Guidelines: Minimum Standards for the Archaeological and Palaeontological Components of Impact Assessment Reports" the aims of the PIA are: 1) to **identify** the palaeontological status of the exposed as well as rock formations just below the surface in the development footprint 2) to assess the **palaeontological importance** of the formations 3) to determine the **impact** on fossil heritage, and 4) to **recommend** how the developer ought to protect or mitigate damage to fossil heritage.

When a palaeontologist compiles a desktop study, the potentially fossiliferous rocks present within the development are established from 1:250 000 geological maps. The topography of the development is identified by 1:50 000 topography maps and Google Earth Images. Previous palaeontological impact studies in the same region, the PalaeoMap from SAHRIS; and databases of various institutions which identify fossils found in close proximity to the development is used to identify the fossil heritage within each rock. The palaeontological status of each rock component is calculated and the possible impact of the development on fossil heritage is determined by a) the palaeontological importance of the rocks, b) the quantity of bedrock removed and c) the type of development.

When it is determined that the development footprint has a **moderate to high sensitivity, a field-based assessment** by a palaeontologist is necessary. By using the desktop and the field survey of the exposed rock the impact significance of the planned development is calculated and recommendations for any further studies or mitigation are made. Usually, destructive impacts on palaeontological heritage only occur during the construction phase and the excavations will change the current topography and may destruct or permanently seal-in fossils at or below the ground surface. Fossil Heritage will then no longer be accessible for scientific research.

Mitigation may precede construction or even better occur during construction when potentially fossiliferous bedrock is exposed. Mitigation comprises the collection and recording of fossils. It is important that preceding the excavation of any fossil heritage a permit from SAHRA must be obtained and the material will have to be housed in a permitted institution. When mitigation is applied correctly, a positive impact as possible because our knowledge of local palaeontological heritage may be increased

5 GEOLOGICAL AND PALAEONTOLOGICAL HISTORY

The proposed Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the Northern Cape is indicated in the 1:250 000 Kuruman Geological Map (Council of Geosciences) and is underlain by the

Cretaceous to Tertiary Kalahari formation (Qs) and underlying Griqualand West Basin rocks, Transvaal Supergroup of Vaalian age (Figure 5).

Table 2: Generalised Stratigraphic Column and Associated Geology

Stratigraphy			Lithology	
Kalahari Formation (Qs and Q)			Clay, limestone and sand	
Transvaal Supergroup	Postmansburg Group	Voëlwater Subgroup	Hotazel Formation	Iron Formation
				Upper Mn ore body
				Middle Mn ore body
				Iron Formation
				Lower Mn ore body
				Mn-rich iron formation
				Iron Formation
			Ongeluk Formation	Basaltic lava

The **Kalahari deposits** is approximately Ca 65 – 2.5 million years old (Ma).
The Cenozoic Kalahari Group is the most widespread body of terrestrial sediments in southern Africa. The Cenozoic sands and calcretes of the Kalahari Group range in thickness from a few meters to more than 180m (Partridge et al., 2006). The youngest formation of the Kalahari Group is the Gordonia Formation which is generally termed Kalahari sand and comprises of red aeolian sands that covers most of the Kalahari Group sediments. The pan sediments of the area originated from the Gordonia Formation and contains white to brown fine-grained silts, sands, and clays. Some of the pans consist of clayey material mixed with evaporates that shows seasonal effects of shallow saline groundwaters. Quaternary alluvium, aolian sands, surface limestone, silcrete, and terrace gravels are also included in the Kalahari Group (Kent 1980).

The fossil assemblages of the Kalahari are generally moderate in diversity and occur over a wide range and thus the palaeontological diversity of this Group is moderate. These fossils represent terrestrial plants and animals with a close resemblance to living forms (see Table 2). Fossil assemblages include bivalves, diatoms, gastropod shells, ostracods and trace fossils.

Hotazel is in the **Griqualand West Basin**, Northern Cape Province which consists of clastic sediments as well as volcanic rocks, diamictites and banded iron formations. Manganese deposits is present in the Hotazel Formation, upper Postmasburg Group (approximately 2222 Ma). The Vryburg Formation is the basal unit and overlies unconformably the granite and rocks of the Ventersdorp Supergroup. The Campbell Group overlies the Vryburg Formation and consists of the Schmidtsdrif Formation and the

upper Ghaap Plateau Formation. The Griquatown Group is divided into two formations namely the Asbestos Hills and Koegas Formations. The Gamagara Formation follows and is positioned on the Maremane Anticline and is overlain by the Makganyene Formation. The Cox Group comprises of the lower Ongeluk Formation and the upper Voëlwater Formation. The Ongeluk Formation was deposited under water and reaches a thickness of between 400 and 900 m. This Formation is basal and is mainly volcanic (Visser 1989). Manganese is present in the upper Voëlwater Formation (Snyman 1996). According to Kent (1980) and Snyman (1996) Griqualand West Basin attains a maximum thickness of 4500 m.

Algal growth structures, also known as “stromatolites”, are fossil structures described from the dolomites of the Transvaal Supergroup. Stromatolites are layered mounds, columns and sheet-like sedimentary rocks These structures were originally formed by the growth of layer upon layer of cyanobacteria, a single-celled photosynthesizing microbe. Cyanobacteria are prokaryotic cells (simplest form of modern carbon-bases life). Stromatolites are first found in Precambrian rocks and are known as the earliest known fossils (Figure 6). The oxygen atmosphere that we depend on was generated by numerous cyanobacteria photosynthesizing during the Archaean and Proterozoic Era.

Table 3: Table modified from Palaeotechnical Report (Almond and Pether 2009).

Subgroup/ sequence	**Group**	**Formation**	**Fossil Heritage**	**Comment**
Tertiary-Quaternary	Kalahari	-	Terrestrial organisms	Trace fossils, ostracods, bivalves, gastropod shells, diatoms
Griqualand West Super Group	Campbell	Ghaapplato (Vgh)	Stromatolites	Cyanobacterial microfossils
-	Griquastad	Asbestos Hills	Stromatolites	Cynanobacterial microfossils



Figure 5: The Nchwaning Rail Balloon Turn Outs at BRMO near Hotazel in the Northern Cape is (indicated in pink, light blue and red) is completely underlain by the Kalahari Formation and underlying Griqualand West Basin rocks, Transvaal Supergroup.

Legend to Map and short explanation.

Qs – Red to flesh-colored wind-blown sand (beige). Kalahari Group. Quaternary.

Tl – Surface limestone (yellow). Kalahari Group.

---f--- – (black) Fault.

Mining Activities

Mn – Manganese.

Figure 6: Example of a well-preserved stromatolite from the Archaean Era.

Figure 7: Extract of the 1 in 250 000 SAHRIS PalaeoMap map (Council of Geosciences). Approximate location of the proposed development is indicated in blue

Colour	Sensitivity	Required Action
RED	VERY HIGH	Field assessment and protocol for finds is required
ORANGE/YELLOW	HIGH	desktop study is required and based on the outcome of the desktop study, a field assessment is likely
GREEN	MODERATE	desktop study is required
BLUE	LOW	no palaeontological studies are required however a protocol for finds is required
GREY	INSIGNIFICANT/ZERO	no palaeontological studies are required
WHITE/CLEAR	UNKNOWN	these areas will require a minimum of a desktop study. As more information comes to light, SAHRA will continue to populate the map.

According to the SAHRIS PalaeoSensitivity map (Figure 7) there is moderate chance of finding fossils in this area.

6 GEOGRAPHICAL LOCATION OF THE SITE

The centre coordinate of the Nchwaning Rail Balloon is 27° 8.852'S, 22° 52.524'E. The location of the Balloon is on Portion 1 of the farm Gloria 226. The proposed development is about 12 kilometres north-west of Hotazel and approximately 80 km from Kuruman in the Northern Cape Province. Portion 1 of the farm Gloria is approximately 132 ha in extent. The area adjacent to the proposed BRMO has been altered by mining and industrial land use.

7 METHODS

A desktop study was assembled to evaluate the possible risk to palaeontological heritage (this includes fossils as well as trace fossils) in the proposed development area. In compiling the desktop report aerial photos, Google Earth 2020, topographical and geological maps and other reports from the same area as well as the author's experience were used to assess the proposed development footprint.

7.1 Assumptions and Limitations

The accuracy of Palaeontological Desktop Assessments is reduced by several factors which may include the following: the databases of institutions are not always up to date and relevant locality and geological information were not accurately documented in the past. Various remote areas of South Africa have not been assessed by palaeontologists and data is based on aerial photographs alone. Geological maps concentrate on the geology of an area and the sheet explanations were never intended to focus on palaeontological heritage.

Similar Assemblage Zones, but in different areas is used to provide information on the presence of fossil heritage in an unmapped area. Desktop studies of similar geological formations and Assemblage Zones generally **assume** that exposed fossil heritage is present within the development area. The accuracy of the Palaeontological Impact Assessment is thus improved considerably by conducting a field-assessment.

8 ADDITIONAL INFORMATION CONSULTED

In compiling this report the following sources were consulted:

- The Palaeosensitivity Map from the SAHRIS website.
- 2722 BB Topographical map
- Geological map 1:100 000, Geology of the Republic of South Africa (Visser 1984)
- Geological Map 1: 250 000 2722 Kuruman, (Moen 1979).

- A Google Earth map with polygons of the proposed development was obtained from *ESCIENCE Associates*.

9 IMPACT ASSESSMENT METHODOLOGY

An assessment of the impact significance of the proposed Nchwaning Rail Balloon Extension on local fossil heritage is presented here:

9.1 Methodology for Impact Assessment

In order to ensure uniformity, a standard impact assessment methodology has been utilised so that a wide range of impacts can be compared. The impact assessment methodology makes provision for the assessment of impacts against the following criteria:

Significance;
Spatial scale;
Temporal scale;
Probability; and
Degree of certainty.

A combined quantitative and qualitative methodology was used to describe impacts for each of the aforementioned assessment criteria. A summary of each of the qualitative descriptors, along with the equivalent quantitative rating scale for each of the aforementioned criteria, is given in **Table 2.**

Table 2: Quantitative rating and equivalent descriptors for the impact assessment criteria

RATING	SIGNIFICANCE	EXTENT SCALE	TEMPORAL SCALE
1	VERY LOW	*Isolated site/ proposed corridor*	Incidental
2	LOW	*Study area*	Short-term
3	MODERATE	*Local*	Medium-term
4	HIGH	*Regional / Provincial*	Long-term
5	VERY HIGH	*Global / National*	Permanent

A more detailed description of each of the assessment criteria is given in the following sections.

Significance Assessment

The Significance rating (importance) of the associated impacts embraces the notion of extent and magnitude, but does not always clearly define these, since their importance in the rating scale is very relative. For example, the magnitude (i.e. the size) of an area affected by atmospheric pollution may be extremely large (1000 km^2) but the significance of this effect is dependent on the concentration or level of pollution. If the concentration is great, the significance of the impact would be HIGH or VERY HIGH, but if it is diluted it would be VERY LOW or LOW. Similarly, if 60 ha of a grassland type are destroyed, the impact would be VERY HIGH if only 100 ha of that grassland type were known. The impact would be VERY LOW if the grassland type were common.

A more detailed description of the impact significance rating scale is given in **Table 3** below.

Table 3: Description of the significance rating scale

RATING		DESCRIPTION
5	VERY HIGH	Of the highest order possible within the bounds of impacts which could occur. In the case of adverse impacts: there is no possible mitigation and/or remedial activity which could offset the impact. In the case of beneficial impacts, there is no real alternative to achieving this benefit.
4	HIGH	Impact is of substantial order within the bounds of impacts which could occur. In the case of adverse impacts: mitigation and/or remedial activity is feasible but difficult, expensive, time-consuming or some combination of these. In the case of beneficial impacts, other means of achieving this benefit are feasible but they are more difficult, expensive, time-consuming or some combination of these.
3	MODERATE	Impact is real but not substantial in relation to other impacts, which might take effect within the bounds of those which could occur. In the case of adverse impacts: mitigation and/or remedial activity are both feasible and fairly easily possible. In the case of beneficial impacts: other means of achieving this benefit are about equal in time, cost, effort, etc.
2	LOW	Impact is of a low order and therefore likely to have little real effect. In the case of adverse impacts: mitigation and/or remedial activity is either easily achieved or little will be required, or both. In the case of beneficial impacts, alternative means for achieving this benefit are likely to be easier, cheaper, more effective, less time consuming, or some combination of these.
1	VERY LOW	Impact is negligible within the bounds of impacts which could occur. In the case of adverse impacts, almost no mitigation and/or remedial activity are needed, and any minor steps which might be needed are easy, cheap, and simple. In the case of beneficial impacts, alternative means are almost all likely to be better, in one or a number of ways,

		than this means of achieving the benefit. Three additional categories must also be used where relevant. They are in addition to the category represented on the scale, and if used, will replace the scale.
0	NO IMPACT	There is no impact at all - not even a very low impact on a party or system.

Spatial Scale

The spatial scale refers to the extent of the impact i.e. will the impact be felt at the local, regional, or global scale. The spatial assessment scale is described in more detail in the table below.

Table 4: Description of the Spatial significance rating scale

RATING		DESCRIPTION
5	Global/National	The maximum extent of any impact.
4	Regional/Provincial	The spatial scale is moderate within the bounds of possible impacts, and will be felt at a regional scale (District Municipality to Provincial Level). The impact will affect an area up to 50 km from the proposed site.
3	Local	The impact will affect an area up to 5 km from the proposed site.
2	Study Area	The impact will affect an area not exceeding the boundary of the study area.
1	Isolated Sites / proposed site	The impact will affect an area no bigger than the site.

Temporal/Duration Scale

In order to accurately describe the impact, it is necessary to understand the duration and persistence of an impact in the environment. The temporal or duration scale is rated according to criteria set out in **Table 5.**

Table 5: Description of the temporal rating scale

RATING		DESCRIPTION
1	Incidental	The impact will be limited to isolated incidences that are expected to occur very sporadically.

2	Short-term	The environmental impact identified will operate for the duration of the construction phase or a period of less than 5 years, whichever is the greater.
3	Medium-term	The environmental impact identified will operate for the duration of life of the project.
4	Long-term	The environmental impact identified will operate beyond the life of operation of the project.
5	Permanent	The environmental impact will be permanent.

Degree of Probability

The probability, or likelihood, of an impact occurring will be described as shown in **Table** 6 below.

Table 6: Description of the degree of probability of an impact occurring

RATING	DESCRIPTION
1	Practically impossible
2	Unlikely
3	Could happen
4	Very likely
5	It's going to happen / has occurred

Degree of Certainty

As with all studies, it is not possible to be 100% certain of all facts, and for this reason a standard "degree of certainty" scale is used, as discussed in **Table 7.** The level of detail for specialist studies is determined according to the degree of certainty required for decision-making. The impacts are discussed in terms of affected parties or environmental components.

Table 7: Description of the degree of certainty rating scale

RATING	DESCRIPTION
Definite	More than 90% sure of a particular fact.
Probable	Between 70 and 90% sure of a particular fact, or of the likelihood of that impact occurring.
Possible	Between 40 and 70% sure of a particular fact, or of the likelihood of an impact occurring.
Unsure	Less than 40% sure of a particular fact or the likelihood of an impact occurring.

Can't know	The consultant believes an assessment is not possible even with additional research.

Quantitative Description of Impacts

To allow for impacts to be described in a quantitative manner, in addition to the qualitative description given above, a rating scale of between 1 and 5 was used for each of the assessment criteria. Thus the total value of the impact is described as the function of significance, spatial and temporal scale, as described below:

Impact Risk = (SIGNIFICANCE (3) **+***Spatial (2)* **+** Temporal (5)) X Probability (2)
3 5

An example of how this rating scale is applied is shown below:

Table 8: Example of Rating Scale

IMPACT	SIGNIFICANCE	SPATIAL SCALE	TEMPORAL SCALE	PROBABILITY	RATING
	Low	Study area	Permanent	Could Happen	**LOW**
Impact on heritage sites	2	2	5	2	1.2

Note: The significance, spatial and temporal scales are added to give a total of 9, which is divided by 3 to give a criterion rating of 3. The probability (2) is divided by 5 to give a probability rating of 0.4. The criteria rating of 3 is then multiplied by the probability rating (0,4) to give the final rating of 1,2.

The impact risk is classified according to 5 classes as described in the table below.

Table 9: Impact Risk Classes

RATING	IMPACT CLASS	DESCRIPTION
0.1 – 1.0	1	Very Low
1.1 – 2.0	2	Low
2.1 – 3.0	3	Moderate
3.1 – 4.0	4	High
4.1 – 5.0	5	Very High

An impact rating of 1.2 will fall in the Impact Class 2, which will be considered to be a low impact.

9.1 Summary of Impact Tables

The development footprint is completely underlain by the Kalahari Formation. The Palaeontological Sensitivity of this formation is rated as Low. The expected duration of the impact is assessed as potentially permanent to long term. In the absence of mitigation procedures (should fossil material be present within the affected area) the damage or destruction of any palaeontological materials will be permanent. Impacts on palaeontological heritage during the construction phase could potentially occur but are regarded as having a Low possibility.

The significance, spatial and temporal scales are added to give a total of 9, which is divided by 3 to give a criterion rating of 3. The probability (2) is divided by 5 to give a probability rating of 0.4. The criteria rating of 3 is then multiplied by the probability rating (0,4) to give the final rating of 1,2 and falls Impact Class 2.

10 FINDINGS AND RECOMMENDATIONS

The proposed Nchwaning Rail Balloon Turn Outs at Black Rock Mining Operations (BRMO), Hotazel, Northern Cape is completely underlain by the Cenozoic Kalahari Group as well underlying Griqualand West Basin rocks, Transvaal Supergroup. According to the PalaeoMap of SAHRIS the Palaeontological Sensitivity of the Kalahari Group is low while that of the Griqualand West rocks of the Transvaal Supergroup is moderate.

It is therefore considered that the Nchwaning Rail Balloon Turn Outs at BRMO, Hotazel, Northern Cape is deemed appropriate and feasible and will not lead to detrimental impacts on the palaeontological resources of the area. Thus, the construction and operation of the Nchwaning Rail Balloon Turn Outs may be authorised as the whole extent of the development footprint is not considered sensitive in terms of palaeontological resources.

If fossil remains or trace fossils are discovered during any phase of construction, either on the surface or exposed by excavations the Chance Find Protocol must be implemented by the Environmental Control Officer (ECO) in charge of these developments. These discoveries ought to be protected and the ECO must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation can be carry out by a paleontologist.

It is consequently recommended that no further palaeontological heritage studies, ground truthing and/or specialist mitigation are required pending the discovery of newly discovered fossils.

11 CHANCE FINDS PROTOCOL

A following procedure will only be followed if fossils are uncovered during excavation.

Legislation

Cultural Heritage in South Africa (includes all heritage resources) is protected by the **National Heritage Resources Act (Act 25 of 1999) (NHRA).** According to Section 3 of the Act, all Heritage resources include **"all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens**".

Palaeontological heritage is unique and non-renewable and is protected by the NHRA and are the property of the State. It is thus the responsibility of the State to manage and conserve fossils on behalf of the citizens of South Africa. Palaeontological resources may not be excavated, broken, moved, or destroyed by any development without prior assessment and without a permit from the relevant heritage resources authority as per section 35 of the NHRA.

Background

A fossil is the naturally preserved remains (or traces) of plants or animals embedded in rock. These plants and animals lived in the geologic past millions of years ago. Fossils are extremely rare and irreplaceable. By studying fossils it is possible to determine the environmental conditions that existed in a specific geographical area millions of years ago.

Introduction

This informational document is intended for workmen and foremen on construction sites. It describes the actions to be taken when mining or construction activities accidentally uncovers fossil material.

It is the responsibility of the Environmental Control Officer (ECO) of the project to train the workmen and foremen in the procedure to follow when a fossil is accidentally uncovered. In the absence of the ECO, a member of the staff must be appointed to be responsible for the proper implementation of the chance find protocol as not to compromise the conservation of fossil material.

11.1 CHANCE FIND PROCEDURE

- If a chance find is made the person responsible for the find must immediately **stop working** and all work must cease in the immediate vicinity of the find.

- The person who made the find must immediately **report** the find to his/her direct supervisor which in turn must report the find to his/her manager and the ECO or site manager. The ECO must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS co-ordinates.
- A preliminary report must be submitted to the Heritage Agency within **24 hours** of the find and must include the following: 1) date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.
- Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.

Upon receipt of the preliminary report, the Heritage Agency will inform the ECO (site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.

- The site must be secured to protect it from any further damage. **No attempt** should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.
- In the event that the fossil cannot be stabilized the fossil may be collected with extreme care by the ECO (site manager). Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.
- Once Heritage Agency has issued the written authorization, the developer may continue with the development.

12 REFERENCES

ALMOND, J.E. and PETHER, J. 2009. SAHRA Palaeotechnical Report: Palaeontological Heritage of the Northern Cape Province. South African Heritage Resources Agency, Pp 1-143.

ALMOND, J., PETHER, J, and GROENEWALD, G. 2013. South African National Fossil Sensitivity Map. SAHRA and Council for Geosciences. Schweitzer *et al*. (1995) pp p288.

DU TOIT, A. 1954. The geology of South Africa. xii + 611pp, 41 pls. Oliver & Boyd, Edinburg.

FALCON, R.M.S., 1986. A brief review of the origin, formation, and distribution of coal in southern Africa, in: Anhaesser, C.R., Maske, S. (Eds.), Mineral Deposits of Southern Africa, Vol. II, Geological Society of South Africa, Johannesburg, pp. 1879–1898.

GROENEWALD, G. and GROENEWALD, D. 2014. SAHRA Palaeotechnical Report: Palaeontological Heritage of the North West Province. South African Heritage Resources Agency, Pp 1-20.

KENT, L. E., 1980. Part 1: Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia and the Republics of Bophuthatswana, Transkei, and Venda. SACS, Council for Geosciences, Pp 535-574.

MACRAE, C. 1999. Life etched in stone. Fossils of South Africa. 305 pp. The Geological Society of South Africa, Johannesburg.

MOEN, H.F.G. 1979. Geological Map 2722 of Kuruman 1:250 000. South African Committee for Stratigraphy, Council for Geoscience, Pretoria.

SG 2.2 SAHRA APMHOB Guidelines, 2012. Minimum standards for palaeontological components of Heritage Impact Assessment Reports, Pp 1-15.

VAN DER MERWE, S.J. 1997. Basin Analysis of the Kalahari Manganese Basin. Unpublished MSc Thesis, UOFS.

VISSER, D.J.L. (ed) 1984. Geological Map of South Africa 1:100 000. South African Committee for Stratigraphy, Council for Geoscience, Pretoria.

VISSER, D.J.L. (ed) 1989. *Toeligting: Geologiese kaart (1:100 000). Die Geologie van die Republieke van Suid Afrika, Transkei, Bophuthatswana, Venda, Ciskei en die Koningkryke van Lesotho en Swaziland*. South African Committee for Stratigraphy. Council for Geoscience, Pretoria, Pp 494.

Appendix A: Methodology for Impact Assessment

In order to ensure uniformity, a standard impact assessment methodology has been utilised so that a wide range of impacts can be compared. The impact assessment methodology makes provision for the assessment of impacts against the following criteria:

- Significance;
- Spatial scale;
- Temporal scale;
- Probability; and
- Degree of certainty.

A combined quantitative and qualitative methodology was used to describe impacts for each of the aforementioned assessment criteria. A summary of each of the qualitative descriptors, along with the equivalent quantitative rating scale for each of the aforementioned criteria, is given in **Table .**

Table 4: Quantitative rating and equivalent descriptors for the impact assessment criteria

RATING	SIGNIFICANCE	EXTENT SCALE	TEMPORAL SCALE
1	VERY LOW	*Isolated site/ proposed corridor*	Incidental
2	LOW	*Study area*	Short-term
3	MODERATE	*Local*	Medium-term
4	HIGH	*Regional / Provincial*	Long-term
5	VERY HIGH	*Global / National*	Permanent

A more detailed description of each of the assessment criteria is given in the following sections.

Significance Assessment

The Significance rating (importance) of the associated impacts embraces the notion of extent and magnitude, but does not always clearly define these, since their importance in the rating scale is very relative. For example, the magnitude (i.e. the size) of an area affected by atmospheric pollution may be extremely large (1000 km^2) but the significance of this effect is dependent on the concentration or level of pollution. If the concentration is great, the significance of the impact would be HIGH or VERY HIGH, but if it is diluted it would be VERY LOW or LOW. Similarly, if 60 ha of a grassland type are destroyed, the impact would be VERY HIGH if only 100 ha of that grassland type were known. The impact would be VERY LOW if the grassland type was common.

A more detailed description of the impact significance rating scale is given in **Table** below.

Table 5: Description of the significance rating scale

RATING		DESCRIPTION
5	VERY HIGH	Of the highest order possible within the bounds of impacts which could occur. In the case of adverse impacts: there is no possible mitigation and/or remedial activity which could offset the impact. In the case of beneficial impacts, there is no real alternative to achieving this benefit.
4	HIGH	Impact is of substantial order within the bounds of impacts which could occur. In the case of adverse impacts: mitigation and/or remedial activity is feasible but difficult, expensive, time-consuming or some combination of these. In the case of beneficial impacts, other means of achieving this benefit are feasible but they are more difficult, expensive, time-consuming or some combination of these.
3	MODERATE	Impact is real but not substantial in relation to other impacts, which might take effect within the bounds of those which could occur. In the case of adverse impacts: mitigation and/or remedial activity are both feasible and fairly easily possible. In the case of beneficial impacts: other means of achieving this benefit are about equal in time, cost, effort, etc.
2	LOW	Impact is of a low order and therefore likely to have little real effect. In the case of adverse impacts: mitigation and/or remedial activity is either easily achieved or little will be required, or both. In the case of beneficial impacts, alternative means for achieving this benefit are likely to be easier, cheaper, more effective, less time consuming, or some combination of these.
1	VERY LOW	Impact is negligible within the bounds of impacts which could occur. In the case of adverse impacts, almost no mitigation and/or remedial activity are needed, and any minor steps which might be needed are easy, cheap, and simple. In the case of beneficial impacts, alternative means are almost all likely to be better, in one or a number of ways, than this means of achieving the benefit. Three additional categories must also be used where relevant. They are in addition to the category represented on the scale, and if used, will replace the scale.
0	NO IMPACT	There is no impact at all - not even a very low impact on a party or system.

Spatial Scale

The spatial scale refers to the extent of the impact i.e. will the impact be felt at the local, regional, or global scale. The spatial assessment scale is described in more detail in the table below.

Table 6: Description of the Spatial significance rating scale

RATING		DESCRIPTION
5	Global/National	The maximum extent of any impact.
4	Regional/Provincial	The spatial scale is moderate within the bounds of possible impacts, and will be felt at a regional scale (District Municipality to Provincial Level). The impact will affect an area up to 50 km from the proposed site.
3	Local	The impact will affect an area up to 5 km from the proposed site.
2	Study Area	The impact will affect an area not exceeding the boundary of the study area.
1	Isolated Sites / proposed site	The impact will affect an area no bigger than the site.

Temporal/Duration Scale

In order to accurately describe the impact, it is necessary to understand the duration and persistence of an impact in the environment. The temporal or duration scale is rated according to criteria set out in **Table .**

Table 7: Description of the temporal rating scale

RATING		DESCRIPTION
1	Incidental	The impact will be limited to isolated incidences that are expected to occur very sporadically.
2	Short-term	The environmental impact identified will operate for the duration of the construction phase or a period of less than 5 years, whichever is the greater.
3	Medium-term	The environmental impact identified will operate for the duration of life of the project.
4	Long-term	The environmental impact identified will operate beyond the life of operation of the project.
5	Permanent	The environmental impact will be permanent.

Degree of Probability

The probability, or likelihood, of an impact occurring will be described as shown in **Table** below.

Table 8: Description of the degree of probability of an impact occurring

RATING	DESCRIPTION
1	Practically impossible

2	Unlikely
3	Could happen
4	Very likely
5	It's going to happen / has occurred

Degree of Certainty

As with all studies, it is not possible to be 100% certain of all facts, and for this reason a standard "degree of certainty" scale is used, as discussed in **Table .** The level of detail for specialist studies is determined according to the degree of certainty required for decision-making. The impacts are discussed in terms of affected parties or environmental components.

Table 9: Description of the degree of certainty rating scale

RATING	DESCRIPTION
Definite	More than 90% sure of a particular fact.
Probable	Between 70 and 90% sure of a particular fact, or of the likelihood of that impact occurring.
Possible	Between 40 and 70% sure of a particular fact, or of the likelihood of an impact occurring.
Unsure	Less than 40% sure of a particular fact or the likelihood of an impact occurring.
Can't know	The consultant believes an assessment is not possible even with additional research.

Quantitative Description of Impacts

To allow for impacts to be described in a quantitative manner, in addition to the qualitative description given above, a rating scale of between 1 and 5 was used for each of the assessment criteria. Thus the total value of the impact is described as the function of significance, spatial and temporal scale, as described below:

$$\textbf{\textit{Impact Risk}} = \frac{(\text{SIGNIFICANCE} + \textit{Spatial} + \text{Temporal})}{3} \times \frac{\text{Probability}}{5}$$

An example of how this rating scale is applied is shown below:

Table 10: Example of Rating Scale

IMPACT	SIGNIFICANCE	SPATIAL SCALE	TEMPORAL SCALE	PROBABILITY	RATING
	LOW	Local	Medium Term	Could Happen	**LOW**
Impact on heritage sites	2	3	3	3	1.6

Note: The significance, spatial and temporal scales are added to give a total of 8, which is divided by 3 to give a criterion rating of 2.67. The probability (3) is divided by 5 to give a probability rating of 0.6. The criteria rating of 2.67 is then multiplied by the probability rating (0,6) to give the final rating of 1,6.

The impact risk is classified according to 5 classes as described in the table below.

Table 11: Impact Risk Classes

RATING	IMPACT CLASS	DESCRIPTION
0.1 – 1.0	1	Very Low
1.1 – 2.0	2	Low
2.1 – 3.0	3	Moderate
3.1 – 4.0	4	High
4.1 – 5.0	5	Very High

Therefore, with reference to the example used for air quality above, an impact rating of 1.6 will fall in the Impact Class 2, which will be considered to be a low impact.

Appendix B – Elize Butler CV

CURRICULUM VITAE

ELIZE BUTLER

PROFESSION: Palaeontologist

YEARS' EXPERIENCE: 26 years in Palaeontology

EDUCATION: B.Sc Botany and Zoology, 1988
University of the Orange Free State

B.Sc (Hons) Zoology, 1991
University of the Orange Free State

Management Course, 1991
University of the Orange Free State

M. Sc. *Cum laude* (Zoology), 2009
University of the Free State

Dissertation title: The postcranial skeleton of the Early Triassic non-mammalian Cynodont *Galesaurus planiceps*: implications for biology and lifestyle

Registered as a PhD fellow at the Zoology Department of the UFS
2013 to current

Dissertation title: A new gorgonopsian from the uppermost D*aptocephalus Assemblage Zone*, in the Karoo Basin of South Africa

MEMBERSHIP

Palaeontological Society of South Africa (PSSA) 2006-currently

EMPLOYMENT HISTORY

Part-time Laboratory assistant — Department of Zoology & Entomology University of the Free State Zoology 1989-1992

Part-time laboratory assistant — Department of Virology University of the Free State Zoology 1992

Research Assistant	National Museum, Bloemfontein 1993 – 1997
Principal Research Assistant and Collection Manager	National Museum, Bloemfontein 1998–currently

TECHNICAL REPORTS

Butler, E. 2014. Palaeontological Impact Assessment for the proposed upgrade of existing water supply infrastructure at Noupoort, Northern Cape Province. 2014. Bloemfontein.

Butler, E. 2015. Palaeontological impact assessment of the proposed consolidation, re-division and development of 250 serviced erven in Nieu-Bethesda, Camdeboo local municipality, Eastern Cape. Bloemfontein.

Butler, E. 2015. Palaeontological impact assessment of the proposed mixed land developments at Rooikraal 454, Vrede, Free State. Bloemfontein.

Butler, E. 2015. Palaeontological exemption report of the proposed truck stops development at Palmiet 585, Vrede, Free State. Bloemfontein.

Butler, E. 2015. Palaeontological impact assessment of the proposed Orange Grove 3500 residential development, Buffalo City Metropolitan Municipality East London, Eastern Cape. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Gonubie residential development, Buffalo City Metropolitan Municipality East London, Eastern Cape Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Ficksburg raw water pipeline. Bloemfontein.

Butler, E. 2015. Palaeontological Heritage Impact Assessment report on the establishment of the 65 MW Majuba Solar Photovoltaic facility and associated infrastructure on portion 1, 2 and 6 of the farm Witkoppies 81 HS, Mpumalanga Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed township establishment on the remainder of portion 6 and 7 of the farm Sunnyside 2620, Bloemfontein, Mangaung metropolitan municipality, Free State, Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Woodhouse 1 photovoltaic solar energy facilities and associated infrastructure on the farm Woodhouse729, near Vryburg, North West Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Woodhouse 2 photovoltaic solar energy facilities and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Orkney solar energy farm and associated infrastructure on the remaining extent of Portions 7 and 21 of the farm Wolvehuis 114, near Orkney, North West Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Spectra foods broiler houses and abattoir on the farm Maiden Manor 170 and Ashby Manor 171, Lukhanji Municipality, Queenstown, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed construction of the 150 MW Noupoort concentrated solar power facility and associated infrastructure on portion 1 and 4 of the farm Carolus Poort 167 and the remainder of Farm 207, near Noupoort, Northern Cape. Prepared for Savannah Environmental. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed Woodhouse 1 Photovoltaic Solar Energy facility and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed Woodhouse 2 Photovoltaic Solar Energy facility and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.

Butler, E. 2016. Proposed 132kV overhead power line and switchyard station for the authorised Solis Power 1 CSP project near Upington, Northern Cape. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed Senqu Pedestrian Bridges in Ward 5 of Senqu Local Municipality, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Modderfontein Filling Station on Erf 28 Portion 30, Founders Hill, City Of Johannesburg, Gauteng Province. Bloemfontein.

Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Modikwa Filling Station on a Portion of Portion 2 of Mooihoek 255 Kt, Greater Tubatse Local Municipality, Limpopo Province. Bloemfontein.

Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Heidedal filling station on Erf 16603, Heidedal Extension 24, Mangaung Local Municipality, Bloemfontein, Free State Province. Bloemfontein.

Butler, E. 2016. Recommended Exemption from further Palaeontological studies: Proposed Construction of the Gunstfontein Switching Station, 132kv Overhead Power Line (Single Or Double Circuit) and ancillary infrastructure for the Gunstfontein Wind Farm Near Sutherland, Northern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed Galla Hills Quarry on the remainder of the farm Roode Krantz 203, in the Lukhanji Municipality, division of Queenstown, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Chris Hani District Municipality Cluster 9 water backlog project phases 3a and 3b: Palaeontology inspection at Tsomo WTW. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed construction of the 150 MW Noupoort concentrated solar power facility and associated infrastructure on portion 1 and 4 of the farm Carolus Poort 167 and the remainder of Farm 207, near Noupoort, Northern Cape. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed upgrading of the main road MR450 (R335) from the Motherwell to Addo within the Nelson Mandela Bay Municipality and Sunday's river valley Local Municipality, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment construction of the proposed Metals Industrial Cluster and associated infrastructure near Kuruman, Northern Cape province. Savannah South Africa. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment for the proposed construction of up to a 132kv power line and associated infrastructure for the proposed Kalkaar Solar Thermal Power Plant near Kimberley, Free State, and Northern Cape Provinces. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed development of two burrow pits (DR02625 and DR02614) in the Enoch Mgijima Municipality, Chris Hani District, Eastern Cape.

Butler, E. 2016. Ezibeleni waste Buy-Back Centre (near Queenstown), Enoch Mgijima Local Municipality, Eastern Cape. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment for the proposed construction of two 5 Mw Solar Photovoltaic Power Plants on Farm Wildebeestkuil 59 and Farm Leeuwbosch 44, Leeudoringstad, North West Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment for the proposed development of four Leeuwberg Wind farms and basic assessments for the associated grid connection near Loeriesfontein, Northern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological impact assessment for the proposed Aggeneys south prospecting right project, Northern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological impact assessment of the proposed Motuoane Ladysmith Exploration right application, KwaZulu Natal. Bloemfontein.

Butler, E. 2016. Palaeontological impact assessment for the proposed construction of two 5 MW solar photovoltaic power plants on farm Wildebeestkuil 59 and farm Leeuwbosch 44, Leeudoringstad, North West Province. Bloemfontein.

Butler, E. 2016: Palaeontological desktop assessment of the establishment of the proposed residential and mixed-use development on the remainder of portion 7 and portion 898 of the farm Knopjeslaagte 385 Ir, located near Centurion within the Tshwane Metropolitan Municipality of Gauteng Province. Bloemfontein.

Butler, E. 2017. Palaeontological impact assessment for the proposed development of a new cemetery, near Kathu, Gamagara local municipality and John Taolo Gaetsewe district municipality, Northern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment Of The Proposed Development Of The New Open Cast Mining Operations On The Remaining Portions Of 6, 7, 8 And 10 Of The Farm Kwaggafontein 8 In The Carolina Magisterial District, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Development of a Wastewater Treatment Works at Lanseria, Gauteng Province. Bloemfontein.

Butler, E. 2017. Palaeontological Scoping Report for the Proposed Construction of a Warehouse and Associated Infrastructure at Perseverance in Port Elizabeth, Eastern Cape Province.

Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Establishment of a Diesel Farm and a Haul Road for the Tshipi Borwa mine Near Hotazel, In the John Taolo Gaetsewe District Municipality in the Northern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Changes to Operations at the UMK Mine near Hotazel, In the John Taolo Gaetsewe District Municipality in the Northern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment for the Development of the Proposed Ventersburg Project-An Underground Mining Operation near Ventersburg and Henneman, Free State Province. Bloemfontein.

Butler, E. 2017. Palaeontological desktop assessment of the proposed development of a 3000 MW combined cycle gas turbine (CCGT) in Richards Bay, KwaZulu-Natal. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment for the Development of the Proposed Revalidation of the lapsed General Plans for Elliotdale, Mbhashe Local Municipality. Bloemfontein.

Butler, E. 2017. Palaeontological assessment of the proposed development of a 3000 MW Combined Cycle Gas Turbine (CCGT) in Richards Bay, KwaZulu-Natal. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed development of the new opencast mining operations on the remaining portions of 6, 7, 8 and 10 of the farm Kwaggafontein 8 10 in the Albert Luthuli Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed mining of the farm Zandvoort 10 in the Albert Luthuli Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed Lanseria outfall sewer pipeline in Johannesburg, Gauteng Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of open-pit mining at Pit 36W (New Pit) and 62E (Dishaba) Amandelbult Mine Complex, Thabazimbi, Limpopo Province. Bloemfontein.

Butler, E. 2017. Palaeontological impact assessment of the proposed development of the sports precinct and associated infrastructure at Merrifield Preparatory school and college, Amathole Municipality, East London. PGS Heritage. Bloemfontein.

Butler, E. 2017. Palaeontological impact assessment of the proposed construction of the Lehae training and fire station, Lenasia, Gauteng Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the new opencast mining operations of the Impunzi mine in the Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the construction of the proposed Viljoenskroon Munic 132 KV line, Vierfontein substation and related projects. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed rehabilitation of 5 ownerless asbestos mines. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the Lephalale coal and power project, Lephalale, Limpopo Province, Republic of South Africa. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of a 132KV powerline from the Tweespruit distribution substation (in the Mantsopa local municipality) to the Driedorp rural substation (within the Naledi local municipality), Free State province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the new coal-fired power plant and associated infrastructure near Makhado, Limpopo Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of a Photovoltaic Solar Power station near Collett substation, Middelberg, Eastern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment for the proposed township establishment of 2000 residential sites with supporting amenities on a portion of farm 826 in Botshabelo West, Mangaung Metro, Free State Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed prospecting right project without bulk sampling, in the Koa Valley, Northern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed Aroams prospecting right project, without bulk sampling, near Aggeneys, Northern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed Belvior aggregate quarry II on portion 7 of the farm Maidenhead 169, Enoch Mgijima Municipality, division of Queenstown, Eastern Cape. Bloemfontein.

Butler, E. 2017. PIA site visit and report of the proposed Galla Hills Quarry on the remainder of the farm Roode Krantz 203, in the Lukhanji Municipality, division of Queenstown, Eastern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of Tina Falls Hydropower and associated power lines near Cumbu, Mthlontlo Local Municipality, Eastern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed construction of the Mangaung Gariep Water Augmentation Project. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed Belvoir aggregate quarry II on portion 7 of the farm Maidenhead 169, Enoch Mgijima Municipality, division of Queenstown, Eastern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of the Melkspruit-Rouxville 132KV Power line. Bloemfontein.

Butler, E. 2017 Palaeontological Desktop Assessment of the proposed development of a railway siding on a portion of portion 41 of the farm Rustfontein 109 is, Govan Mbeki local municipality, Gert Sibande district municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed consolidation of the proposed Ilima Colliery in the Albert Luthuli local municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed extension of the Kareerand Tailings Storage Facility, associated borrow pits as well as a stormwater drainage channel in the Vaal River near Stilfontein, North West Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed construction of a filling station and associated facilities on the Erf 6279, district municipality of John Taolo Gaetsewe District, Ga-Segonyana Local Municipality Northern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed of the Lephalale Coal and Power Project, Lephalale, Limpopo Province, Republic of South Africa. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed Overvaal Trust PV Facility, Buffelspoort, North West Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed development of the H2 Energy Power Station and associated infrastructure on Portions 21; 22 And 23 of the farm Hartebeestspruit in the Thembisile Hani Local Municipality, Nkangala District near Kwamhlanga, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed upgrade of the Sandriver Canal and Klippan Pump station in Welkom, Free State Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed upgrade of the 132kv and 11kv power line into a dual circuit above ground power line feeding into the Urania substation in Welkom, Free State Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed Swaziland-Mozambique border patrol road and Mozambique barrier structure. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed diamonds alluvial & diamonds general prospecting right application near Christiana on the remaining extent of portion 1 of the farm Kaffraria 314, registration division HO, North West Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed development of Wastewater Treatment Works on Hartebeesfontein, near Panbult, Mpumalanga. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed development of Wastewater Treatment Works on Rustplaas near Piet Retief, Mpumalanga. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment for the Proposed Landfill Site in Luckhoff, Letsemeng Local Municipality, Xhariep District, Free State. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment of the proposed development of the new Mutsho coal-fired power plant and associated infrastructure near Makhado, Limpopo Province. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment of the authorization and amendment processes for Manangu mine near Delmas, Victor Khanye local municipality, Mpumalanga. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the proposed Mashishing township establishment in Mashishing (Lydenburg), Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the Proposed Mlonzi Estate Development near Lusikisiki, Ngquza Hill Local Municipality, Eastern Cape. Bloemfontein.

Butler, E. 2018. Palaeontological Phase 1 Assessment of the proposed Swaziland-Mozambique border patrol road and Mozambique barrier structure. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the proposed electricity expansion project and Sekgame Switching Station at the Sishen Mine, Northern Cape Province. Bloemfontein.

Butler, E. 2018. Palaeontological field assessment of the proposed construction of the Zonnebloem Switching Station (132/22kV) and two loop-in loop-out power lines (132kV) in the Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological Field Assessment for the proposed re-alignment and de-commissioning of the Firham-Platrand 88kv Powerline, near Standerton, Lekwa Local Municipality, Mpumalanga province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment of the proposed Villa Rosa development In the Buffalo City Metropolitan Municipality, East London. Bloemfontein.

Butler, E. 2018. Palaeontological field Assessment of the proposed Villa Rosa development In the Buffalo City Metropolitan Municipality, East London. Bloemfontein.

Butler, E. 2018. Palaeontological desktop assessment of the proposed Mookodi – Mahikeng 400kV line, North West Province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the proposed Thornhill Housing Project, Ndlambe Municipality, Port Alfred, Eastern Cape Province. Bloemfontein.

Butler, E. 2018. Palaeontological desktop assessment of the proposed housing development on portion 237 of farm Hartebeestpoort 328. Bloemfontein.

Butler, E. 2018. Palaeontological desktop assessment of the proposed New Age Chicken layer facility located on holding 75 Endicott near Springs in Gauteng. Bloemfontein.

Butler, E. 2018 Palaeontological Desktop Assessment for the development of the proposed Leslie 1 Mining Project near Leandra, Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological field assessment of the proposed development of the Wildealskloof mixed-use development near Bloemfontein, Free State Province. Bloemfontein.

Butler, E. 2018. Palaeontological Field Assessment of the proposed Megamor Extension, East London. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment of the proposed diamonds Alluvial & Diamonds General Prospecting Right Application near Christiana on the Remaining Extent of Portion 1 of the Farm Kaffraria 314, Registration Division HO, North West Province. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment of the proposed construction of a new 11kV (1.3km) Power Line to supply electricity to a cell tower on farm 215 near Delportshoop in the Northern Cape. Bloemfontein.

Butler, E. 2018. Palaeontological Field Assessment of the proposed construction of a new 22 kV single wood pole structure power line to the proposed MTN tower, near Britstown, Northern Cape Province. Bloemfontein.

Butler, E. 2018. Palaeontological Exemption Letter for the proposed reclamation and reprocessing of the City Deep Dumps in Johannesburg, Gauteng Province. Bloemfontein.

Butler, E. 2018. Palaeontological Exemption letter for the proposed reclamation and reprocessing of the City Deep Dumps and Rooikraal Tailings Facility in Johannesburg, Gauteng Province. Bloemfontein.

Butler, E. 2018. Proposed Kalabasfontein Mine Extension project, near Bethal, Govan Mbeki District Municipality, Mpumalanga. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the development of the proposed Leslie 1 Mining Project near Leandra, Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop assessment of the Proposed New Age Chicken Layer Facility located on Holding 75 Endicott near Springs in Gauteng. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment of the proposed Mookodi – Mahikeng 400kV Line, North West Province. Bloemfontein.

Butler, E. 2018. Environmental Impact Assessment (EIA) for the Proposed 325mw Rondekop Wind Energy Facility between Matjiesfontein and Sutherland in the Northern Cape Province.

Butler, E. 2018. Palaeontological Impact Assessment of the proposed construction of the Tooverberg Wind Energy Facility, and associated grid connection near Touws River in the Western Cape Province. Bloemfontein.

CONFERENCE CONTRIBUTIONS

NATIONAL

PRESENTATION

Butler, E., Botha-Brink, J., and F. Abdala. A new gorgonopsian from the uppermost *Dicynodon Assemblage Zone*, Karoo Basin of South Africa.18 the Biennial conference of the PSSA 2014.Wits, Johannesburg, South Africa.

INTERNATIONAL

Attended the Society of Vertebrate Palaeontology 73th Conference in Los Angeles, America. October 2012.

CONFERENCES: POSTER PRESENTATION

NATIONAL

Butler, E., and J. Botha-Brink. Cranial skeleton of *Galesaurus planiceps*, implications for biology and lifestyle. University of the Free State Seminar Day, Bloemfontein. South Africa. November 2007.

Butler, E., and J. Botha-Brink. Postcranial skeleton of *Galesaurus planiceps*, implications for biology and lifestyle.14th Conference of the PSSA, Matjesfontein, South Africa. September 2008:

Butler, E., and J. Botha-Brink. The biology of the South African non-mammaliaform cynodont *Galesaurus planiceps*.15th Conference of the PSSA, Howick, South Africa. August 2008.

INTERNATIONAL VISITS

Natural History Museum, London	July 2008
Paleontological Institute, Russian Academy of Science, Moscow	November 2014