

## **PALAEONTOLOGICAL ASSESSMENT: RECOMMENDED EXEMPTION FROM FURTHER PALAEONTOLOGICAL STUDIES**

### **Rectification of agricultural developments on Farm Norriseep (Remainder of Farm Afstof No. 421) near Onseepkans, Kai! Ma Municipality, Northern Cape**

**John E. Almond PhD (Cantab.)**  
*Natura Viva cc,*  
PO Box 12410 Mill Street,  
Cape Town 8010, RSA  
naturaviva@universe.co.za

**August 2020**


#### **Executive summary**

Unauthorized agricultural developments have been undertaken on the farm Norriseep (Remainder of Farm Afstof No. 421) situated on the eastern outskirts of Onseepkans in the Kai! Ma Municipality, Northern Cape Province. The development footprint is underlain at depth by (1) ancient Precambrian metamorphic bedrocks that do not contain fossils as well as (2) sparsely fossiliferous or unfossiliferous superficial sediments (stream alluvium, aeolian sands, surface gravels) of probable Quaternary to Recent age. Ancient alluvial terraces (potentially fossiliferous "High Level Gravels") are not mapped or likely to be present in the study area. In view of the small, highly disturbed development footprint and the generally low palaeontological sensitivity of the study region, no further specialist studies or mitigation are considered necessary for this project, as far as fossil heritage is concerned. However, should significant fossil remains (e.g. vertebrate bones and teeth) be encountered during construction, the responsible ECO should inform SAHRA at the earliest opportunity to consider possible mitigation measures. A tabulated Chance Fossil Finds Procedure is appended to this report.

#### **1. Project description**

The present palaeontological assessment report forms part of a Section 24G Rectification process for unauthorized development by Capespan Farms (Pty) Ltd of vineyards totalling about 56 ha in extent on the farm Norriseep, (Remainder of Farm Afstof No. 421) situated on the eastern outskirts of Onseepkans, Kai! Ma Municipality, in the Northern Cape Province. The project area lies on the southern banks of the Orange River (Gariep) and c. 2.75 km east of the R358 road south to the N14 (Fig. 1).

The Section 24G Rectification process for this agricultural development is being co-ordinated by Groenbergenviro (Pty) Ltd (Contact details: Ms Elanie Kühn. GroenbergEnviro (Pty) Ltd, PO Box 1058 Wellington 7654. Cell: 0765840822. E-mail: Elaniem@iafrica.com). The present report contributes to the heritage component of the process under the aegis of Mr Jonathan Kaplan of ACRM (5 Stuart Road, Rondebosch, 7700. Ph/Fax: 021 685 7589. Cell: 082 321 0172. E-mail: acrm@waccess.co.za).



**Figure 1. Google earth© satellite image showing the location of the unauthorized developments situated on the Farm Norriseep, (Remainder of Farm Afstof No. 421) situated on the eastern outskirts of Onseepkans, Kai! Ma Municipality, in the Northern Cape Province. The development area is now highly disturbed.**

## 2. Geological and palaeontological context

The agricultural project area on the Farm Norriseep (Remainder of Farm Afstof No. 421) comprises arid terrain between c. 375 and 570 m amsl. located on the southern bank of the Orange River (Gariep) just east of Onseepkans (Fig. 1). The terrain slopes broadly towards the river and is traversed by several roughly N-S trending rocky ridges. Elsewhere the project area is largely mantled by yellowish to orange-hued alluvial sands (possibly with some aeolian re-working) and gravels. It is also extensively disturbed by previous agricultural activities, as shown by illustrations in the AIA report for this project by Kaplan (2020).

The geological context of the study area is shown on the 1: 250 000 geology sheet 2818 Onseepkans (Fig. 2; Council for Geoscience, Pretoria) (Moen & Toogood 2007). The underlying bedrocks are ancient Precambrian high-grade metamorphic basement rocks including **Kobooop Gneiss** (Kcb, pink) and **Onseepkans Formation** pelitic metamorphic rocks (Kon, pale brown). These basement rocks are assigned to the **Namaqua-Natal Province** that are some 1.5 billion years old and entirely unfossiliferous (Cornell *et al.* 2006, Almond & Pether 2008).

Much of the study area is elevated well above the present course of the Gariep, so ancient (Tertiary - Quaternary), consolidated alluvial gravels of the Orange River system – which are known to be highly fossiliferous elsewhere along the Orange (*e.g.* Partridge *et al.* 2006) – are not likely present here, unless buried at depth (which is unlikely). Neither “High Level Gravels” nor the commonly associated diamond prospecting symbols are mapped in the region on the 1: 250 000 geological sheet (Fig. 2). Superficial sediments away from the main drainage courses largely comprise surface gravels (mainly alluvial, sheetwash and deflation deposits) and yellowish or

orange-hued aeolian and locally-derived sands. The reddish sands seen on satellite images in the wider region may in part be assigned to the upper part of the **Kalahari Group (Gordonia Formation)** of late Caenozoic (Neogene / Quaternary) age while the alluvial sediments within the project area itself are probably of a similar, geological youthful age. Although fossil remains are occasionally encountered in these younger fluvial and terrestrial units – for example reworked mammalian bones and teeth, freshwater molluscs, calcretised root casts, termitaria, ostrich egg shells, land snail shells (Almond 2008, Almond & Pether 2008 and refs. therein) - they are sparsely distributed and occur over a very wide area, so the chances of serious impacts on unique fossil heritage resources here are only slight.




Figure 2. Extract from 1: 250 000 geology sheet 2818 Onseepkans (Council for Geoscience, Pretoria) showing the *approximate* location of the agricultural project area on the Farm Norriseep, (Remainder of Farm Afstof No. 421) near Onseepkans, Kai! Ma Municipality, Northern Cape Province (black rectangle). The project area is underlain at depth by bedrocks of the Koboop Gneiss (Kcb, pink) and Onseepkans Formation pelitic metamorphic rocks (Kon, pale brown) that form part of the Precambrian (Proterozoic) Namaqua-Natal Metamorphic Province. At surface parts the project area is mantled by various Late Caenozoic sands and gravels of alluvial and colluvial origin (Qs2, pale yellow) that are probably of Quaternary to Recent age. Older alluvial gravels (“High Level Gravels”) are not mapped along this sector of the Orange River.

### 3. Conclusions & recommendations

In view of the negligible palaeontological sensitivity of the ancient Precambrian granitoid bedrocks as well as the low sensitivity of the geologically recent superficial sediments along shallow stream

tributaries of the Gariiep River in the broader Onseepkans region, the unauthorized agricultural developments on the farm Norriseep are not considered to pose a significant threat to local palaeontological heritage. Substantial, potentially-fossiliferous older alluvial deposits of the Orange River are not mapped here.

**Pending any significant new fossil discoveries in the area, no further specialist studies or mitigation are considered necessary for this agricultural project.**

All South African fossil heritage is protected by the National Heritage Resources Act, 1999. Should substantial fossil remains - such as vertebrate bones and teeth, or petrified logs of fossil wood - be encountered at surface or exposed during construction, the ECO should safeguard these, preferably *in situ*. They should then alert the relevant provincial heritage management authority as soon as possible - *i.e.* SAHRA (Contact details: Dr Ragna Redelstorff, SAHRA, P.O. Box 4637, Cape Town 8000. Tel: 021 202 8651. Email: rredelstorff@sahra.org.za). This is to ensure that appropriate action (*i.e.* recording, sampling or collection of fossils, recording of relevant geological data) can be taken by a professional palaeontologist at the developer's expense. A tabulated Chance Fossil Finds Procedure is appended to this report.

Please note that:

- All South African fossil heritage is protected by law (South African Heritage Resources Act, 1999) and fossils cannot be collected, damaged or disturbed without a permit from SAHRA or the relevant Provincial Heritage Resources Agency;
- The palaeontologist concerned with potential mitigation work will need a valid fossil collection permit from SAHRA and any material collected would have to be curated in an approved depository (*e.g.* museum or university collection);
- All palaeontological specialist work should conform to international best practice for palaeontological fieldwork and the study (*e.g.* data recording fossil collection and curation, final report) should adhere as far as possible to the minimum standards for Phase 2 palaeontological studies developed by SAHRA (2013).

#### **4. Key references**

ALMOND, J.E. 2017. Proposed new vineyard development on Farm 1726 Renosterkop, Farm 1290 & Farm 1537 Augrabies, Northern Cape. Palaeontological assessment: recommended exemption from further palaeontological studies, 17 pp. Natura Viva cc, Cape Town.

ALMOND, J.E. & PETHER, J. 2008. Palaeontological heritage of the Northern Cape (August 2008 draft), 125 pp. Unpublished palaeotechnical report for SAHRA.

CORNELL, D.H., THOMAS, R.J., MOEN, H.F.G., REID, D.L., MOORE, J.M. & GIBSON, R.L. 2006. The Namaqua-Natal Province. *In*: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) The geology of South Africa, pp. 461-499. Geological Society of South Africa, Marshalltown.

KAPLAN, J. 2020. S24G Application, illegal vineyard development on Norriseep, Rem of the Farm Afstof No. 421, near Onseepkans, Kai! Ma Municipality, Northern Cape. Archaeological Impact Assessment, 12 pp. ACRM, Rondebosch.

McCARTHY, T. & RUBIDGE, B. 2005. The story of Earth and life: a southern African perspective on a 4.6-billion-year journey. 334pp. Struik, Cape Town.

MOEN, H.F.G. 2007. The geology of the Upington area. Explanation to 1: 250 000 geology Sheet 2820 Upington, 160 pp. Council for Geoscience, Pretoria.

MOEN, H.F.G. & TOOGOOD, D.J. 2007. The geology of the Onseepkans area. Explanation to 1: 250 000 geology Sheet 2818, 101 pp. Council for Geoscience, Pretoria.

PARTRIDGE, T.C., BOTHA, G.A. & HADDON, I.G. 2006. Cenozoic deposits of the interior. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) The geology of South Africa, pp. 585-604. Geological Society of South Africa, Marshalltown.

SAHRA 2013. Minimum standards: palaeontological component of heritage impact assessment reports, 15 pp. South African Heritage Resources Agency, Cape Town.

## 5. Qualifications & experience of the author

Dr John Almond has an Honours Degree in Natural Sciences (Zoology) as well as a PhD in Palaeontology from the University of Cambridge, UK. He has been awarded post-doctoral research fellowships at Cambridge University and in Germany, and has carried out palaeontological research in Europe, North America, the Middle East as well as North and South Africa. For eight years he was a scientific officer (palaeontologist) for the Geological Survey / Council for Geoscience in the RSA. His current palaeontological research focuses on fossil record of the Precambrian - Cambrian boundary and the Cape Supergroup of South Africa. He has recently written palaeontological reviews for several 1: 250 000 geological maps published by the Council for Geoscience and has contributed educational material on fossils and evolution for new school textbooks in the RSA.

Since 2002 Dr Almond has also carried out palaeontological impact assessments for developments and conservation areas in the Western, Eastern and Northern Cape, Limpopo, Mpumalanga, Northwest, Free State and KwaZulu-Natal under the aegis of his Cape Town-based company *Natura Viva* cc. He was a long-standing member of the Archaeology, Palaeontology and Meteorites Committee for Heritage Western Cape (HWC) and an advisor on palaeontological conservation and management issues for the Palaeontological Society of South Africa (PSSA), HWC and SAHRA. He is currently compiling technical reports on the provincial palaeontological heritage of Western, Northern and Eastern Cape for SAHRA and HWC. Dr Almond is an accredited member of PSSA and APHP (Association of Professional Heritage Practitioners – Western Cape).

## Declaration of Independence

I, John E. Almond, declare that I am an independent consultant and have no business, financial, personal or other interest in the proposed project, application or appeal in respect of which I was appointed other than fair remuneration for work performed in connection with the activity, application or appeal. There are no circumstances that compromise the objectivity of my performing such work.



**Dr John E. Almond**  
**Palaeontologist (*Natura Viva* cc)**

<b>CHANCE FOSSIL FINDS PROCEDURE: Agricultural developments on farm Norriseep, (Remainder of Farm Afstof No. 421) near Onseepkans</b>		
<b>Province &amp; region:</b>	<b>NORTHERN CAPE, Kai! Ma Municipality</b>	
<b>Responsible Heritage Resources Authority</b>	SAHRA (Contact details: P.O. Box 4637, Cape Town 8000. Tel: 021 462 4502)	
<b>Rock unit(s)</b>	Late Caenozoic alluvium, aeolian sands	
<b>Potential fossils</b>	Mammalian bones and teeth, freshwater molluscs, calcretised root casts, termitaria, ostrich egg shells, land snail shells	
<b>ECO protocol</b>	1. Once alerted to fossil occurrence(s): alert site foreman, stop work in area immediately ( <i>N.B.</i> safety first!), safeguard site with security tape / fence / sand bags if necessary.	
	2. Record key data while fossil remains are still <i>in situ</i> : Accurate geographic location – describe and mark on site map / 1: 50 000 map / satellite image / aerial photo Context – describe position of fossils within stratigraphy (rock layering), depth below surface Photograph fossil(s) <i>in situ</i> with scale, from different angles, including images showing context ( <i>e.g.</i> rock layering)	
	3. If feasible to leave fossils <i>in situ</i> : Alert Heritage Resources Authority and project palaeontologist (if any) who will advise on any necessary mitigation Ensure fossil site remains safeguarded until clearance is given by the Heritage Resources Authority for work to resume	3. If <i>not</i> feasible to leave fossils <i>in situ</i> (emergency procedure only):  <i>Carefully</i> remove fossils, as far as possible still enclosed within the original sedimentary matrix ( <i>e.g.</i> entire block of fossiliferous rock) Photograph fossils against a plain, level background, with scale Carefully wrap fossils in several layers of newspaper / tissue paper / plastic bags Safeguard fossils together with locality and collection data (including collector and date) in a box in a safe place for examination by a palaeontologist Alert Heritage Resources Authority and project palaeontologist (if any) who will advise on any necessary mitigation
	4. If required by Heritage Resources Authority, ensure that a suitably-qualified specialist palaeontologist is appointed as soon as possible by the developer.	
	5. Implement any further mitigation measures proposed by the palaeontologist and Heritage Resources Authority	
<b>Specialist palaeontologist</b>	Record, describe and judiciously sample fossil remains together with relevant contextual data (stratigraphy / sedimentology / taphonomy). Ensure that fossils are curated in an approved repository ( <i>e.g.</i> museum / university / Council for Geoscience collection) together with full collection data. Submit Palaeontological Mitigation report to Heritage Resources Authority. Adhere to best international practice for palaeontological fieldwork and Heritage Resources Authority minimum standards.	