

PHASE 1 HIA DOORNRIVIER SOLAR 3 VIRGINIA

PROPOSED DEVELOPMENT OF SOLAR PHOTOVOLTAIC (PV) FACILITY (DOORNRIVIER SOLAR 3) ON THE FARM, DOORNRIVIER 330 RESTANT, VIRGINIA, MATJHABENG LOCAL MUNICIPALITY, LEJWELEPUTSWA DISTRICT MUNICIPALITY, FREE STATE PROVINCE

PREPARED FOR:ENVIROAFRICA CC

PREPARED BY:

HEIDI FIVAZ & SKY-LEE FAIRHURST ELIZE BUTLER & JAN ENGELBRECHT UBIQUE HERITAGE CONSULTANTS

31 AUGUST 2022

Web: www.ubiquecrm.com **Mail**: info@ubiquecrm.com CSD Supplier Number MAAA0586123

Date: 2022-08-31

CLIENT:	EnviroAfrica CC www.enviroafrica.co.za	
CONTACT PERSON:	Clinton Geyser E-mail: clinton@enviroafrica.co.za	
HERITAGE CONSULTANT:	UBIQUE Heritage Consultants www.ubiquecrm.com info@ubiquecrm.com	
CONTACT PERSON:	Heidi Fivaz (archaeologist) Member of the Association of Southern African Professional Archaeologists: Member number: 433 Email: heidi@ubiquecrm.com Sky-Lee Fairhurst (archaeologist) Member of the Association of Southern African Professional Archaeologists: Member number: 541 Email: sky@ubiquecrm.com Jan Engelbrecht (archaeologist and lead CRM specialist) Member of the Association of Southern African Professional Archaeologists: Member number: 297 Email: jan@ubiquecrm.com	

Declaration of independence:

UBIQUE Heritage Consultants hereby confirm our independence as heritage specialists and declare that:

- we are suitably qualified and accredited to act as independent specialists in this application;
- we do not have any vested interests (either business, financial, personal or other) in the proposed development project other than remuneration for the heritage assessment and heritage management services performed;
- the work was conducted in an objective and ethical manner, in accordance with a professional code of conduct and within the framework of South African heritage legislation.

Signed:

J.A.C. Engelbrecht, H. Fivaz & S. Fairhurst

UBIQUE Heritage Consultants

Copyright: This report is confidential and intended solely for the use of the individual or entity to whom it is addressed or to whom it was meant to be addressed. It is provided solely for the purposes set out in it and may not, in whole or in part, be used for any other purpose or by a third party without the author's prior written consent.

Web: www.ubiquecrm.com

SUMMARY OF SPECIALIST EXPERTISE

HEIDI FIVAZ

CRM ARCHAEOLOGIST & OBJECT CONSERVATOR

Heidi Fivaz has been a part of UBIQUE Heritage Consultants since 2016 and took over ownership in 2018. She is responsible for project management, surveys, research and report compilation. She holds a B.Tech. Fine Arts degree (2000) from Tshwane University of Technology, a BA Culture and Arts Historical Studies degree (2012) from UNISA and received her BA (Hons) Archaeology in 2015 (UNISA). She has received extensive training in object conservation from the South African Institute of Object Conservation and specialises in glass and ceramics conservation. She is also a skilled artefact and archaeological illustrator. Ms Fivaz was awarded her MA in Archaeology (with distinction) in 2021 by the University of South Africa (UNISA), focusing on historical and industrial archaeology. She is a professional member of the Association of South African Archaeologists and has worked on numerous archaeological excavation and surveying projects over the past twelve years.

SKY-LEE FAIRHURST

ARCHAEOLOGIST

Sky-Lee Fairhurst has been informally part of UBIQUE Heritage Consultants since 2019. She is responsible for research, desktop studies, report compilation and surveys. Miss Fairhurst obtained her BA in Archaeology and Biblical archaeology in 2016 and her BA Hons in Archaeology (*cum laude*) at the University of South Africa (UNISA) in 2018, focusing on research themes such as gender, households and Late Iron Age settlements. She is currently pursuing her interest in southern African agropastoral societies as an MA Archaeology student at the University of South Africa (UNISA). She is skilled at artefacts and archaeological illustrations. Over the past nine years, she has obtained considerable excavation and survey experience and worked on various sites, including Historical, Iron Age, and Palaeontological sites.

JAN ENGELBRECHT CRM ARCHAEOLOGIST

Jan Engelbrecht is accredited by the Cultural Resources Management section of the Association of Southern African Professional Archaeologists (ASAPA) to undertake Phase1 AlAs and HIAs in South Africa. He is also a member of the Association for Professional Archaeologists (ASAPA). Mr Engelbrecht holds an honours degree in archaeology (specialising in the history of early farmers in southern Africa (Iron Age) and Colonial period) from the University of South Africa. He has 12 years of experience in heritage management. He has worked on projects as diverse as the Zulti South HIA of Richards Bay Minerals, research on the David Bruce heritage site at Ubombo in Kwa-Zulu Natal, and various archaeological excavations and historical, archaeological projects. He has worked with many rural communities to establish integrated heritage and land use plans and speaks Zulu fluently. Mr Engelbrecht established Ubique Heritage Consultants in 2012. The company moved from KZN to the Northern Cape and is currently based at Askham in the Northern Cape within the Mier local municipality in the Kgalagadi region. He had a significant military career as an officer, whereafter he qualified as an Animal Health Technician at Technikon RSA and UNISA. He is currently studying for his MA Degree in Archaeology.

EXECUTIVE SUMMARY

Project description

UBIQUE Heritage Consultants were appointed by EnviroAfrica CC as independent heritage specialists in accordance with Section 38 of the NHRA and the National Environmental Management Act 107 of 1998 (NEMA) to conduct a cultural heritage assessment to determine the impact of the proposed solar PV facility (Doornrivier Solar 3), on the Farm Doornrivier 330 Restant, Virginia, Matjhabeng Local Municipality, Lejweleputswa District Municipality, Free State Province on any sites, features, or objects of cultural heritage significance.

Findings and Impact on Heritage Resources

The development footprint has been disturbed by agricultural activities in the recent past. As a result, no archaeological heritage resources were recorded with significant context.

Historical and more recent remnants of past agricultural activities were recorded. These included the ruins of an old house, cement and stone kraal and walls, building rubble, water troughs, boreholes and miscellaneous metal objects. Unfortunately, none of these is intact, has any temporal markers, or associated archaeological context. Therefore they are of low significance, and the development impact is negligible.

Two fenced inscribed graves are present on the Farm Doornrivier 330 Restant. The current project layout has considered these significant areas and avoids them. Therefore no negative impact is expected on these resources.

The proposed Doornrivier Solar 3 footprint is underlain by Quaternary sediments and Permian-aged sandstone and shale of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup). According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS), the Palaeontological Sensitivity of Quaternary sediments in this area is Moderate, while that of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) is Vey High. A 1-day site-specific field survey of the development footprint concluded that there is no visible evidence of fossiliferous outcrops in the development footprint; thus, an overall LOW palaeontological significance is allocated to the development footprint (Butler 2022 Appendix A).

Recommendations

Based on the assessment of the potential impact of the development on the identified heritage, the following recommendations are made, taking into consideration any existing or potential sustainable social and economic benefits:

- 1. The historical features and agricultural remnants of the recent past are considered low significance and not conservation worthy. The current project layout considers this sensitive area and will avoid these areas. Therefore no further action is required.
- 2. The identified graves on Doornrivier No 330 Restant will be impacted negatively by development. These would require costly mitigation before destruction. However, the current project layout considers this sensitive area and will avoid these areas.
- 3. The ECO for this project must be informed that the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) has a Very High Palaeontological Sensitivity. If Palaeontological Heritage is uncovered during surface clearing and excavations, the Chance find Protocol attached should be implemented immediately (Appendix A Section 12). Fossil discoveries ought to be protected, and the ECO/site manager must report to South African Heritage Resources Agency (SAHRA) (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation (recording and collection) can be carried out. Before any fossil material can be collected from the development site, the specialist would need to apply for a collection permit from SAHRA. Fossil material must be housed in an official collection (museum or university), while all reports and fieldwork should meet the minimum standards for palaeontological impact studies proposed by SAHRA (2012). These recommendations should be incorporated into the Environmental Management Plan for the Doornrivier Solar 1 development.
- 4. Although all possible care has been taken to identify sites of cultural importance during the investigation of study areas, it is always possible that hidden or sub-surface sites could be overlooked during the assessment. If during construction, any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils or other categories of heritage resources are found during the proposed development, SAHRA APM Unit (Natasha Higgitt/Phillip Hine 021 462 5402) must be alerted as per section 35(3) of the NHRA. If unmarked human burials are uncovered, the SAHRA Burial Grounds and Graves (BGG) Unit (Thingahangwi Tshivhase/Mimi Seetelo 012 320 8490) must be alerted immediately as per section 36(6) of the NHRA. Depending on the nature of the finds, a professional archaeologist or palaeontologist must be contacted as soon as possible to inspect the findings. If the newly discovered heritage resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required, subject to permits issued by SAHRA. UBIQUE Heritage Consultants and its personnel will not be held liable for such oversights or costs incurred due to such oversights.



TABLE OF CONTENTS

EXECUTIVE SUMMARY	
Project description	
Findings and Impact on Heritage Resources	
Recommendations	i
TABLE OF FIGURES	i
ABBREVIATIONS	
GLOSSARY	
1. INTRODUCTION	
1.1 Scope of study	
1.2 Assumptions and limitations	
2. TERMS OF REFERENCE	
2.1 Statutory Requirements	
2.1.1 General	
2.1.2 National Heritage Resources Act 25 of 1999	
2.1.3 Heritage Impact Assessments/Archaeological Impact Assessments	
2.1.5 Management of Graves and Burial Grounds	
3. STUDY APPROACH AND METHODOLOGY	6
3.1 Desktop study	(
3.1.1 Literature review	6
3.2 Field study	(
3.2.1 Systematic survey	6
3.2.2 Recording significant areas	
3.2.3 Definitions of heritage resources	
3.3 Determining significance	-
3.3.1 Assessment of development impacts	(
3.4 Report	1
4. PROJECT OVERVIEW	12
4.1 Technical information	12
5. HISTORICAL AND ARCHAEOLOGICAL BACKGROUND	15
5.1 Region: Free State	
5.1.1 Stone Age	15
5.1.2 Iron Age	
5.1.3 Historical period	16



5	.2	Local: Virginia	17
6.	Н	ERITAGE SENSITIVITY	18
6	5.1	Summary of Local Heritage Resources	18
	6	.1.1 Stone Age	19
		.1.2 Rock Art	
	6	.1.3 Iron Age	19
	6	.1.4 Historical/Colonial period	19
	6	.1.5 Graves/Burials	20
	6	.1.6 Palaeontological Sensitivity	20
7.	ΙD	DENTIFIED RESOURCES AND HERITAGE ASSESSMENT	22
7	.1	Surveyed area	22
7	.2	Description of the affected environment	22
7	'.3	Identified heritage resources	25
	7	.3.1. Historical/Recent resources Identified	25
	7	.3.2. Graves Identified	25
7	.4	Discussion	26
	7	.4.1. Archaeological features	26
	7	.4.2. Palaeontological resources	28
8.	A	SSESSMENT OF THE IMPACT OF THE DEVELOPMENT	30
9.	R	ECOMMENDATIONS	32
10.	CC	DNCLUSION	33
11.	ВІ	BLIOGRAPHY	34
APF	PEN	IDIX A	38
P	PAL	AEONTOLOGICAL FIELD ASSESSMENT FOR THE PROPOSED DEVELOPMENT OF SOLAR	
P	PHC	TOVOLTAIC (PV) FACILITY (DOORNRIVIER SOLAR 3) ON THE FARM, DOORNRIVIER 330	
		TANT, VIRGINIA, MATJHABENG LOCAL MUNICIPALITY, LEJWELEPUTSWA DISTRICT	
Λ	/UN	NICIPALITY, FREE STATE PROVINCE	38
ТΛ	DI	E OF FIGURES	
1/\	DL	LE OF FIGURES	
		1 Project layout provided by the client	13
		2 Regional locality of the development footprint, indicated on Google Earth Satellite ry.	14
Figu	ure	3 Locality of the development footprint, indicated on 1: 50 000 2826BB map	
		4 The Project area indicated on the Heritage Screening tool	10
		//screening.environment.gov.za/)5 The Project area indicated on the Palaeontological Heritage Screening tool	TQ
		://screening.environment.gov.za/)	21



Figure 6 Survey tracks across the development footprint	22
Figure 7 Indication of the vegetation types in and around the study area	23
Figure 8 Views of the affected development area	24
Figure 9 Distribution of identified heritage resources	26
Figure 11 Historical features and structures found at Doornrivier Solar 3	27
Figure 11 Graves recorded around the development footprint	28
Figure 12 Extract of the 1 in 250 000 SAHRIS PalaeoMap map (Council of Geosciences)	
indicating the proposed development in yellow. Image: Banzai Environmental	29

ABBREVIATIONS

AIA: Archaeological Impact Assessment

ASAPA: Association of South African Professional Archaeologists

CRM: Cultural Resource Management

EIA: Early Iron Age

EMP: Environmental Management Plan

ESA: Earlier Stone Age

GPS: Global Positioning System
HIA: Heritage Impact Assessment
HWC: Heritage Western Cape

IA: Iron Age

IMP: Integrated Management Plan

LSA: Later Stone Age
MIA: Middle Iron Age
MSA: Middle Stone Age

NBKB: Ngwao-Boswa Jwa Kapa Bokone (Northern Cape PHRA)

NHRA: National Heritage Resources Act
PHRA: Provincial Heritage Resource Agency
SADC: Southern African Development Community
SAHRA: South African Heritage Resources Agency

SAHRIS: South African Heritage Resources Information System

GLOSSARY

Archaeological: Material remains resulting from human activity in a state of disuse, older than 100

years, including artefacts, human and hominid remains and artificial features and

structures.

Historic building: Structures 60 years and older.

Heritage: That which is inherited and forms part of the National Estate (historic places,

objects, fossils as defined by the National Heritage Resources Act 25 of 1999).

Heritage resources: Valuable, finite, non-renewable and irreplaceable resources that provide evidence

of the origins of South African society

Mitigation: Anticipating and preventing adverse impacts and risks, then to minimise them,

rehabilitate or repair impacts to the extent feasible.



'Public monuments: All monuments and memorials, erected on land belonging to any branch of central,

provincial or local government, or on land belonging to any organisation funded by or established in terms of the legislation of such a branch of government; or

which were paid for by public subscription, government funds, or a public-spirited or military organisation and are on land belonging to any private individual.

'Structures': Any building, works, device or other facility made by people, and which are fixed to

land, and include any fixtures, fittings and equipment associated therewith.





1. INTRODUCTION

1.1 Scope of study

The project involves the proposed development of the proposed solar PV facility (Doornrivier Solar 3) on the Farm Doornrivier 330 Restant, Virginia, Matjhabeng Local Municipality, Lejweleputswa District Municipality, Free State Province. UBIQUE Heritage Consultants were appointed by EnviroAfrica CC as independent heritage specialists in accordance with the National Environmental Management Act 107 of 1998 (NEMA) and in compliance with Section 38 of the National Heritage Resources Act 25 of 1999 (NHRA) to conduct a cultural heritage assessment (AIA/HIA) of the development area.

The assessment aims to identify and report any heritage resources that may fall within the development footprint; to determine the impact of the proposed development on any sites, features, or objects of cultural heritage significance; to assess the significance of any identified resources; and to assist the developer in managing the documented heritage resources in an accountable manner, within the framework provided by the National Heritage Resources Act (Act 25 of 1999) (NHRA).

South Africa's heritage resources are rich and widely diverse, encompassing sites from all periods of human history. Resources may be tangible, such as buildings and archaeological artefacts, or intangible, such as landscapes and living heritage. Their significance is based on their aesthetic, architectural, historical, scientific, social, spiritual, linguistic, economic or technological values; their representation of a time or group; their rarity; and sphere of influence.

Natural (e.g. erosion) and human (e.g. development) activities can jeopardise the integrity and significance of heritage resources. In the case of human activities, a range of legislation exists to ensure the timeous and accurate identification and effective management of heritage resources for present and future generations.

The result of this investigation is presented within this heritage impact assessment report. It comprises the recording of heritage resources present/ absent and offers recommendations for managing these resources within the context of the proposed development.

Depending on SAHRA's acceptance of this report, the developer will receive permission to proceed with the proposed development, considering any proposed mitigation measures.

1.2 Assumptions and limitations

It is assumed that the description of the proposed project, as provided by the client, is accurate. Furthermore, it is assumed that the public consultation process undertaken as part of the Environmental Impact Assessment (EIA) is comprehensive and does not have to be repeated as part of the heritage impact assessment.

The significance of the sites, structures and artefacts is determined by means of their historical, social, aesthetic, technological and scientific value in relation to their uniqueness, condition of preservation and research potential. The various aspects are not mutually exclusive, and the evaluation of any site is done with reference to any number of these aspects. Cultural significance is site-specific and relates to the content and context of the site.

The comprehensive field survey and intensive desktop study have taken all possible care to identify sites of cultural importance within the development areas. However, it is essential to note that some heritage sites may have been missed due to their subterranean nature or dense vegetation cover. No subsurface investigation (i.e. excavations or sampling) was undertaken since a SAHRA permit is required for such activities. Therefore, should any heritage features and/or objects such as architectural features, stone tool scatters, artefacts, human remains, or fossils be uncovered or observed during construction, operations must be stopped, and a qualified archaeologist contacted for an assessment of the find. Observed or located heritage features and/or objects may not be disturbed or removed until the heritage specialist has been able to assess the significance of the site (or material) in question.





2. TERMS OF REFERENCE

2.1 Statutory Requirements

2.1.1 General

The principle is that the environment should be protected for present and future generations by preventing pollution, promoting conservation and practising ecologically sustainable development. With regard to spatial planning and related legislation at national and provincial levels, the following legislation may be relevant:

- Physical Planning Act 125 of 1991
- Municipal Structures Act 117 of 1998
- Municipal Systems Act 32 of 2000
- Development Facilitation Act 67 of 1995 (DFA)

The identification, evaluation and management of heritage resources in South Africa are required and governed by the following legislation:

- National Environmental Management Act 107 of 1998 (NEMA)
- KwaZulu-Natal Heritage Act 4 of 2008 (KZNHA)
- National Heritage Resources Act 25 of 1999 (NHRA)
- Minerals and Petroleum Resources Development Act 28 of 2002 (MPRDA)

2.1.2 National Heritage Resources Act 25 of 1999

The NHRA established the South African Heritage Resources Agency (SAHRA) together with its Council to fulfil the following functions:

- coordinate and promote the management of heritage resources at the national level;
- set norms and maintain essential national standards for the management of heritage resources in the Republic and to protect heritage resources of national significance;
- control the export of nationally significant heritage objects and the import into the Republic of cultural property illegally exported from foreign countries;
- enable the provinces to establish heritage authorities which must adopt powers to protect and manage certain categories of heritage resources; and
- provide for local authorities' protection and management of conservation-worthy places and areas.

2.1.3 Heritage Impact Assessments/Archaeological Impact Assessments

Section 38(1) of the NHRA of 1999 requires the responsible heritage resources authority to notify the person who intends to undertake a development that fulfils the following criteria to submit an impact assessment report if there is reason to believe that heritage resources will be affected by such event:



- the construction of a road, wall, power line, pipeline, canal or other similar form of linear development or barrier exceeding 300m in length;
- the construction of a bridge or similar structure exceeding 50m in length;
- any development or other activity that will change the character of a site
 - o exceeding 5000m² in extent; or
 - o involving three or more existing erven or subdivisions thereof; or
 - o involving three or more erven or divisions thereof which have been consolidated within the past five years; or
 - the costs of which will exceed a sum set in terms of regulations by SAHRA or a provincial heritage resources authority;
- the rezoning of a site exceeding 10 000m² in extent; or
- any other category of development provided for in regulations by SAHRA or a provincial heritage resources authority.

2.1.5 Management of Graves and Burial Grounds

- Graves younger than 60 years are protected in terms of Section 2(1) of the Removal of Graves and Dead Bodies Ordinance 7 of 1925 as well as the Human Tissues Act 65 of 1983.
- Authority are protected in terms of Section 36 of the NHRA as well as the Human Tissues Act of 1983. Accordingly, such graves are the jurisdiction of SAHRA. The procedure for Consultation Regarding Burial Grounds and Graves (Section 36(5) of NHRA) is applicable to graves older than 60 years that are situated outside a formal cemetery administrated by a local authority. Graves in the category located inside a formal cemetery administrated by a local authority will also require the same authorisation as set out for graves younger than 60 years over and above SAHRA authorisation.

The protocol for the management of graves older than 60 years situated outside a formal cemetery administered by a local authority is detailed in Section 36 of the NHRA:

- (3) (a) No person may, without a permit issued by SAHRA or a provincial heritage resources authority—
 - (a) destroy, damage, alter, exhume or remove from its original position or otherwise disturb the grave of a victim of conflict, or any burial ground or part thereof which contains such graves;
 - (b) destroy, damage, alter, exhume, remove from its original position or otherwise disturb any grave or burial ground older than 60 years which is situated outside a formal cemetery administered by a local authority; or
 - (c) bring onto or use at a burial ground or grave referred to in paragraph (a) or (b) any excavation equipment, or any equipment which assists in the detection or recovery of metals.
- (4) SAHRA or a provincial heritage resources authority may not issue a permit for the destruction or damage of any burial ground or grave referred to in subsection (3)(a) unless it is satisfied that the applicant has made satisfactory arrangements for the exhumation



and re-interment of the contents of such graves, at the cost of the applicant and in accordance with any regulations made by the responsible heritage resources authority.

- (5) SAHRA or a provincial heritage resources authority may not issue a permit for any activity under subsection (3)(b) unless it is satisfied that the applicant has, in accordance with regulations made by the responsible heritage resources authority—
 - (a) made a concerted effort to contact and consult communities and individuals who by tradition have an interest in such grave or burial ground; and
 - (b) reached agreements with such communities and individuals regarding the future of such grave or burial ground.
- (6) Subject to the provision of any other law, any person who in the course of development or any other activity discovers the location of a grave, the existence of which was previously unknown, must immediately cease such activity and report the discovery to the responsible heritage resources authority which must, in cooperation with the South African Police Service and in accordance with regulations of the responsible heritage resources authority—
 - (a) carry out an investigation for the purpose of obtaining information on whether or not such grave is protected in terms of this Act or is of significance to any community; and
 - (b) if such grave is protected or is of significance, assist any person who or community which is a direct descendant to make arrangements for the exhumation and re-interment of the contents of such grave or, in the absence of such person or community, make any such arrangements as it deems fit.





3. STUDY APPROACH AND METHODOLOGY

3.1 Desktop study

The first step in the methodology was to conduct a desktop study of the heritage background of the area and the proposed development site. This entailed scoping and scanning historical texts/records, previous heritage studies, and research around the study area.

The study area is contextualised by incorporating data from previous CRM reports in the area and an archival search. The objective is to extract data and information on the area in question, looking at archaeological sites, historical sites and graves.

No archaeological site data was available for the project area. A concise account of the archaeology and history of the broader study area was compiled (sources listed in the bibliography).

3.1.1 Literature review

A literature survey was undertaken to obtain background information regarding the area. Through researching the SAHRA APM Report Mapping Project records and the SAHRIS online database (http://www.sahra.org.za/sahris), it was determined that several other archaeological or historical studies had been performed within the broader vicinity of the study area. Sources consulted in this regard are indicated in the bibliography.

3.2 Field study

Phase 1 (AIA/HIA) requires the completion of a field study to establish and ensure the following:

3.2.1 Systematic survey

A systematic survey of the proposed project area was completed to locate, identify, record, photograph, and describe archaeological, historical or cultural interest sites.

UBIQUE Heritage Consultants inspected the proposed development and surrounding areas on the 15th, 16th, and 17th of November 2021 and completed a controlled-exclusive, pre-planned pedestrian and vehicular survey. We inspected the ground's surface, wherever the surface was visible. This was done with no substantial attempt to clear brush, sand, deadfall, leaves or other material that may cover the surface. In addition, cut banks and other exposures were fortuitously observed without looking beneath the surface beyond inspecting rodent burrows.

The survey was tracked with a handheld Garmin global positioning unit (Garmin eTrex 10).



3.2.2 Recording significant areas

GPS points of identified significant areas were recorded with a handheld Garmin global positioning unit (Garmin eTrex 10). Photographs were taken with a Canon IXUS 185 20-megapixel camera. Detailed field notes were taken to describe observations. The layout of the area and plotted GPS points, tracks and coordinates were transferred to Google Earth, and QGIS and maps were created.

3.2.3 Definitions of heritage resources

The NHRA defines a heritage resource as any place or object of cultural significance, i.e., aesthetic, architectural, historical, scientific, social, spiritual, linguistic, or technological value or significance. These include, but are not limited to, the following wide range of places and objects:

- Living heritage as defined in the National Heritage Council Act No 11 of 1999 (cultural tradition; oral history; performance; ritual; popular memory; skills and techniques; indigenous knowledge systems; and the holistic approach to nature, society and social relationships);
- Ecofacts (non-artefactual organic or environmental remains that may reveal aspects of past human activity; definition used in KwaZulu-Natal Heritage Act 2008);
- places, buildings, structures and equipment;
- places to which oral traditions are attached or which are associated with living heritage;
- historical settlements and townscapes;
- landscapes and natural features;
- geological sites of scientific or cultural importance;
- archaeological and palaeontological sites;
- graves and burial grounds;
- public monuments and memorials;
- sites of significance relating to the history of slavery in South Africa;
- movable objects, but excluding any object made by a living person; and
- battlefields.

3.3 Determining significance

Heritage resources are considered of value if the following criteria apply:

- a. It is important in the community or pattern of South Africa's history;
- b. It has uncommon, rare or endangered aspects of South Africa's natural or cultural heritage;
- c. It has the potential to yield information that will contribute to an understanding of South Africa's natural or cultural heritage;
- d. It is vital in demonstrating the principal characteristics of a particular class of South Africa's natural or cultural places or objects;
- e. It exhibits particular aesthetic characteristics valued by a community or cultural group;



f.	It is essential to demonstrate a high degree of creative or technical achievement at a particular period;
g.	It has a strong or unique association with a particular community or cultural group for social, cultural or spiritual reasons;
h.	It has a strong or special association with the life or work of a person, group or organisation of importance in the history of South Africa;
i.	It is of significance relating to the history of slavery in South Africa.

Levels of significance of the various types of heritage resources observed and recorded are determined by the following criteria:

CULTURAL & HERITAGE SIGNIFICANCE			
LOW	A cultural object found out of context, not part of a site or without any related feature/structure in its surroundings.		
MEDIUM	Any site, structure or feature is regarded as less important due to several factors, such as date, frequency and uniqueness. Likewise, any important object found out of context.		
HIGH	Any site, structure or feature is regarded as important because of its age or uniqueness. Graves are always categorised as of a high importance. Likewise, any important object found within a specific context.		

Field Ratings or Gradings are assigned to indicate the level of protection required and who is responsible for national, provincial, or local protection.

FIELD RATINGS & GRADINGS		
National Grade I	Heritage resources with exceptional qualities to the extent that they are of national significance and should therefore be managed as part of the national estate.	
Provincial Grade II	Heritage resources with qualities provincial or regional importance, although it may form part of the national estate, it should be managed as part of the provincial estate.	
Local Grade IIIA	Heritage resources are of local importance and worthy of conservation. Therefore, it should be included in the heritage register and not be mitigated (high significance).	
Local Grade IIIB	Heritage resources are of local importance and worthy of conservation. Therefore, it should be included in the heritage register and mitigated (high/ medium significance).	
	The site/resource should be mitigated before destruction (high/ medium significance).	



FIELD RAT	FIELD RATINGS & GRADINGS		
General Protection Grade IVA			
General protection Grade IVB	The site/resource should be recorded before destruction (medium significance).		
General protection Grade IVC	Phase 1 is considered a sufficient recording, and it may be demolished (low significance).		

3.3.1 Assessment of development impacts

A heritage resource impact may be defined broadly as the net change, either beneficial or adverse, between the integrity of a heritage site with and without the proposed development. Beneficial impacts occur wherever a proposed development actively protects, preserves, or enhances a heritage resource by minimising natural site erosion or facilitating non-destructive public use. More commonly, development impacts are of an adverse nature and can include:

- destruction or alteration of all or part of a heritage site;
- isolation of a site from its natural setting; and / or
- introduction of physical, chemical or visual elements out of character with the heritage resource and its setting.

Beneficial and adverse impacts can be direct or indirect and cumulative, as implied by the examples. Although indirect impacts may be more difficult to foresee, assess and quantify, they must form part of the assessment process. Therefore, the following assessment criteria have been used to assess the impacts of the proposed development on possible identified heritage resources:

CRITERIA	RATING SCALES	NOTES
Nature	POSITIVE	An evaluation of the type of effect the construction, operation and management of the proposed development would have on the heritage resource.
	NEGATIVE	
	NEUTRAL	
	LOW	Site-specific affects only the development footprint.
Extent	MEDIUM	Local (limited to the site and its immediate surroundings, including the surrounding towns and settlements within a 10 km radius);
	HIGH	Regional (beyond a 10 km radius) to national.



CRITERIA	RATING SCALES	NOTES
	LOW	0-4 years (i.e. duration of construction phase).
Duration	MEDIUM	5-10 years.
	HIGH	More than 10 years to permanent.
	LOW	Where the impact affects the heritage resource in such a way that its significance and value are minimally affected.
Intensity	MEDIUM	Where the heritage resource is altered, and its significance and value are measurably reduced.
	HIGH	Where the heritage resource is altered or destroyed to the extent that its significance and value cease to exist.
	LOW	No irreplaceable resources will be impacted.
Potential for impact on	MEDIUM	Resources that will be impacted can be replaced, with effort.
irreplaceable resources	HIGH	There is no potential for replacing a particular vulnerable resource that will be impacted.
		A combination of any of the following:
Consequence	LOW	 Intensity, duration, extent and impact on irreplaceable resources are all rated low. Intensity is low and up to two of the other criteria are rated medium. Intensity is medium, and all three other criteria are rated low.
Consequence	MEDIUM	Intensity is medium, and at least two of the other criteria are rated medium.
		Intensity and impact on irreplaceable resources are rated high, with any combination of extent and duration.
	HIGH	Intensity is rated high, with all the other criteria being rated medium or higher.
Probability	LOW	It is highly unlikely or less than 50 $\%$ likely that an impact will occur.
(the likelihood of the impact	MEDIUM	It is between 50 and 70 % certain that the impact will occur.
occurring)	HIGH	It is more than 75 % certain that the impact will occur, or it is definite that the impact will occur.
		Low consequence and low probability.
Significance (all impacts	LOW	Low consequence and medium probability.
		Low consequence and high probability.
including potential	mulative	Medium consequence and low probability.
cumulative		Medium consequence and medium probability.
impacts)	WIEDIOW	Medium consequence and high probability.
		High consequence and low probability.



CRITERIA	RATING SCALES	NOTES
		High consequence and medium probability.
	HIGH	High consequence and high probability.

3.4 Report

The desktop research and field survey results are compiled in this report. The identified heritage resources and anticipated direct, indirect, and cumulative impacts of the proposed project's development on the identified heritage resources will be presented objectively. Alternatives are offered if any significant sites are impacted adversely by the proposed project. All efforts will be made to ensure that all studies, assessments, and results comply with the relevant legislation, code of ethics, and guidelines of the Association of South African Professional Archaeologists (ASAPA). The report aims to assist the developer in managing the documented heritage resources in a responsible manner and protecting, preserving, and developing them within the framework provided by the National Heritage Resources Act of 1999 (Act 25 of 1999).





4. PROJECT OVERVIEW

UBIQUE Heritage Consultants were appointed by EnviroAfrica CC as independent heritage specialists following Section 38 of the NHRA and the National Environmental Management Act 107 of 1998 (NEMA) to conduct a cultural heritage assessment to determine the impact of the proposed solar PV facility (Doornrivier Solar 3) on the Farm Doornrivier 330 Restant, Virginia, Matjhabeng Local Municipality, Lejweleputswa District Municipality, Free State Province.

The proposed project will consist of three Solar facilities: Doornrivier Solar 1, Doornrivier Solar 2, and Doornrivier Solar 3. The expected generating capacity of the Doornrivier areas) are as follows:

Doornrivier Solar 1 219ha /2.5Ha/MW = 88 MW
 Doornrivier Solar 2 260ha /3Ha/MW = 87 MW
 Doornrivier Solar 3 208ha /2.5Ha/MW = 83 MW

Infrastructure will include Photovoltaic panels (on ground-mounted steel structures) with fixed axis and single-axis tracking (confirmed during detailed design), switching stations, access roads, offices, and water and sewage pipelines.

4.1 Technical information

PROJECT DESCRIPTION			
Project name	Phase 1 HIA Doornrivier Solar 3 Virginia		
	Proposed Development of Solar Photovoltaic (Pv) Facility (Doornrivier Solar 3) on the Farm Doornrivier 330 Restant, Virginia, Matjhabeng Local Municipality, Lejweleputswa District Municipality, Free State Province		
DEVELOPER			
Keren Energy Group Holdin	ngs		
Development type	Solar PV facilities and grid connection		
LANDOWNER			
Private			
CONSULTANTS			
Environmental	EnviroAfrica CC		
Heritage and archaeologic	UBIQUE Heritage Consultants		
Paleontological	Banzai Environmental		
PROPERTY DETAILS			
Province	Free State		
District municipality	Lejweleputswa		
Local municipality	Matjhabeng		
Topo-cadastral map	1: 50 000 2826BB		



	D :: 000 D : :				
Farm name	Doornrivier 330 Restant				
Closest town	Virginia				
GPS Co-ordinates	28°11'10.58"S; 26°46'53.67"E				
PROPERTY SIZE	243.6ha				
DEVELOPMENT FOOTPRINT SIZE	208ha				
LAND USE					
Previous	Agriculture/grazing				
Current	Agriculture/grazing				
Rezoning required	No				
Sub-division of land No					
DEVELOPMENT CRITERIA IN TERMS OF SECTION 38(1) NHRA YES/NO					
	Z. (10 C) (2 C) (10 (10 C)	123/110			
	I, power line, pipeline, canal or other linear forms of	Yes			
Construction of a road, wal development or barrier excee	I, power line, pipeline, canal or other linear forms of				
Construction of a road, wal development or barrier excee	I, power line, pipeline, canal or other linear forms of ding 300m in length. Iar structure exceeding 50m in length.	Yes			
Construction of a road, wal development or barrier excee Construction of bridge or simi Construction exceeding 5000	I, power line, pipeline, canal or other linear forms of ding 300m in length. Iar structure exceeding 50m in length.	Yes			
Construction of a road, wal development or barrier excee Construction of bridge or simi Construction exceeding 5000 Development involving three	I, power line, pipeline, canal or other linear forms of ding 300m in length. lar structure exceeding 50m in length. m ² .	Yes No Yes			
Construction of a road, wal development or barrier excee Construction of bridge or simi Construction exceeding 5000 Development involving three Development involving three	I, power line, pipeline, canal or other linear forms of ding 300m in length. lar structure exceeding 50m in length. m ² . or more existing erven or subdivisions. or more erven or divisions that have been consolidated	Yes No Yes No			




Figure 1 Project layout provided by the client.







Figure 2 Regional locality of the development footprint, indicated on Google Earth Satellite imagery.



 $\textbf{\textit{Figure 3}} \ \textit{Locality of the development footprint, indicated on 1:} \ 50\ 000\ 2826 \textit{BB map.}$



5. HISTORICAL AND ARCHAEOLOGICAL BACKGROUND

5.1 Region: Free State

5.1.1 Stone Age

In southern Africa, the Stone Age can be divided into three periods. It is, however, critical to note that dates are relative and only provide a broad framework for interpretation. The division of the Stone Age, according to Lombard et al. (2012), is as follows:

- Earlier Stone Age (ESA): >2 000 000 >200 000 years ago
- Middle Stone Age (MSA): <300 000 >20 000 years ago
- Later Stone Age (LSA): <40 000 until the historical period

Early Stone Age assemblages include simple flakes from cobbles, core and pebble tools. Later stages include intentionally shaped hand axes and cleavers; final or transitional stages have smaller tools than the preceding stages and include large blades. The MSA is characterised by Levallois or prepared core techniques resulting in triangular flakes with convergent dorsal scars, with faceted striking platforms. Discoidal systems and intentional blade production also occur, and formal tools include unifacially and bifacially retouched points, backed artefacts, scrapers, and denticulates. Some evidence of hafted tools and deposits occasionally includes marine/ostrich eggshell shell beads, bone points, engraved ochre nodules and grindstones. The LSA varies with a wide range of micro- and macrolithic formal tools. Also occurring is hafted stone and bone tools; borers, bored stones, upper and lower grindstones, grooved stones; ostrich eggshell beads, ornaments, un/decorated flasks/flask fragments; fishing equipment; rock art, and ceramics in the late final phase (Lombard et al. 2012; Dusseldorp et al. 2013).

A rich archaeological landscape reflects the history of the Free State with a wealth of pre-colonial archaeological sites. Prominent sites such as Cornelia-Uitzoek, Florisbad, De Hoop, Roosfontein, Mauermanshoek, several open-air sites and Rose Cottage Cave have been identified and dates to the Early, Middle and Later Stone Ages (e.g., Wadley 1995; Kuman et al. 1999; Brink et al. 2012). Open-air occupation seems to have been preferred in the eastern Free State during the MSA, with lake shores such as Florsibad being used for hunting and butchering medium-sized bovids. Thus far, Rose Cottage is the only excavated cave containing MSA. In contrast, it seems that LSA people favoured camping in shelters due to LSA deposits occurring mainly in rock shelters, and few openair sites have been recorded. However, by 1300 CE, pottery was present at Rose Cottage Cave. The presence of pottery suggests that local hunter-gatherers had contact with herder communities, who were already present in the neighbouring Seacow Valley (e.g., Wadley 1995; Sadr & Sampson 1999).



5.1.2 Iron Age

The South African Iron Age is generally characterised by farming communities that lived in sedentary settlements, kept livestock, cultivated plants, manufactured and made use of ceramics, and smelted iron for weapons and manufactured tools. These agropastoralists generally chose to live in areas with sufficient water for domestic use and arable soil that could be cultivated. The Iron Age as an archaeological period is subdivided as follows:

- Early Iron Age (EIA) 250 900 CE
- Middle Iron Age (MIA) 900 1300 CE
- Late Iron Age (LIA) 1300 1840 CE

Late Iron Age settlements typically consist of stonewalling that demarcates primary cattle enclosures surrounded by huts, referred to as the Central Cattle Pattern (CCP). The main characteristics of the CCP are a settlement built encircling a cattle enclosure and living spaces arranged according to gender and social status. The centre of a village is a male domain and includes grain pits for storing grain and associated middens. The central area is also where men do crafts, like braying skins, carving objects from ivory or wood, and making metal objects. The outer residential area is the domain of women organised according to the seniority of a wife. This zone includes the households of individual wives with sleeping huts, kitchens, grain bins, storage pits, middens and graves (e.g., Huffman 2007).

Thus far, the earliest known Iron Age settlement in the Free State is OUI, dated to 505 ± 95 BP (GX-1014) (calibrated to CE 1330-1440) and the site OND2 dates to 215 ± 85 BP (GX-I463) (calibrated CE 1510-1800) (Maggs 1976). The Late Iron Age archaeology of the Free State is characterised by a wide distribution of stonewalled sites along the flat-topped ridges and hills. These settlements are associated with Basotho and Setswana speakers, who settled in the area during the last 500 years (Maggs 1976; Sadr 2019). However, during the 18^{th} century, turmoil spread across the landscape, as evidenced at Makgwareng, which was occupied between 1720-1880 CE (Pta-133; Pta-1123). The distribution of some of the finds at Makgwareng suggests that the inhabitants left suddenly and maybe violently. Makgwareng may have been subject to attacks from Ndebele, Hlubi and Ngwane raiders that were active in the region during the Mfecane (Maggs 1976).

5.1.3 Historical period

The historical period within the region coincides with the incursion of white traders, hunters, explorers, and missionaries into the interior of South Africa. From the 1820s, *trekboers* and *Voortrekkers* were settling in the region, which the Basotho king Moshoeshoe controlled. Simultaneously in 1825, Dr John Philip of the London Missionary Society invited the Griqua leader, Adam Kok II, to settle with his people at Philippolis. During the 1820s, the Free State was under British sovereignty. Relations between the Griquas, Sotho's and Dutch immigrant farmers are characterised by interaction and interdependence as much as enmity and conflict. Concurrently these communities were also facing the socio-political effects of the Mfecane. In 1854, the British authorities withdrew their sovereignty and handed over power to the provisional government of the



Web: www.ubiquecrm.com Mail: info@ubiquecrm.com Office: (+27)721418860

16

newly created Orange Free State Republic with the signing of the Bloemfontein Convention (Moll 1977; Eldredge 1987; Keegan 1988; Giliomee & Mbenga 2007; Erasmus 2010).

Land speculation increased the pressure on land in the Orange Free State, providing further impetus to European competition for Basotho land. The commercialization and expansion of the rural settler economy required the continuous acquisition of more and more land. Border treaties between the Basotho and the British and settlers were negotiated and re-negotiated in the 1840s, 1850s, and 1860s. The discovery of mineral wealth, such as diamonds and gold during the 1860s and 1870s, also led to more migrants coming to the region as workers or speculators. Over time, as both Basotho and European societies experienced demographic and economic expansion, trade relations between the two groups gave way to more competitive political relations and an ongoing struggle for territorial control. The competition was exacerbated by droughts, famine and diseases in the Free State, ultimately leading to the violent conflict of the 1890s between the British, Basotho and farmers. Britain annexed the Zuid-Afrikaansche Republiek in 1877, resulting in the South African War (1899-1902). The province also housed the infamous concentration camps in Bloemfontein, Bethulie, Winburg and Kroonstad. After the South African War, the Union of South Africa was formed in 1910, and the former Orange Free State Province was established (Moll 1977; Eldredge 1987; Keegan 1988; Giliomee & Mbenga 2007; Erasmus 2010).

5.2 Local: Virginia

The town of Virginia is located in the Lejweleputswa (Sesotho word meaning "Grey rock" in English) District Municipality and the Matjhabeng (Sesotho word meaning "where nations meet") Local Municipality in the Free State. Matjhabeng refers to migrant labourers from countries like Lesotho and Mozambique who came to work in the Goldfields of the Free State. Laid out at the peak of the 1950s gold rush on the banks of the Sand River, Virginia is a gold mining town surrounded by some of the largest gold fields in the Free State. Commercial farms in the surrounding area grow maize (corn) and raise livestock. The town carries the name of the railway siding, named after the birthplace of two railway surveyors from the state of Virginia in the United States. They etched the name of their birthplace on a boulder near the farm Merriespruit in 1890 (Muller 1956; Wagener 1997).





6. HERITAGE SENSITIVITY

The Heritage Screening tool (https://screening.environment.gov.za/) archaeological layer shows low significance with locations of high sensitivity towards the north, northeast, east, south and southeast of the proposed project area(s).



 $\textbf{\textit{Figure 4}} \ \textit{The Project area indicated on the Heritage Screening tool (https://screening.environment.gov.za/)}$

6.1 Summary of Local Heritage Resources

The desktop study revealed that little to no Heritage Assessments had been conducted on or directly adjacent to the proposed areas for development. However, numerous studies were completed in the broader landscape around Virginia. The assessments reported on cultural material and features relating to the Iron Age and Historical/Colonial era, which appear to be consistent with the history of the Free State. Studies encountered minimal or no archaeological materials/remains (e.g., Dreyer 2006; Van Schalkwyk 2010).



6.1.1 Stone Age

None of the HIA/AIA reports completed in the area recorded any stone tools, lithics or flakes.

6.1.2 Rock Art

Several rock art sites have been documented on the SAHRA Database in the Free State province.

HERITAGE SITES IN AND AROUND BLOEMFONTEIN DOCUMENTED ON THE SAHRA DATABASE:						
Site/Object Name	Coordinates	Archive Status	Declaration Type	Site type	Site Reference	Site ID
Rose Cottage Cave, Ladybrand District	-29.216091; 27.469661		Provincial Heritage Site	Archaeological, Rock Art, Deposit	9/2/325/0006	32417
Rock Paintings, Modderpoortspruit, Ladybrand District	-29.112431; 27.443938	National monument	Provincial Heritage Site	Rock Art	9/2/325/0010	26445
Rock paintings, Ventershoek, Wepener District	-29.746241; 27.072694		Provincial Heritage Site	Rock Art	9/2/346/0003	26384

6.1.3 Iron Age

The Desktop study revealed that Iron Age sites are not uncommon in the area.

	IRON AGE RESOURCES RECORDED IN X KM RADIUS						
			COORDINATES				
	HIA/AIA	SITES		HERITAGE RESOURCES			
			PROXIMITY TO STUDY AREA				
	R & R CULTURAL RESOURCE CONSULTANTS 2007	ALDAM ESTATE, ALDAM	S28° 16' 17.3" E27° 10' 25.8"				
			40 km southeast	Late Iron Age Type V settlement			

6.1.4 Historical/Colonial period

Very few impact assessments were reported on cultural material and sites associated with the Historical/Colonial Period. However, the wider vicinity is well known for Historical Period resources related to the ABO and colonial farming period.



HISTORICAL PERIOD RESOURCES RECORDED IN X KM RADIUS						
1114 / 414	SITES	COORDINATES	LIEDITAGE DECOLIDATO			
HIA/AIA		PROXIMITY TO STUDY AREA	HERITAGE RESOURCES			
	PORTIONS OF THE FARMS BLOEMHOEK 509, WELGELEGEN 382, MOOI UITZIG 352, FLORIDA 633, LE ROUX 717 AND DETENTE 744	S28.21863 E27.03644	Historic era remains of a farm worker's compound (ca. 1940s)			
EXIGO 2021		16 km northwest				
R & R CULTURAL RESOURCE CONSULTANTS 2007	ALDAM ESTATE, ALDAM	S28° 16' 17.3" E27° 10' 25.8" 40 km southeast	Monuments commemorating Zandrivier Convention 1852 and 1914 - 1915 rebellion. Historic farmstead			
COETZEE, F. 2008	PHAKISA HOUSING DEVELOPMENT, WELKOM	S27.94898 E26.73813 20 km north	Historic mine shaft post 1940s			

6.1.5 Graves/Burials

Several graves were recorded in the area around the development footprint.

GRAVES/BURIALS RECORDED IN X KM RADIUS						
1114 /414	CITEC	COORDINATES	LIEDITAGE DECOLIDOES			
HIA/AIA	SITES	PROXIMITY TO STUDY AREA	HERITAGE RESOURCES			
DREYER, C. 2004	THABONG, WELKOM	\$27°57'27. E026°50'42	Graves of farm labourers			
		25 km south				
VAN SCHALKWYK, J.A.	ROUTE 1,	S 28.08055 E 27.14759	Formal town cemetery			
2010	VENTERSBURG	35 km east				

6.1.6 Palaeontological Sensitivity

The Heritage Screening tool (https://screening.environment.gov.za/) palaeontological layer shows that the proposed project area has a high to very high palaeontological sensitivity.





 $\textbf{\textit{Figure 5}} \ \textit{The Project area indicated on the Palaeontological Heritage Screening tool (https://screening.environment.gov.za/)}$





7. IDENTIFIED RESOURCES AND HERITAGE ASSESSMENT

7.1 Surveyed area

The area surveyed for the impact assessment was dictated by the Google Earth map of the development footprints provided by the client. A two-person team surveyed the proposed Solar footprint areas by vehicle and foot. The pedestrian survey was conducted in predominantly 30-50 m transects.



Figure 6 Survey tracks across the development footprint.

7.2 Description of the affected environment

The study area falls predominantly within the Vaal-Vet Sandy Grassland Vegetation type (SANBI 2022). A plains-dominated landscape characterises the Vaal-Vet Sandy Grassland vegetation type with scattered, slightly irregular undulating plains and hills and mainly low-tussock grasslands with an abundant karroid element (Mucina & Rutherford 2006).



The study area's landscape has been disturbed by agricultural activities. The vegetation density varies but predominantly comprises tall grass and ploughed and open grass fields. The neighbouring farm fences bound the development footprint to the east and the north, the R30 in the west, with the R730 to the south. Various two-track roads give access to the different development areas.




Figure 7 Indication of the vegetation types in and around the study area





23





 $\textbf{\textit{Figure 8}} \ \textit{Views of the affected development area.}$



7.3 Identified heritage resources

7.3.1. Historical/Recent resources Identified

HISTORICAL/RECENT RESOURCES IDENTIFIED							
SITE ID#	DESCRIPTION		PERIOD	LOCATION	FIELD RATING/ SIGNIFICANCE/ RECOMMENDED MITIGATION		
	Type of site	Structural ruins, house kraal, stone walls	20 th century	28°11'7.14"S 26°47'20.76"E	Field Rating IV C		
	Material	Various			Low significance		
	N in m ²	4 in 2.1 ha			No Mitigation Required		
DRV03-001	Context	Disturbed, broken down area			The initigation required		
	Additional	No temporal markers, but probably more recent past					

7.3.2. Graves Identified

GRAVES/BURIALS IDENTIFIED							
SITE ID#	DESCRIPTION		PERIOD	LOCATION	FIELD RATING/ SIGNIFICANCE/ RECOMMENDED MITIGATION		
DRV03-002	Grave Markers Inscription Grave Orientation Dimension/Extent Additional	2 Marble headstones Van Wyk and Du Toit East/West Average 1,8m x 1m Two graves, fenced	Buried 2008 and 2009	28° 10'53.09"S 26° 46'41.18"E	Field Rating of Local Grade IIIB High/medium significance 30m buffer/safety zone recommended		






Figure 9 Distribution of identified heritage resources

7.4 Discussion

7.4.1. Archaeological features

7.4.1.1. Historical/Recent

Historical features present in the footprint area are the ruins of a house with building rubble, old kraal and stone and cement walls. These are all remnants of agricultural activities from the recent past.

Although no temporal indicators are present at these features, they may be older than 60 years. However, none are intact or with any archaeological context or matrix and therefore deemed minor scientific, historical or cultural importance and not conservation worthy (NCW).

The material is given a 'General' Protection C (Field Rating IV C). This means that it has been sufficiently recorded (in Phase 1). Therefore, it requires no further action.





Figure 10 Historical features and structures found at Doornrivier Solar 3



7.4.1.2. Graves

Two graves were recorded on the Farm Doornrivier 330 Restant (DRV03-002). The graves have inscribed marble headstones and are fenced. Even though the recorded graves fall outside the finalised project layout, it is essential to note that graves could be present anywhere in the landscape. Due to dense vegetation, it is possible that more graves could be present in the projected footprint that was missed during the survey.

These identified gravesites are given a 'Local Grade IIIB" rating. This means the graves should be included in the heritage register and may be mitigated (high/ medium significance).



Figure 11 Graves recorded around the development footprint

7.4.2. Palaeontological resources

Elize Butler from Banzai Environmental conducted a palaeontological field assessment for the development footprint (see Appendix A). She determined that the proposed Doornrivier Solar 1 is underlain by Quaternary sediments and Permian-aged sandstone and shale of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup). According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS), the Palaeontological Sensitivity of Quaternary sediments in this area is Moderate, while that of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) is Vey High. Therefore, a 1-day site-specific field survey of the development footprint was conducted on foot and by a motor vehicle on 29 January 2022.



Web: www.ubiquecrm.com Mail: info@ubiquecrm.com Office: (+27)721418860

28

No visible evidence of fossiliferous outcrops was found in the development footprint; thus, an overall LOW palaeontological significance is allocated to the development footprint.




Figure 12 Extract of the 1 in 250 000 SAHRIS PalaeoMap map (Council of Geosciences) indicating the proposed development in yellow. Image: Banzai Environmental





8. ASSESSMENT OF THE IMPACT OF THE DEVELOPMENT

Description	Development Impact		Mitigation	Field rating/ Significance
Archaeological				
1. The structural ruins (DRV03-001)	Nature Extent Duration Intensity Potential of impact on irreplaceable resource Consequence Probability of impact Significance	Neutral Low Low Low Medium High Low Low	No mitigation required.	Field Rating IV C Low significance
2. The graves (DRV03-002)	Nature Extent Duration Intensity Potential of impact on irreplaceable resource Consequence Probability of impact Significance	Negative High High High High High High High High	Sites should be included in the heritage register and may be mitigated. Buffer zone recommended.	Field Rating of Local Grade IIIB High significance
Paleontological				
3. The Palaeontological Sensitivity of Quaternary sediments in this area is Moderate, while that of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) is Vey High. No evidence of fossiliferous outcrops was found in the development footprint; thus, an overall LOW palaeontological significance is allocated to the development footprint.	Nature Extent Duration Intensity Potential of impact on irreplaceable resource Consequence Probability of impact Significance	Negative High Medium High High High High High	Chance Finds Protocol provided.	N/A

The recorded historical features are not conservation-worthy; therefore, the impact is considered negligible. The development holds a potential negative threat to the graves, which is highly significant. However, the project layout has considered these heritage resources and mitigated the effects of the development by excluding these areas from the project layout plan. In addition, implementing buffer zones will help conserve heritage resources.

Concerning the impact on palaeontological resources: even though the palaeontological significance of the area is high, no visible evidence of fossiliferous outcrops was found in the



development footprint. Therefore an overall LOW palaeontological significance is allocated to the development footprint. Therefore, the proposed development will not lead to detrimental impacts on the palaeontological reserves of the area, and construction of the development may be authorised to its whole extent (Butler 2022).





9. RECOMMENDATIONS

Based on the assessment of the potential impact of the development on the identified heritage, the following recommendations are made, taking into consideration any existing or potential sustainable social and economic benefits:

- 1. The historical features and agricultural remnants of the recent past are considered low significance and not conservation worthy. The current project layout considers this sensitive area and will avoid these areas. Therefore no further action is required.
- 2. The identified graves on Doornrivier No 330 Restant will be impacted negatively by development. These would require costly mitigation before destruction. However, the current project layout considers this sensitive area and will avoid these areas.
- 3. The ECO for this project must be informed that the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) has a Very High Palaeontological Sensitivity. If Palaeontological Heritage is uncovered during surface clearing and excavations, the Chance find Protocol attached should be implemented immediately (Appendix A Section 12). Fossil discoveries ought to be protected, and the ECO/site manager must report to South African Heritage Resources Agency (SAHRA) (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation (recording and collection) can be carried out. Before any fossil material can be collected from the development site, the specialist would need to apply for a collection permit from SAHRA. Fossil material must be housed in an official collection (museum or university), while all reports and fieldwork should meet the minimum standards for palaeontological impact studies proposed by SAHRA (2012). These recommendations should be incorporated into the Environmental Management Plan for the Doornrivier Solar 1 development.
- 4. Although all possible care has been taken to identify sites of cultural importance during the investigation of study areas, it is always possible that hidden or sub-surface sites could be overlooked during the assessment. If during construction, any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils or other categories of heritage resources are found during the proposed development, SAHRA APM Unit (Natasha Higgitt/Phillip Hine 021 462 5402) must be alerted as per section 35(3) of the NHRA. If unmarked human burials are uncovered, the SAHRA Burial Grounds and Graves (BGG) Unit (Thingahangwi Tshivhase/Mimi Seetelo 012 320 8490) must be alerted immediately as per section 36(6) of the NHRA. Depending on the nature of the finds, a professional archaeologist or palaeontologist must be contacted as soon as possible to inspect the findings. If the newly discovered heritage resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required, subject to permits issued by SAHRA. UBIQUE Heritage Consultants and its



Web: www.ubiquecrm.com Mail: info@ubiquecrm.com Office: (+27)721418860

32

personnel will not be held liable for such oversights or costs incurred due to such oversights.

10. CONCLUSION

This HIA has identified no significant heritage resources. Accordingly, the proposed development of solar photovoltaic (PV) facilities on Restant of the farm Doornrivier 330 (Doornrivier Solar 3), Virginia, Matjhabeng Local Municipality, Lejweleputswa District Municipality, Free State Province, may continue, provided the recommendations stipulated within this report, and the subsequent decision by SAHRA, are followed.





11. BIBLIOGRAPHY

- Badenhorst, S. 2010. Descent of Iron Age Farmers on Southern Africa during the last 2000 years. African Archaeological Review, 27:87–106.
- Binneman, J. F. 1995. Symbolic construction of communities during the Holocene Later Stone Age in the South–Eastern Cape. Unpublished PhD thesis. Johannesburg: University of the Witwatersrand
- Binneman, J., Booth, C. and Higgitt, N. 2011. An Archaeological Desktop Study And Phase 1 Archaeological Impact Assessment (Aia) For The Proposed Clidet Data Cable between Bloemfontein, Orange Free State and Graaff Reinet, Eastern Cape Province; Colesberg, Orange Free State and Port Elizabeth, Eastern Cape Province; George, Western Cape Province and Port Elizabeth, Eastern Cape Province and; Aliwal North and East London, Eastern Cape Province. Unpublished report. Albany Museum: Grahamstown.
- Coertze, P.J. & Coertze, R.D. 1996. *Verklarende vak woordeboek vir Antropologie en Argeologie*. R.D. Coertze: Pretoria.
- Deacon, H.J. & Deacon, J. 1999. Human Beginnings in South Africa: Uncovering the secrets of the Stone Age. David Phillips Publishers: Cape Town.
- Dreyer, C. 2005. First Phase Heritage / Archaeological Assessment Of The Proposed Residential Developments At The Farm Wolfkop 2353, Bloemfontein. Unpublished report. Brandhof: Bloemfontein.
- Dreyer, C. 2006. First Phase Archaeological And Cultural Heritage Assessment Of The Proposed Developments At The Mangaung Integrated Housing Initiative, Hamilton, Bloemfontein. Unpublished report. Brandhof: Bloemfontein.
- Dreyer 2007a. First Phase Archaeological And Cultural Heritage Assessment Of The Proposed Business Developments On Erf 24722, Old Presidency, Bloemfontein. Unpublished report. Brandhof: Bloemfontein.
- Dreyer, C. 2007b. Archaeological And Historical Investigation of The Proposed Township Establishment On Portions Of The Farms Cecilia 2352, Kwaggafontein 2300 And Bloemfontein 654, Bloemfontein, Free State. Unpublished report. Brandhof: Bloemfontein.
- Dreyer, C. 2007c. First Phase Archaeological And Cultural Heritage Assessment Of The Proposed Residential Developments At Subdivision 3, Kwaggafontein 2300, Bloemfontein. Unpublished report. Brandhof: Bloemfontein.
- Dreyer, C. 2007d. First Phase Archaeological And Cultural Heritage Assessment Of The Proposed Light Industrial Developments At Plot 38 Kwaggafontein, Bloemfontein. Unpublished report. Brandhof: Bloemfontein.
- Dreyer, C. 2013. First Phase Archaeological & Heritage Assessment of The Proposed Solar Farm Developments At Spes Bona 2355, Bloemfontein. Unpublished report. Brandhof: Bloemfontein.
- Dreyer, C. 2015. First Phase Archaeological And Heritage Assessment Of The Proposed Mixed-Use Development On Portion 5 Of Brandkop 702, Bloemfontein, Free State. Unpublished report. Brandhof: Bloemfontein.



- Fourie, W. 2013 a. Proposed Construction Of The Sss1 5mw Solar Photovoltaic (Pv) Plant On The Eastern Part Of Portion 6 (Portion 0f Portion 5) Of Farm Spes Bona 2355 Near Bloemfontein. Unpublished report. PGS Heritage and Grave Relocation Consultants: Totiusdal.
- Fourie, W. 2013 b. Proposed Construction Of The Sss2 5mw Solar Photovoltaic (Pv) Plant On The Western Part Of Portion 6 (Portion 0f Portion 5) Of Farm Spes Bona 2355 Near Bloemfontein. Unpublished report. PGS Heritage and Grave Relocation Consultants: Totiusdal.
- Fourie, W. 2020. The Proposed Development Of The Eskom Melkspruit To Rouxville 132 Kv Overhead Powerline, Free State Province. Unpublished report. PSG Heritage.
- Hall, M. 1987. The changing past: farmers, kings and traders in southern Africa. 200-1860. Cape Town: David Philip.
- Hillier, A. P. and Cana, F. R. 1911. Encyclopædia Britannica, Volume 20. 11th ed. Orange Free State P:151-159.
- Huffman, T. 2002. Regionality in the Iron Age: the case of the Sotho-Tswana. Southern African Humanities, 14: 1–22.
- Huffman, T. 2007. Handbook to the Iron Age. Pietermaritzburg: University of Kwazulu-Natal Press.
- Klein, R. G. 2000. The Earlier Stone Age of Southern Africa. *The South African Archaeological Bulletin*, 27(172): 107-122.
- Kruger, N. 2018. Archaeological Impact Assessment (Aia) Of Demaracted Areas On A Portion Of The Remainder Of The Farm Bospoort 558 For The Proposed Bospoort Sand Mine Project In The Fezile Dabi District Municipality, Free State Province. Unpublished report. Exigo3 Sustainability.
- Lombard, M., Wadley, L., Deacon, J., Wurz, S., Parsons, I., Mohapi, M. Swart, J. & Mitchell, P. 2012. South African and Lesotho Stone Age sequence updated. South African Archaeological Bulletin 67: 123-144.
- Matenga, E. 2019. Phase I Heritage Impact Assessment (Including Palaeontological Assessment) Requested In Terms Of Section 38 Of The National Heritage Resources Act No 25/1999 For A Mining Right On Portion 4 Of The Farm Blaauwboschfontein 229, Boshof District, Free State Province. Unpublished report. Archaeological and Heritage Services Africa (Pty) Ltd. Pretoria
- Mitchell, P. 2002. The archaeology of Southern Africa. Cambridge: Cambridge University Press.
- Mlilo, T. 2017. Phase 1 Archaeological/Heritage Impact Assessment For Prospecting Rights To Prospect For Diamonds (Alluvial And Kimberlite) In Respect Of Remainder Of Kalkfontein A 13 Farm, Situated Within Boshof Local Municipality, Free State Province. Unpublished report. Integrated Specialist Services.
- Morris, D. 2014a. Proposed Boundary Solar Energy Facility On The Farm Karreeboom 1716, East Of Kimberley, In The Tokologo Local Municipality, Free State: Heritage Impact Assessment. Unpublished report. McGregor Museum: Bloemfontein.
- Morris, D. 2014 b. proposed Blackwood Solar Energy Facility On Portion 1 Of Pandamsfontein 1593, South East Of Kimberley, In The Tokologo Local Municipality, Free State: Scoping Phase Heritage Input. Unpublished report. McGregor Museum: Bloemfontein.
- Mucina, L. & Rutherford, M.C. (eds) 2006. *The vegetation of South Africa, Lesotho and Swaziland*. Strelitzia 19. SANBI: Pretoria.



- Orton, J. 2015. Heritage impact assessment for eleven Solar PV Facilities and Supporting Electrical Infrastructure near Dealesville in the Free State Province. Unpublished report. ASHA Consulting(Pty) Ltd.
- Orton, J. 2016 a. Heritage Impact Assessment: Scoping And Environmental Impact Assessment For The Proposed Development Of The Edison Pv 100 Mw Photovoltaic Facility Near Dealesville, Free State. Unpublished report. ASHA Consulting(Pty) Ltd.
- Orton, J. 2016 b. Heritage Impact Assessment: Scoping And Environmental Impact Assessment For The Proposed Development Of The Watt Pv 100 Mw Photovoltaic Facility Near Dealesville, Free State. Unpublished report. ASHA Consulting(Pty) Ltd.
- Orton, J. 2016 c. Heritage Impact Assessment: Scoping And Environmental Impact Assessment For The Proposed Development Of The Marconi Pv 100 Mw Photovoltaic Facility Near Dealesville, Free State. Unpublished report. ASHA Consulting(Pty) Ltd.
- Orton, J. 2016 d. Heritage Impact Assessment: Scoping And Environmental Impact Assessment For The Proposed Development Of The Faraday Pv 100 Mw Photovoltaic Facility Near Dealesville, Free State. Unpublished report. ASHA Consulting(Pty) Ltd.
- Orton, J. 2016 e. Heritage Impact Assessment: Scoping And Environmental Impact Assessment For The Proposed Development Of The Maxwell Pv 100 Mw Photovoltaic Facility Near Dealesville, Free State. Unpublished report. ASHA Consulting(Pty) Ltd.
- Raper, P. E. 1987. Dictionary Of Southern African Place Names. Head, Onomastric research Centre, HSRC.
- Rossouw, L. 2007. Phase 1 Archaeological Impact Assessment Of A 4000 M², Portion Of Land Demarcated For Development By Coca Cola In Bloemfontein. Unpublished report. National Museum, Bloemfontein: Bloemfontein.
- Rossouw, L. 2014. Phase 1 Heritage Impact Assessment Of Remainder Of The Farm Cecilia 2352 And Farm Bloemfontein 654, Bloemfontein, Fs Province. Unpublished report. Paleo Field Services: Langenhovenpark.
- Rossouw, L. 2015. Phase 1 Heritage Impact Assessment Of The Remainder Of The Farm Cecilia 2352, Remainder Of The Farm Bloemfontein 654 And A Portion Of The Farm Kwaggafontein 9300, Bloemfontein, Fs Province. Unpublished report. Paleo Field Services: Langenhovenpark.
- Rossouw, L. 2016. Phase 1 Heritage Impact Assessment Of A Proposed New Residential Development On The Farm Brandkop 702 Near Bloemfontein, Fs Province. Unpublished report. National Museum, Bloemfontein: Bloemfontein.
- Rossouw, L. 2018. The Proposed Upgrading Of An Existing Diesel Depot On Portion 1 Of The Farm Rooidam 2354, Bloemfontein, Free State Province. Unpublished report. National Museum, Bloemfontein: Bloemfontein.
- Tomose, N. G. 2013. A Phase 1 Heritage Impact Assessment Study For The Proposed Photovoltaic (Pv) Solar Energy Facilities, Near Excelsior, Free State Province. Unpublished report.
- Van der Ryst, M.M. & Meyer, A. 1999. Die Ystertydperk. Bergh, J.S. (red.). Geskiedenisatlas van Suid-Afrika. Die vier noordelike provinsies. Pretoria: J.L. van Schaik.
- Van Schalkwyk, J. 2014. Cultural Heritage Impact Assessment For The Proposed Resort Development On A Portion Of The Farm Damlaagte 229, Ngwathe Local Municipality, Free State Province. Unpublished report.



Wurz, S., 2013. Technological trends in the Middle Stone Age of South Africa between MIS 7 and MIS 3. *Current Anthropology*, 54(S8): S305-S319.

WEB

https://sahris.sahra.org.za/declaredsites (Accessed 15/01/2022).

https://sahris.sahra.org.za/allsitesfinder (Accessed 20/12/2021).

https://screening.environment.gov.za/ (Accessed 20/12/2021).

https://en.wikipedia.org/wiki/Cornelius_Hermanus_Wessels#cite_ref-1 (Accessed 28/01/2022).

https://www.sahistory.org.za/article/colonial-history-bloemfontein (Accessed 28/01/2022).

https://www.britannica.com/place/Bloemfontein (Accessed 28/01/2022).

https://www.sanbi.org/gardens/free-state/history/ (SANBI 2021) (Accessed25/01/2022).

https://www.sahistory.org.za/dated-event/bloemfontein-convention-signed (Accessed25/01/2022).


https://www.sahistory.org.za/place/free-state-province (Accessed25/01/2022).



APPENDIX A

PALAEONTOLOGICAL FIELD ASSESSMENT FOR THE PROPOSED DEVELOPMENT OF SOLAR PHOTOVOLTAIC (PV) FACILITY (DOORNRIVIER SOLAR 3) ON THE FARM, DOORNRIVIER 330 RESTANT, VIRGINIA, MATJHABENG LOCAL MUNICIPALITY, LEJWELEPUTSWA DISTRICT MUNICIPALITY, FREE STATE PROVINCE







PALAEONTOLOGICAL IMPACT ASSESSMENT

DOORNRIVIER SOLAR 3

NEAR VIRGINIA IN THE FREE STATE

July 2022

COMPILED FOR: UBIQUE HERITAGE CONSULTANTS

Declaration of Independence

I, Elize Butler, declare that -

General declaration:

- I act as the independent palaeontological specialist in this application
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant
- I declare that there are no circumstances that may compromise my objectivity in performing such work.
- I have expertise in conducting palaeontological impact assessments, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity.
- I will comply with the Act, Regulations, and all other applicable legislation.
- I will consider, to the extent possible, the matters listed in section 38 of the NHRA when preparing the application and any report relating to the application.
- I have no, and will not engage in, conflicting interests in the undertaking of the activity.
- I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing any decision to be taken with respect to the application by the competent authority; and the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority.
- I will ensure that information containing all relevant facts in respect of the application is distributed or made available to interested and affected parties and the public and that participation by interested and affected parties are facilitated in such a manner that all interested and affected parties will be provided with a reasonable opportunity to participate and to provide comments on documents that are produced to support the application.
- I will provide the competent authority with access to all information at my disposal regarding the application, whether such information is favourable to the applicant or not
- All the particulars furnished by me in this form are true and correct.
- I will perform all other obligations as expected as a palaeontological specialist in terms of the Act and the constitutions of my affiliated professional bodies; and
- I realize that a false declaration is an offence in terms of regulation 71 of the Regulations and is punishable in terms of section 24F of the NEMA.



Disclosure of Vested Interest

I do not have and will not have any vested interest (either business, financial, personal or other) in the proposed activity proceeding other than remuneration for work performed in terms of the Regulations.

<u>PALAEONTOLOGICAL CONSULTANT:</u>
Banzai Environmental (Pty) Ltd

CONTACT PERSON: Elize Butler

Tel: +27 844478759

Email: elizebutler002@gmail.com

SIGNATURE:



The heritage impact assessment report has been compiled considering the National Environmental Management Act 1998 (NEMA) and Environmental Impact Regulations 2014 as amended, requirements for specialist reports, Appendix 6, as indicated in the table below.

Table 1: NEMA Table

Requirements of Appendix 6 – GN R326 EIA			
Regulations of 7 April 2017	Relevant section in report		
	Page ii and Section 2 of		
	Report - Contact details and		
1.(1) (a) (i) Details of the specialist who prepared the report	company and Appendix A		
(ii) The expertise of that person to compile a specialist	Section 2 – refer to Appendix		
report including a curriculum vita	Α		
(b) A declaration that the person is independent in a	Page ii of the report		
form as may be specified by the competent authority			
(c) An indication of the scope of, and the purpose for	Section 4 – Objective		
which, the report was prepared	occion i objective		
(cA) An indication of the quality and age of base data	Section 5 - Geological and		
used for the specialist report	Palaeontological history		
(cB) a description of existing impacts on the site,			
cumulative impacts of the proposed development	Section 10		
and levels of acceptable change;			
(d) The duration, date and season of the site			
investigation and the relevance of the season to the	Section 1 and 12		
outcome of the assessment			
(e) a description of the methodology adopted in			
preparing the report or carrying out the specialised	Section 7 Approach and		
process inclusive of equipment and modelling used	Methodology		
(f) details of an assessment of the specific identified			
sensitivity of the site related to the proposed activity			
or activities and its associated structures and			
infrastructure, inclusive of a site plan identifying site			
alternatives;	Section 1 and 12		
(g) An identification of any areas to be avoided, including	None		
buffers	Section 1 and 12		
(h) A map superimposing the activity including the	Section 5 - Geological and		
associated structures and infrastructure on the	Palaeontological history		

Requirements of Appendix 6 – GN R326 EIA		
Regulations of 7 April 2017	Delevent coetion in report	
<u> </u>	Relevant section in report	
environmental sensitivities of the site including areas		
to be avoided, including buffers;	0 11 74 4 11	
(i) A description of any assumptions made and any	Section 7.1 – Assumptions	
uncertainties or gaps in knowledge;	and Limitation	
(j) A description of the findings and potential		
implications of such findings on the impact of the	Section 1 and 12	
proposed activity, including identified alternatives, on		
the environment		
(k) Any mitigation measures for inclusion in the EMPr	Section 1 and 12	
(I) Any conditions for inclusion in the environmental		
authorisation	Section 1 and 12	
(m) Any monitoring requirements for inclusion in the		
EMPr or environmental authorisation	Section 1 and 12	
(n)(i) A reasoned opinion as to whether the proposed		
activity, activities or portions thereof should be		
authorised and	Section 1 and 12	
(n)(iA) A reasoned opinion regarding the acceptability		
of the proposed activity or activities; and		
(n)(ii) If the opinion is that the proposed activity,		
activities or portions thereof should be		
authorised, any avoidance, management and	Section 1 and 12	
mitigation measures that should be included in		
the EMPr, and where applicable, the closure plan		
	Not applicable. A public	
(o) A description of any consultation process that was	consultation process will be	
undertaken during the course of carrying out the	conducted as part of the EIA	
study	and EMPr process.	
(p) A summary and copies if any comments that were		
received during any consultation process	N/A	
(q) Any other information requested by the competent		
authority.	Not applicable.	
(2) Where a government notice by the Minister provides for		
any protocol or minimum information requirement to be	Section 3 compliance with	
applied to a specialist report, the requirements as indicated	SAHRA guidelines	
in such notice will apply.	,	
1		





EXECUTIVE SUMMARY

Banzai Environmental was appointed by UBIQUE Heritage Consultants to conduct the Palaeontological Impact Assessment (PIA) to assess the proposed **Doornrivier Solar 3 PV**, southwest of Matjhabeng (formerly Virginia) in the Free State. In accordance with the National Environmental Management Act 107 of 1998 (NEMA) and to comply with the National Heritage Resources Act (No 25 of 1999, section 38) (NHRA), this PIA is necessary to confirm if fossil material could potentially be present in the planned development area, to evaluate the potential impact of the proposed development on the Palaeontological Heritage and to mitigate possible damage to fossil resources.

The proposed Doornrivier Solar 3 PV is underlain by Quaternary sediments as well as Permianaged sandstone and shale of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup). According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS), the Palaeontological Sensitivity of Quaternary sediments in this area is Moderate, while that of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) is Vey High.

A 1-day site-specific field survey of the development footprint was conducted on foot and by a motor vehicle on 29 January 2022. No visible evidence of fossiliferous outcrops was found in the development footprint, and thus an overall LOW palaeontological significance is allocated to the development footprint. It is therefore considered that the proposed development will not lead to detrimental impacts on the palaeontological reserves of the area, and construction of the development may be authorised to its whole extent.

Recommendations:

- The ECO for this project must be informed that the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) has a Very High Palaeontological Sensitivity.
- If Palaeontological Heritage is uncovered during surface clearing and excavations, the **Chance find Protocol** attached should be implemented immediately. Fossil discoveries ought to be protected, and the ECO/site manager must report to South African Heritage Resources Agency (SAHRA) (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21

462 4509. Web: <u>www.sahra.org.za</u>) so that mitigation (recording and collection) can be carried out.

Doornrivier Solar PV 3 near Virginia in the Free State



- Before any fossil material can be collected from the development site, the specialist involved would need to apply for a collection permit from SAHRA. Fossil material must be housed in an official collection (museum or university), while all reports and
 - fieldwork should meet the minimum standards for palaeontological impact studies proposed by SAHRA (2012).
- These recommendations should be incorporated into the Environmental Management Plan for the Doornrivier Solar 3 development.



Impact Summary

Environmental parameter	Issues	Rating prior to mitigation	Average	Rating post mitigation	Average
Construction Phase PV Loss of fossil heritage	Destroy or permanently seal-in fossils at or below the surface that are then no longer available for scientific study	41	Negative Medium impact	17	Negative Low impact
Operation Phase PV	No Impact		No Impact		No Impact
Decommissioning Phase PV	No Impact		No Impact		No Impact



TABLE OF CONTENT

1	INTRODUCTION	1
1.1	LEGAL MANDATE	1
1.2	Type of solar installation	5
1.3	ELECTRICITY	5
1.4	WATER SUPPLY	7
1.5	SEWER	7
1.6	ROADS AND ACCESS	8
1.7	STORM WATER	9
1.8	OFFICES	9
1.9	SOLID WASTE	10
1.10	SERVITUDES	10
2	QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR	. 10
3	LEGISLATION	. 11
3.1	National Heritage Resources Act (25 of 1999)	11
4	OBJECTIVE	. 12
5	GEOLOGICAL AND PALAEONTOLOGICAL HISTORY	. 14
6	GEOGRAPHICAL LOCATION OF THE SITE	. 27
7	METHODS	. 27
7.1	Assumptions and Limitations	27
8	ADDITIONAL INFORMATION CONSULTED	. 27
9	SITE VISIT	28
10	IMPACT ASSESSMENT METHODOLOGY	. 30
10.1	Impact Rating System	30
11	FINDINGS AND RECOMMENDATIONS	. 34
12	CHANCE FINDS PROTOCOL	35
12.1	Legislation	35
12.2	Chance Find Procedure	36
13	REFERENCES	. 37

List of Figures

Figure 1:Proposed Doornrivier Solar PV Facilities near Virginia in the Free State2
Figure 2: Location of the proposed Doornrivier Solar 3 Facility on the western side of Portion 5
of Farm 330, near Virginia in the Free State
Figure 3: Locality Map of the proposed Doornrivier Solar 3 Facility on the western side of Portion
5 of Farm 330, near Virginia in the Free State
Figure 4:Installation type
Figure 5: Footprint of switching stations with offices, existing power lines and route of the
proposed power line connection from the solar farm to the Doornrivier Eskom Sub-Station 6
Figure 6:Water supply7
Figure 7:Wastewater and sewer
Figure 8: Access roads
Figure 9: Storm water
Figure 10:Solid waste
Figure 11: Extract of the 1:250 000 Winburg 2826 Geological map (1998) (Council of Geoscience,
Pretoria) indicating the surface geology of the proposed development, underlain by Quaternary
sediments (Qs, yellow) as well as the Adelaide Subgroup (Pa, green) of the Beaufort Group (Karoo
Supergroup)
Figure 12: Surface Geology of the proposed mainly underlain by alluvium, colluvium, eluvium and
gravel, while the Adelaide Subgroup is represented by the Balfour Formation, Beaufort Group,
Karoo Supergroup)
Figure 13: Vertebrate biozonation range chart for the Main Karoo Basin of South Africa 21
Figure 14: Lateral and dorsal views of the skull of the dicynodont Daptocephalus leoniceps, the
main biozone defining fossil (Image taken from Viglietti, 2020) and dorsal views (Image taken
from Viglietti, 2020)
Figure 15: Skulls of the biozone-defining fossils of the Dicynodon-Theriognathus Subzone in
lateral and dorsal views. Dicynodon lacerticeps (top), Theriognathus microps (bottom) (Image
taken from Viglietti, 2020)
Figure 16: Biozone defining fossils of the Lystrosaurus maccaigi- Moschorhinus Subzone. The
skulls of the Lystrosaurus maccaigi (top) and Moschorhinus kitchingi (bottom) in lateral 24
Figure 17: Lateral and dorsal views of the index taxa defining the Lystrosaurus declivis
Assemblage Zone. (top) Lystrosaurus declivis, (centre) Thrinaxodon liorhinus, (bottom)
Procolophon trigoniceps (Image taken from Botha and Smith, 2020)25
Figure 18: Extract of the 1 in 250 000 SAHRIS PalaeoMap map (Council of Geosciences) indicating
the proposed development in yellow
Figure 19:View of the existing Theseus substation northeast of the Doornrivier PV 1 Facility 28

Appendix A: CV

INTRODUCTION

Keren Renewable Energy (Pty) Ltd plans to develop the proposed Doornrivier Solar PV Facilities

(Doornrivier Solar 1, Doornrivier Solar 3, and Doornrivier Solar 3) about 4km south-west of Virginia in the

Free State (Figure 1). EnviroAfrica cc has been appointed to conduct a separate NEMA application

process for Environmental Authorisation for each of the proposed solar PV facilities. UBIQUE Heritage

Consultants was appointed to conduct the Archaeological Impact Assessment (AIA), while Banzai

Environmental was employed to conduct the Palaeontological Impact Assessment (PIA) as part of the

Heritage Impact Assessment (HIA).

In this report, the Palaeontological Heritage of the Doornrivier Solar 3 facility and associated

infrastructure will be investigated.

The construction of a 100MW Doornrivier Solar 3 facility and associated infrastructure on the western

side of Portion 5 of Farm 33 near Virginia in the Free State is proposed (Figure 2-3). This PV facility will

be approximately 260 ha in extent.

Due to proximity to the Eskom substation, consent use of land and other renewable energy

developments/proposed developments, alternative sites do not exist. However, alternative options,

which include inter alia alternative PV technology, layout options and the option of not proceeding with

the proposed development (the No-Go option), will be considered and assessed in the Environmental

Impact Assessment Report (EIR)1.

¹Information provided by EnviroAfrica cc, 2021

LEGAL MANDATE

The following listed activities with special reference to the proposed development are triggered

Government Notice R327 (Listing Notice 1): Activity No. 11, 12, 19, 27, 28

Government Notice R325 (Listing Notice 2): Activity No. 1, 9, 15

Government Notice R324 (Listing Notice 3): Activity No. 12, 14

The activities triggered under Listing Notice 1, 2 and 3 (Regulation 327, 325 & 324) for the project

implies that the development is considered as potentially having an impact on the environment and

therefore require the implementation of appropriate mitigation measures.

BANZAI ENVIRONMENTAL (PTY) LTD.

Reg No. 2015/332235/07 |

Page 1 of 128






Figure 13:Proposed Doornrivier Solar PV Facilities near Virginia in the Free State






Figure 14: Location of the proposed Doornrivier Solar 3 Facility on the western side of Portion 5 of Farm 330, near Virginia in the Free State.






Figure 15: Locality Map of the proposed Doornrivier Solar 3 Facility on the western side of Portion 5 of Farm 330, near Virginia in the Free State.



The following information was provided by EnviroAfrica cc

Type of solar installation

The solar installation type is as follows:

- Photovoltaic panels (on ground-mounted steel structures)
- Fixed axis and single-axis tracking (to be confirmed during detail design)



Figure 16:Installation type

ELECTRICITY

Generation capacity:

Doornrivier Solar 3 219 ha / 2.5 Ha/MW = 88 MW

Capacity of overhead power lines

Voltage: 132kV or higher

Tower height: up to 25m typically Tower-type: Steel Monopole

BANZAI ENVIRONMENTAL (PTY) LTD.

Reg No. 2015/332235/07 |



- Existing MV transmission line
- Existing HV transmission lines
- Proposed HV transmission line connection between Doornrivier Solar Farm and the Doornrivier Eskom Sub-Station




Figure 17: Footprint of switching stations with offices, existing power lines and route of the proposed power line connection from the solar farm to the Doornrivier Eskom Sub-Station.

The footprint of switching stations with offices: 100m x 150m (typical) areas.



WATER SUPPLY

There is a connection to Doornrivier on the Sedibeng pipeline running parallel with the R730 road. Water will be distributed to the two switching stations as shown below.



Figure 18:Water supply

Water will be applied for industrial purposes, and an application/letter must be submitted to Sedibeng Water for approval. Water will mostly be utilized for drinking purposes and washing of solar panels every two or three months or less. The diameter of the pipelines will be 75mm or smaller.

SEWER

Wastewater and sewer will be treated on-site close to the offices by using a small bio-filter type package plant sized according to the calculated load.




Figure 19:Wastewater and sewer



ROADS AND ACCESS

The R730 road runs along the southern boundary of the Doornrivier farm in a north-westerly direction. The two roads that give access to the two switching stations are shown in gold on the Google image below.




Figure 20: Access roads



STORM WATER

The Doorn River runs north-westerly through the middle of the solar farm area. The contours on the Google map below show that most of the drainage is overland, with slopes ranging from 1:35 to 1:500.




Figure 21: Storm water

OFFICES

The operational offices will be located next to the switching stations in the centre of the solar area.



SOLID WASTE

The solid waste disposal site that will be used is shown in the Google image below:




Figure 22:Solid waste

SERVITUDES

No information is available regarding existing road, Water and electrical servitudes at present.

» QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR

This present study has been conducted by Mrs Elize Butler. She has conducted approximately 300 palaeontological impact assessments for developments in the Free State, KwaZulu-Natal, Eastern, Central, and Northern Cape, Northwest, Gauteng, Limpopo, and Mpumalanga. She has an MSc (*cum laude*) in Zoology (specializing in Palaeontology) from the University of the Free State, South Africa and has been working in Palaeontology for more than twenty-five years. She has experience in locating, collecting and curating fossils. She has been a member of the Palaeontological Society of South Africa (PSSA) since 2006 and has been conducting PIAs since 2014.

» LEGISLATION

National Heritage Resources Act (25 of 1999)

Cultural Heritage in South Africa, including all heritage resources, is protected by the National Heritage Resources Act (Act 25 of 1999) (NHRA). Heritage resources as defined in Section 3 of the Act include "all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens".

The identification, evaluation and assessment of any cultural heritage site, artefact or finds in the South African context is required and governed by the following legislation:

- National Environmental Management Act (NEMA) Act 107 of 1998
- National Heritage Resources Act (NHRA) Act 25 of 1999
- Notice 648 of the Government Gazette 45421- general requirements for undertaking an initial site sensitivity verification where no specific assessment protocol has been identified.

The next section in each Act is directly applicable to the identification, assessment, and evaluation of cultural heritage resources.

GNR 982 (Government Gazette 38282, 14 December 2014) promulgated under the National Environmental Management Act (NEMA) Act 107 of 1998

- Basic Assessment Report (BAR) Regulations 19 and 23
- Environmental Impacts Assessment (EIA) Regulation 23
- Environmental Scoping Report (ESR) Regulation 21
- Environmental Management Programme (EMPr) Regulations 19 and 23

National Heritage Resources Act (NHRA) Act 25 of 1999

- Protection of Heritage Resources Sections 34 to 36
- Heritage Resources Management Section 38

The NEMA (No 107 of 1998) states that an integrated EMP should (23:2 (b)) "...identify, predict and evaluate the actual and potential impact on the environment, socio-economic conditions and cultural heritage".

In agreement with legislative requirements, EIA rating standards, as well as SAHRA policies the following comprehensive and legally compatible PIA reports have been compiled.

.

Palaeontological heritage is exceptional and non-renewable and is protected by the NHRA. Palaeontological resources may not be unearthed, broken, moved, or destroyed by any development without prior assessment and without a permit from the relevant heritage resources authority as per section 35 of the NHRA.

This Palaeontological Impact assessment forms part of the Heritage Impact Assessment (HIA) and adheres to the conditions of the Act. According to **Section 38 (1)**, an HIA is required to assess any potential impacts on palaeontological heritage within the development footprint where:

the construction of a road, wall, power line, pipeline, canal or other similar form of linear development or barrier exceeding 300 m in length.

the construction of a bridge or similar structure exceeding 50 m in length.

any development or other activity which will change the character of a site-

Exceeding 5 000 m² in extent; or

involving three or more existing erven or subdivisions thereof; or

involving three or more erven or divisions thereof which have been consolidated within the past five years; or

the costs of which will exceed a sum set in terms of regulations by SAHRA or a provincial heritage resources authority

the re-zoning of a site exceeding 10 000 m² in extent.

or any other category of development provided for in regulations by SAHRA or a Provincial heritage resources authority.

» OBJECTIVE

The aim of a PIA is to decrease the effect of the development on potential fossils at the development site.

According to the "SAHRA Archaeology, Palaeontology and Meteorites (APM) Guidelines: Minimum Standards for the Archaeological and Palaeontological Components of Impact Assessment Reports," the purpose of the PIA is: 1) to identify the palaeontological importance of the rock formations in the footprint; 2) to evaluate the palaeontological magnitude of the formations; 3) to clarify the **impact** on fossil heritage, and 4) to suggest how the developer might protect and lessen possible damage to fossil heritage.

The palaeontological status of each rock section is calculated as well as the possible impact of the development on fossil heritage by a) the palaeontological importance of the rocks, b) the type of development, and c) the quantity of bedrock removed.

When the development footprint has a moderate to high palaeontological sensitivity, a field-based assessment is necessary. The desktop and the field survey of the exposed rock determine the impact and significance of the planned development, and recommendations for further studies or mitigation are made. Destructive impacts on palaeontological heritage usually only occur during the construction phase, while the excavations will change the current topography and destroy or permanently seal-in fossils at or below the ground surface. Fossil Heritage will then no longer be accessible for scientific research.

Mitigation usually precedes construction or may occur during construction when potentially fossiliferous bedrock is exposed. Mitigation comprises the collection and recording of fossils. Preceding excavation of any fossils, a permit from SAHRA must be obtained, and the material will have to be housed in a permitted institution. When mitigation is applied correctly, a positive impact is possible because our knowledge of local palaeontological heritage may be increased. The terms of reference of a PIA are as follows:

General Requirements:

Adherence to the content requirements for specialist reports in accordance with Appendix 6 of the EIA Regulations 2014, as amended.

Adherence to all applicable best practice recommendations, appropriate legislation and authority requirements.

Submit a comprehensive overview of all appropriate legislation and guidelines.

Description of the proposed project and provide information regarding the developer and consultant who commissioned the study.

Description and location of the proposed development and provide geological and topographical maps.

Provide Palaeontological and geological history of the affected area.

Identification of sensitive areas to be avoided (providing shapefiles/kml's) in the proposed development.

Evaluation of the significance of the planned development during the Pre-construction, Construction, Operation, Decommissioning Phases and Cumulative impacts. Potential impacts should be rated in terms of the direct, indirect and cumulative:

- a. Direct impacts are impacts that are caused directly by the activity and generally occur at the same time and at the place of the activity.
- b. **Indirect impacts** of an activity are indirect or induced changes that may occur as a result of the activity.



c. Cumulative impacts result from the incremental impact of the proposed activity on a common resource when added to the impacts of other past, present or reasonably foreseeable future activities.

Fair assessment of alternatives (infrastructure alternatives have been provided):

Recommend mitigation measures to minimise the impact of the proposed development; and Implications of specialist findings for the proposed development (such as permits, licenses etc).

» GEOLOGICAL AND PALAEONTOLOGICAL HISTORY

The proposed Doornrivier Solar 3 facility near Virginia in the Free State is depicted on the 1:250 000 Winburg 2826 Geological map (1998) Geological map (1989) (Council of Geoscience, Pretoria) (Figure 11; Table 2-3). The proposed Doornrivier Solar 3 facility development is underlain by Quaternary sediments (Qs, yellow) as well as Permian aged sandstone and shale of the Adelaide Subgroup (Pa, green) (Beaufort Group, Karoo Supergroup). According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS), the Palaeontological Sensitivity of Quaternary sediments is Moderate, while that of the Adelaide Subgroup (Beaufort Group) is Very High (Almond and Pether, 2009; Almond et al., 2013, Groenewald et al. 2014). The Shape files (Council of Geosciences, Pretoria; Figure 12) refine the geology of the 1998 Geological Map and indicates that the proposed development is mainly underlain by alluvium, colluvium, eluvium and gravel, while the Adelaide Subgroup is represented by the Balfour Formation.

The Virginia/Welkom District is known for the presence of fluvial deposits along the present river courses that are terrestrial sediments and includes diatomite (diatom deposits), calcareous tufa, pedocretes, peats, spring deposits, soils and gravel and other Tertiary calcrete deposits, that is very important for understanding the Early and Late Pliocene period in this region (De Ruiter et al., 2010). The late Cenozoic (Plio-Pleistocene) floodplain deposits (overbank sediments) found near the Sand-, Doring-, Vals- and Vet River systems, including pan sites, contain confined but abundant mammal vertebrate fossil sites. In 1955, Meiring described an in situ proboscidian fossil (mammoth) comprising a lower molar, large part of a tusk, and a proximal portion of an ulna from the Sand River near Virginia. This specimen was found in pebbly channel-fill sediments about 40m above the current riverbed. This specimen was originally described as *Archidiskodon scotti* (Meiring 1955) but was later assigned to the Pliocene species *Mammuthus subplanifrons* (Coppens et al. 1978). Later investigations uncovered diverse fauna that includes amphibians, birds, fish, reptiles, as well as several proboscideans, perissodactyls and artiodactyls from the same site (De Ruiter 2010).



Terrace gravels above the Vet River, southwest of Welkom, have uncovered Pliocene fossils, while surveys along the Doring, Vals, Sand and Vet Rivers produced moderately fossiliferous overbank sediments and erosional gullies that comprise a variety of Quaternary-aged mammals (Brink et al. 1999; De Ruiter et al. 2011) Ancient pan sites, for example near Whites, produced rich Quaternary-aged mammal fossil remains.

The proposed development is underlain by a series of Karoo sandstones, mudstones, and shales, deposited under fluvial environments of the Adelaide Subgroup that forms part of the Beaufort Group (Figure 13). The Beaufort Group is the third of the main subdivisions of the Karoo Supergroup. The Beaufort group overlays the Ecca Group and consists essentially of sandstones and shales deposited in the Karoo Basin from the Middle Permian to the early part of the Middle Triassic periods and was deposited on land through alluvial processes. The Beaufort Group covers a total land surface area of approximately 200 000 km² in South Africa and is the first fully continental sequence in the Karoo Supergroup and is divided into the Adelaide subgroup and the overlying Tarkastad subgroup. The Adelaide subgroup rocks are deposited under a humid climate that allowed for the establishment of wet floodplains with high water tables and are interpreted to be fluvio-lacustrine sediments. The Adelaide Subgroup is approximately 5 000m thick in the southeast, but this decreases to about 800m in the centre of the basin, which decreases to about 100 to 200m in the north.

The Adelaide Subgroup contains alternating greyish-red, bluish-grey, or greenish grey mudrocks in the southern and central parts of the Karoo Basin with very fine to medium-grained, grey lithofeldspathic sandstones.

Thicker sandstones of the Adelaide are usually multi-storey and usually have cut-and-fill features. The sandstones are characterized internally by horizontal lamination together with parting lineation and less frequent trough crossbedding as well as current ripple lamination. The bases of the sandstone units are extensive beds, while ripple lamination is usually confined to thin sandstones towards the top of the thicker units.

The mudrocks of the Adelaide Subgroup usually have massive and blocky weathering. Sometimes desiccation cracks and impressions of raindrops are present. In the mudstones of the Beaufort Group, calcareous nodules and concretions occur throughout.

The flood plains of the Beaufort Group (Karoo Supergroup) are internationally renowned for the early diversification of land vertebrates and provide the world's most complete transition from early "reptiles" to mammals. The Beaufort Group is subdivided into a series of biostratigraphic units based on its faunal content (Kitching1977, 1978; Keyser *et al.* 1977, Rubidge 1995, Smith *et al.* 2020; Viglietti 2020). The south-western portion of the proposed development is underlain by the BANZAI ENVIRONMENTAL (PTY) LTD.



Balfour Formation, which is divided into the *Daptocephalus* (DAZ), which in turn is divided into the upper (younger) *Lystrosaurus maccaigi - Moschorhinus* and lower (older) *Dicynodon-Theriognathus Subzones* (**Figure 13**; Viglietti, 2020).

The dicynodont, *Daptocephalus leoniceps*, is the main biozone defining fossil of the *Daptocephalus Assemblage Zone* (**Figure 14**). The Daptocephalus Assemblage Zone (DaAZ) is characterised by the co-occurrence of the dicynodontoid Daptocephalus leoniceps, the therocephalian Theriognathus microps, and the cynodont Procynosuchus delaharpeae. The DaAZ comprise two subzones representing the two distinct faunal assemblages in this assemblage zone. The Dicynodon-Theriognathus Subzone (in co-occurrence with Daptocephalus) is present in the lower Daptocephalus Assemblage Zone, while the Lystrosaurus maccaigi – Moschorhinus kitchingi Subzone (**Figure 16**) is present in the upper DaAZ. The defining taxa of the latter subzone are *L. maccaigi, Daptocephalus* and *Moschorhinus*. This Zone is characterized by the co-occurrence of the two therapsids, namely *Dicynodon* and *Theriognathus* (*Figure 15*). The *Daptocephalus* Assemblage Zone of the Beaufort Group shows the greatest vertebrate diversity and includes numerous well-preserved genera and species of dicynodonts, biarmosuchians, gorgonopsian, therocephalian and cynodonts therapsid Synapsida. Captorhinid Reptilia are also present, while eosuchian Reptilia, Amphibia and Pisces are rarer in occurrence. Trace fossils of vertebrates and invertebrates, as well as *Glossopteris* flora plants, have also been described.

The *Daptocephalus Assemblage Zone* (AZ) expands into the lower Palingkloof of the Upper Balfour Formation. The lower Palingkloof Member is of special importance as it precedes the Permo-Triassic Extinction Event, which destroyed the vertebrate fauna and extinguished the diverse glossopterid plants. The lower *Lystrosaurus* declivis AZ forms part of the Katberg Formation. Fauna and flora from this assemblage zone are rare as few genera survived the Permo-Triassic Extinction Event. The *Lystrosaurus* declivis AZ is characterized by the dicynodont, *Lystrosaurus*, and captorhinid reptile, *Procolophon*, biarmosuchian and gorgonopsian Therapsida that did not survive into the *Lystrosaurus* Assemblage Zone, although the therocephalian and cynodont Therapsida are present in moderate quantities. Captorhinid Reptilia is reduced, but this interval is characterised by a unique diversity of oversize amphibians while fossil fish, millipedes and diverse trace fossils have also been recorded.





Figure 23: Extract of the 1:250 000 Winburg 2826 Geological map (1998) (Council of Geoscience, Pretoria) indicating the surface geology of the proposed development, underlain by Quaternary sediments (Qs, yellow) as well as the Adelaide Subgroup (Pa, green) of the Beaufort Group (Karoo Supergroup).

Table 2:Legend of the 1:250 000 Winburg 2826 (1998) Geological map (Council of Geoscience, Pretoria)










Figure 24: Surface Geology of the proposed mainly underlain by alluvium, colluvium, eluvium and gravel, while the Adelaide Subgroup is represented by the Balfour Formation, Beaufort Group, Karoo Supergroup).



Table 3: Legend of the 1:250 000 Winburg 2826 (1998) (Council of Geoscience, Pretoria)

Symbol	Age	Group/Formation		Lithology	Palaeontological
					Sensitivity
Qs	Quaternary	Quat	ernary	Alluvium,	Moderate
				colluvium,	
				eluvium, gravel,	
				scree, sand, soil	
				and debris	
Qc	Tertiary			Calcrete	High
Jd	Jurassic			Dolerite	Zero
Pa	Permian	Adelaide		Grey and	Very High
		Subgroup		brownish-red	
			Beaufort	mudstone,	
			Group	subordinate	
			Karoo	sandstone	
T _{RT}	Triassic	Tarkastad	Supergroup	Brownish-red	Very High
		Subgroup		and grey	
				mudstone,	
				sandstone	






Figure 25: Vertebrate biozonation range chart for the Main Karoo Basin of South Africa.

Solid lines indicate known ranges; dotted lines indicate suspected but not confirmed ranges; a single dot represents the stratigraphic position of the taxa that have only been recovered from a single bed.

Wavy lines indicate unconformities. (PLYCSR=Pelycosauria and MAMMFMES+Mammaliaformes. Gp=group, Subgp-Supbroup, Fm=Formation, M=Member The proposed cemetery development is an indication by the blue arrow






Figure 26: Lateral and dorsal views of the skull of the dicynodont Daptocephalus leoniceps, the main biozone defining fossil (Image taken from Viglietti, 2020) and dorsal views (Image taken from Viglietti, 2020).




Figure 27: Skulls of the biozone-defining fossils of the Dicynodon-Theriognathus Subzone in lateral and dorsal views. Dicynodon lacerticeps (top), Theriognathus microps (bottom) (Image taken from Viglietti, 2020).




Figure 28: Biozone defining fossils of the Lystrosaurus maccaigi- Moschorhinus Subzone. The skulls of the Lystrosaurus maccaigi (top) and Moschorhinus kitchingi (bottom) in lateral




Figure 29: Lateral and dorsal views of the index taxa defining the Lystrosaurus declivis Assemblage Zone. (top) Lystrosaurus declivis, (centre) Thrinaxodon liorhinus, (bottom) Procolophon trigoniceps (Image taken from Botha and Smith, 2020).




Figure 30: Extract of the 1 in 250 000 SAHRIS PalaeoMap map (Council of Geosciences) indicating the proposed development in yellow.

According to the SAHRIS Palaeosensitivity map (**Figure 18**), the proposed development is underlain by sediments with a Very High (red) and Moderate (green) Palaeontological Sensitivity.

Table 4:Palaeontological Sensitivity on SAHRIS

» Colour	» Sensitivity	» Required Action
RED	VERY HIGH	field assessment and protocol for finds is required
ORANGE/YELLOW	HIGH	desktop study is required and based on the
		outcome of the desktop study; a field
		assessment is likely
GREEN	MODERATE	desktop study is required
BLUE	LOW	no palaeontological studies are required
		however a protocol for finds is required
GREY	INSIGNIFICANT/ZERO	no palaeontological studies are required
WHITE/CLEAR	UNKNOWN	these areas will require a minimum of a
		desktop study. As more information comes



	to light, SAHRA will continue to populate the
	map.

The colours on the PalaeoMap indicate the following degrees of sensitivity: red = very highly sensitive; orange/yellow = high; green = moderate; blue = low; grey = insignificant/zero.

» GEOGRAPHICAL LOCATION OF THE SITE

It is proposed that three separate solar photovoltaic (PV) facilities be developed, including associated infrastructure, each with a maximum output of 100MW, on the western side of Portion 5 of Farm 330. These will be connected to the existing Theseus substation located northeast, directly adjacent to the proposed developments.

» METHODS

The aim of a desktop study is to evaluate the risk to palaeontological heritage in the proposed development. This includes all trace fossils and fossils. All available information is consulted to compile a desktop study and includes PIA reports in the same area, aerial photos, and Google Earth images, topographical as well as geological maps.

Assumptions and Limitations

When conducting a PIA, several factors can affect the accuracy of the assessment. The focal point of geological maps is the geology of the area, and the sheet explanations were not meant to focus on palaeontological heritage. Many inaccessible regions of South Africa have not been reviewed by palaeontologists, and data is generally based on aerial photographs. Locality and geological information of museums and university databases have not been kept up to date, and data collected in the past have not always been accurately documented.

Comparable Assemblage Zones in other areas are used to provide information on the existence of fossils in an area which was not yet been documented. When similar Assemblage Zones and geological formations for Desktop studies are used, it is generally **assumed** that exposed fossil heritage is present within the footprint.

» ADDITIONAL INFORMATION CONSULTED

In compiling this report, the following sources were consulted:

Geological map 1:100 000, Geology of the Republic of South Africa (Visser 1984)

1: 250 000 Winburg 2826 Geological map (1998) (Council of Geoscience, Pretoria)

BANZAI ENVIRONMENTAL (PTY) LTD.



A Google Earth map with polygons of the proposed development was obtained from EnviroAfrica cc.

» SITE VISIT

A 1-day site-specific field survey of the development footprint was conducted on foot and by a motor vehicle on 29 January 2022. The central parts of the country experienced an exceptional wet season and the whole development is covered by lush vegetation.



Figure 31:View of the existing Theseus substation northeast of the Doornrivier PV 1 Facility.





Figure 32: A view of the proposed study area indicates lush vegetation, low topography and no outcrops



» IMPACT ASSESSMENT METHODOLOGY

Impact Rating System

Impact assessment must take into account the nature, scale and duration of impacts on the environment, whether such impacts are positive or negative. Each impact is also assessed according to the project phases:

- planning
- construction
- operation
- decommissioning

Where necessary, the proposal for mitigation or optimisation of an impact should be detailed. A brief discussion of the impact and the rationale behind the assessment of its significance should also be included. The rating system is applied to the potential impacts on the receiving environment and includes an objective evaluation of the mitigation of the impact. In assessing the significance of each impact, the following criteria are used:

Table 5:The rating system

NATURE				
Loss of	Loss of fossil heritage			
GEOGR	GEOGRAPHICAL EXTENT			
This is o	defined as the area over which	the impact will be experienced.		
1	Site	The impact will only affect the site.		
2	Local/district	Will affect the local area or district.		
3	Province/region	Will affect the entire province or region.		
4	International and National	Will affect the entire country.		
PROBABILITY				
This describes the chance of occurrence of an impact.				
1	Unlikely	The chance of the impact occurring is extremely low		
		(Less than a 25% chance of occurrence).		
2	Possible	The impact may occur (Between a 25% to 50%		
		chance of occurrence).		



3	<u>Probable</u>	The impact will likely occur (Between a 50% to 75%
		chance of occurrence).
4	Definite	Impact will certainly occur (Greater than a 75%
		chance of occurrence).
DURAT	ION	
This de	escribes the duration of the imp	pacts. Duration indicates the lifetime of the impact as
a resul	of the proposed activity.	
1	Short term	The impact will either disappear with mitigation or
		will be mitigated through natural processes in a span
		shorter than the construction phase (0 – 1 years), or
		the impact will last for the period of a relatively short
		construction period and a limited recovery time after
		construction, thereafter it will be entirely negated (0
		- 2 years).
2	Medium term	The impact will continue or last for some time after
		the construction phase but will be mitigated by
		direct human action or by natural processes
		thereafter (2 - 10 years).
3	Long term	The impact and its effects will continue or last for
		the entire operational life of the development, but
		will be mitigated by direct human action or by natural
		processes thereafter (10 – 30 years).
4	Permanent	The only class of impact that will be non-transitory.
		Mitigation either by man or natural process will not
		occur in such a way or such a time span that the
		impact can be considered indefinite.
INTENS	SITY/ MAGNITUDE	
Describ	es the severity of an impact.	
1	Low	Impact affects the quality, use and integrity of the
		system/component in a way that is barely
		perceptible.
2	Medium	Impact alters the quality, use and integrity of the
		system/component but system/component still
		continues to function in a moderately modified way
		and maintains general integrity (some impact on
		integrity).



3	High	Impact affects the continued viability of the system/
		component and the quality, use, integrity and
		functionality of the system or component is severely
		impaired and may temporarily cease. High costs of
		rehabilitation and remediation.
4	Very high	Impact affects the continued viability of the
		system/component and the quality, use, integrity
		and functionality of the system or component
		permanently ceases and is irreversibly impaired.
		Rehabilitation and remediation often impossible. If
		possible rehabilitation and remediation often
		unfeasible due to extremely high costs of
		rehabilitation and remediation.
REVER	RSIBILITY	
This d	escribes the degree to which an	impact can be successfully reversed upon completion
of the	proposed activity.	
1	Completely reversible	The impact is reversible with implementation of
		minor mitigation measures.
2	Partly reversible	The impact is partly reversible but more intense
		mitigation measures are required.
3	Barely reversible	The impact is unlikely to be reversed even with
		intense mitigation measures.
4	Irreversible	The impact is irreversible and no mitigation
		measures exist.
	LACEABLE LOSS OF RESOURCE	
	-	resources will be irreplaceably lost as a result of a
propo	sed activity.	
1	No loss of resource	The impact will not result in the loss of any
		resources.
2	Marginal loss of resource	The impact will result in marginal loss of resources.
3	Significant loss of	The impact will result in significant loss of
	resources	resources.
4	Complete loss of resources	The impact is result in a complete loss of all
		resources.
	ILATIVE EFFECT	
This d	escribes the cumulative effect o	f the impacts. A cumulative impact is an effect which

This describes the cumulative effect of the impacts. A cumulative impact is an effect which in itself may not be significant but may become significant if added to other existing or

BANZAI ENVIRONMENTAL (PTY) LTD.

Reg No. 2015/332235/07 |



potential impacts emanating from other similar or diverse activities as a result of the project
activity in question.

	T	T
1	Negligible cumulative	The impact would result in negligible to no
	impact	cumulative effects.
2	Low cumulative impact	The impact would result in insignificant cumulative
		effects.
3	Medium cumulative impact	The impact would result in minor cumulative effects.
4	High cumulative impact	The impact would result in significant cumulative
		effects

SIGNIFICANCE

Significance is determined through a synthesis of impact characteristics. Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The calculation of the significance of an impact uses the following formula: (Extent + probability + reversibility + irreplaceability + duration + cumulative effect) x magnitude/intensity.

The summation of the different criteria will produce a non-weighted value. By multiplying this value with the magnitude/intensity, the resultant value acquires a weighted characteristic which can be measured and assigned a significance rating.

Points	Impact significance	Description
	rating	
6 to 28	Negative low impact	The anticipated impact will have negligible negative
		effects and will require little to no mitigation.
6 to 28	Positive low impact	The anticipated impact will have minor positive
		effects.
29 to 50	Negative medium impact	The anticipated impact will have moderate negative
		effects and will require moderate mitigation
		measures.
29 to 50	Positive medium impact	The anticipated impact will have moderate positive
		effects.
51 to 73	Negative high impact	The anticipated impact will have significant effects
		and will require significant mitigation measures to
		achieve an acceptable level of impact.
51 to 73	Positive high impact	The anticipated impact will have significant positive
		effects.
74 to 96	Negative very high	The anticipated impact will have highly significant
	impact	effects and are unlikely to be able to be mitigated



				adequately. These impacts could be considered
				"fatal flaws".
74 to 96	Positive,	very	high	The anticipated impact will have highly significant
	impact			positive effects.

The impact of the development will be regional. The proposed development will have a negative impact on Fossil Heritage. The expected duration of the impact is assessed as potentially permanent to long-term. The impact could occur. The significance of the impact occurring will be Very High. As fossil heritage is destroyed, the impact is irreversible. The impact on fossil heritage will be Very High pre-mitigation and Moderate post-mitigation.

» FINDINGS AND RECOMMENDATIONS

The proposed Doornrivier Solar 3 PV is underlain by Quaternary sediments as well as Permianaged sandstone and shale of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup). According to the PalaeoMap of the South African Heritage Resources Information System (SAHRIS), the Palaeontological Sensitivity of Quaternary sediments in this area is Moderate, while that of the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) is Vey High.

A 1-day site-specific field survey of the development footprint was conducted on foot and by a motor vehicle on 29 January 2022. No visible evidence of fossiliferous outcrops was found in the development footprint, and thus an overall LOW palaeontological significance is allocated to the development footprint. It is therefore considered that the proposed development will not lead to detrimental impacts on the palaeontological reserves of the area, and construction of the development may be authorised to its whole extent.

Recommendations:

- The ECO for this project must be informed that the Adelaide Subgroup (Beaufort Group, Karoo Supergroup) has a Very High Palaeontological Sensitivity.
- If Palaeontological Heritage is uncovered during surface clearing and excavations, the
 Chance find Protocol attached should be implemented immediately. Fossil discoveries
 ought to be protected, and the ECO/site manager must report to South African Heritage
 Resources Agency (SAHRA) (Contact details: SAHRA, 111 Harrington Street, Cape
 Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21

462 4509. Web: <u>www.sahra.org.za</u>) so that mitigation (recording and collection) can be carried out.

6

 Before any fossil material can be collected from the development site, the specialist involved would need to apply for a collection permit from SAHRA. Fossil material must

be housed in an official collection (museum or university), while all reports and

fieldwork should meet the minimum standards for palaeontological impact studies

proposed by SAHRA (2012).

These recommendations should be incorporated into the Environmental Management

Plan for the Doornrivier Solar 3 PV development.

» CHANCE FINDS PROTOCOL

The following procedure will only be followed if fossils are uncovered during excavation.

Legislation

Cultural Heritage in South Africa (including all heritage resources) is protected by the National

Heritage Resources Act (Act 25 of 1999) (NHRA). According to Section 3 of the Act, all

Heritage resources include "all objects recovered from the soil or waters of South Africa,

including archaeological and palaeontological objects and material, meteorites and rare

geological specimens".

Palaeontological heritage is unique and non-renewable and is protected by the NHRA and are

the property of the State. It is thus the responsibility of the State to manage and conserve

fossils on behalf of the citizens of South Africa. Palaeontological resources may not be

excavated, broken, moved, or destroyed by any development without prior assessment and

without a permit from the relevant heritage resources authority as per section 35 of the NHRA.

A fossil is the naturally preserved remains (or traces) of plants or animals embedded in rock.

These plants and animals lived in the geologic past millions of years ago. Fossils are extremely

rare and irreplaceable. By studying fossils, it is possible to determine the environmental

conditions that existed in a specific geographical area millions of years ago.

This informational document is intended for workmen and foremen on construction sites. It

describes the actions to be taken when mining or construction activities accidentally uncover

fossil material.

6

It is the responsibility of the Environmental Site Officer (ESO) or site manager of the project to train the workmen and foremen in the procedure to follow when a fossil is accidentally uncovered. In the absence of the ESO, a member of the staff must be appointed to be responsible for the proper implementation of the chance find protocol so as not to compromise the conservation of fossil material.

Chance Find Procedure

- If a chance find is made, the person responsible for the find must immediately stop working, and all work that could impact that finding must cease in the immediate vicinity of the find.
- The person who made the find must immediately report the find to his/her direct supervisor, which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). The information to the Heritage Agency must include photographs of the find from various angles, as well as the GPS coordinates.
- A preliminary report must be submitted to the Heritage Agency within 24 hours of the find and must include the following: 1) the date of the find; 2) a description of the discovery, and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.
- Photographs (the more, the better) of the discovery must be of high quality, in focus, and accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.

Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.

- The site must be secured to protect it from any further damage. No attempt should be
 made to remove material from their environment. The exposed finds must be stabilized
 and covered by a plastic sheet or sandbags. The Heritage agency will also be able to
 advise on the most suitable method of protection of the find.
- In the event that the fossil cannot be stabilized, the fossil may be collected with extreme care by the ESO (site manager). Fossil finds must be stored in tissue paper and in an appropriate box, while due care must be taken to remove all fossil material from the rescue site.



 Once Heritage Agency has issued the written authorization, the developer may continue with the development in the affected area.

» REFERENCES

Almond, J., Pether, J, and Groenewald, G. 2013. South African National Fossil Sensitivity Map. SAHRA and Council for Geosciences. Schweitzer *et al.* (1995) pp p288.

Almond, J.E. & Pether, J. 2009. Palaeontological heritage of the Northern Cape. Interim SAHRA technical report, 124 pp. Natura Viva cc., Cape Town.

Anderson, J.M. and Anderson, H.M., 1985. Palaeoflora of Southern Africa: *Prodromus of South African megafloras, Devonian to Lower Cretaceous*. A.A. Balkema, Rotterdam. 423 pp.

Backwell, L.R., T. S. McCarthy, L. Wadley, Z. Henderson, C. M. Steininger, B. De Klerk, M. Barré, M. Lamothe, B. M. Chase, S. Woodbourne, G.J. Susino, M.K. Bamford, C. Sievers, J.S. Brink, L. Rossouw, L. Pollarolo, G. Trower, L. Scott, F. D'errico. 2014. Multiproxy record of late Quaternary climate change and Middle Stone Age human occupation at Wonderkrater, South Africa. *Quaternary Science Reviews*. 99: 42–59.

Bamford M. 1999. Permo-Triassic Fossil Woods from the South African Karoo Basin. Palaeontologia Africana, 35-36, p25.

Barnosky, A.D. 2005. Effects of Quaternary Climatic Change on Speciation in Mammals. *Journal of Mammalian Evolution*. 12:247-264

Bordy, E.M., Sztanó, O., Rubidge, B.S. and Bumby, A., 2011. Early Triassic vertebrate burrows from the Katberg Formation of the south-western Karoo Basin, South Africa. Lethaia, 44, 33-45. Botha JF, Verwey JP, Van der Voort I, Vivier JJP, Buys J, Colliston WP and Loock JC, 1998. Karoo Aquifers – Their Geology, Geometry and Physical Properties, WRC Report No 487/1/98, August 1998.

Botha, J., and Smith, R.M.H., 2006. Rapid vertebrate recuperation in the Karoo Basin of South Africa following the end-Permian extinction. Journal of African Earth Sciences, 45, 502-514.

Botha, J., and Smith, R.M.H., 2007. Lystrosaurus species composition across the Permo-Triassic boundary of South Africa. Lethaia, 40, 125-137.

Botha, J., Huttenlocker, A.K., Smith, R.M.H., Prevec, R., Viglietti, P. And Modesto, S., 2020. New geochemical and palaeontological data from the Permo-Triassic boundary in the South African Karoo Basin test the synchrony of terrestrial and marine extinctions. Palaeogeography, Palaeoclimatology, Palaeoecology, DOI: 10.1016/j.palaeo.2019.109467

Botha., J., 2020. Biostratigraphy of the Lystrosaurus declivis Assemblage Zone (Beaufort Group, Karoo Supergroup), South Africa. South African Journal of Geology: 123(2):207-216.

Botha-Brink, J., 2017. Burrowing in Lystrosaurus: preadaptation to a post extinction environment? Journal of Vertebrate Paleontology, 37, (5): e1365080.



Brink, J.S. 1987. The archaeozoology of Florisbad, Orange Free State. *Memoirs of the National Museum* 24: 1 – 151.

Brink, J.S., Berger, L.R., Churchill, S.E. 1999. Mammalian Fossils From Erosional Gullies (Dongas) In The Doring River Drainage, Central Free State Province, South Africa, pp. 79-90. In: Becker, C., Manhart, H., Peters, J., Schibler, J. (eds), *HistoriaAnimalium ex Ossibus. Beiträge zur Paläoanatomie, Archäologie, Ägyptologie, Ethnologie und Geschichte der Tiermedizin: Festschrift für Angela Von Den Driesch zum 65.* Geburtstag. Rahden/Westf.: Verlag Marie Leidorf GmbH. Brink, J.S. 2012. The post-1.0 Ma evolution of large mammal endemism in southern Africa in relation to East Africa and subsequent biogeographic isolation of the Cape coastal region. *Quaternary International* vol. 279–280: 69.

Brink, J.S. 2016. Faunal evidence for mid- and late Quaternary environmental change in southern Africa. In: Knight, J. and Grab, S.W. (eds) *Quaternary environmental change in southern Africa: physical and human dimensions*. Cambridge University Press, pp. 286-307 Broom, R., 1906. On the Permian and Triassic faunas of South Africa. Geological Magazine, 5, 29-30.

Coppens, Y. et al. 1978. Proboscidea. In: V. Maglioand and H.B.S. Cooke (eds). Evolution of African Mammals. Cambridge. Harvard University Press

Cowan, R., 1995. History of Life. 2nd Edition. Blackwell Scientific Publications, Boston. 462pp. Damiani, R., Modesto, S., Yates, A. and Neveling, J., 2003. Earliest evidence of cynodont burrowing. Proceedings of the Royal Society London B, 270, 1747-1751.

Damiani, R.J., Neveling, J., Hancox, P.J. and Rubidge B.S., 2000. First trematosaurid temnospondyl from the Lystrosaurus Assemblage Zone of South Africa and its biostratigraphic implications. Geological Magazine 137, 659-665.

Day M, Rubidge B, Almond J, Jirah S. 2013. Biostratigraphic correlation in the Karoo: The case of the Middle Permian parareptile *Eunotosaurus*. S Afr J Sci. 2013;109(3/4), Art. #0030, 4 pages. http://dx.doi.org/10.1590/sajs.2013/20120030

De Ruiter, Darryl J.; Brophy, Juliet K.; Lewis, Patrick J.; Kennedy, Alicia M.; Stidham, Thomas A.; Carlson, Keely B.; Hancox, P. John. 2010. *Preliminary investigation of the Matjhabeng, a Pliocene fossil locality in the Free State of South Africa*. http://hdl.handle.net10539/13821

De Wit, M.C.J., Marshall, T.R. & Partridge, T.C. 2000. Fluvial deposits and drainage evolution. In: Partridge, T.C. & Maud, R.R. (Eds.) The Cenozoic of southern Africa, pp.55-72. Oxford University Press, Oxford.

Dingle, R.V., Siesser, W.G. & Newton, A.R. 1983. Mesozoic and Tertiary geology of southern Africa. viii + 375 pp. Balkema, Rotterdam.

Du Toit, A. 1954. The geology of South Africa. xii + 611pp, 41 pls. Oliver & Boyd, Edinburgh. Du Toit, A.L., 1918. The zones of the Karroo System and their distribution. Proceedings of the Geological Society of South Africa, 21, 17-37.



Duncan, R.A., Hooper, P.R., Rehacek, J., Marsh J.S. and Duncan, A.R., 1997. The timing and duration of the Karoo igneous event, southern Gondwana. Journal of Geophysical Research, 102, 18127-18138.

Eales, H.V., Marsh, J.S. and Cox, K.G. (1984). The Karoo Igneous Province: an introduction. In: Erlank, A.J. (Ed.), Petrogenesis of the Volcanic Rocks of the Karoo Province. Spec. Publ. Geol. Soc. S. Afr., 13, 1–26

Fernandez, V., Abdala, F., Carlson, K.J., Cook, D.C., Rubidge, B.S., Yates, A. and Tafforeau, P., 2013. Synchrotron reveals Early Triassic odd couple: Injured amphibian and aestivating therapsid share burrow. PLoS ONE 8, e64978. doi:10.1371/journal.pone.0064978.

Gastaldo, R.A., Kamo, S.L., Neveling, J., Geissman, W., Looy, C.V. and Martini, A.M., 2020. The base of the Lystrosaurus Assemblage Zone, Karoo Basin, predates the end-Permian marine extinction. Nature Communications 11, 1428. doi.org/10.1038/s41467-020-15243-7

Groenewald, G.H. and Kitching, J.W., 1995. Biostratigraphy of the Lystrosaurus Assemblage Zone. South African Committee for Stratigraphy. Biostratigraphic Series 1, 35-39.

Groenewald GH. 2012. Palaeontological Impact Assessment Report Proposed Senekal Solid Waste

Groenewald G.H., Groenewald D.P. and Groenewald S.M., 2014. *Palaeontological Heritage of the Free State, Gauteng, Limpopo, Mpumalanga and North West Provinces*. Internal Palaeotechnical Reports, SAHRA.

Hancox PJ. and Rubidge BS., 1997. The role of fossils in interpreting the development of the Karoo Basin. Palaeontologia Africana, 33, 41-54.

Hunter, D.R., Johnson, M.R., Anhaeusser, C. R. and Thomas, R.J. 2006. Introduction. (*In*: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J. (Eds), *The Geology of South Africa*. Geological Society of South Africa, Johannesburg/Council for Geoscience, Pretoria, 585-604.) Johnson, M.R., Visser, J.N.J., et al.2006. Sedimentary rocks of the Karoo Supergroup In Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (eds). The geology of South Africa. 691 pp. Geological Society of South Africa, Johannesburg and Council for Geoscience, Pretoria.

Kent, L. E., 1980. Part 1: Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia and the Republics of Bophuthatswana, Transkei, and Venda. SACS, Council for Geosciences.

Keyser, A.W. and Smith, R.H.M., 1979. Vertebrate biozonation of the Beaufort Group with special reference to the Western Karoo Basin. Annals Geological Survey South Africa, 12, 1-36. Keyser, A.W., 1979. A review of the biozonation of the Beaufort Group in the Karoo basin of South Africa. Geological Society of South Africa, Abstracts 1979 Geological Congress 2, 13-31. Kitching, J.W., 1970. A short review of the Beaufort zoning in South Africa. In: S.H. Haughton (Editor), I.U.G.S., 2nd Gondwana Symposium Proceedings and Papers, 309-312.



Kitching, J.W., 1977. The distribution of the Karroo vertebrate fauna. Bernard Price Institute for Palaeontological Research Memoir 1, 1-131.

Kitching, J.W., Collinson, J.W., Elliot, D.H. and Colbert, E.H., 1972. Lystrosaurus Zone (Triassic) fauna from Antarctica. Science, 175, 524-527.

Klein, R.G. 1984. The large mammals of southern Africa: Late Pliocene to Recent. In: Klein, R.G. (Ed.) Southern African prehistory and paleoenvironments, pp 107-146. Balkema, Rotterdam. Lewis, Patrick J.; Brink, James S.; Kennedy, Alicia M.; Campbell, Timothy L. (2011). "Examination of the Florisbad microvertebrates". *South African Journal of Science*. **107**(7/8). MACRAE, C. 1999. Life etched in stone. Fossils of South Africa. 305 pp. The Geological Society of South Africa, Johannesburg.

Lock, B.E., Paverd, A.L. and Broderick, T.J. (1974). Stratigraphy of the Karroo volcanic rocks of the Barkly East District. Trans. Geol. Soc. S. Afr., 77, 117–129

Lucas, S.G., 1998. Global Triassic tetrapod biostratigraphy and biochronology. Palaeogeography, Palaeoclimatology, Palaeoecology, 143, 347-384.

Macrae, C. 1999. Life etched in stone. Fossils of South Africa. 305 pp. The Geological

Marchetti, L., Klein, H., Buchwitz, M., Ronchi, A., Smith, R.M.H., De Klerk, E., Sciscio, L. and Meiring, A.J.D. 1955. Fossil Proboscidean teeth and ulna from Virginia, OFS. *Navorsinge van die Nasionale Museum*, Bloemfontein 1, 187–201.

Groenewald, G., 2019. Ichnoassociations of Permian and Triassic tetrapod footprints in the Karoo Basin of South Africa. Gondwana Research 72,139-168.

Maud, R. 2012. Macroscale Geomorphic Evolution. (*In* Holmes, P. and Meadows, M. Southern Africa Geomorphology, New trends and new directions. Bloemfontein: Sun Press. p. 7-21)

Mccarthy, T. & Rubidge, B. 2005. The story of Earth and life: a southern African perspective on a 4.6-billion-year journey. 334pp. Struik, Cape Town

Michaelsen, P., 2002. Mass extinction of peat-forming plants and the effect on fluvial styles across the Permian-Triassic boundary, northern Bowen Basin, Australia, Palaeogeography Palaeoclimatology Palaeoecology, 179, 173-188.

Modesto, S.P. and Botha-Brink, J., 2010. A burrow cast with Lystrosaurus skeletal remains from the Lower Triassic of South Africa. Palaios, 25, 274-281.

Neveling, J., 2004. Stratigraphic and sedimentological investigation of the contact between the Lystrosaurus and Cynognathus Assemblage Zones (Beaufort Group: Karoo Supergroup). Council for Geoscience Bulletin 137, 1-165.

Neveling, J., Hancox, P.J. and Rubidge, B.S., 2004. Biostratigraphy of the lower Burgersdorp Formation (Beaufort Group; Karoo Supergroup) of South Africa – implications for the stratigraphic ranges of Early Triassic tetrapods. Palaeontologia africana, 41, 81-87.



Nicolas, M.V.M., 2007. Tetrapod Biodiversity through the Permo Triassic Beaufort Group (Karoo Supergroup) of South Africa. Unpublished PhD thesis, University of the Witwatersrand, Johannesburg. 356pp

Partridge, T.C. & Scott, L. 2000. Lakes and pans. In: Partridge, T.C. & Maud, R.R. (Eds.) The Cenozoic of southern Africa, pp.145 - 161. Oxford University Press, Oxford.

Partridge, T.C., Botha, G.A. & Haddon, I.G. 2006. Cenozoic deposits of the interior. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) The geology of South Africa, pp. 585-604. Geological Society of South Africa, Marshalltown.

Rubidge B.S., 1995 Biostratigraphy of the Beaufort Group (Karoo Supergroup). South African Committee for Stratigraphy Biostratigraphic Series 1: 1-46 Pretoria South African Committee for Stratigraphy and Biostratigraphy

S.A.C.S. (South African Committee for Stratigraphy), 1980. Stratigraphy of South Africa. Part 1. Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia, and the Republics of Bophuthatswana, Transkei, and Venda. Handbook of the Geological Survey of South Africa, 8, 690pp

Shango, 2016. Development of exploration strategies for gas plays in the Virginia, Kroonstad and Heilbron areas, Report No SS0530/15, prepared by Shango Solutions, dated 20 January 2016.

Scott, L. and Klein, R.G. 1981. A hyena-accumulated bone assemblage from Late Holocene deposits at Deelpan, Orange Free State. Annals of the South African Museum 86(6): 217 – 227. Scott, L, & Rossouw, L. 2005 Reassessment of botanical evidence for palaeoenvironments at Florisbad, South Africa. South African Archaeological Bulletin 60: 96-102.

Scott, L. & J.S. Brink. 1992. Quaternary palynology, palaeontology and palaeoenvironments in central South Africa. South African Geographer 19: 22-34.

SG 2.2 SAHRA APMHOB Guidelines, 2012. Minimum standards for palaeontological components of Heritage Impact Assessment Reports, Pp 1-15.

Smith R.M.H., 1990. A review of stratigraphy and sedimentary environments in the Karoo Basin of South Africa. Journal of African Earth Sciences, 10, 117-137

Smith, R.M.H. and Botha-Brink, J., 2011. Anatomy of an extinction: End-Permian drought induced die-off in the Karoo Basin, South Africa. Abstracts SVP Annual Meeting Las Vegas Journal Vertebrate Palaeontology, SVP Program and Abstracts Book, 2011, 196.

Smith, R.M.H. and Botha-Brink, J., 2014. Anatomy of an extinction: Sedimentological and taphonomic evidence for drought-induced die-offs during the Permo-Triassic mass extinction in the main Karoo Basin, South Africa. Palaeogeography, Palaeoclimatology, Palaeoecology, 396, 99-118.

Doi: https://doi.org/10.25131/sajg.123.0009.



Smith, R.M.H. and Ward, P.D., 2001. Pattern of vertebrate extinctions across an event bed at the Permian–Triassic boundary in the Karoo Basin of South Africa. Geological Society of America Bulletin, 29, 1147-1150.

Smith, R.M.H., 1995. Changing fluvial environments across the Permian-Triassic boundary in the Karoo Basin, South Africa, and possible causes of the extinctions. Palaeogeography, Palaeoclimatology, Palaeoecology, 117, 81-104.

Smith, R.M.H., Rubidge, B.S. and van der Walt, M., 2012. Therapsid biodiversity patterns and paleoenvironments of the Karoo Basin, South Africa. In: A. Chinsamy (Editor), The forerunners of mammals: radiation, histology, and biology. Indiana University Press, Bloomington, 31-62. Smith, R.M.H., Rubidge, B.S., Day, M.O., Botha; J. 2020. Introduction to the tetrapod biozonation of the Karoo Supergroup. *South African Journal of Geology*123 (2): 131–140.

Tankard, A.J., Jackson, M.P.A., ERIKSSON, K.A., HOBDAY, D.K., HUNTER, D.R. & Minter, W.E.L. 1982. Crustal evolution of southern Africa – 3.8 billion years of earth history, xv + 523pp. Springer Verlag, New York.

Thomas, M.J. 1981. The geology of the Kalahari in the Northern Cape Province (Areas 2620) Tooth, S. Brandt, D., Hancox P.J. And Mccarthy, T. S. 2004. Geological controls on alluvial river behaviour: a comparative study of three rivers in the South African Highveld. *Journal of African Earth Sciences*, 38(2004): 79-97, 15 Aug.

Van der Walt M., Day M. and Rubidge BS. 2010. A new GIS based biozone map of the Beaufort Group (Karoo Supergroup) South Africa. Palaeontologia Africana 45, 1-6.

Van Zyl, W., S. Badenhorst & J.S. Brink. 2016. Pleistocene Bovidae from X Cave on Bolt's Farm in the Cradle of Humankind in South Africa. *Annals of the Ditsong National Museum of Natural History* 6: 39–73.

Viglietti P.A., Smith R.M.H. and Compton J.S., 2013. Origin and palaeoenvironmental significance of Lystrosaurus bonebeds in the earliest Triassic Karoo Basin, South Africa. Palaeogeography, Palaeoecology, Palaeoclimatology, 392, 9-21.

Viglietti P.A.,2020. The Daptocephalus Assemblage Zone (Lopingian), South Africa: A proposed biostratigraphy based on a new compilation of stratigraphic ranges. *South African Journal of Geology*123 (2): 191-206. DOI: 10.1016/j.jafrearsci.2015.10.011

Visser, D.J.L. (ed) 1984. Geological Map of South Africa 1:100 000. South African Committee for Stratigraphy, Council for Geoscience, Pretoria.

Visser, D.J.L. (ed) 1989. Toeligting: Geologiese kaart (1:100 000). Die Geologie van die Republieke van Suid Afrika, Transkei, Bophuthatswana, Venda, Ciskei en die Koningkryke van Lesotho en Swaziland. South African Committee for Stratigraphy. Council for Geoscience, Pretoria, Pp 494.

APPENDIX A - ELIZE BUTLER CV

ELIZE BUTLER

PROFESSION: Palaeontologist

YEARS' EXPERIENCE: 26 years in Palaeontology

EDUCATION: B.Sc Botany and Zoology, 1988

University of the Orange Free State

B.Sc (Hons) Zoology, 1991

University of the Orange Free State

Management Course, 1991

University of the Orange Free State

M. Sc. Cum laude (Zoology), 2009

University of the Free State

Dissertation title: The postcranial skeleton of the Early Triassic non-mammalian Cynodont *Galesaurus planiceps*: implications for biology and lifestyle

MEMBERSHIP

Palaeontological Society of South Africa (PSSA) 2006-currently

EMPLOYMENT HISTORY

Part time Laboratory assistant Department of Zoology &

Entomology University of the Free

State Zoology 1989-1992

Part time laboratory assistant Department of Virology

University of the Free State Zoology

1992

Research Assistant National Museum, Bloemfontein

1993 - 1997

Principal Research Assistant National Museum, Bloemfontein

and Collection Manager 1998-currently

BANZAI ENVIRONMENTAL (PTY) LTD.

Reg No. 2015/332235/07 |



TECHNICAL REPORTS

TECHNICAL REPORTS

Butler, E. 2014. Palaeontological Impact Assessment of the proposed development of private dwellings on portion 5 of farm 304 Matjesfontein Keurboomstrand, Knysna District, Western Cape Province. Bloemfontein.

Butler, E. 2014. Palaeontological Impact Assessment for the proposed upgrade of existing water supply infrastructure at Noupoort, Northern Cape Province. 2014. Bloemfontein.

Butler, E. 2015. Palaeontological impact assessment of the proposed consolidation, redivision, and development of 250 serviced erven in Nieu-Bethesda, Camdeboo local municipality, Eastern Cape. Bloemfontein.

Butler, E. 2015. Palaeontological impact assessment of the proposed mixed land developments at Rooikraal 454, Vrede, Free State. Bloemfontein.

Butler, E. 2015. Palaeontological exemption report of the proposed truck stop development at Palmiet 585, Vrede, Free State. Bloemfontein.

Butler, E. 2015. Palaeontological impact assessment of the proposed Orange Grove 3500 residential development, Buffalo City Metropolitan Municipality East London, Eastern Cape. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Gonubie residential development, Buffalo City Metropolitan Municipality East London, Eastern Cape Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Ficksburg raw water pipeline. Bloemfontein.

Butler, E. 2015. Palaeontological Heritage Impact Assessment report on the establishment of the 65 mw Majuba Solar Photovoltaic facility and associated infrastructure on portion 1, 2 and 6 of the farm Witkoppies 81 HS, Mpumalanga Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed township establishment on the remainder of portion 6 and 7 of the farm Sunnyside 2620, Bloemfontein, Mangaung metropolitan municipality, Free State, Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Woodhouse 1 photovoltaic solar energy facilities and associated infrastructure on the farm Woodhouse729, near Vryburg, North West Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Woodhouse 2 photovoltaic solar energy facilities and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Orkney solar energy farm and associated infrastructure on the remaining extent of Portions 7 and 21 of the farm Wolvehuis 114, near Orkney, North West Province. Bloemfontein.

Butler, E. 2015. Palaeontological Impact Assessment of the proposed Spectra foods broiler houses and abattoir on the farm Maiden Manor 170 and Ashby Manor 171, Lukhanji Municipality, Queenstown, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed construction of the 150 MW Noupoort concentrated solar power facility and associated infrastructure on portion 1 and 4 of the farm Carolus Poort 167 and the remainder of Farm 207, near Noupoort, Northern Cape. Prepared for Savannah Environmental. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed Woodhouse 1 Photovoltaic Solar Energy facility and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed Woodhouse 2 Photovoltaic Solar Energy facility and associated infrastructure on the farm Woodhouse 729, near Vryburg, North West Province. Bloemfontein.

Butler, E. 2016. Proposed 132kV overhead power line and switchyard station for the authorised Solis Power 1 CSP project near Upington, Northern Cape. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed Senqu Pedestrian Bridges in Ward 5 of Senqu Local Municipality, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Modderfontein Filling Station on Erf 28 Portion 30, Founders Hill, City of Johannesburg, Gauteng Province. Bloemfontein.

Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Modikwa Filling Station on a Portion of Portion 2 of Mooihoek 255 Kt, Greater Tubatse Local Municipality, Limpopo Province. Bloemfontein.

Butler, E. 2016. Recommendation from further Palaeontological Studies: Proposed Construction of the Heidedal filling station on Erf 16603, Heidedal Extension 24, Mangaung Local Municipality, Bloemfontein, Free State Province. Bloemfontein.

Butler, E. 2016. Recommended Exemption from further Palaeontological studies: Proposed Construction of the Gunstfontein Switching Station, 132kv Overhead Power Line (Single or BANZAI ENVIRONMENTAL (PTY) LTD.

Double Circuit) and ancillary infrastructure for the Gunstfontein Wind Farm Near Sutherland, Northern Cape Province. Savannah South Africa. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed Galla Hills Quarry on the remainder of the farm Roode Krantz 203, in the Lukhanji Municipality, division of Queenstown, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Chris Hani District Municipality Cluster 9 water backlog project phases 3a and 3b: Palaeontology inspection at Tsomo WTW. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed construction of the 150 MW Noupoort concentrated solar power facility and associated infrastructure on portion 1 and 4 of the farm Carolus Poort 167 and the remainder of Farm 207, near Noupoort, Northern Cape. Savannah South Africa. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed upgrading of the main road MR450 (R335) from Motherwell to Addo within the Nelson Mandela Bay Municipality and Sunday's River valley Local Municipality, Eastern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment construction of the proposed Metals Industrial Cluster and associated infrastructure near Kuruman, Northern Cape Province. Savannah South Africa. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment for the proposed construction of up to a 132kv power line and associated infrastructure for the proposed Kalkaar Solar Thermal Power Plant near Kimberley, Free State and Northern Cape Provinces. PGS Heritage. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment of the proposed development of two burrow pits (DR02625 and DR02614) in the Enoch Mgijima Municipality, Chris Hani District, Eastern Cape.

Butler, E. 2016. Ezibeleni waste Buy-Back Centre (near Queenstown), Enoch Mgijima Local Municipality, Eastern Cape. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment for the proposed construction of two 5 Mw Solar Photovoltaic Power Plants on Farm Wildebeestkuil 59 and Farm Leeuwbosch 44, Leeudoringstad, North West Province. Bloemfontein.

Butler, E. 2016. Palaeontological Impact Assessment for the proposed development of four Leeuwberg Wind farms and basic assessments for the associated grid connection near Loeriesfontein, Northern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological impact assessment for the proposed Aggeneys south prospecting right project, Northern Cape Province. Bloemfontein.

Butler, E. 2016. Palaeontological impact assessment of the proposed Motuoane Ladysmith Exploration right application, KwaZulu Natal. Bloemfontein.

Butler, E. 2016. Palaeontological impact assessment for the proposed construction of two 5 MW solar photovoltaic power plants on farm Wildebeestkuil 59 and farm Leeuwbosch 44, Leeudoringstad, North West Province. Bloemfontein.

Butler, E. 2016: Palaeontological desktop assessment of the establishment of the proposed residential and mixed-use development on the remainder of portion 7 and portion 898 of the farm Knopjeslaagte 385 Ir, located near Centurion within the Tshwane Metropolitan Municipality of Gauteng Province. Bloemfontein.

Butler, E. 2017. Palaeontological impact assessment for the proposed development of a new cemetery, near Kathu, Gamagara local municipality and John Taolo Gaetsewe district municipality, Northern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of The Proposed Development of The New Open Cast Mining Operations on The Remaining Portions Of 6, 7, 8 And 10 Of the Farm Kwaggafontein 8 In the Carolina Magisterial District, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Development of a Wastewater Treatment Works at Lanseria, Gauteng Province. Bloemfontein.

Butler, E. 2017. Palaeontological Scoping Report for the Proposed Construction of a Warehouse and Associated Infrastructure at Perseverance in Port Elizabeth, Eastern Cape Province.

Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Establishment of a Diesel Farm and a Haul Road for the Tshipi Borwa mine Near Hotazel, In the John Taolo Gaetsewe District Municipality in the Northern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the Proposed Changes to Operations at the UMK Mine near Hotazel, In the John Taolo Gaetsewe District Municipality in the Northern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment for the Development of the Proposed Ventersburg Project-An Underground Mining Operation near Ventersburg and Henneman, Free State Province. Bloemfontein.

Butler, E. 2017. Palaeontological desktop assessment of the proposed development of a 3000 MW combined cycle gas turbine (CCGT) in Richards Bay, Kwazulu-Natal. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment for the Development of the Proposed Revalidation of the lapsed General Plans for Elliotdale, Mbhashe Local Municipality. Bloemfontein.

Butler, E. 2017. Palaeontological assessment of the proposed development of a 3000 MW Combined Cycle Gas Turbine (CCGT) in Richards Bay, Kwazulu-Natal. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed development of the new open cast mining operations on the remaining portions of 6, 7, 8 and 10 of the farm Kwaggafontein 8 10 in the Albert Luthuli Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed mining of the farm Zandvoort 10 in the Albert Luthuli Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed Lanseria outfall sewer pipeline in Johannesburg, Gauteng Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of open pit mining at Pit 36W (New Pit) and 62E (Dishaba) Amandelbult Mine Complex, Thabazimbi, Limpopo Province. Bloemfontein.

Butler, E. 2017. Palaeontological impact assessment of the proposed development of the sport precinct and associated infrastructure at Merrifield Preparatory school and college, Amathole Municipality, East London. PGS Heritage. Bloemfontein.

Butler, E. 2017. Palaeontological impact assessment of the proposed construction of the Lehae training and fire station, Lenasia, Gauteng Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the new open cast mining operations of the Impunzi mine in the Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the construction of the proposed Viljoenskroon Munic 132 KV line, Vierfontein substation and related projects. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed rehabilitation of 5 ownerless asbestos mines. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the Lephalale coal and power project, Lephalale, Limpopo Province, Republic of South Africa. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of a 132KV powerline from the Tweespruit distribution substation (in the Mantsopa local municipality) to the Driedorp rural substation (within the Naledi local municipality), Free State province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of the new coal-fired power plant and associated infrastructure near Makhado, Limpopo Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of a Photovoltaic Solar Power station near Collett substation, Middelburg, Eastern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment for the proposed township establishment of 2000 residential sites with supporting amenities on a portion of farm 826 in Botshabelo West, Mangaung Metro, Free State Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed prospecting right project without bulk sampling, in the Koa Valley, Northern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed Aroams prospecting right project, without bulk sampling, near Aggeneys, Northern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed Belvior aggregate quarry II on portion 7 of the farm Maidenhead 169, Enoch Mgijima Municipality, division of Queenstown, Eastern Cape. Bloemfontein.

Butler, E. 2017. PIA site visit and report of the proposed Galla Hills Quarry on the remainder of the farm Roode Krantz 203, in the Lukhanji Municipality, division of Queenstown, Eastern Cape Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of Tina Falls Hydropower and associated power lines near Cumbu, Mthlontlo Local Municipality, Eastern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed construction of the Mangaung Gariep Water Augmentation Project. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed Belvoir aggregate quarry II on portion 7 of the farm Maidenhead 169, Enoch Mgijima Municipality, division of Queenstown, Eastern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed construction of the Melkspruit-Rouxville 132KV Power line. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed development of a railway siding on a Portion of portion 41 of the farm Rustfontein 109 is, Govan Mbeki local municipality, Gert Sibande district municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed consolidation of the proposed Ilima Colliery in the Albert Luthuli local municipality, Gert Sibande District Municipality, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed extension of the Kareerand Tailings Storage Facility, associated borrow pits as well as a storm water drainage channel in the Vaal River near Stilfontein, North West Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed construction of a filling station and associated facilities on the Erf 6279, district municipality of John Taolo Gaetsewe District, Ga-Segonyana Local Municipality Northern Cape. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed of the Lephalale Coal and Power Project, Lephalale, Limpopo Province, Republic of South Africa. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed Overvaal Trust PV Facility, Buffelspoort, North West Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed development of the H₂ Energy Power Station and associated infrastructure on Portions 21; 22 And 23 of the farm Hartebeestspruit in the Thembisile Hani Local Municipality, Nkangala District near Kwamhlanga, Mpumalanga Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed upgrade of the Sandriver Canal and Klippan Pump station in Welkom, Free State Province. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed upgrade of the 132kv and 11kv power line into a dual circuit above ground power line feeding into the Urania substation in Welkom, Free State Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment of the proposed Swaziland-Mozambique border patrol road and Mozambique barrier structure. Bloemfontein.

Butler, E. 2017. Palaeontological Impact Assessment of the proposed diamonds alluvial & diamonds general prospecting right application near Christiana on the remaining extent of portion 1 of the farm Kaffraria 314, registration division HO, North West Province. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed development of Wastewater Treatment Works on Hartebeesfontein, near Panbult, Mpumalanga. Bloemfontein.

Butler, E. 2017. Palaeontological Desktop Assessment for the proposed development of Wastewater Treatment Works on Rustplaas near Piet Retief, Mpumalanga. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment for the Proposed Landfill Site in Luckhoff, Letsemeng Local Municipality, Xhariep District, Free State. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment of the proposed development of the new Mutsho coal-fired power plant and associated infrastructure near Makhado, Limpopo Province. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment of the authorisation and amendment processes for Manangu mine near Delmas, Victor Khanye local municipality, Mpumalanga. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the proposed Mashishing township establishment in Mashishing (Lydenburg), Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the Proposed Mlonzi Estate Development near Lusikisiki, Ngquza Hill Local Municipality, Eastern Cape. Bloemfontein.

Butler, E. 2018. Palaeontological Phase 1 Assessment of the proposed Swaziland-Mozambique border patrol road and Mozambique barrier structure. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the proposed electricity expansion project and Sekgame Switching Station at the Sishen Mine, Northern Cape Province. Bloemfontein.

Butler, E. 2018. Palaeontological field assessment of the proposed construction of the Zonnebloem Switching Station (132/22kV) and two loop-in loop-out power lines (132kV) in the Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological Field Assessment for the proposed re-alignment and decommissioning of the Firham-Platrand 88kv Powerline, near Standerton, Lekwa Local Municipality, Mpumalanga province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment of the proposed Villa Rosa development In the Buffalo City Metropolitan Municipality, East London. Bloemfontein.

Butler, E. 2018. Palaeontological field Assessment of the proposed Villa Rosa development In the Buffalo City Metropolitan Municipality, East London. Bloemfontein.

Butler, E. 2018. Palaeontological desktop assessment of the proposed Mookodi – Mahikeng 400kV line, North West Province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the proposed Thornhill Housing Project, Ndlambe Municipality, Port Alfred, Eastern Cape Province. Bloemfontein.

Butler, E. 2018. Palaeontological desktop assessment of the proposed housing development on portion 237 of farm Hartebeestpoort 328. Bloemfontein.

Butler, E. 2018. Palaeontological desktop assessment of the proposed New Age Chicken layer facility located on holding 75 Endicott near Springs in Gauteng. Bloemfontein.

Butler, E. 2018 Palaeontological Desktop Assessment for the development of the proposed Leslie 1 Mining Project near Leandra, Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological field assessment of the proposed development of the Wildealskloof mixed use development near Bloemfontein, Free State Province. Bloemfontein.

Butler, E. 2018. Palaeontological Field Assessment of the proposed Megamor Extension, East London. Bloemfontein

Butler, E. 2018. Palaeontological Impact Assessment of the proposed diamonds Alluvial & Diamonds General Prospecting Right Application near Christiana on the Remaining Extent of Portion 1 of the Farm Kaffraria 314, Registration Division HO, North West Province. Bloemfontein.

Butler, E. 2018. Palaeontological Impact Assessment of the proposed construction of a new 11kV (1.3km) Power Line to supply electricity to a cell tower on farm 215 near Delportshoop in the Northern Cape. Bloemfontein.

Butler, E. 2018. Palaeontological Field Assessment of the proposed construction of a new 22 kV single wood pole structure power line to the proposed MTN tower, near Britstown, Northern Cape Province. Bloemfontein.

Butler, E. 2018. Palaeontological Exemption Letter for the proposed reclamation and reprocessing of the City Deep Dumps in Johannesburg, Gauteng Province. Bloemfontein.

Butler, E. 2018. Palaeontological Exemption letter for the proposed reclamation and reprocessing of the City Deep Dumps and Rooikraal Tailings Facility in Johannesburg, Gauteng Province. Bloemfontein.

Butler, E. 2018. Proposed Kalabasfontein Mine Extension project, near Bethal, Govan Mbeki District Municipality, Mpumalanga. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment for the development of the proposed Leslie 1 Mining Project near Leandra, Mpumalanga Province. Bloemfontein.

Butler, E. 2018. Palaeontological Desktop Assessment of the proposed Mookodi – Mahikeng 400kV Line, North West Province. Bloemfontein.

Butler, E. 2018. Environmental Impact Assessment (EIA) for the Proposed 325mw Rondekop Wind Energy Facility between Matjiesfontein and Sutherland in the Northern Cape Province.

Butler, E. 2018. Palaeontological Impact Assessment of the proposed construction of the Tooverberg Wind Energy Facility, and associated grid connection near Touws River in the Western Cape Province. Bloemfontein.

Butler, E. 2018. Palaeontological impact assessment of the proposed Kalabasfontein Mining Right Application, near Bethal, Mpumalanga.

Butler, E., 2019. Palaeontological Desktop Assessment of the proposed Westrand Strengthening Project Phase II.

Butler, E., 2019. Palaeontological Field Assessment for the proposed Sirius 3 Photovoltaic Solar Energy Facility near Upington, Northern Cape Province

Butler, E., 2019. Palaeontological Field Assessment for the proposed Sirius 4 Photovoltaic Solar Energy Facility near Upington, Northern Cape Province

Butler, E., 2019. Palaeontological Field Assessment for Heuningspruit PV 1 Solar Energy Facility near Koppies, Ngwathe Local Municipality, Free State Province.

Butler, E., 2019. Palaeontological Field Assessment for the Moeding Solar Grid Connection, North West Province.

Butler, E., 2019. Recommended Exemption from further Palaeontological studies for the Proposed Agricultural Development on Farms 1763, 2372 And 2363, Kakamas South Settlement, Kai! Garib Municipality, Mgcawu District Municipality, Northern Cape Province.

Butler, E., 2019. Recommended Exemption from further Palaeontological studies: of Proposed Agricultural Development, Plot 1178, Kakamas South Settlement, Kai! Garib Municipality

Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Waste Rock Dump Project at Tshipi Borwa Mine, near Hotazel, Northern Cape Province:

Butler, E., 2019. Palaeontological Exemption Letter for the proposed DMS Upgrade Project at the Sishen Mine, Gamagara Local Municipality, Northern Cape Province

Butler, E., 2019. Palaeontological Desktop Assessment of the proposed Integrated Environmental Authorisation process for the proposed Der Brochen Amendment project, near Groblershoop, Limpopo

Butler, E., **2019.** Palaeontological Desktop Assessment of the proposed updated Environmental Management Programme (EMPr) for the Assmang (Pty) Ltd Black Rock Mining Operations, Hotazel, Northern Cape

Butler, E., 2019. Palaeontological Desktop Assessment of the proposed Kriel Power Station Lime Plant Upgrade, Mpumalanga Province

Butler, E., 2019. Palaeontological Impact Assessment for the proposed Kangala Extension Project Near Delmas, Mpumalanga Province.

Butler, E., 2019. Palaeontological Desktop Assessment for the proposed construction of an iron/steel smelter at the Botshabelo Industrial area within the Mangaung Metropolitan Municipality, Free State Province.

Butler, E., 2019. Recommended Exemption from further Palaeontological studies for the proposed agricultural development on farms 1763, 2372 and 2363, Kakamas South settlement, Kai! Garib Municipality, Mgcawu District Municipality, Northern Cape Province.

Butler, E., 2019. Recommended Exemption from further Palaeontological Studies for Proposed formalisation of Gamakor and Noodkamp low-cost Housing Development, Keimoes, Gordonia Rd, Kai !Garib Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province.

Butler, E., 2019. Recommended Exemption from further Palaeontological Studies for proposed formalisation of Blaauwskop Low-Cost Housing Development, Kenhardt Road, Kai !Garib Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province.

Butler, E., 2019. Palaeontological Desktop Assessment of the proposed mining permit application for the removal of diamonds alluvial and diamonds kimberlite near Windsorton on a certain portion of Farm Zoelen's Laagte 158, Registration Division: Barkly Wes, Northern Cape Province.

Butler, E., 2019. Palaeontological Desktop Assessment of the proposed Vedanta Housing Development, Pella Mission 39, Khâi-Ma Local Municipality, Namakwa District Municipality, Northern Cape.

Butler, E., 2019. Palaeontological Desktop Assessment for The Proposed 920 KWP Groenheuwel Solar Plant Near Augrabies, Northern Cape Province

Butler, E., 2019. Palaeontological Desktop Assessment for the establishment of a Super Fines Storage Facility at Amandelbult Mine, Near Thabazimbi, Limpopo Province

BANZAI ENVIRONMENTAL (PTY) LTD.

Butler, E., 2019. Palaeontological Impact Assessment for the proposed Sace Lifex Project, Near Emalahleni, Mpumalanga Province

Butler, E., 2019. Palaeontological Desktop Assessment for the proposed Rehau Fort Jackson Warehouse Extension, East London

Butler, E., 2019. Palaeontological Desktop Assessment for the proposed Environmental Authorisation Amendment for moving 3 Km of the Merensky-Kameni 132KV Powerline

Butler, E., 2019. Palaeontological Impact Assessment for the proposed Umsobomvu Solar PV Energy Facilities, Northern and Eastern Cape

Butler, E., 2019. Palaeontological Desktop Assessment for six proposed Black Mountain Mining Prospecting Right Applications, without Bulk Sampling, in the Northern Cape.

Butler, E., 2019. Palaeontological field Assessment of the Filling Station (Rietvlei Extension 6) on the Remaining Portion of Portion 1 of the Farm Witkoppies 393JR east of the Rietvleidam Nature Reserve, City of Tshwane, Gauteng

Butler, E., 2019. Palaeontological Desktop Assessment of The Proposed Upgrade of The Vaal Gamagara Regional Water Supply Scheme: Phase 2 And Groundwater Abstraction

Butler, E., 2019. Palaeontological Desktop Assessment of The Expansion of The Jan Kempdorp Cemetery on Portion 43 Of Farm Guldenskat 36-Hn, Northern Cape Province

Butler, E., 2019. Palaeontological Desktop Assessment of the Proposed Residential Development on Portion 42 Of Farm Geldunskat No 36 In Jan Kempdorp, Phokwane Local Municipality, Northern Cape Province

Butler, E., 2019. Palaeontological Impact Assessment of the proposed new Township Development, Lethabo Park, on Remainder of Farm Roodepan No 70, Erf 17725 And Erf 15089, Roodepan Kimberley, Sol Plaatjies Local Municipality, Frances Baard District Municipality, Northern Cape

Butler, E., 2019. Palaeontological Protocol for Finds for the proposed 16m WH Battery Storage System in Steinkopf, Northern Cape Province

Butler, E., 2019. Palaeontological Exemption Letter of the proposed 4.5WH Battery Storage System near Midway-Pofadder, Northern Cape Province

Butler, E., 2019. Palaeontological Exemption Letter of the proposed 2.5ml Process Water Reservoir at Gloria Mine, Black Rock, Hotazel, Northern Cape

Butler, E., 2019. Palaeontological Desktop Assessment for the Establishment of a Super Fines Storage Facility at Gloria Mine, Black Rock Mine Operations, Hotazel, Northern Cape:



Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed New Railway Bridge, and Rail Line Between Hotazel and the Gloria Mine, Northern Cape Province

Butler, E., 2019. Palaeontological Exemption Letter of The Proposed Mixed Use Commercial Development on Portion 17 of Farm Boegoeberg Settlement Number 48, !Kheis Local Municipality in The Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment of the Proposed Diamond Mining Permit Application Near Kimberley, Sol Plaatjies Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment of the Proposed Diamonds (Alluvial, General & In Kimberlite) Prospecting Right Application near Postmasburg, Registration Division; Hay, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment of the proposed diamonds (alluvial, general & in kimberlite) prospecting right application near Kimberley, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Phase 1 Impact Assessment of the proposed upgrade of the Vaal Gamagara regional water supply scheme: Phase 2 and groundwater abstraction. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment of the proposed seepage interception drains at Duvha Power Station, Emalahleni Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment letter for the Proposed PV Solar Facility at the Heineken Sedibeng Brewery, near Vereeniging, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Phase 1 Assessment letter for the Proposed PV Solar Facility at the Heineken Sedibeng Brewery, near Vereeniging, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological field Assessment for the Proposed Upgrade of the Kolomela Mining Operations, Tsantsabane Local Municipality, Siyanda District Municipality, Northern Cape Province, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment of the proposed feldspar prospecting rights and mining application on portion 4 and 5 of the farm Rozynen 104, Kakamas South, Kai! Garib Municipality, Zf Mgcawu District Municipality, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Phase 1 Field Assessment of the proposed Summerpride Residential Development and Associated Infrastructure on Erf 107, Buffalo City Municipality, East London. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Impact Assessment for the proposed recommission of the Old Balgay Colliery near Dundee, KwaZulu Natal.

Butler, E., 2019. Palaeontological Phase 1 Impact Assessment for the Proposed Re-Commission of the Old Balgay Colliery near Dundee, KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Environmental Authorisation and Amendment Processes for Elandsfontein Colliery. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Impact Assessment and Protocol for Finds of a Proposed New Quarry on Portion 9 (of 6) of the farm Mimosa Glen 885, Bloemfontein, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Impact Assessment and Protocol for Finds of a proposed development on Portion 9 and 10 of the Farm Mimosa Glen 885, Bloemfontein, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Exemption Letter for the proposed residential development on the Remainder of Portion 1 of the Farm Strathearn 2154 in the Magisterial District of Bloemfontein, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Field Assessment for the Proposed Nigel Gas Transmission Pipeline Project in the Nigel Area of the Ekurhuleni Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment for five Proposed Black Mountain Mining Prospecting Right Applications, Without Bulk Sampling, in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E. 2019. Palaeontological Desktop Assessment for the Proposed Environmental Authorisation and an Integrated Water Use Licence Application for the Reclamation of the Marievale Tailings Storage Facilities, Ekurhuleni Metropolitan Municipality - Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Impact Assessment for the Proposed Sace Lifex Project, near Emalahleni, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment for the proposed Golfview Colliery near Ermelo, Msukaligwa Local Municipality, Mpumalanga Province

BANZAI ENVIRONMENTAL (PTY) LTD.

Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Kangra Maquasa Block C Mining development near Piet Retief, in the Mkhondo Local Municipality within the Gert Sibande District Municipality. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Desktop Assessment for the Proposed Amendment of the Kusipongo Underground and Opencast Coal Mine in Support of an Environmental Authorization and Waste Management License Application. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2019. Palaeontological Exemption Letter of the Proposed Mamatwan Mine Section 24g Rectification Application, near Hotazel, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Field Assessment for the Proposed Environmental Authorisation and Amendment Processes for Elandsfontein Colliery. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Extension of the South African Nuclear Energy Corporation (Necsa) Pipe Storage Facility, Madibeng Local Municipality, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Field Assessment for the Proposed Piggery on Portion 46 of the Farm Brakkefontien 416, Within the Nelson Mandela Bay Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological field Assessment for the proposed Rietfontein Housing Project as part of the Rapid Land Release Programme, Gauteng Province Department of Human Settlements, City of Johannesburg Metropolitan Municipality. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Choje Wind Farm between Grahamstown and Somerset East, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application for the Prospecting of Diamonds (Alluvial, General & In Kimberlite), Combined with A Waste License Application, Registration Division: Gordonia and Kenhardt, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Impact Assessment for the Proposed Clayville Truck Yard, Ablution Blocks and Wash Bay to be Situated on Portion 55 And 56 Of Erf 1015, Clayville X11, Ekurhuleni Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.



Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Hartebeesthoek Residential Development. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Mooiplaats Educational Facility, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Impact Assessment for the Proposed Monument Park Student Housing Establishment. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Field Assessment for the Proposed Standerton X10 Residential and Mixed-Use Developments, Lekwa Local Municipality Standerton, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Field Assessment for the Rezoning and Subdivision of Portion 6 Of Farm 743, East London. Banzai Environmental (Pty) Ltd, Bloemfontein. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Field Assessment for the Proposed Matla Power Station Reverse Osmosis Plant, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application Without Bulk Sampling for the Prospecting of Diamonds Alluvial near Bloemhof on Portion 3 (Portion 1) of the Farm Boschpan 339, the Remaining Extent of Portion 8 (Portion 1), Portion 9 (Portion 1) and Portion 10 (Portion 1) and Portion 17 (Portion 1) of the Farm Panfontein 270, Registration Division: Ho, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application Combined with a Waste Licence Application for the Prospecting of Diamonds Alluvial, Diamonds General and Diamonds near Wolmaransstad on the Remaining Extent, Portion 7 and Portion 8 Of Farm Rooibult 152, Registration Division: HO, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Application With Bulk Sampling combined with a Waste Licence Application for the Prospecting of Diamonds Alluvial (Da), Diamonds General (D), Diamonds (Dia) and Diamonds In Kimberlite (Dk) near Prieska On Portion 7, a certain Portion of the Remaining Extent of Portion 9 (Wouter), Portion 11 (De Hoek), Portion 14 (Stofdraai) (Portion of Portion 4), the Remaining Extent of Portion 16 (Portion Of Portion 9) (Wouter) and the Remaining Extent of Portion 18 (Portion of Portion 10) of the Farm Lanyon Vale 376, Registration Division: Hay, Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Prospecting Right Area and Mining Permit Area near Ritchie on the Remaining Extent of Portion 3 (Anna's Hoop) of the Farm Zandheuvel 144, Registration Division: Kimberley, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment of the Proposed Okapi Diamonds (Pty) Ltd Mining Right of Diamonds Alluvial (Da) & Diamonds General (D) Combined with a Waste Licence Application on the Remaining Extent of Portion 9 (Wouter) of the Farm Lanyon Vale 376; Registration Division: Hay; Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Field Assessment of the Proposed Prospecting Right Application for the Prospecting of Diamonds (Alluvial & General) between Douglas and Prieska on Portion 12, Remaining Extent of Portion 29 (Portion of Portion 13) and Portion 31 (Portion of Portion 29) on the Farm Reads Drift 74, Registration Division; Herbert, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Mining Permit Application Combined with a Waste License Application for the Mining of Diamonds (Alluvial) Near Schweitzer-Reneke on a certain Portion of Portion 12 (Ptn of Ptn 7) of the Farm Doornhoek 165, Registration Division: HO, North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for Black Mountain Koa South Prospecting Right Application, Without Bulk Sampling, in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Impact Assessment of the Proposed AA Bakery Expansion, Sedibeng District Municipality, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Boegoeberg Township Expansion,! Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Gariep Township Expansion, !Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Groblershoop Township Expansion, !Kheis Local Municipality, Zf Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

6

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Grootdrink Township Expansion, !Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Exemption Letter for the Proposed Opwag Township Expansion,! Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Exemption Letter for the Proposed Topline Township Expansion, !Kheis Local Municipality, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the Proposed Wegdraai Township Expansion, !Kheis Local Municipality, Zf Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological field Assessment for the Proposed Establishment of an Emulsion Plant on Erf 1559, Hardustria, Harrismith, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler. 2020. Part 2 Environmental Authorisation (EA) Amendment Process for the Kudusberg Wind Energy Facility (WEF) near Sutherland, Western and Northern Cape Provinces- Palaeontological Impact Assessment. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment Proposed for the Construction and Operation of the Battery Energy Storage System (BESS) and Associated Infrastructure and inclusion of Additional Listed Activities for the Authorised Droogfontein 3 Solar Photovoltaic (PV) Energy Facility Located near Kimberley in the Sol Plaatje Local Municipality, Francis Baard District Municipality, in the Northern Cape Province of South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Impact Assessment for the Proposed Development of a Cluster of Renewable Energy Facilities between Somerset East and Grahamstown in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the Proposed Amaoti Secondary School, Pinetown, eThekwini Metropolitan Municipality KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Proposed an Inland Diesel Depot, Transportation Pipeline and Associated Infrastructure on Portion 5 of the Farm

Franshoek No. 1861, Swinburne, Free State Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed erosion control gabion installation at Alpine Heath Resort on the farm Akkerman No 5679 in the Bergville district Kwazulu-Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed Doornkloof Residential development on portion 712 of the farm Doornkloof 391 Jr, City of Tshwane Metropolitan Municipality in Gauteng, South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the Proposed Expansion of the Square *Kilometre* Array (SKA) Meerkat Project, on the Farms Mey's Dam RE/68, Brak Puts RE /66, Swartfontein RE /496 & Swartfontein 2/496, in the Kareeberg Local Municipality, Pixley Ka Seme District Municipality, and the Farms Los Berg 1/73 & Groot Paardekloof RE /74, in the Karoo Hoogland Local Municipality, Namakwa District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling on Portion 6 of Scholtzfontein 165 and Farm Arnotsdale 175, Herbert District in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling on the Remaining Extent of Biessie Laagte 96, and Portion 2 and 6 of Aasvogel Pan 141, Near Hopetown in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for De Beers Consolidated Mines: Proposed Drilling in the North West Province: on Portions 7 (RE) (of Portion 3), 11, 12 (of Portion 3), 34 (of Portion 30), 35 (of Portion 7) of the Farm Holfontein 147 IO and Portions 1, 2 and the RE) of the Farm Kareeboschbult 76 Ip and Portions 1, 2, 4, 5, 6, (of Portion 3), 7 (of Portion 3), 13, 14, and the Re of the farm Oppaslaagte 100IP and portions 25 (of Portion 24) and 30 of the farm Slypsteen 102 IP. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the Proposed Expansion of the Cavalier Abattoir on farm Oog Van Boekenhoutskloof of Tweefontein 288 JR, near Cullinan, City of Tshwane Metropolitan Municipality, Gauteng. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Proposed Doornkloof Residential Development on Portion 712 of the Farm Doornkloof 391 JR, City of Tshwane

Metropolitan Municipality in Gauteng, South Africa. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed High Density Social Housing Development on part of the Remainder of Portion 171 and part of Portion 306 of the farm Derdepoort 326 JR, City of Tshwane. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Red Rock Mountain Farm activities on Portions 2, 3 and 11 of the Farm Buffelskloof 22, near Calitzdorp in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Mixed-use Development on a Part of Remainder of Portion 171 and Portion 306 of the farm Derdepoort 326 JR, City of Tshwane. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Proposed Realignment of the D 2809 Provincial Road as well as the Mining Right Application for the Glisa and Paardeplaats Sections of the NBC Colliery (NBC) near Belfast (eMakhazeni), eMakhazeni Local Municipality, Nkangala District Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed construction of Whittlesea Cemetery within Enoch Mgijima Local Municipality area, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the establishment of a mixed-use development on Portion 0 the of Erf 700, Despatch, Nelson Mandela Bay Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed East Orchards Poultry Farm, Delmas/Botleng Transitional Local Council, Mpumalanga. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed East Orchards Poultry Farm, Delmas/Botleng Transitional Local Council, Mpumalanga. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment to assess the proposed Gariep Road upgrade near Groblershoop, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Ngwedi Solar Plant which forms part of the authorised Paleso Solar Powerplant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Noko Solar Power Plant and power line which forms part of the authorised Paleso Solar Powerplant near Orkney in the North West. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Proposed Power Line as part of the Paleso Solar Power Plant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Thakadu Solar Plant which forms part of the authorised Paleso Solar Powerplant near Viljoenskroon in the Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the proposed Farming Expansions on Portions 50 of the Farm Rooipoort 555 JR, Portion 34 of the Farm Rooipoort 555 JR, Portions 20 and 49 of the Farm Rooipoort 555 JR and Portion 0(RE) of the Farm Oudou Boerdery 626 JR, Tshwane Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the proposed Saselamani CBD on the Remainder of Tshikundu's Location 262 MT, and the Remainder of Portion 1 of Tshikundu's Location 262 MT, Collins Chabane Local Municipality, Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed expansions of the existing Molare Piggery infrastructure and related activities on Portion 0(Re) of the farm Arendsfontein 464 JS, Portion 0(Re) of the farm Wanhoop 443 JS, Portion 0(Re) of the farm Eikeboom 476 JS and Portions 2 & 7 of the farm Klipbank 467 JS within the jurisdiction of the Steve Tshwete Local Municipality, Mpumalanga Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Nchwaning Rail Balloon Turn Outs at Black Rock Mine Operations (BRMO) near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Black Rock Mining Operations (BRMO) new rail loop and stacker reclaimer Project at Gloria Mine near Hotazel in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2020. Palaeontological Desktop Assessment for the proposed Nchwaning Rail Balloon Turn Outs at Black Rock Mine Operations (BRMO) near Hotazel in the John Taolo Gaetsewe District Municipality in the Northern Cape.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed utilization of one Borrow Pit for the planned Clarkebury DR08034 Road Upgrade, Engcobo Local Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Kappies Kareeboom Prospecting Project on Portion 1 and the Remainder of the farm Kappies Kareeboom 540, the Remainder of Farm 544, Portion 5 of farm 534 and Portion 1 of the farm Putsfontein 616, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Kameel Fontein Prospecting Project on the Remainder of the farm Kameel Fontein 490, a portion of the farm Strydfontein 614 and the farm Soetfontein 606, ZF Mgcawu District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Lewis Prospecting Project on Portions of the Farms Lewis 535, Spence 537, Wright 538, Symthe 566, Bredenkamp 567, Brooks 568, Beaumont 569 and Murray 570, John Taolo Gaetsewe District Municipality in the Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the Construction of the Ganspan Pering 132kV Powerline, Phokwane Local Municipality, Frances Baard District Municipality in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the Longlands Prospecting Project on a Portion of the farm Longlands 350, Frances Baard District Municipality, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed development of 177 new units in the northern section of Mpongo Park in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Qhumanco Irrigation Project, Chris Hani District Municipality Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Raphuti Settlement Project on Portions of the Farm Weikrans 539KQ in the Waterberg District Municipality of the Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Senqu Rural Project, Joe Gqabi District Municipality, Senqu Local Municipality, in the Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed new Township development on portion of the farm Klipfontein 716 and farm Ceres 626 in Bloemfontein, Mangaung Metropolitan Municipality, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the ECDOT Borrow Pits and WULA near Sterkspruit, Joe Gqabi District Municipality in the Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed SANRAL Stone Crescent Embankment Stabilisation Works along the N2 on the farm Zyfer Fonteyn 253 (Portion 0, 11 and 12RE) and Palmiet Rivier 305 (Portion 34, 36) near Grahamstown in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the Klein Rooipoort Trust Citrus Development, in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed Victoria West water augmentation project in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Campbell Sewer, Internal Reticulation, Outfall Sewer Line and Oxidation Ponds, located on ERF 1, Siyancuma Local Municipality in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed Development and Upgrades within the Great Fish River Nature Reserve, Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for proposed Parsons Power Park a portion of Erf 1. within the Nelson Mandela Bay Municipality in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the proposed expansion of the farming operations on part of portions 7 and 8 of farm Boerboonkraal 353 in the Greater Tubatse Local Municipality of Sekhukhune District, Limpopo Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment to assess the proposed low-level pedestrian bridge, in Heilbron, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment to assess the proposed township developments in Hertzogville, Malebogo, in Heilbron, Free State. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment for the proposed construction of Malangazana Bridge on Farm No.64 Nkwenkwana, Engcobo Local Municipality, Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment to assess the proposed Construction of Middelburg Integrated Transport Control Centre on Portion 14 of Farm 81 Division of Middelburg, Chris Hani District Municipality in the Eastern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment for the Witteberge Sand Mine on the remainder of farm Elandskrag Plaas 269 located in the Magisterial District of Laingsburg and Central Karoo District Municipality in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Impact Assessment (PIA) to assess the proposed Agrizone 2, Dube Trade Port in KwaZulu Natal Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2021. Palaeontological Desktop Assessment assessing the proposed Prospecting Right application without bulk sampling for the prospecting of Chrome ore and platinum group metals on the Remaining Extent of the farm Doornspruit 106, Registration Division: HO; North West Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment for the proposed Ennerdale Extension 2 Township Establishment on the Undeveloped Part of Portion 134 of the Farm Roodepoort 302IQ, City of Johannesburg Metropolitan Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment for the Construction of the ESKOM Mesong 400kV Loop-In Loop-Out Project, Ekurhuleni Municipality, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment for the Proposed Vinci Prospecting Right Application on the Remainder of the Farm Vinci 580, ZF Mgcawu District Municipality, in the Northern Cape Province, Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment for the proposed Farm 431 Mining Right Application (MRA), near Postmasburg, ZF Mgcawu District Municipality, in the Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.



Butler, E., 2022. Palaeontological Impact Assessment for the Leeuw Braakfontein Colliery Expansion Project (LBC) in the Amajuba District Municipality, KwaZulu-Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment for the proposed reclamation of the 5L23 TSF in Ekurhuleni, Gauteng Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment for the Proposed Mogalakwena Mine Infrastructure Expansion (near Mokopane in the Mogalakwena Local Municipality, Limpopo Province). Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment for the proposed 10km Cuprum to Kronos Double Circuit 132kV Line and Associated Infrastructure in Copperton in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Impact Assessment for the proposed Hoekplaas WEF near Victoria West in the Northern Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment (PDA) assessing the proposed Prospecting Right Application without bulk sampling for the Prospecting of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) on the Remaining Extent of the Farm Goede Hoop 547, Remaining Extent of the Farm 548, Remaining Extent of Portion 2 and Portion 3 of the Farm Skeyfontein 536, Registration Division: Hay, Northern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Impact Assessment for the proposed extension of Duine Weg Road between Pellsrus and Marina Martinique as well as a Water Use Authorisation (WUA) for the project. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Proposed Mimosa Residential Development and Associated Infrastructure on Fairview Erven, in Gqeberha (Port Elizabeth), Nelson Mandela Bay Metropolitan Municipality, Eastern Cape Province. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Impact Assessment for the Witteberge Sand Mine on the remainder of farm Elandskrag Plaas 269 located in the Magisterial District of Laingsburg and Central Karoo District Municipality in the Western Cape. Banzai Environmental (Pty) Ltd, Bloemfontein.

Butler, E., 2022. Palaeontological Desktop Assessment to assess the Palaeontology for the Somkhele Anthracite Mine's Prospecting Right Application, on the Remainder of the Farm Reserve no 3 No 15822 within the uMkhanyakude District Municipality and the Mtubatuba Local Municipality, KwaZulu Natal. Banzai Environmental (Pty) Ltd, Bloemfontein.

