

**Palaeontological Impact Assessment for the  
proposed Grid Connection for the  
Virginia Solar Park,  
SE of Virginia, Free State Province**

**Site Visit Report (Phase 2)**

**For**

**AGES Limpopo (Pty) Ltd**

**26 January 2023**

Prof Marion Bamford  
Palaeobotanist  
P Bag 652, WITS 2050  
Johannesburg, South Africa  
[Marion.bamford@wits.ac.za](mailto:Marion.bamford@wits.ac.za)

## **Expertise of Specialist**

The Palaeontologist Consultant: Prof Marion Bamford  
Qualifications: PhD (Wits Univ, 1990); FRSSAf, ASSAf  
Experience: 34 years research; 26 years PIA studies

## **Declaration of Independence**

This report has been compiled by Professor Marion Bamford, of the University of the Witwatersrand, sub-contracted by AGES Limpopo (Pty) Ltd, Polokwane, South Africa. The views expressed in this report are entirely those of the author and no other interest was displayed during the decision making process for the Project.

Specialist: Prof Marion Bamford

A handwritten signature in blue ink, appearing to read 'MK Bamford', with a horizontal line underneath.

Signature:

## Executive Summary

A Palaeontological Impact Assessment was requested for the proposed Grid Connection for the Virginia Solar Park that comprises four Solar Parks to the southeast of Virginia, Free State Province. This report is for the **Grid Connection**. Each park will produce 100MW and each park will be approximately 205 Ha. Each PV Solar Park will have its own 132 kV powerline from the solar park to the Theseus substation (in addition to the current three powerlines that have been approved).

To comply with the regulations of the South African Heritage Resources Agency (SAHRA) in terms of Section 38(8) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) (NHRA), a site visit (Phase 2) Palaeontological Impact Assessment (PIA) was completed for the proposed development.

The proposed routes lie on the moderately fossiliferous Quaternary sands and alluvium and the potentially highly fossiliferous Adelaide Subgroup that could preserve vertebrate fossils such as therapsids, fish, amphibians and parareptiles of the Daptocephalus Assemblage Zone. The site visit and walk through on 19 January 2023 by palaeontologists confirmed that the area has been or is being used for agriculture and the fields have been ploughed. There were no rocky outcrops and NO FOSSILS present on the land surface. Given the lack of surface outcrop, there is only a very small chance that there is outcrop in the soils below the surface. Nonetheless, a Fossil Chance Find Protocol should be added to the EMPr. Based on this information it is recommended that no further palaeontological impact assessment is required unless fossils are found by the contractor, developer, environmental officer or other designated responsible person once excavations or drilling activities have commenced. Since the impact will be low to moderate, as far as the palaeontology is concerned, the project should be authorised.

# Table of Contents

Expertise of Specialist .....	1
Declaration of Independence .....	1
1.    Background .....	4
2.    Methods and Terms of Reference.....	7
3.    Geology and Palaeontology.....	7
i.    Project location and geological context .....	7
ii.   Palaeontological context.....	9
iii.  Site visit observations .....	10
4.    Impact assessment.....	14
5.    Assumptions and uncertainties.....	14
6.    Recommendation.....	14
7.    References .....	15
8.    Chance Find Protocol .....	16
9.    Appendix A – Examples of fossils .....	17
10.   Appendix B – Details of specialist.....	18
Figure 1: Google Earth map of the project area .....	<b>Error! Bookmark not defined.</b>
Figure 2: Google Earth Map of the powerline routes .....	7
Figure 3: Geological map of the area around the project site.....	8
Figure 4: SAHRIS palaeosensitivity map for the site for the project .....	10
Figure 5: Site visit route map .....	11
Figure 6: Site visit photographs .....	12

# 1. Background

The second phase of the Virginia Solar Park Project will comprise four solar parks. The sites are to the southeast of the town of Virginia, Matjhabeng Local Municipality, in the Free State Province (Figures 1-2). This report is for the Grid Connection for the Virginia Solar Park project.

The four parks are listed below:

1. **Virginia 4 Solar Park** – 210 MW 450 ha on the farm Blomskraal 216 Ventersburg RD (for Phoenix Energy (Pty) Ltd)
2. Corona Solar Park – 240 MW 530 ha on the farm De Dam 27, Tevrede 361, Biddulph 329, Ventersburg RD (Corona Energy (Pty) Ltd)
3. Florida 1 & 2 Solar Parks – 100 MW 205 ha on Portion 1 & 4 of the farm Florida 633, Remainder of Le Roux 766 Ventersburg RD (Piscis Energy (Pty) Ltd)
4. Quagga Solar Park – 240 MW 520 ha on the farm Delaporte 887 and Quaggafontein 3, Winburg RD (Indus Energy (Pty) Ltd).

Each PV Solar Park will have its own 132 kV powerline from the solar park to the Theseus substation (in addition to the current three powerlines, which have been approved). The powerlines are indicated in Figures 1 and 3.

The approved powerline corridor is 500 m wide, so only cumulative impacts for the corridor area between Theseus substation and the farm border of Blomskraal are assessed here. There will be up to seven possible lines if all solar parks will be developed. The new powerlines to Virginia 4 and Quagga SP's are of particular importance.

A Palaeontological Impact Assessment was requested for the Grid Connections for the Virginia Solar Park project. To comply with the regulations of the South African Heritage Resources Agency (SAHRA) in terms of Section 38(8) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) (NHRA), a site visit and walkthrough (Phase 2) Palaeontological Impact Assessment (PIA) was completed for the proposed development and is reported herein.


**Table 1: National Environmental Management Act, 1998 (Act No. 107 of 1998) (NEMA) and Environmental Impact Assessment (EIA) Regulations, 2014 (as amended) - Requirements for Specialist Reports (Appendix 6).**

	<b>A specialist report prepared in terms of the Environmental Impact Regulations of 2017 must contain:</b>	<b>Relevant section in report</b>
ai	Details of the specialist who prepared the report,	Appendix B
aii	The expertise of that person to compile a specialist report including a curriculum vitae	Appendix B
b	A declaration that the person is independent in a form as may be specified by the competent authority	Page 1

	<b>A specialist report prepared in terms of the Environmental Impact Regulations of 2017 must contain:</b>	<b>Relevant section in report</b>
c	An indication of the scope of, and the purpose for which, the report was prepared	Section 1
ci	An indication of the quality and age of the base data used for the specialist report: SAHRIS palaeosensitivity map accessed – date of this report	Yes
cii	A description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change	Section 5
d	The date and season of the site investigation and the relevance of the season to the outcome of the assessment	N/A
e	A description of the methodology adopted in preparing the report or carrying out the specialised process	Section 2
f	The specific identified sensitivity of the site related to the activity and its associated structures and infrastructure	Section 4
g	An identification of any areas to be avoided, including buffers	N/A
h	A map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers;	N/A
i	A description of any assumptions made and any uncertainties or gaps in knowledge;	Section 5
j	A description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives, on the environment	Section 4
k	Any mitigation measures for inclusion in the EMPr	Section 8, Appendix A
l	Any conditions for inclusion in the environmental authorisation	N/A
m	Any monitoring requirements for inclusion in the EMPr or environmental authorisation	Section 8, Appendix A
ni	A reasoned opinion as to whether the proposed activity or portions thereof should be authorised	Section 6
nii	If the opinion is that the proposed activity or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan	Sections 6, 8
o	A description of any consultation process that was undertaken during the course of carrying out the study	N/A
p	A summary and copies of any comments that were received during any consultation process	N/A
q	Any other information requested by the competent authority.	N/A
2	Where a government notice gazetted by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply.	N/A



**Figure 1: Google Earth map of the proposed Virginia Solar part with the four separate parks (green outlines) with the grid connection (purple lines).**



**Figure 2: Grid connections (purple lines) from the approved 132kV line corridor (blue band) from the border of Farm Blomskraal (turquoise outline) to the Virginia and Quagga Solar parks (green outlines).**

## 2. Methods and Terms of Reference

The Terms of Reference (ToR) for this study were to undertake a PIA and provide feasible management measures to comply with the requirements of SAHRA.


The methods employed to address the ToR included:

1. Consultation of geological maps, literature, palaeontological databases, published and unpublished records to determine the likelihood of fossils occurring in the affected areas. Sources included records housed at the Evolutionary Studies Institute at the University of the Witwatersrand and SAHRA databases;
2. Where necessary, site visits by a qualified palaeontologist to locate any fossils and assess their importance, as is the case here;
3. Where appropriate, collection of unique or rare fossils with the necessary permits for storage and curation at an appropriate facility (*not applicable to this assessment*); and
4. Determination of fossils' representivity or scientific importance to decide if the fossils can be destroyed or a representative sample collected (*not applicable to this assessment*).

## 3. Geology and Palaeontology

### i. Project location and geological context





**Figure 3: Geological map of the area around the Virginia Solar Parks with the Grid Connection from the approved 132 kV line corridor at the Blomskraal Farm border to the two southern parks Virginia and Quagga, within the blue outline. Abbreviations of the rock types are explained in Table 2. Map enlarged from the Geological Survey 1: 250 000 map 2826 Winburg.**

Table 2: Explanation of symbols for the geological map and approximate ages (Johnson et al., 2006; Partridge et al., 2006). SG = Supergroup; Fm = Formation; Ma = million years; grey shading = formations impacted by the project.

Symbol	Group/Formation	Lithology	Approximate Age
Q	Recent	Alluvium and debris	Last few millenia
Qs	Quaternary	Alluvium, sand, calcrete	Quaternary, ca 1.0 Ma to present
Jd	Jurassic dykes	Dolerite dykes, intrusive	Jurassic, approx. 180 Ma
Pa	Adelaide Subgroup, Beaufort Group, Karoo SG	Blue-grey silty mudstone, subordinate brownish-red mudstone; sandstone	Late Permian

The site lies in the central part of the Karoo basin where the middle Karoo Supergroup strata are exposed (Figure 3). Along the rivers and streams much young reworked sands and alluvium overly the older strata.

The Karoo Supergroup rocks cover a very large proportion of South Africa and extend from the northeast (east of Pretoria) to the southwest and across to almost the KwaZulu Natal south coast. It is bounded along the southern margin by the Cape Fold Belt and

along the northern margin by the much older Transvaal Supergroup rocks. Representing some 120 million years (300 – 183Ma), the Karoo Supergroup rocks have preserved a diversity of fossil plants, insects, vertebrates and invertebrates.

During the Carboniferous Period South Africa was part of the huge continental landmass known as Gondwanaland and it was positioned over the South Pole. As a result, there were several ice sheets that formed and melted, and covered most of South Africa (Visser, 1986, 1989; Isbell et al., 2012). These are the oldest rocks in the system and are exposed around the outer part of the ancient Karoo Basin, and are known as the Dwyka Group. They comprise tillites, diamictites, mudstones, siltstones and sandstones that were deposited as the basin filled (Johnson et al., 2006).

Overlying the Dwyka Group rocks are rocks of the Ecca Group that are Early Permian in age. Overlying the Ecca Group are the rocks of the Beaufort Group that has been divided into the lower Adelaide Subgroup for the Upper Permian strata, and the Tarkastad Subgroup for the Early to Middle Triassic strata. As with the older Karoo sediments, the formations vary across the Karoo Basin.

Adelaide Subgroup east of 24°E. In this part of the basin three formations are recognised in the Adelaide Subgroup, the basal Koonap Formation, Middleton Formation and thick upper Balfour Formation. The latter has been divided into five members, the lower four from the base up are the Oudeberg, Daggaboersnek, Ripplemead and Elandsberg Members. The topmost member, the Palingkloof Member, is in the earliest Triassic (Smith et al., 2020).

Large exposures of Jurassic dolerite dykes occur throughout the area. These intruded through the Karoo sediments around 183 million years ago at about the same time as the Drakensberg basaltic eruption.


## ii. Palaeontological context

The palaeontological sensitivity of the area under consideration is presented in Figure 5. The site for development is in the Adelaide Subgroup and in the *Daptocephalus* Assemblage Zone (Smith et al., 2020).

From the SAHRIS map above the area is indicated as very highly sensitive (red) for a large part of the farm for the Adelaide Subgroup and the rest is moderately sensitive (green) for the Quaternary sands and alluvium.

Plants and vertebrates are not common in the Adelaide Subgroup but it has the equivalent of the upper *Cistecephalus* Assemblage Zone and the ***Daptocephalus* Assemblage Zone**. The latter is recognised by the co-occurrence of the dicynodontoid *Daptocephalus leoniceps*, the therocephalian *Theriognathus microps*, and the cynodont *Procynosuchus delaharpeae* (Viglietti, 2020). This has been further divided into two subzones, the lower *Dicynodon -Theriognathus* Subzone (in co-occurrence with *Daptocephalus*), and the upper *Lystrosaurus maccaigi – Moschorhinus kitchingi* Subzone (ibid). Other taxa include fish, amphibians, parareptiles, eureptiles, biarmosuchians, anomodontians, gorgonopsians, therocephaleans, cynodonts and molluscs.


Plants in the Adelaide Subgroup are from the *Glossopteris* flora, dominated by *Glossopteris* leaves but including lycopods, sphenophytes, ferns, cordaitaleans and early gymnosperms. These are mostly preserved as impressions in the fine-grained shales and mudstones.



**Figure 4: SAHRIS palaeosensitivity map for the site for the proposed southern Grid Connection for the Virginia Solar Parks shown within the yellow rectangle. Background colours indicate the following degrees of sensitivity: red = very highly sensitive; orange/yellow = high; green = moderate; blue = low; grey = insignificant/zero.**

Quaternary sands and alluvium do not preserve fossils (Botha, 2021; Cowan, 1995) but they might trap transported fossils or cover fossil traps such as palaeo-pans and palaeo-springs (Goudie and Wells, 1985). Such features are usually visible in satellite imagery. Pans are fairly common in the Free State but there are none visible in this area.

### iii. Site visit observations



**Figure 5: Annotated Google Earth map for the route in the vehicle.**

At several points along the route through the Virginia Solar Parks the palaeontologists walked into the field to look for rocky outcrops. The entire area comprised open fields that have been cleared and cultivated in the past. The land was almost flat to gently undulating so visibility was good. Part of the area is used for game but they did not walk through there.

There were no rocky outcrops in the proposed grid routes and no fossils of bones or plants were present on the land surface. The soils appeared to be fairly deep and covered by secondary grassland (Figure 6). The area has been used in the past for agriculture so has been cleared for ploughing or for grazing. There were NO FOSSILS visible on the land surface and no rocky outcrops in site that could potentially preserve any fossils.

**Figure 6 (next page): Grid Connection routes for the Virginia Solar Park site visit. Photographs taken by Rick Tolchard and Brandon Stuart. A – northwestern part of Farm Blomkraal, no rocky outcrops were visible. B – western part of farm with bushes and grasslands. C – north east corner of Quagga SEF area with grasslands. D – Farm Quaggafontein – grasslands. Note very flat topography and generally featureless landscape with low secondary grasslands. No rocky outcrops, no rocks and no fossils.**



Figure 6.

## 4. Impact assessment

An assessment of the potential impacts to possible palaeontological resources considers the criteria encapsulated in Table :

**Table 4a: Criteria for assessing impacts**

<b>PART A: DEFINITION AND CRITERIA</b>		
<b>Criteria for ranking of the SEVERITY/NATURE of environmental impacts</b>	<b>H</b>	Substantial deterioration (death, illness or injury). Recommended level will often be violated. Vigorous community action.
	<b>M</b>	Moderate/ measurable deterioration (discomfort). Recommended level will occasionally be violated. Widespread complaints.
	<b>L</b>	Minor deterioration (nuisance or minor deterioration). Change not measurable/ will remain in the current range. Recommended level will never be violated. Sporadic complaints.
	<b>L+</b>	Minor improvement. Change not measurable/ will remain in the current range. Recommended level will never be violated. Sporadic complaints.
	<b>M+</b>	Moderate improvement. Will be within or better than the recommended level. No observed reaction.
	<b>H+</b>	Substantial improvement. Will be within or better than the recommended level. Favourable publicity.
<b>Criteria for ranking the DURATION of impacts</b>	<b>L</b>	Quickly reversible. Less than the project life. Short term
	<b>M</b>	Reversible over time. Life of the project. Medium term
	<b>H</b>	Permanent. Beyond closure. Long term.
<b>Criteria for ranking the SPATIAL SCALE of impacts</b>	<b>L</b>	Localised - Within the site boundary.
	<b>M</b>	Fairly widespread – Beyond the site boundary. Local
	<b>H</b>	Widespread – Far beyond site boundary. Regional/ national
<b>PROBABILITY (of exposure to impacts)</b>	<b>H</b>	Definite/ Continuous
	<b>M</b>	Possible/ frequent
	<b>L</b>	Unlikely/ seldom

**Table 4b: Impact Assessment**

<b>PART B: Assessment</b>		
<b>SEVERITY/NATURE</b>	<b>H</b>	-
	<b>M</b>	-
	<b>L</b>	Soils and alluvium do not preserve plant fossils; so far there are no records from the Adelaide Subgroup of plant or animal fossils in this region so it is very unlikely that fossils occur on the site. The impact would be very unlikely.
	<b>L+</b>	-
	<b>M+</b>	-

<b>PART B: Assessment</b>		
	<b>H+</b>	-
<b>DURATION</b>	<b>L</b>	-
	<b>M</b>	-
	<b>H</b>	Where manifest, the impact will be permanent.
<b>SPATIAL SCALE</b>	<b>L</b>	Since the only possible fossils within the area would be vertebrates of the Daptocephalus AZ or fossil plants from the <i>Glossopteris</i> flora in the shales, the spatial scale will be localised within the site boundary.
	<b>M</b>	-
	<b>H</b>	-
<b>PROBABILITY</b>	<b>H</b>	-
	<b>M</b>	-
	<b>L</b>	It is extremely unlikely that any fossils would be found in the loose soils and sands that will be excavated for foundations. Nonetheless, a Fossil Chance Find Protocol should be added to the eventual EMPr.

Based on the nature of the project, surface activities may impact upon the fossil heritage if preserved in the powerline grid route. The geological structures suggest that the rocks are the correct age and type to preserve fossils. The site visit and walk through confirmed that there were NO FOSSILS in the project footprint. Furthermore, the material to be excavated for foundations and infrastructure is soil and this does not preserve fossils. Since there is an extremely small chance that fossils from the Daptocephalus Assemblage Zone of the Adelaide Subgroup may occur below the soils and may be disturbed a Fossil Chance Find Protocol has been added to this report. Taking account of the defined criteria, the potential impact to fossil heritage resources is very low.

## 5. Assumptions and uncertainties

Based on the geology of the area and the palaeontological record as we know it, it can be assumed that the formation and layout of the dolomites, sandstones, shales and sands are typical for the country and only some do contain fossil plant, insect, invertebrate and vertebrate material in some parts of the Karoo Basin. The site visit and walk through by palaeontologists confirmed that there are no fossils of any kind on the land surface in the proposed powerline route. It is not known if fossils occur in the shales below the soils. The sands and soils of the Quaternary period would not preserve fossils.

## 6. Recommendation

Based on the fossil record for the area but confirmed by the site visit and walk through there are no rocky outcrops and NO FOSSILS of the Daptocephalus Assemblage Zone (Adelaide Subgroup, Beaufort Group, Karoo Supergroup) of flora or fauna even though fossils have been recorded from rocks of a similar age and type in South Africa. It is

extremely unlikely that any fossils would be preserved in the overlying soils and sands of the Quaternary. There is a very small chance that fossils may occur below the ground surface in the shales of the Adelaide Subgroup so a Fossil Chance Find Protocol should be added to the EMPr. If fossils are found by the contractor, environmental officer, or other responsible person, once excavations or drilling for pole foundations have commenced, then they should be rescued and a palaeontologist called to assess and collect a representative sample.

**Cumulative Impact** – None. Since each fossil outcrop is unique and may or may not be extensive. The destruction or preservation of one site will not impact on other sites. The same applies to developments on the sites. They are independent of each other. In addition, there are no fossils on this project footprint so there is no impact on the national paleontological heritage.

**No-go areas** – None. There are no fossils in the proposed footprint so the layout of the solar collectors and infrastructure is not restricted by the palaeontology.

## 7. References

- Anderson, J.M., Anderson, H.M., 1985. Palaeoflora of Southern Africa: Prodrum of South African megafloras, Devonian to Lower Cretaceous. A.A. Balkema, Rotterdam. 423 pp.
- Botha, G.A., 2021. Cenozoic stratigraphy of South Africa: current challenges and future possibilities. *South African Journal of Geology* 124, 817-842.
- Cowan, R., 1995. *History of Life*. 2nd Edition. Blackwell Scientific Publications, Boston. 462pp.
- Goudie, A.S., Wells, G.L., 1995. The nature, distribution and formation of pans in arid zones. *Earth Science Reviews* 38, 1-69.
- Isbell, J.L., Henry, L.C., Gulbranson, E.L., Limarino, C.O., Fraiser, F.L., Koch, Z.J., Ciccioli, P.I., Dineen, A.A., 2012. Glacial paradoxes during the late Paleozoic ice age: Evaluating the equilibrium line altitude as a control on glaciation. *Gondwana Research* 22, 1-19..
- Johnson, M.R., van Vuuren, C.J., Visser, J.N.J., Cole, D.I., Wickens, H.deV., Christie, A.D.M., Roberts, D.L., Brandl, G., 2006. Sedimentary rocks of the Karoo Supergroup. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). *The Geology of South Africa*. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. Pp 461 – 499.
- Plumstead, E.P., 1969. Three thousand million years of plant life in Africa. *Geological Society of southern Africa, Annexure to Volume LXXII*. 72pp + 25 plates.
- Smith, R.M.H., Rubidge, B.S., Day, M.O., Botha, J., 2020. Introduction to the tetrapod biozonation of the Karoo Supergroup. *South African Journal of Geology* 123(2), 131-140.



Visser, J.N.J., 1986. Lateral lithofacies relationships in the glaciogene Dwyka Formation in the western and central parts of the Karoo Basin. Transactions of the Geological Society of South Africa 89, 373-383.


Visser, J.N.J., 1989. The Permo-Carboniferous Dwyka Formation of southern Africa: deposition by a predominantly subpolar marine icesheet. Palaeogeography, Palaeoclimatology, Palaeoecology 70, 377-391.

## 8. Chance Find Protocol

### **Monitoring Programme for Palaeontology – to commence once the excavations / drilling activities begin.**

1. The following procedure is only required if fossils are seen on the surface and when drilling or excavation commence.
2. When excavations begin the rocks and discarded material must be given a cursory inspection by the environmental officer or designated person. Any fossiliferous material (trace fossils, fossils of plants, insects, bone or coalified material) should be put aside in a suitably protected place. This way the project activities will not be interrupted.
3. Photographs of similar fossils must be provided to the developer to assist in recognizing the fossil plants, vertebrates, invertebrates or trace fossils in the shales and mudstones (for example see Figures 7-9). This information will be built into the EMP's training and awareness plan and procedures.
4. Photographs of the putative fossils can be sent to the palaeontologist for a preliminary assessment.
5. If there is any possible fossil material found by the developer/environmental officer then the qualified palaeontologist sub-contracted for this project, should visit the site to inspect the selected material and check the dumps where feasible.
6. Fossil plants or vertebrates that are considered to be of good quality or scientific interest by the palaeontologist must be removed, catalogued and housed in a suitable institution where they can be made available for further study. Before the fossils are removed from the site a SAHRA permit must be obtained. Annual reports must be submitted to SAHRA as required by the relevant permits.
7. If no good fossil material is recovered then no site inspections by the palaeontologist will be necessary. A final report by the palaeontologist must be sent to SAHRA once the project has been completed and only if there are fossils.
8. If no fossils are found and the excavations have finished then no further monitoring is required.

9. Appendix A – Examples of fossils from the Adelaide Subgroup



**Figure 7: Therapsid skulls representative of two families that went extinct in the Permian: a) flesh eating gorgonopsian, and b) the herbivore dicynodont *Daptocephalus* (Photos supplied by Bruce Rubidge). In Linol and de Wit (2016) book Preface.**



**Figure 8: Photograph to show what fossil bones look like in the field, before excavation and preparation of the bones from the rock matrix.**



**Figure 9: Photograph of a fossil leaf impression, *Glossopteris*, from the Vryheid Formation.**

## 10. Appendix B – Details of specialists

### **Marion Bamford (PhD)** **Short CV for PIAs – January 2023**

#### **I) Personal details**

Present employment: Professor; Director of the Evolutionary Studies Institute.  
Member Management Committee of the NRF/DST Centre of Excellence Palaeosciences, University of the Witwatersrand, Johannesburg, South Africa

Telephone : +27 11 717 6690  
Fax : +27 11 717 6694  
Cell : 082 555 6937  
E-mail : marion.bamford@wits.ac.za ;  
marionbamford12@gmail.com

#### **ii) Academic qualifications**

Tertiary Education: All at the University of the Witwatersrand:

1980-1982: BSc, majors in Botany and Microbiology. Graduated April 1983.

1983: BSc Honours, Botany and Palaeobotany. Graduated April 1984.

1984-1986: MSc in Palaeobotany. Graduated with Distinction, November 1986.

1986-1989: PhD in Palaeobotany. Graduated in June 1990.

#### **iii) Professional qualifications**

Wood Anatomy Training (overseas as nothing was available in South Africa):

1994 - Service d'Anatomie des Bois, Musée Royal de l'Afrique Centrale, Tervuren, Belgium, by Roger Dechamps

1997 - Université Pierre et Marie Curie, Paris, France, by Dr Jean-Claude Koeniguer

1997 - Université Claude Bernard, Lyon, France by Prof Georges Barale, Dr Jean-Pierre Gros, and Dr Marc Philippe

#### **iv) Membership of professional bodies/associations**

Palaeontological Society of Southern Africa

Royal Society of Southern Africa - Fellow: 2006 onwards

Academy of Sciences of South Africa - Member: Oct 2014 onwards

International Association of Wood Anatomists - First enrolled: January 1991

International Organization of Palaeobotany – 1993+

Botanical Society of South Africa

South African Committee on Stratigraphy – Biostratigraphy - 1997 - 2016

SASQUA (South African Society for Quaternary Research) – 1997+

PAGES - 2008 –onwards: South African representative

ROCEEH / WAVE – 2008+

INQUA – PALCOMM – 2011+onwards

#### **vii) Supervision of Higher Degrees**

All at Wits University

Degree	Graduated/completed	Current
Honours	11	0
Masters	14	2
PhD	11	6
Postdoctoral fellows	12	4

viii) **Undergraduate teaching**

Geology II – Palaeobotany GEOL2008 – average 65 students per year

Biology III – Palaeobotany APES3029 – average 25 students per year

Honours – Evolution of Terrestrial Ecosystems; African Plio-Pleistocene Palaeoecology;

Micropalaeontology – average 12 - 20 students per year.

ix) **Editing and reviewing**

Editor: Palaeontologia africana: 2003 to 2013; 2014 – Assistant editor

Guest Editor: Quaternary International: 2005 volume

Member of Board of Review: Review of Palaeobotany and Palynology: 2010 –

Associate Editor: Cretaceous Research: 2018-2020

Associate Editor: Royal Society Open: 2021 -

Review of manuscripts for ISI-listed journals: 25 local and international journals

x) **Palaeontological Impact Assessments**

Selected from recent project only – list not complete:

- Mala Mala 2017 for Henwood
- Modimolle 2017 for Green Vision
- Klipoortjie and Finaalspan 2017 for Delta BEC
- Ledjadja borrow pits 2018 for Digby Wells
- Lungile poultry farm 2018 for CTS
- Olienhout Dam 2018 for JP Celliers
- Isondlo and Kwasobabili 2018 for GCS
- Kanakies Gypsum 2018 for Cabanga
- Nababeep Copper mine 2018
- Glencore-Mbali pipeline 2018 for Digby Wells
- Remhoogte PR 2019 for A&HAS
- Bospoort Agriculture 2019 for Kudzala
- Overlooked Quarry 2019 for Cabanga
- Richards Bay Powerline 2019 for NGT
- Eilandia dam 2019 for ACO
- Eastlands Residential 2019 for HCAC
- Fairview MR 2019 for Cabanga
- Graspan project 2019 for HCAC
- Lieliefontein N&D 2019 for Enviropro
- Skeerpoort Farm Mast 2020 for HCAC
- Vulindlela Eco village 2020 for 1World
- KwaZamakhule Township 2020 for Kudzala
- Sunset Copper 2020 for Digby Wells
- McCarthy-Salene 2020 for Prescali
- VLNR Lodge 2020 for HCAC

- Madadeni mixed use 2020 for Enviropro
- Frankfort-Windfield Eskom Powerline 2020 for 1World
- Beaufort West PV Facility 2021 for ACO Associates
- Copper Sunset MR 2021 for Digby Wells
- Sannaspos PV facility 2021 for CTS Heritage
- Smithfield-Rouxville-Zastron PL 2021 for TheroServe
- Glosam Mine 2021 for AHSA

#### **Xi) Research Output**

Publications by M K Bamford up to January 2023 peer-reviewed journals or scholarly books: over 170 articles published; 5 submitted/in press; 10 book chapters.

Scopus h-index = 30; Google Scholar h-index = 39; i10-index = 116

Conferences: numerous presentations at local and international conferences.

## **Mr Frederick Tolchard Brief Curriculum Vitae – January 2023**

#### **Academic training**

BA Archaeology – University of the Witwatersrand, graduated 2015

BSc (Honours) Palaeontology – University of the Witwatersrand, 2017 with distinction

MSc Palaeontology – University of the Witwatersrand, 2018 – 2019. Graduated 2020 with Distinction

PhD Palaeontology – Wits – 2020 - current

#### **Field Experience**

Honours Fieldtrip – Karoo biostratigraphy – April 2017

Research fieldwork – Elliot Formation with Prof Choiniere – April 2018, Nov 2018; April 2019; Sept 2021

#### **Publications**

Tolchard, F., Nesbitt, S.J., Desojo, J.B., Viglietti, P.A., Butler, R.J. and Choiniere, J.N., 2019. 'Rauisuchian' material from the lower Elliot Formation of South Africa: Implications for late Triassic biogeography and biostratigraphy. *Journal of African Earth Sciences*, 160, 103610.

Viglietti, P.A., McPhee, B.W., Bordy, E.M., Sciscio, L., Barrett, P.M., Benson, R.B.J., Wills, F., Tolchard, F., Choiniere, J.N., 2020. Biostratigraphy of the Scalenodontoides Assemblage Zone (Stormberg Group, Karoo Supergroup), South Africa. *South African Journal of Geology* 123, 239-248.

Tolchard F., Kammerer C., Butler R.J., Abdala F., Hendrickx C., Benoit J., Choinière J.N. (2021.) A very large new trirachodontid from the Triassic of South Africa and its implications for Gondwanan biostratigraphy. *Journal of Vertebrate Paleontology*. DOI: 10.1080/02724634.2021.1929265.

### **PIA fieldwork projects**

2018 May – Williston area – SARA O project, Digby Wells  
2018 September – Lichtenburg PVs – CTS Heritage  
2018 November – Nomalanga farming – Digby Wells  
2019 January – Thubelisha coal – Digby Wells  
2019 March – Matla coal – Digby Wells  
2019 March – Musina-Machado SEZ – Digby Wells  
2019 June – Temo coal – Digby Wells  
2019 September – Makapanstad Agripark – Plantago  
2020 January – Hendrina, Kwazamakuhle – Kudzala  
2020 February – Hartebeestpoort Dam - Prescali  
2020 March – Twyfelaar Coal mine – Digby Wells  
2020 March – Ceres Borrow Pits – ACO Associates  
2020 March – Copper Sunset Sand – Digby Wells  
2020 October – Belfast loop and Expansion – Nsovo  
2020 October – VLNR lodge Mapungubwe – HCAC  
2020 November – Delmore Park BWSS - HCAC  
2020 December – Kromdraai commercial – HCAC  
2021 January – Welgedacht Siding – Elemental Sustainability  
2021 March – Shango Kroonstad – Digby Wells  
2021 May – Copper Sunset sand mining – Digby Wells  
2021 August – New Largo Pit – Golder  
2021 August – Khutsong Ext 8 housing, Carletonville, for Afzelia  
2021 September – Lichtenburg PV facility – CTS Heritage  
2021 October – Ogies South MR – beyondgreen  
2021 October – Nooitgedacht Colliery MR – Shangoni  
2022 January – Sigma PVs Sasolburg – CTS Heritage  
2022 March – Taaibosch Puts PVs – CTS Heritage  
2022 March – Modder East Operations – Prime Resources  
2022 March – Driefontein mine revised infrastructure – Amber Earth  
2022 March – Transnet MPP Access routes, inland and coastal - ENVASS  
2022 June – Roodepoort MRA, Rietspruit – Eco-Elementum  
2022 July – Highveld Colliery for Eco-Elementum  
2022 July – Doornrug and Kleinwater Collieries for Eco-Elementum  
2022 November – Kendal Plots, Ogies, for Amber Earth  
2022 November – Boschmanspoort, Hendrina for Eco-Elementum  
2022 December – Newcastle Coal for Cabanga Environmental

---

## **Brandon Stuart CV January 2023**

After completing my BSc degree majoring in Zoology and Genetics in 2019, in 2020 I enrolled and completed a BSc Honours degree majoring in Zoology and specializing in Paleontology. My Honours research project was focused on describing the postcranial anatomy of the therocephalian *Moschorhinus kitchingi*, supervised by Dr. Jennifer Botha at the National Museum, Bloemfontein.

I have just completed my Masters degree at the University of the Free State for in Palaeobiology (awaiting examiners' reports). I carried out my research through the National Museum, Bloemfontein supervised by Dr. Jennifer Botha. My research is focused on studying the postcranial morphology of therocephalian therapsids from the Karoo Basin of South Africa. In February 2023 I will register for a doctoral degree at the University of the Witwatersrand, in the Evolutionary Studies Institute and will be supervised by Prof Botha and Prof Jonah Choiniere.

### **Qualifications**

BSc – Majors: Genetics and Geology - University of the Free State – 2019

BSc Honours – Palaeontology – University of the Free State – 2020

MSc – Palaeontology – University of the Free State – registered 2021, submitted for examination.

PhD – Palaeontology – University of the Witwatersrand – Feb 2023 onwards.

### **PIA Fieldwork Experience**

July 2021 – Sannaspos SEF, Free State, for CTS Heritage

October 2021 – Beatrix Mine-Theunissen Eskom Powerline for 1World

January 2022 – Fouriesburg residential development for Mang Geoenviromental

February 2022 – Balkfontein-Doornhoek 11 kV powerline for 1World

March 2022 – Transnet MPP Access routes, inland and coastal for ENVASS

June 2022 – Koria-Boesmanshoek 22 kV powerline for 1World

### **References:**

Dr Jennifer Botha, Head of Palaeontology, National Museum, Bloemfontein

[jbotha@nasmus.ac.za](mailto:jbotha@nasmus.ac.za)

Prof Jonah Choiniere, Evolutionary Studies Institute, University of the Witwatersrand, Johannesburg

[Jonah.choiniere@wits.ac.za](mailto:Jonah.choiniere@wits.ac.za)