ASSESSMENT AND "PROTOCOL FOR CHANCE FIND OF FOSSILS" FOR THE ROODEWAL POULTRY FACILITY ON THE FARMS ROODEWAL 322 (RE/6/322; 8/322; 11/322; 12/322; 15/322; 17/322) AND ELANDSFONTEIN 366 (58/366) NEAR DERBY, KGETLENGRIVIER LOCAL MUNICIPALITY, BOJANALA DISTRICT MUNICIPALITY, NORTH WEST PROVINCE.

FOR

HIA CONSULTANTS

APELSER ARCHAEOLOGICAL CONSULTING CC Cell: 0834593091

DATE: 04 February 2017

By

Gideon Groenewald

EXECUTIVE SUMMARY

Gideon Groenewald was appointed by APELSER ARCHAEOLOGICAL CONSULTING CC to undertake a Desktop Survey, assessing the potential Palaeontological Impact of the proposed Roodewal Poultry Facility on the farms Roodewal 322 (Re/6/322; 8/322; 11/322; 12/322; 15/322; 17/322) and Elandsfontein 366 (58/366) Near Derby, Kgetlengrivier Local Municipality, Bojanala District Municipality, North West Province, North West Province.

Legal Requirements

This "Chance Find Protocol" report forms part of the Desktop Palaeontological Impact Assessment and complies with the requirements of the South African National Heritage Resource Act No 25 of 1999. In accordance with Section 38 (Heritage Resources Management), a Heritage Impact Assessment (HIA) is required to assess any potential impacts to palaeontological heritage within the development footprint of the development and the SAHRA need to know the basic procedures that must be followed during the initial excavations for this project. The recommendations contained in this "Chance Find Protocol" document must form part of the EMPr for the project and timed to coincide with the initial excavations for the foundations that will exceed 1.5m into any geological formation on the development site.

The purpose of this communication as an addendum to the Desktop Palaeontological Impact Assessment, is to discuss a procedure for the recording of any significant fossils in this development site. The proposal for development includes the extension of the present activities of the Roodewal Poultry Facility on the farms Roodewal 322 (Re/6/322; 8/322; 11/322; 12/322; 15/322; 17/322) and Elandsfontein 366 (58/366) Near Derby, Kgetlengrivier Local Municipality, Bojanala District Municipality, North West Province. The development falls on Highly significant shale and thin bands of carbonate rocks that might contain fossils.

Fossils were recorded from previous studies in these rock formations. The potential for finding significant micro-fossils mostly as Stromatolites, in any excavation into sediments of the Silverton Formation, is always high and the cooperation of the entire team at Roodewal Poultry Facility is of critical importance. The interest and cooperation of the management team will be highly appreciated and it is essential that the excavation be monitored during the first week of excavation and that this "Chance Find Protocol" be updated on a weekly bases during the life-time of the excavation period for the project. No fossils will be associated with areas underlain by diabase, but significant Quaternary aged fossils can be present in the soil cover on these geological formations.

It is recommended that:

- The EAP and ECO must be informed of the fact that a High Palaeontological Sensitivity was allocated to the greater part of the development and due to the highly weathered nature of the material, no significant fossils is expected before the start of excavations for foundations.
- The entire team at the construction site must be introduced to Palaeontological material that is likely to be found on site. It is best to prearrange a once-off information session with the Palaeontological specialist, who must prepare a simple and understandable, preferably audio-visual presentation, in the "interpreted voice" of the majority of the contractual workers on site, during the initial site visit. This once-off presentation must form part of the EMPr for the project.
- This "Chance Find Protocol" needs to be included into the EMPr of the project and a reasonable budget need to be allocated by the developer, to ensure compliance with the legal responsibilities in terms of the proper conservation and storage of Palaeontological Heritage.
- The SAHRA must be informed of the content of this "Chance Find Protocol" and EMPr arrangements by the EAP or the developer, for final approval of the ROD documentation during the EIA process.

TABLE OF CONTENT

EXECUTIVE SUMMARY	2
Legal Requirements	2
TABLE OF CONTENT	4
INTRODUCTION	5
Legal Requirements	5
DESKTOP INVESTIGATION	6
PALAEONTOLOGICAL IMPACT AND MITIGATION PROTOCOL	6
CHANCE FIND PROTOCOL FOR PALAEONTOLOGICAL HERITAGE	7
Mitigation for Excavation Impact on Palaeontological Heritage Resources	7
Mitigation Measures Normally Encountered	7
Functional responsibilities of the Roodewal Poultry Facility	8
Documentary record of palaeontological occurrences	9
Functional responsibilities of the appointed Palaeontologist	
Exposure of palaeontological material	.10
CONCLUSION	
REFERENCES	.11
QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR	
DECLARATION OF INDEPENDENCE	.12

INTRODUCTION

Gideon Groenewald was appointed by APELSER ARCHAEOLOGICAL CONSULTING CC to undertake a Desktop Survey, assessing the potential Palaeontological Impact of the proposed Roodewal Poultry Facility on the farms Roodewal 322 (Re/6/322; 8/322; 11/322; 12/322; 15/322; 17/322) and Elandsfontein 366 (58/366) Near Derby, Kgetlengrivier Local Municipality, Bojanala District Municipality, North West Province, North West Province.

Legal Requirements

This "Chance Find Protocol" report forms part of the Desktop Palaeontological Impact Assessment and complies with the requirements of the South African National Heritage Resource Act No 25 of 1999. In accordance with Section 38 (Heritage Resources Management), a Heritage Impact Assessment (HIA) is required to assess any potential impacts to palaeontological heritage within the development footprint of the development and the SAHRA need to know the basic procedures that must be followed during the initial excavations for this project. The recommendations contained in this "Chance Find Protocol" document must form part of the EMPr for the project and timed to coincide with the initial excavations for the foundations that will exceed 1.5m into any geological formation on the development site.

The purpose of this communication as an addendum to the Desktop Palaeontological Impact Assessment, is to discuss a procedure for the recording of any significant fossils in this development site. The proposal for development includes the extension of the present activities of the Roodewal Poultry Facility on the farms Roodewal 322 (Re/6/322; 8/322; 11/322; 12/322; 15/322; 17/322) and Elandsfontein 366 (58/366) Near Derby, Kgetlengrivier Local Municipality, Bojanala District Municipality, North West Province. The development falls on Highly significant shale and thin bands of carbonate rocks that might contain fossils.

Fossils were recorded from previous studies in these rock formations. The potential for finding significant micro-fossils mostly as Stromatolites, in any excavation into sediments of the Silverton Formation, is always high and the cooperation of the entire team at Roodewal Poultry Facility is of critical importance. The interest and cooperation of the management team will be highly appreciated and it is essential that the excavation be monitored during the first week of excavation and that this "Chance Find Protocol" be updated on a weekly bases during the life-time of the excavation period for the project. No fossils will

be associated with areas underlain by diabase, but significant Quaternary aged fossils can be present in the soil cover on these geological formations.

DESKTOP INVESTIGATION

Dr Gideon Groenewald, experienced fieldworker, investigated the site of the proposed Roodewal Poultry Facility on the farms Roodewal 322 (Re/6/322; 8/322; 11/322; 12/322; 15/322; 17/322) and Elandsfontein 366 (58/366) Near Derby, Kgetlengrivier Local Municipality, Bojanala District Municipality, North West Province, on Saturday 4 February 2017 to confirm clearance of the site in terms of significant Palaeontological Heritage items and to produce this "Chance Find Protocol" report.

Excavations for the new development might expose mostly siltstone and shale, as well as quartzites and possibly lava of the Vaalian aged Silverton Formation of the Pretoria Group, Transvaal Supergroup. There is a chance find of significant stromatolite structures in the thin dolomite and chert bands in the Silverton Formation and the recording of these stromatolites will contribute significantly to our understanding of the paleao-environments that prevailed in the area during the Vaalian age in Southern Africa.

The Chance find Protocol includes procedures that need to be followed with the training of the ECO by a suitably qualified palaeontologist and the recording of significant fossils and does not replace a normal communication between the palaeontologist and the Site Management Team or Roodewal Poultry Management during the life-time of the excavation for this development.

Although the initial budget for the Palaeontological Heritage component must include the full-time involvement of a suitably qualified palaeontologist (budget to be discussed before the onset of excavations) the reality is that the rocks might be less fossiliferous and the expected time for the Palaeontologist to be on site might be significantly reduced with proper training and communication with the ECO and EAP for this project.

PALAEONTOLOGICAL IMPACT AND MITIGATION PROTOCOL

The predicted palaeontological impact of the development is based on the initial mapping assessment and literature reviews as well as information gathered during the Desktop investigation. The Desktop investigation confirms that the study area is underlain by sedimentary and volcanic rocks of the Silverton Formation and Diabase as well as areas in the northwestern parts underlain by alluvium and probably deep soil.

Due to weathering, no well-preserved fossils are expected before significant excavation of foundations and infrastructure has begun. Exposure of bedrock during excavation however might result in the exposure of well-defined trace fossils, micro-stromatolites and even Quaternary aged fossils from the alluvium. As indicated in the Desktop study, areas underlain by diabase have no significant impact on palaeontological heritage, and fossils will be restricted to surface Quaternary aged soils that are usually not mapped at the scale of the published 1:2500 000 geological maps of South Africa.

CHANCE FIND PROTOCOL FOR PALAEONTOLOGICAL HERITAGE

Mitigation for Excavation Impact on Palaeontological Heritage Resources

It is essential that the appointed palaeontologist, in consultation with the Project Manager of the Excavation works and Roodewal Poultry Facility, develop a short-term strategy for the recovery of significant fossils during the excavation operation. As part of such a strategy, the palaeontologist will have to:

- Initially, and at least for the first week of excavation, visit the site at least once to ensure recording of all potentially significant fossil strata.
- Determine a short-term strategy and budget for the recording of significant fossils. This Strategy can simply be an oral agreement on when the site is to be inspected and what the finds are that might be recorded. The site visit must include an introduction session with all the managers of the Project Team, including training of the ECO by the appointed palaeontologist to basically know what to look out for in terms of fossil heritage on site.
- In the case of any unusual structures, the Palaeontologist must be notified, and a site visit must be arranged at the earliest possible time with the Palaeontologist. In the case of the ECO or the Site Manager becoming aware of suspicious looking material that might be a "Significant Find", the construction must be halted in that specific area and the Palaeontologist must be given enough time to reach the site and remove the material before excavation continues.

Mitigation Measures Normally Encountered

1. Mitigation of palaeontological material must begin as soon as possible and preferably when "trial excavation" takes place. The appointed specialists must acquaint themselves with the operation and determine feasible mitigation strategies.

- 2. A plan for systematic sampling, recording, preliminary sorting and storage of palaeontological and sedimentological samples will be developed during the early stages of the project, in collaboration with the Evolutionary Studies Institute (ESI) at WITS University, which is the closest Institute to the site. If appropriate, the Northwest University might be asked for their involvement in this project.
- 3. Mitigation will involve an attempt to capture all rare fossils and systematic collection of all fossils discovered. This will take place in conjunction with descriptive, diagrammatic and photographic recording of exposures, also involving sediment samples and samples of both representative and unusual sedimentary or biogenic features. The fossils and contextual samples will be processed (sorted, sub-sampled, labelled, boxed) and documentation consolidated, to create an archive collection from the excavated sites for future researchers.

Functional responsibilities of the Roodewal Poultry Facility

- 1. Ensuring, at their cost, that a representative archive of palaeontological samples and other records is assembled to characterise the palaeontological occurrences affected by the excavation operation.
- 2. Provide field aid, if necessary, in the supply of materials, labour and machinery to excavate, load and transport sampled material from the excavation areas to the sorting areas, removal of overburden if necessary, and the return of discarded material to the disposal areas. In the case of this project it is foreseen that only one representative sample of 1m3 of rock with micro-fossils will be sampled. (If trace fossils of Vaalian age are exposed it will be very Highly significant and the Palaeontologist will obviously be in close communication with the ECO to act as required by SAHRA without causing undue standing time for the contractors).
- 3. "Facilitate" systematic recording of the stratigraphic and palaeoenvironmental features in exposures in the fossil-bearing excavations, by allowing time to describe and measure geological sections, and by providing aid in the surveying of positions where significant fossils are found. (In the case of this specific development, the likelihood of such finds is small).
- 4. Provide safe storage for fossil material found routinely during excavation operations by construction personnel. In this context, isolated fossil finds in disturbed material qualify as "normal" fossil finds.
- 5. Provide covered, dry storage for samples and facilities that is defined as a work area for sorting, labelling and boxing/bagging of samples.
- 6. Costs of basic curation and storage in the sample archive at the ESI, WITS University (labels, boxes, shelving and, if necessary, specifically-tasked temporary employees).

Documentary record of palaeontological occurrences

- 1. The contractor will in collaboration with the Palaeontologist, make the excavation plan available to the appointed specialist, in which the following information must be indicated on the plan by the excavation site. This must be done in conjunction with the appointed specialist and form part of the on-going revision of the EMPr during the excavation stage of the project:
- 1.1. Initially, all known specific palaeontological information will be indicated on the plan. This will be updated throughout the excavation period
- 1.2 Locations of samples and measured sections are to be pegged, and routinely accurately surveyed. Sample locations, measured sections, etc., must be recorded three-dimensionally if any significant fossils are recorded during the time of excavation.

Functional responsibilities of the appointed Palaeontologist

- 1. Establishment of a representative collection of fossils and a contextual archive of appropriately documented and sampled palaeoenvironmental and sedimentological geodata in collaboration with the ESI at WITS University.
- 2. Undertake an initial evaluation of potentially affected areas and of available exposures in excavations. A one-day training session of the ECO must be included in this first site visit to this project.
- 3. On the basis of the above, and evaluation during the early stages of excavation development, in collaboration with the contractor management team, more detailed practical strategies to deal with the fossils encountered routinely during excavation, as well as the strategies for major finds.
- 4. Informal on-site training in responses applicable to "normal" fossil finds must be provided for the ECO and environmental staff by the appointed specialist.
 - 5. Respond to significant finds and undertake appropriate mitigation.
- 6. Initially, for the first three months of operation, visit at least once in two weeks to "touch base" with the monitoring progress, process and document interim "normal" finds and to undertake an inspection and documentation of new excavation faces. A strategy for further visits during the life of the excavation must then be determined.
 - 7. Transport of material from the site to the ESI, WITS University.
- 8. Reporting on the significance of discoveries, as far as can be preliminarily ascertained. This report is in the public domain and copies of the report must be deposited at ESI and the South African Heritage Resources Authority (SAHRA). It must fulfil the reporting standards and data requirements of these bodies.
- 9. Reasonable participation in publicity and public involvement associated with palaeontological discoveries.

Exposure of palaeontological material

- 1. In the event of construction exposing new palaeontological material, not regarded as normative/routine as outlined in the initial investigation, such as a major fossil find, the following procedure must be adhered to:
- 1.1 The appointed specialist or alternates (SAHRA; ESI WITS University) must be notified by the responsible officer (e.g. the ECO or contractor manager), of major or unusual discoveries during excavation, found by the Contractor Staff.
- 1.2 Should a major *in situ* occurrence be exposed, excavation will immediately cease in that area so that the discovery is not disturbed or altered in any way until the appointed specialist or scientists from the ESI at WITS University, or its designated representatives, have had reasonable opportunity to investigate the find. Such work will be at the expense of the Developer.

CONCLUSION

The development site for the proposed extension of the Roodewal Poultry Facility on the farms Roodewal 322 (Re/6/322; 8/322; 11/322; 12/322; 15/322; 17/322) and Elandsfontein 366 (58/366) Near Derby, Kgetlengrivier Local Municipality, Bojanala District Municipality, North West Province, falls on Highly significant shale and thin bands of carbonate rocks that might contain fossils.

Fossils were recorded from previous studies in these rock formations. The potential for finding significant micro-fossils mostly as Stromatolites, in any excavation into sediments of the Silverton Formation, is always high and the cooperation of the entire team at Roodewal Poultry Facility is of critical importance. The interest and cooperation of the management team will be highly appreciated and it is essential that the excavation be monitored during the first week of excavation and that this "Chance Find Protocol" be updated on a weekly bases during the life-time of the excavation period for the project. No fossils will be associated with areas underlain by diabase, but significant Quaternary aged fossils can be present in the soil cover on these geological formations.

It is recommended that:

 The EAP and ECO must be informed of the fact that a High Palaeontological Sensitivity was allocated to the greater part of the development and due to the highly weathered nature of the material, no significant fossils is expected before the start of excavations for foundations.

- The entire team at the construction site must be introduced to Palaeontological material that is likely to be found on site. It is best to prearrange a once-off information session with the Palaeontological specialist, to present a simple and understandable (preferably audiovisual presentation in an "interpreted voice") of the majority of the contractual workers on site during the initial site visit that must form part of the EMPr for the project.
- This "Chance Find Protocol" needs to be included into the EMPr of the project and a reasonable budget need to be allocated to ensure compliance with the legal responsibility of the developer in terms of the proper conservation of and storage of Palaeontological Heritage.
- The SAHRA must be informed of the content of this "Chance Find Protocol" and EMPr arrangements by the EAP or the developer, for final approval of the ROD documentation during the EIA process.

REFERENCES

Groenewald G.H., Groenewald D.P. and Groenewald S.M., 2014. Palaeontological Heritage of the Free State, Gauteng, Limpopo, Mpumalanga and North West Provinces. Internal Palaeotechnical Reports, SAHRA.

QUALIFICATIONS AND EXPERIENCE OF THE AUTHOR

Dr Gideon Groenewald has a PhD in Geology from the University of Port Elizabeth (Nelson Mandela Metropolitan University) (1996) and the National Diploma in Nature Conservation from Technicon RSA (the University of South Africa) (1989). He specialises in research on South African Permian and Triassic sedimentology and macrofossils with an interest in biostratigraphy, and palaeoecological aspects. He has extensive experience in the locating of fossil material in the Karoo Supergroup and has more than 20 years of experience in locating, collecting and curating fossils, including exploration field trips in search of new localities in the southern, western, eastern and north-eastern parts of the country. His publication record includes multiple articles in internationally recognized journals. Dr Groenewald is accredited by the Palaeontological Society of Southern Africa (society member for 25 years).

DECLARATION OF INDEPENDENCE

I, Gideon Groenewald, declare that I am an independent specialist consultant and have no financial, personal or other interest in the proposed development, nor the developers or any of their subsidiaries, apart from fair remuneration for work performed in the delivery of palaeontological heritage assessment services. There are no circumstances that compromise the objectivity of my performing such work.

Dr Gideon Groenewald Geologist