



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Private Bag X 447 · PRETORIA · 0001 · Fedsure Building · 315 Pretorius Street · PRETORIA
Tel (+ 27 12) 310 3911 · Fax (+ 2712) 322 2682

NEAS Ref: DEA/EIA/0000713/2011

DEA Reference: 12/12/20/2654--

Enquiries: Ms Mpho Monyai

Telephone: (012) 310 3938 Fax: (012) 320 7539 E-mail: mmonyai@environment.gov.za

Mr Louis Dewavrin
InnoWind (Pty) Ltd
PO Box 1116
PORT ELIZABETH
6000

Telephone number: (041) 487 2418
Fax number: (041) 484 3038

PER FACSIMILE / MAIL

Dear Mr Dewavrin

APPLICATION FOR ENVIRONMENTAL AUTHORISATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998: GN R. 543/544/546 FOR THE PROPOSED PEDDIE 19MW PHOTOVOLTAIC FACILITY WITHIN NGQUSHWA LOCAL MUNICIPALITY, EASTERN CAPE PROVINCE

With reference to the above application, please be advised that the Department has decided to grant authorisation. The environmental authorisation (EA) and reasons for the decision are attached herewith.

In terms of regulation 10(2) of the Environmental Impact Assessment Regulations, 2010 (the Regulations), you are instructed to notify all registered interested and affected parties, in writing and within 12 (twelve) days of the date of the EA, of the Department's decision in respect of your application as well as the provisions regarding the submission of appeals that are contained in the Regulations.

Your attention is drawn to Chapter 7 of the Regulations, which prescribes the appeal procedure to be followed. This procedure is summarised in the attached document. Kindly include a copy of this document with the letter of notification to interested and affected parties.

Should the applicant or any other party wish to appeal any aspect of the decision a notice of intention to appeal must be lodged by all prospective appellants with the Minister, within 20 days of the date of the EA, by means of one of the following methods:

By facsimile: 012 3207561;
By post: Private Bag X447,
Pretoria, 0001; or
By hand: 2nd Floor, Fedsure Building, North Tower,
Cnr. Lilian Ngoyi and Pretorius Streets,
Pretoria.



If the applicant wishes to lodge an appeal, it must also serve a copy of the notice of intention to appeal on all registered interested and affected parties as well as a notice indicating where, and for what period, the appeal submission will be available for inspection, should you intend to submit an appeal.

Please include the Department (*Attention: Director: Integrated Environmental Authorisations*) in the list of interested and affected parties; notified through your notification letter to interested and affected parties, for record purposes.

Appeals must be submitted in writing to:


Mr Z Hassam, Director: Appeals and Legal Review, of this Department at the above mentioned addresses or fax number. Mr Hassam can also be contacted at:

Tel: 012-310-3271

Email: AppealsDirectorate@environment.gov.za

The authorised activities shall not commence within twenty (20) days of the date of signature of the authorisation. Further, please note that the Minister may, on receipt of appeals against the authorisation or conditions thereof suspend the authorisation pending the outcome of the appeals procedure.

Yours faithfully,



Mr Ishaam Abader

Deputy Director-General: Legal, Authorisations, Compliance and Enforcement

Department of Environmental Affairs

Date: 9/09/2014

CC:	Dr Alan Carter	Coastal & Environmental Services	Tel: (043) 742 3302	Fax: (043) 742 8306
	Brian Noncembu	(Eastern Cape: DEEA)	Tel: (047) 631 1191	Fax: (047) 631 2887
	Mr Z Gwantsa	(Ngqushwa Local Municipality)	Tel: (040) 673 3096	Fax: (047) 673 3771

APPEALS PROCEDURE IN TERMS OF CHAPTER 7 OF THE NEMA EIA REGULATIONS, 2010 (THE REGULATIONS) AS PER GN R. 543 OF 2010 TO BE FOLLOWED BY THE APPLICANT AND INTERESTED AND AFFECTED PARTIES UPON RECEIPT OF NOTIFICATION OF AN ENVIRONMENTAL AUTHORISATION (EA)

APPLICANT	INTERESTED AND AFFECTED PARTIES (IAPs)
1. Receive EA from the relevant Competent Authority (the Department of Environmental Affairs (DEA)).	1. Receive EA from Applicant/Consultant.
2. Within 12 days of date of the EA notify all IAPs of the EA and draw their attention to their right to appeal against the EA in terms of Chapter 7 of the Regulations.	2. N/A.
3. If you want to appeal against the EA, submit a notice of intention to appeal within 20 days of the date of the EA with the Minister of Water and Environmental Affairs (the Minister).	3. If you want to appeal against the EA, submit a notice of intention to appeal within 20 days of the date of the EA with the Minister of Water and Environmental Affairs (the Minister).
4. After having submitted your notice of intention to appeal to the Minister, provide each registered IAP with a copy of the notice of intention to appeal within 10 days of lodging the notice.	4. After having submitted your notice of intention to appeal to the Minister, provide the applicant with a copy of the notice of intention to appeal within 10 days of lodging the notice.
5. The Applicant must also serve on each IAP: • a notice indicating where and for what period the appeal submission will be available for inspection.	5. Appellant must also serve on the Applicant within 10 days of lodging the notice, • a notice indicating where and for what period the appeal submission will be available for inspection by the applicant.
6. The appeal must be submitted in writing to the Minister within 30 days after the lapsing of the period of 20 days provided for the lodging of the notice of intention to appeal.	6. The appeal must be submitted to the Minister within 30 days after the lapsing of the period of 20 days provided for the lodging of the notice of intention to appeal.
7. Any IAP who received a notice of intention to appeal may submit a responding statement to that appeal to the Minister within 30 days from the date that the appeal submission was lodged with the Minister.	7. An Applicant who received notice of intention to may submit a responding statement to the appeal to the Minister within 30 days from the date that the appeal submission was lodged with the Minister.

NOTES:

1. **An appeal against a decision must be lodged with:-**
 - a) the Minister of Water and Environmental Affairs if the decision was issued by the Director- General of the Department of Environmental Affairs (or another official) acting in his/ her capacity as the delegated Competent Authority;
 - b) the Minister of Justice and Constitutional Development if the applicant is the Department of Water Affairs and the decision was issued by the Director- General of the Department of Environmental Affairs (or another official) acting in his/ her capacity as the delegated Competent Authority;

2. **An appeal lodged with:-**
 - a) the Minister of Water and Environmental Affairs must be submitted to the Department of Environmental Affairs;
 - b) the Minister of Justice and Constitutional Development must be submitted to the Department of Environmental Affairs;

3. **An appeal must be:-**
 - a) submitted in writing;
 - b) accompanied by:
 - a statement setting out the grounds of appeal;
 - supporting documentation which is referred to in the appeal; and
 - a statement that the appellant has complied with regulation 62 (2) or (3) together with copies of the notices referred to in regulation 62.





environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Environmental Authorisation

In terms of Regulation 36 of the Environmental Impact Assessment Regulations, 2010

PEDDIE 19MW PHOTOVOLTAIC FACILITY WITHIN NGQUSHWA LOCAL MUNICIPALITY,
EASTERN CAPE PROVINCE

AMATHOLE DISTRICT MUNICIPALITY

Authorisation register number:	<i>12/12/20/2554</i>
NEAS reference number:	<i>DEA/EIA/0000713/2011</i>
Last amended:	<i>First issue</i>
Holder of authorisation:	<i>InnoWind (Pty) Ltd</i>
Location of activity:	<i>Portion 0 of the Farm 50/0, Ward 8 of Peddie within the Ngqushwa Local Municipality, Eastern Cape Province</i>

This authorisation does not negate the holder of the authorisation's responsibility to comply with any other statutory requirements that may be applicable to the undertaking of the activity.

Decision

The Department is satisfied, on the basis of information available to it and subject to compliance with the conditions of this environmental authorisation, that the applicant should be authorised to undertake the activities specified below.

Non-compliance with a condition of this authorisation may result in criminal prosecution or other actions provided for in the National Environmental Management Act, 1998 and the EIA regulations.

Details regarding the basis on which the Department reached this decision are set out in Annexure 1.

Activities authorised

By virtue of the powers conferred on it by the National Environmental Management Act, 1998 (Act 107 of 1998) and the Environmental Impact Assessment Regulations, 2010 the Department hereby authorises –

INNOWIND (PTY) LTD

with the following contact details –

Mr Louis Dewavrin
InnoWind (Pty) Ltd
PO Box 1116
PORT ELIZABETH
6000

Telephone number: (041) 487 2418
Fax number: (041) 484 3038
Cell number: (071) 917 0452
E-mail address: ldewavrin@innovent.fr



to undertake the following activities (hereafter referred to as "the activity") indicated in Listing Notices 1 and 3 (GN R. 544 & 546):

Listed activities	Activity/Project description
<p><u>GN R. 544 Item 1:</u> "The construction of facilities or infrastructure for the generation of electricity where: i. the electricity output is more than 10 megawatts but less than 20 megawatts...."</p>	<p>The project comprises the construction of 19MW photovoltaic facility on 19ha of land.</p>
<p><u>GN R. 544 Item 10:</u> "The construction of facilities or infrastructure for the transmission and distribution of electricity - (i) outside urban areas or industrial complexes with a capacity of more than 33 but less than 275 kilovolts...."</p>	<p>Power line to evacuate power from the PV infrastructure to Eskom substation will have a capacity of 33kV. A step up transformer from 33kV to 132kV will be required.</p>
<p><u>GN R. 544 Item 23:</u> "The transformation of undeveloped, vacant or derelict land to (i) residential, retail, commercial, recreational, industrial or institutional use, outside an urban area and where the total area to be transformed is bigger than 1 hectare but less than 20 hectares."</p>	<p>Up to 19ha of land may be transformed due to the construction of the PV facility.</p>
<p><u>GN R. 546 Item 13:</u> "The clearance of an area of 1 hectare or more of vegetation where 75% or more of the vegetative cover constitutes indigenous vegetation, (a) Critical biodiversity areas and ecological support areas as identified in systematic biodiversity plans adopted by the competent authority."</p>	<p>The development is proposed on a land that falls into a critical biodiversity area as determined by the Eastern Cape Biodiversity Conservation Plan. 19 ha of land will be cleared and constitutes indigenous vegetation.</p>

as described in the amended Basic Assessment Report (BAR) dated May 2013 and addendum to the amended BAR dated January 2014 at:

Alternative S2 (PV2) (preferred site)	Latitude	Longitude
Centre point of activity	33° 08' 09.86" S	27° 06' 48.48" E
Power line route	Latitude	Longitude
Starting point of activity	33° 08' 21.76" S	27° 06' 50.55" E
Middle point of activity	33° 08' 46.00" S	27° 07' 05.03" E
End point of the activity	33° 09' 10.26" S	27° 07' 19.70" E

- for the proposed establishment of the Peddie 19MW photovoltaic (PV) Solar Energy Facility and its associated infrastructure on Portion 0 of the Farm 50/0, within Peddie Ward 8, Ngqushwa Local Municipality, in the Eastern Cape Province, hereafter referred to as "the property".

The infrastructure associated with this facility include:

- 19 Arrays of 1.0MW photovoltaic (PV) panels (0.9ha each) covering an area of 19ha;
- Thin film PV modules of 2.0m² comprising four panels;
- A cabin of 2,5 X 4m containing invertors and 33/132 step-up transformers;
- 19 group stations connection to one main station, with a footprint of 10,0m² each (total footprint of 190m²);
- 10m² underground electricity cables to link the group stations to single main station on site;
- Storage facility;
- Internal access roads not wide than 3,5m with a length of 200m;
- Grid connection via 33kV overhead power line to connect to the Peddie Eskom Substation;
- and,
- Security fence.



Conditions of this Environmental Authorisation

Scope of authorisation

1. The preferred site location PV2 and the power line route alternative as indicated above on Portion 0 of the Farm 50/0, within Peddie Ward 8, Eastern Cape is approved for the proposed construction of Peddie 19MW photovoltaic facility.
2. Authorisation of the activity is subject to the conditions contained in this authorisation, which form part of the environmental authorisation and are binding on the holder of the authorisation.
3. The holder of the authorisation is responsible for ensuring compliance with the conditions contained in this environmental authorisation. This includes any person acting on the holder's behalf, including but not limited to, an agent, servant, contractor, sub-contractor, employee, consultant or person rendering a service to the holder of the authorisation.
4. The activities authorised may only be carried out at the property as described above.
5. Any changes to, or deviations from, the project description set out in this authorisation must be approved, in writing, by the Department before such changes or deviations may be effected. In assessing whether to grant such approval or not, the Department may request such information as it deems necessary to evaluate the significance and impacts of such changes or deviations and it may be necessary for the holder of the authorisation to apply for further authorisation in terms of the regulations.
6. This activity must commence within a period of three (03) years from the date of issue of this authorisation. If commencement of the activity does not occur within that period, the authorisation lapses and a new application for environmental authorisation must be made in order for the activity to be undertaken.
7. Commencement with one activity listed in terms of this authorisation constitutes commencement of all authorised activities.
8. The holder of an environmental authorisation must notify the competent authority of any alienation, transfer and change of ownership rights in the property on which the activity is to take place.




Notification of authorisation and right to appeal

9. The holder of the authorisation must notify every registered interested and affected party, in writing and within 12 (twelve) calendar days of the date of this environmental authorisation, of the decision to authorise the activity.
10. The notification referred to must –
 - 10.1. specify the date on which the authorisation was issued;
 - 10.2. inform the interested and affected party of the appeal procedure provided for in Chapter 7 of the Environmental Impact Assessment Regulations, 2010;
 - 10.3. advise the interested and affected party that a copy of the authorisation will be furnished on request; and
 - 10.4. give the reasons of the competent authority for the decision.
11. The holder of the authorisation must publish a notice –
 - 11.1. informing interested and affected parties of the decision;
 - 11.2. informing interested and affected parties where the decision can be accessed; and
 - 11.3. drawing the attention of interested and affected parties to the fact that an appeal may be lodged against this decision in the newspaper(s) contemplated and used in terms of regulation 54(2)(c) and (d) and which newspaper was used for the placing of advertisements as part of the public participation process.

Management of the activity

12. A copy of the final development layout map must be submitted to the Department for written approval prior to commencement of the activity. All available biodiversity information must be used in the finalisation of the layout map. Existing infrastructure must be used as far as possible e.g. roads. The layout map must indicate the following:
 - 12.1 Position of solar facilities and its associated infrastructure;
 - 12.2 Foundation footprint;
 - 12.3 Internal roads indicating width;
 - 12.4 Wetlands, drainage lines, rivers, stream and water crossing of roads and cables;
 - 12.5 All sensitive features e.g. heritage sites, wetlands, pans and drainage channels that will be affected by the facility and associated infrastructure;
 - 12.6 Substation(s) inverters and/or transformer(s) sites including their entire footprint;
 - 12.7 Connection routes (including pylon positions) to the distribution/transmission network.

- 12.8 All existing infrastructure on the site, especially roads;
- 12.9 Buildings, including accommodation; and,
- 12.10 All "no-go" and buffer areas.
13. The Environmental Management Programme (EMPr) submitted as part of the amended BAR dated May 2013 and addendum to the amended BAR dated January 2014 is not approved and must be amended to include measures as dictated by the final site lay-out map and micro-siting and the provisions of this environmental authorisation. The EMPr must be submitted to the Department for written approval prior to commencement of the activity. Once approved the EMPr must be implemented and adhered to.
14. The EMPr is amendable and must be implemented and strictly enforced during all phases of the project. It shall be seen as a dynamic document and shall be included in all contract documentation for all phases of the development when approved.
15. Changes to the EMPr, which are environmentally defensible, shall be submitted to this Department for acceptance before such changes could be effected.
16. The Department reserves the right to amend the EMPr should any impacts that were not anticipated or covered in the BAR dated May 2013 and addendum to the amended BAR dated January 2014 be discovered.
17. The provisions of the approved EMPr including recommendations and mitigation measures in the amended BAR dated May 2013 and addendum to the amended BAR dated January 2014 and specialist studies shall be an extension of the conditions of this EA and therefore noncompliance with them would constitute noncompliance with the EA.
18. The EMPr amendment must include the following:
- 18.1 All recommendations and mitigation measures recorded in the amended BAR dated May 2013 and addendum to the amended BAR dated January 2014;
- 18.2 All mitigation measures as listed by the ecological specialist must be included in the EMPr and implemented.
- 18.3 The requirements and conditions of this authorisation.
- 18.4 The final site layout map.
- 18.5 An alien invasive management plan to be implemented during construction and operation of the facility. The plan must include mitigation measures to reduce the invasion of alien species and ensure that the continuous monitoring and removal of alien species is undertaken.
- 18.6 A plant rescue and protection plan which allows for the maximum transplant of conservation important species from areas to be transformed. This plan must be compiled
- 

- by a vegetation specialist familiar with the site in consultation with the ECO and be implemented prior to commencement of the construction phase.
- 18.7 A re-vegetation and habitat rehabilitation plan to be implemented during the construction and operation of the facility. Restoration must be undertaken as soon as possible after completion of construction activities to reduce the amount of habitat converted at any one time and to speed up the recovery to natural habitats.
- 18.8 A traffic management plan for the site access roads to ensure that no hazards would result from the increased truck traffic and that traffic flow would not be adversely impacted. This plan must include measures to minimize impacts on local commuters e.g. limiting construction vehicles travelling on public roadways during the morning and late afternoon commute time and avoid using roads through densely populated built-up areas so as not to disturb existing retail and commercial operations.
- 18.9 A surface water run-off and storm water management plan to be implemented during the construction and operation of the facility. The plan must ensure compliance with applicable regulations and prevent off-site migration of contaminated storm water or increased soil erosion. The plan must include the construction of appropriate design measures that allow surface and subsurface movement of water along drainage lines so as not to impede natural surface and subsurface flows. Drainage measures must promote the dissipation of storm water run-off. Vegetation along the drainage system must not be removed.
- 18.10 An erosion management plan for monitoring and rehabilitating erosion events associated with the facility. Appropriate erosion mitigation must form part of this plan to prevent and reduce the risk of any potential erosion.
- 18.11 An effective monitoring system to detect any leakage or spillage of all hazardous substances during their transportation, handling, use and storage. This must include precautionary measures to limit the possibility of oil and other toxic liquids from entering the soil or storm water systems.
- 18.12 Measures to protect hydrological features such as streams, rivers, pans, wetlands, dams and their catchments, and other environmental sensitive areas from construction impacts including the direct or indirect spillage of pollutants.
- 18.13 An environmental sensitivity map indicating environmental sensitive areas and features identified during the EIA process.
- 18.14 A map combining the final layout map superimposed (overlain) on the environmental sensitivity map. This map must reflect the proposed location of PV as stated in the amended BAR dated May 2013 and addendum to the amended BAR dated January 2014.
-

19. A shapefile of the approved development layout/footprint must be submitted to this Department within two months from the date of this decision. The shapefile must be created using the Hartebeeshoek 94 Datum and the data should be in Decimal Degree Format using the WGS 84 Spheroid. The shapefile must include at a minimum the following extensions i.e. .shp; .shx; .dbf; .prj; and, .xml (Metadata file). If specific symbology was assigned to the file, then the .avl and/or the .lyr file must also be included. Data must be mapped at a scale of 1:10,000 (please specify if an alternative scale was used). The metadata must include a description of the base data used for digitizing. The shapefile must be submitted in a zip file using the EIA application reference number as the title. The shape file must be submitted to:

Postal Address:

Department of Environmental Affairs
Private Bag X447
Pretoria
0001

Physical address:

Department of Environmental Affairs
Fedšure Forum Building (corner of Pretorius and Lillian Ngoyi Streets)
4th Floor South Tower
315 Pretorius Street
Pretoria, 0002

For Attention: Mr Muhammad Essop

Integrated Environmental Authorisations

Strategic Infrastructure Developments

Telephone Number: (012) 395 1734

Fax Number: (012) 395 7639

Email Address: MEssop@environment.gov.za



Monitoring

20. The applicant must appoint a suitably experienced Independent Environmental Control Officer (ECO) for the construction phase of the development that will have the responsibility to ensure that the mitigation/rehabilitation measures and recommendations referred to in this authorisation are implemented and to ensure compliance with the provisions of the EMPr.
21. The ECO must be appointed before commencement of any authorised activities.
22. The ECO must meet with the contractors to discuss the conditions of the EA and the contents of the EMPr prior to any site clearing occurring.
23. Once appointed, the name and contact details of the ECO must be submitted to the Director: Compliance Monitoring of the Department.
24. The ECO must remain employed until all rehabilitation measures, as required for implementation due to construction damage, are completed and the site is ready for operation.
25. The ECO must:
 - 25.1. Keep record of all activities on site, problems identified, transgressions noted and a schedule of tasks undertaken by the ECO.
 - 25.2. Keep and maintain a detailed incident (including spillage of bitumen, fuels, chemicals, or any other material) and complaint register on site indicating how these issues were addressed, what rehabilitation measures were taken and what preventative measures were implemented to avoid re-occurrence of incidents/complaints.
 - 25.3. Records relating to monitoring and auditing must be kept on site and made available for inspection to any relevant and competent authority in respect of this development.
 - 25.4. Keep copies of all reports submitted to the Department.
 - 25.5. Keep and maintain a schedule of current site activities including the monitoring of such activities.
 - 25.6. Obtain and keep record of all documentation, permits, licences and authorisations required by this facility.
 - 25.7. Compile a monthly monitoring report.

Recording and reporting to the Department

26. The holder of this authorisation must keep all records relating to monitoring and auditing on site and make it available for inspection to any relevant and competent authority in respect of this development.

27. All documentation e.g. audit/monitoring/compliance reports and notifications, required to be submitted to the Department in terms of this authorisation, must be submitted to the Director: Compliance Monitoring at this Department.

Environmental audit report

28. The holder of the authorisation must submit an environmental audit report to the Department within 30 days of completion of the construction phase (i.e. within 30 days of site handover) and within 30 days of completion of rehabilitation activities.

29. The environmental audit report must:

- 29.1. Be compiled by an independent environmental auditor;
- 29.2. Indicate the date of the audit, the name of the auditor and the outcome of the audit;
- 29.3. Evaluate compliance with the requirements of the approved EMPr and this environmental authorisation;
- 29.4. Include measures to be implemented to attend to any non-compliances or degradation noted;
- 29.5. Include copies of any approvals granted by other authorities relevant to the development for the reporting period;
- 29.6. Highlight any outstanding environmental issues that must be addressed, along with recommendations for ensuring these issues are appropriately addressed;
- 29.7. Include a copy of this authorisation and the approved EMPr;
- 29.8. Include all documentation such as waste disposal certificates, hazardous waste landfill site licences etc. pertaining to this authorisation; and
- 29.9. Include evidence of adherence to the conditions of this authorisation and the EMPr where relevant such as training records and attendance records.

Commencement of the activity

30. The authorised activity shall not commence within twenty (20) days of the date of signature of the authorisation.

31. An appeal under section 43 of the National Environmental Management Act (NEMA), Act 107 of 1998 (as amended), does not suspend an environmental authorisation or exemption, or any provisions or conditions attached thereto, or any directive, unless the Minister, MEC or delegated organ of state directs otherwise.

32. Should you be notified by the Minister of a suspension of the authorisation pending appeal procedures, you may not commence with the activity until such time that the Minister allows you to commence with such an activity in writing.

Notification to authorities

33. Fourteen (14) days written notice must be given to the Department that the activity will commence. Commencement for the purposes of this condition includes site preparation. The notice must include a date on which it is anticipated that the activity will commence. This notification period may coincide with the Notice of Intent to Appeal period, within which construction may not commence.

Operation of the activity

34. Fourteen (14) days written notice must be given to the Department that the activity operational phase will commence.
35. The holder of this authorisation must compile an operational EMPr for the operational phase of the activity or alternatively, if the holder has an existing operational environmental management system, it must be amended to include the operation of the authorised activity.
36. The EMPr must form part of the contract with the EPC Contractor appointed to construct the proposed facility, and must be used to ensure compliance with environmental specifications and management measures.

Site closure and decommissioning

37. Should the activity ever cease or become redundant, the applicant shall undertake the required actions as prescribed by legislation at the time and comply with all relevant legal requirements administered by any relevant and competent authority at that time.

Specific conditions

38. Vegetation clearing must be limited to the authorised footprint.
39. Before the clearing of the site, the appropriate permits must be obtained from the Department of Agriculture, Forestry and Fisheries (DAFF) for the removal of plants listed in the National Forestry Act.

- and from the relevant provincial department for the destruction of species protected in terms of the specific provincial legislation. Copies of the permits must be kept by the ECO.
40. Construction activities must be restricted to demarcated areas to restrict the impact on sensitive environmental features.
 41. All areas of disturbed soil must be reclaimed using only indigenous grass and shrubs. Reclamation activities shall be undertaken according to the rehabilitation plan to be included in the final EMPr.
 42. Topsoil from all excavations and construction activities must be salvaged and reapplied during reclamation.
 43. No exotic plants may be used for rehabilitation purposes; only indigenous plants of the area may be utilised.
 44. The applicant must keep a distance of 50 m from the panel site and the drainage system in order not to impact on the drainage system and the natural Great Fish Thicket vegetation. Vegetation along the drainage system must not be removed.
 45. No activities will be allowed to encroach into a water resource without a water use license being in place from the Department of Water Affairs.
 46. Cleared alien vegetation must not be dumped on adjacent intact vegetation during clearing but must be temporarily stored in a demarcated area.
 47. Removal of alien invasive species or other vegetation and follow-up procedures must be in accordance with the Conservation of Agricultural Resources Act, 1983 (Act 43 of 1983).
 48. The holder of this authorisation must ensure that all the "No-go" and buffer areas are clearly demarcated (using fencing and appropriate signage) before construction commences.
 49. Contractors and construction workers must be clearly informed of the no-go areas.
 50. Disturbed areas must be rehabilitated as soon as possible after construction with locally indigenous plants to enhance the conservation of existing natural vegetation on site.
 51. Construction camps must be located at least 30 m from freshwater ecosystems identified to be of low or moderate conservation importance and 50 m from freshwater ecosystems identified to be of high conservation importance.
 52. Wetlands, rivers and river riparian areas must be treated as "no-go" areas and appropriately demarcated as such. No vehicles, machinery, personnel, construction material, fuel, oil, bitumen or waste must be allowed into these areas without the express permission of and supervision by the ECO, except for rehabilitation work in these areas.
 53. Toilets must be located at least 30 m from freshwater ecosystems identified to be of low or moderate conservation importance and 50 m from freshwater ecosystems identified to be of high conservation importance.

54. No fuel storage, refuelling, vehicle maintenance or vehicle depots must be allowed within 30 m of freshwater ecosystems identified to be of low or moderate conservation importance and 50 m from freshwater ecosystems identified to be of high conservation importance.
55. No discharge of effluents or polluted water must be allowed into any rivers or wetland areas.
56. No spoil material, including stripped topsoil, must be temporarily stockpiled within 30 m of freshwater ecosystems identified to be of low or moderate conservation importance and 50 m of freshwater ecosystems identified to be of high conservation importance.
57. Workers must be made aware of the importance of not polluting rivers or wetlands and of not undertaking activities that could result in such pollution, and this awareness must be promoted throughout the construction phase.
58. Signs must be placed along construction roads to identify speed limits, travel restrictions, and other standard traffic control information. To minimize impacts on local commuter, consideration should be given to limiting construction vehicles travelling on public roadways during the morning and late afternoon commute time.
59. Internal access roads must be located to minimize stream crossings. All structures crossing streams must be located and constructed so that they do not decrease channel stability or increase water velocity.
60. A designated access to the site must be created and clearly marked to ensure safe entry and exit.
61. Signage must be erected at appropriate points warning of turning traffic and the construction site.
62. Construction vehicles carrying materials to the site should avoid using roads through densely populated built-up areas so as not to disturb existing retail and commercial operations.
63. Road borders should be regularly maintained to ensure that vegetation remains short and that they therefore serve as an effective firebreak.
64. Roads must be designed so that changes to surface water runoff are avoided and erosion is not initiated.
65. All construction vehicles should adhere to a low speed limit to avoid collisions with susceptible species such as snakes and tortoises.
66. The holder of this authorisation must reduce visual impacts during construction by minimising areas of surface disturbance, controlling erosion, using dust suppression techniques and restoring exposed soil as closely as possible to their original contour and vegetation.
67. The holder of this authorisation must train safety representatives, managers and workers in workplace safety. The construction process must be compliant with all safety and health measures as prescribed by the relevant act.

68. Liaison with land owners/farm managers must be done prior to construction in order to provide sufficient time for them to plan agricultural activities.
69. No unsupervised open fires for cooking or heating must be allowed on site.
70. Areas around fuel tanks must be bunded or contained in an appropriate manner as per the requirements of SABS 089:1999 Part 1.
71. Leakage of fuel must be avoided at all times and if spillage occurs, it must be remedied immediately.
72. Hazardous waste such as bitumen, oils, oily rags, paint tins etc. must be disposed of at an approved waste landfill site licensed to accept such waste.
73. No dumping or temporary storage of any materials may take place outside designated and demarcated laydown areas, and these must all be located within areas of low environmental sensitivity.
74. Hazardous substances must not be stored where there could be accidental leakage into surface or subterranean water.
75. Hazardous and flammable substances must be stored and used in compliance to the applicable regulations and safety instructions. Furthermore, no chemicals must be stored nor may any vehicle maintenance occur within 350m of the temporal zone of wetlands, a drainage line with or without an extensive floodplain or hillside wetlands.
76. Temporary bunds must be constructed around chemical storage to contain possible spills.
77. Spill kits must be made available on-site for the clean-up of spills.
78. An integrated waste management approach must be implemented that is based on waste minimisation and must incorporate reduction, recycling and re-use options where appropriate. Where solid waste is disposed of, such disposal shall only occur at a landfill licensed in terms of section 20(b) of the National Environment Management Waste Act, 2008 (Act 59 of 2008).
79. The holder of this authorisation must provide sanitation facilities within the construction camps and along the road so that workers do not pollute the surrounding environment. These facilities must be removed from the site when the construction phase is completed as well as associated waste to be disposed of at a registered waste disposal site.
80. The holder of this authorisation must take note that no temporary site camps will be allowed outside the footprint of the development area as the establishment of such structures might trigger a listed activity as defined in the Environmental Impact Assessment Regulations, 2010.
81. Underground cables and internal access roads must be aligned as much as possible along existing infrastructure to limit damage to vegetation and watercourses.

82. Foundations and trenches must be backfilled with originally excavated materials as much as possible. Excess excavation materials must be disposed of only in approved areas or, if suitable, stockpiled for use in reclamation activities.
83. Borrow materials must be obtained only from authorized and permitted sites. Permits must be kept on site by the ECO.
84. Anti-erosion measures such as silt fences must be installed in disturbed areas.
85. Dust abatement techniques must be used before and during surface clearing, excavation, or blasting activities.
86. Appropriate dust suppression techniques must be implemented on all exposed surfaces during periods of high wind. Such measures may include wet suppression, chemical stabilisation, the use of a wind fence, covering surfaces with straw chippings and re-vegetation of open areas.
87. Should abnormal loads have to be transported by road to the site, a permit must be obtained from the Provincial Government Eastern Cape.

General

88. A copy of this authorisation and the approved EMPr must be kept at the property where the activity will be undertaken. The authorisation and approved EMPr must be produced to any authorised official of the Department who requests to see it and must be made available for inspection by any employee or agent of the holder of the authorisation who works or undertakes work at the property.
89. The holder of the authorisation must notify both the *Director: Integrated Environmental Authorisations* and the *Director: Compliance Monitoring* at the Department, in writing and within 48 (forty eight) hours, if any condition of this authorisation cannot be or is not adhered to. Any notification in terms of this condition must be accompanied by reasons for the non-compliance.
90. National government, provincial government, local authorities or committees appointed in terms of the conditions of this authorisation or any other public authority shall not be held responsible for any damages or losses suffered by the applicant or his successor in title in any instance where construction or operation subsequent to construction be temporarily or permanently stopped for reasons of non-compliance by the applicant with the conditions of authorisation as set out in this document or any other subsequent document emanating from these conditions of authorisation.



Annexure 1: Reasons for Decision

1. Information considered in making the decision

In reaching its decision, the Department took, *inter alia*, the following into consideration -

- a) The listed activities as applied for in the application form dated October 2011;
- b) The information contained in the amended BAR dated May 2013 and Addendum to the amended BAR dated January 2014;
- c) The comments received from the organs of state and interested and affected parties as included in the amended BAR dated May 2013;
- d) Mitigation measures as proposed in the amended BAR dated May 2013, Addendum to the BAR dated January 2014 and the EMP;
- e) The information contained in the specialist studies contained within Appendix D of the amended BAR dated May 2013 and as appears below:

Title	Prepared by	Date
Heritage Impact Assessment report	Umlando: Archaeological Tourism and Resource Management	March 2011
Palaeontological Impact Assessment report	Metsi Metseng Geological & Environmental Services (MMGES)	November 2011
Visual Impact Assessment report	Coastal & Environmental Services	Not dated
Agricultural Assessment Report	Coastal & Environmental Services	June 2012
Ecological Impact Assessment Report	Coastal & Environmental Services	May 2013

- f) The objectives and requirements of relevant legislation, policies and guidelines, including section 2 of the National Environmental Management Act, 1998 (Act 107 of 1998).

2. Key factors considered in making the decision

All information presented to the Department was taken into account in the Department's consideration of the application. A summary of the issues which, in the Department's view, were of the most significance is set out below.

- a) Details provided of the qualifications of the Environmental Assessment Practitioner (EAP).
- b) The findings of all the specialist studies conducted and their recommended mitigation measures.
- c) The need for the proposed project stems from the provision of electricity to the national grid in terms of the Renewable Energy Independent Power Producers Procurement Programme (RRIPPPP) as required by the Department of Energy.
- d) The amended BAR dated May 2013 and the Addendum to the amended BAR dated January 2014 identified all legislation and guidelines that have been considered in the preparation of the BAR.
- e) The description of the environment that may be affected by the activity and the manner in which the physical, biological, social, economic and cultural aspects of the environment may be affected by the proposed activity.
- f) The methodology used in assessing the potential impacts identified in the amended BAR dated May 2013, the Addendum to the amended BAR dated January 2014 and the specialist studies have been adequately indicated.
- g) A sufficient public participation process was undertaken and the applicant has satisfied the minimum requirements as prescribed in the EIA Regulations, 2010 for public involvement.
- h) Other factors considered:

Factors:	Site PV 2	Site PV4
Size of PV footprint	A. 10.9ha B. 8.1 ha Total development foot print 19ha	A. 15.3ha B. 3.7ha Total development foot print 19ha
Current land use	Informal stock grazing	Informal stock grazing
Proximity to surrounding communities	Nearest village is on the opposite side of the R345 from the site.	PV4 is located north of the R345 close to Bongweni village to the north west.
Vegetation status	Vegetation is in poor condition in some places due to unmanaged	Vegetation is in poor condition due to unmanaged

	Informal stock grazing. Vegetation is in moderate condition in the north-eastern areas of the property.	stock grazing.
Site accessibility	Accessible by vehicle, close to existing roads.	Accessible by vehicle, close to existing roads.
Site advantages	Easy access to site Already degraded land The visual impacts will be minimal to the nearest village due to the panels being on the opposite side of the residential area.	Easy access to site Already degraded land
Site disadvantages	Site is divided by an existing power line The area is divided into two portions by a drainage system; however, the impacts can be minimised or can be avoided by a 50 m distance of the PV panel to the Drainage system as recommended above.	Site is divided by an existing power line It is closest to the residential area as compared to PV2. More visual impact will be experienced by the near villages and surrounding society. PV 4 will also have dust pollution impact to the Bongweni residents due to its close proximity to the village during construction.
Outcome of assessment	These sites were considered to be the most preferred sites as compared to PV1, however, looking at the above factors the Department prefers PV2.	

3. Findings

After consideration of the information and factors listed above, the Department made the following findings -

- a) The identification and assessment of impacts are detailed in the amended BAR dated May 2013 and the Addendum to the amended BAR dated January 2014 and sufficient assessment of the key identified issues and impacts have been completed.
- b) The procedure followed for impact assessment is adequate for the decision-making process.
- c) The proposed mitigation of impacts identified and assessed adequately curtails the identified impacts.
- d) The information contained in the amended BAR dated May 2013 and the Addendum to the amended BAR dated January 2014 is accurate and credible.
- e) EMP measures for the pre-construction, construction and rehabilitation phases of the development were proposed and included in the BAR and will be implemented to manage the identified environmental impacts during the construction process.

In view of the above, the Department is satisfied that, subject to compliance with the conditions contained in the environmental authorisation, the proposed activity will not conflict with the general objectives of integrated environmental management laid down in Chapter 5 of the National Environmental Management Act, 1998 and that any potentially detrimental environmental impacts resulting from the proposed activity can be mitigated to acceptable levels. The environmental authorisation is accordingly granted.

