



SOUTH AFRICAN HERITAGE RESOURCES AGENCY

111 HARRINGTON STREET, CAPE TOWN, 8001
PO BOX 4637, CAPE TOWN, 8000
TEL: (021) 462 4502 FAX: (021) 462 4509

9/2/263/0018

PERMIT

No. 80/11/04/002/51

Issued under Section 35(4) of the National Heritage Resources Act, Act No. 25 of 1999.
Permission is hereby given:

to: Mr W Fourie in association with Prof J. Boeyens, Dr M van der Ryst and Dr K Kuman,
of: the Professional Grave Solutions, PO Box 32542, Totiusdal, 0134, UNISA and Wits University respectively,
for: Phase 2 mapping and limited test excavation of an Iron Age site (SM001 (Tower 198), an Early and Middle Stone Age Site, SM002 (Tower 190-191) and an Early Stone Age Site, SM003 (Tower 139), that will be impacted by the placement of pylons for the proposed 400kV Spitskop-Marang transmission line,
on: farms August Mokgatle 302 and Portion 3 of the farm Kafferskraal 133JQ
in: the Rustenburg District, North-West Province.

The following conditions apply:

1. If the permit holder is not to be present on the site at all times then SAHRA must be provided with the names and qualifications of the authorised representatives.
2. Adequate recording methods as specified in the Regulations and Guidelines pertaining to the National Heritage Resources Act must be used. Note that the position of all excavations must be marked on a plan of each site.
3. A standard site record form must be lodged with the Ditsong Museum.
4. All material collected and excavated, as well as field notes and records, will be curated by the UNISA.
5. Where shovel tests and test excavations yield less significant results, such sites must not be destroyed without a permit from SAHRA, and application for destruction may only be applied for once a phase 2 report has been received and reviewed by SAHRA, and counsel on way forward given.
6. SAHRA must be updated where the archaeologists encounter challenges in implementation of the phase 2 program as currently anticipated.
7. Human remains are ethically sensitive, where these are accidentally discovered during this phase 2 exercise, all the necessary consultations, as may be required by NHRA, must be done.
8. This permit does not apply to any associated development activities to the project if these were not assessed as part of the phase 1 HIA of this project.
9. A report must be submitted to SAHRA on or before 01 October 2012. SAHRA reserves the right to withhold further permits if progress is not deemed satisfactory.
10. Reprints of all published papers, or copies of theses or reports resulting from this work must be lodged with SAHRA.
11. If a published report has not appeared within three years of the lapsing of this permit, the report required in terms of the permit will be made available to researchers on request.

12. It is the responsibility of the permit holder to obtain permission from the landowner for each visit, and conditions of access imposed by the landowner must be observed.
13. It is the responsibility of the permit holder to fill in excavations and protect sites during and after excavation to the satisfaction of SAHRA and the landowner.
14. SAHRA shall not be liable for any losses, damages or injuries to persons or properties as a result of any activities in connection with this permit.
15. SAHRA reserves the right to cancel this permit by notice to the permit holder.

This permit is valid until 01 October 2012.

for CHIEF EXECUTIVE OFFICER

Date: 12 September 2011

Place: Cape Town